# COMBINE PARTS



See your local A&I Products reseller
or visit www.aiproducts.com

a&i products

LoeWen COMBINE PARTS by A&I PRODUCTS

COMBINE PARTS


| SECTION NAME | PAGE NUMBER |
|---|---|
| Case-IH | 1-131 |
| Challenger | 132-138 |
| Ford-New Holland | 139-176 |
| Gleaner | 177-227 |
| John Deere | 228-462 |
| Massey Ferguson | 463-508 |
| Miscellaneous Brands | 509-512 |
| Caterpillar | 510 |
| Claas | 510 |
| Drago | 510 |
| Hart Carter | 511 |
| Honey Bee | 511 |
| Love | 511 |
| MacDon | 511-512 |
| New Idea | 512 |
| White/Oliver/Mnpl Moline | 513-532 |
| Stalk Stryker | 533-544 |


Loewen COMBINE PARTS by A&I PRODUCTS

# QUALITY COMBINE PARTS

When it comes to harvest, North American producers take their jobs very seriously. With multiple variables affecting the quality and efficiency of the harvest, ensuring they get back to the field ready for work without hassle is extremely important. A&I Products and Loewen Combine Parts by A&I are here to assist you with a customer in any situation, whether it be a repair, update, or refresh.

Selection is big. Big in finding exactly what you need, and big in actual volume. A&I Products' selection includes everything from cab comfort, drivetrain, threshing, grain handling, and much more.


- Air Conditioning
- Alternators & Starters
- Augers
- Belts
- Cab Glass
- Chaffers & Sieves
- Concaves
- Cylinder Bars
- Draper & Pickup Belting
- Elevator Chain
- Elevator Doors
- Engine Kits & Parts
- Feeder Chain
- Gathering Chain
- Guards
- Hydraulic Hose & Fittings
- Posifeed Rollers
- Raddle Chains
- Rock Drums
- Rotor Rasp Bars
- Shoe Frames & Rails
- Sickles
- Sprockets
- Straw Chopper Blades
- Straw Walkers
- Wear Bars
- Wood Bearing Blocks

...AND MORE

# CASE-IH SECTIONS


Belts. . . . . .2-18
Cab Parts. . . . . 85
Cooling Systems . . . . . .19-21
Combine Belts. . . . . .2-18
Discharge Area. . . . . .124-127
Straw Chopper & Spreader Parts . . . . . .124-127
Engine Parts . . . . . .22-26
Filters. . . . . 26
Grain Handling. . . . . .98-123
Augers . . . . . .117-123
Auger Related Parts . . . . . .110-116
Clean Grain & Return Elevator Parts . . . . . .99-102
Elevator Chain . . . . . 98
Grain Handling Shafts, Sprockets, Pulleys . . . . . .103-109
Headers/Platforms/Feeder House . . . . . .35-61
Corn Head Parts. . . . . .39-48
Grain Head Parts . . . . . .35-39
Feeder House Chain/Slats/Raddle Chain. . . . . .49-51
Feeder House Parts . . . . . .52-61
Hydraulic Systems Parts . . . . . 28
Ignition & Electrical Parts. . . . . 27
Power Train/Propulsion . . . . . .81-85
Rear Axle/Steering Parts . . . . . .127-131
Rotor Vane Kits . . . . . 73
Separator Area. . . . . .86-88
Chaffer Frames & Shoes . . . . . 95
Chaffers/Sieves. . . . . .92-94
Chaffers/Sieves/Frames/Shoes Related Parts . . . . . .96-97
Separator Shafts, Gear & Parts. . . . . .89-90
Separator Sprockets & Sheaves . . . . . 91
Sickles Sections, Sickle Parts, & Sickle Assemblies . . . . . .29-34
Threshing Area. . . . . .62-80
Concaves . . . . . .62-65
Concaves Parts. . . . . .66-67
Impellers & Wear Bars. . . . . .77-78
Rasp Bars . . . . . .74-76
Rotor Cones & Wear Items . . . . . .68-70
Vanes Transport. . . . . .71-72

# COMBINE BELTS





| Application | Part # | Ref. | Description |
|---|---|---|---|
| 715 | **A-170948C1** | 2 | Belt, Straw Walker & Fan Jackshaft |
| 715 | **A-937928R1** | 7 | Belt, Elev Drive, w/o Raised Leveling Auger |
| 715 | **A-171101C2** | NI | Belt, Variable Speed Cylinder Drive |
| 715 D310 engine | **A-395539R1** | NI | Belt, Fan, Water Pump, & Alternator |
| 715 C301 engine, SN <-4914 | **A-403617R1** | NI | Belt, Alternator/Generator & Water Pump |


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com





**IH**
**815, 915**

| Application | Part # | Ref. | Description |
|---|---|---|---|
| 815 SN 8001-> | **A-196370C1** | 2 | Belt, Straw Spreader Drive |
| 915 SN 8001-> | **A-84172256** | 2 | Belt, Straw Spreader Drive |
| (815, 915 ALL gas, SN 8001->) | **A-178763C1** | 4 | Belt, Hyd Reel Pump Drive |
| 915 diesel, SN 8001-> | **A-179007C1** | 4 | Belt, Hyd Reel Pump Drive |
| 815 SN <-3784, 915 SN <-2350 | **A-160870C1** | 7 | Belt, Straw Chopper Drive |
| 815 SN 8001->, 915 SN 8001> | **A-177499C1** | 7 | Belt, Straw Chopper Drive |
| (815, 915 ALL SN 8001->) | **A-532031R2** | 15 | Belt, Governor |
| 815 gas w/ AC SN 8001->, 915 | **A-167031C2** | 16 | Belt, AC Compressor Drive |
| 815 diesel, SN 8001->, 915 diesel | **A-65337C2** | 17 | Belt, Compressor Drive |
| 815 D414 eng, 915 SN <-8001 | **A-537072R92** | 18 | Belt, Fan, Alt, Gen, & Water Pump (Set/2) |
| 815 Bolt att. feeder, SN <-8000 | **A-150816C1** | NI | Belt, Platform Jackshaft Drive |
| 815 gas SN <-3784, 915 SN <-2350 | **A-160871C1** | NI | Belt, Straw Chopper Jackshaft Drive |
| 815 diesel SN <-3784, 915 SN <-2350 | **A-168725C1** | NI | Belt, Rotary Air Screen Drive |
| 815 diesel SN <-3784, 915 SN <-2350 | **A-172360C1** | NI | Belt, Rotary Air Screen Drive |
| 815, 915 SN <-8001 | **A-C165** | NI | Belt, Fast Speed for Bolt Att. Feeder |
| 815 gas SN 3784->, 915 SN 2350-> | **A-700709489** | NI | Belt, Rotary Air Screen |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated

# COMBINE BELTS




| Application | Part # | Ref. | Description |
|---|---|---|---|
| 1420 | **A-130724C91** | 1 | Belt, Fan, Alternator, Water Pump, Matched Set (2) |
| 1420 | **A-280210C2** | 2 | Belt, Compressor Drive |
| 1420 w/ Straw Chopper | **A-87476487** | 4 | Belt, Drive w/ Straw Chopper, RH |
| 1420 w/ Straw Chopper | **A-87476487** | 4 | Belt, Elevator Drive / Main, RH |
| 1420 | **A-599060R1** | 5 | Belt, Fan Drive |
| 1420 | **A-182619C1** | 8 | Belt, Grain Elevator, Grain/Corn |
| 1420 | **A-674965R1** | 9 | Belt, Tailings Elev Drive |
| 1420 | **A-197414C2** | 11 | Belt, Feeder Jackshaft Drive |
| 1420 | **A-195143C1** | 12 | Belt, Unloader Jackshaft Drive |
| 1420 | **A-47424854** | 12 | Belt, Unloading Drive |
| 1420 | **A-191288C2** | 13 | Belt, Auxiliary Pump Drive |
| 1420 | **A-191241C3** | 14 | Belt, Separator Drive |


*CASE-IH

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com





| Application | Part # | Ref. | Description |
|---|---|---|---|
| (1440, 1460 ALL for 47" feeder w/o rock trap) | **A-197411C1** | 1 | Belt, Hydraulic Reel Drive |
| (1440, 1460, 1480 ALL for 54 1/2" feeder w/o rock trap) | **A-197414C2** | 1 | Belt, Hydraulic Reel Drive |
| 1440, 1460 | **A-191290C1** | 2 | Belt, Unloader Jackshaft Drive |
| 1480 | **A-191291C1** | 2 | Belt, Unloader Jackshaft Drive |
| 1440, 1460, 1480 | **A-191288C2** | 3 | Belt, Auxiliary Pump Drive |
| 1480 | **A-87330894** | 3 | Belt, Auxiliary Pump Drive |
| 1440, 1460 | **A-191241C3** | 4 | Belt, Separator Drive |
| 1480 | **A-191244C1** | 4 | Belt, Separator Drive |
| 1440, 1460 | **A-244420A4** | 5 | Belt, Rotor Variable Drive |
| 1440, 1460, 1470 | **A-244420A4** | 5 | Belt, Rotor Belt |
| 1480 | **A-244422A4** | 5 | Belt, Rotor Variable Drive |
| 1440 SN <-20715, 1460 SN <-23250 | **A-153359C1** | 6 | Belt, Straw Spreader Drive |
| 1480 SN<-2400 | **A-153359C1** | 6 | Belt, Straw Spreader Drive |
| 1440 SN 20715->, 1460 SN 23250-> | **A-84172256** | 6 | Belt, Straw Spreader Drive |
| 1480 SN 24001-> | **A-84172256** | 6 | Belt, Straw Spreader Drive |
| (1440, 1460 ALL w/ Discharge Beater SN 1501>), 1470, 1480 w/ Discharge Beater, 1482 | **A-87476487** | 7 | Belt, Elevator Drive / Main, RH |
| 1440, 1460, 1480 | **A-195396C2** | 8 | Belt, Fan Drive |
| 1480 W/ Rock Trap | **A-1315074C2** | 8 | Belt, Feeder Drive |
| 1440, 1460 | **A-192738C1** | 9 | Belt, Feeder Drive w/o Rock Trap (7/8" X 150 1/4") |
| 1480 W/O Rock Trap | **A-194528C1** | 9 | Belt, Feeder Drive w/o Rock Trap (7/8" X 143 3/8") |
| 1480 W/ 60" Feeder | **A-1308489C2** | 10 | Belt, Feeder Jackshaft Drive |
| (1440, 1460 ALL for 47" feeder) | **A-1313095C2** | 10 | Belt, Feeder Jackshaft Drive |
| 1440 SN <20714 W/ 54 1/2" Feeder, 1460 SN <23247 W/ 54 1/2" Feeder, 1480 W/ 54 1/2" Feeder | **A-87629602** | 10 | Belt, Feeder Jackshaft Drive |
| 1480 Fan Jackshaft Drive | **A-317904A1** | 11 | Belt, Fan Jackshaft Drive |
| 1440, 1460 | **A-191305C1** | 11 | Belt, Fan Jackshaft Drive (set of 2) |
| 1440, 1460, 1480 | **A-874097C1** | 12 | Belt, Compressor Drive |
| (1440, 1460, 1480 ALL IH Engine D-436) | **A-537072R92** | 13 | Belt, Fan, Alt, Gen, & Water Pump, (Set/2) |
| 1480 SN 24001-> | **A-181013C1** | 16 | Belt, Straw Chopper Drive |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated

# COMBINE BELTS





| Application | Part # | Ref. | Description |
|---|---|---|---|
| 1620 SN <-32630 | **A-130724C91** | 1 | Belt, Fan, Alternator, Water Pump, Matched Set (2) |
| 1680 SN <-45689 | **A-131201C92** | 1 | Belt, Fan (Set/2) |
| 1640 w/ Bosch alt., 1640 SN <-34705, 1660 w/ Bosch alt. | **A-1979149C1** | 1 | Belt, Fan, Alt, Water Pump, Matched Set (2) |
| 1680 SN <JJC0045689 W/DTI-466C Diesel, 1640 w/ Motorola alt., 1640 SN <-34705, 1660 w/ Motorola alt. | **A-537072R92** | 1 | Belt, Fan, Alt, Gen, & Water Pump, (Set/2) |
| 1640 SN JJC0034705-> | **A-J911562** | 1 | Belt, Fan |
| 1620 SN 32630->, 1660 SN 38346-> | **A-J911565** | 1 | Belt, Fan, Alternator, & Water Pump |
| 1660 SN 38346-> | **A-J911573** | 1 | Belt, Fan, Alternator |
| 1620 SN 32630->, 1680 | **A-1250587C1** | 2 | Belt, AC Compressor |
| 1640 S/N <34705, 1660 S/N <38346 | **A-164550R2** | 2 | Belt, Compressor Drive |
| 1620 | **A-280210C2** | 2 | Belt, Compressor Drive |
| 1640 SN JJC0034705>, 1660 SN JJC0038346>, 1680 | **A-396829R1** | 2 | Belt, AC Compressor |
| 1680 SN 45689-> | **A-J911574** | 2 | Belt, Fan Drive, Compressor |
| 1640, 1660, 1670 | **A-244420A4** | 3 | Belt, Rotor Belt |
| 1680 | **A-244422A4** | 3 | Belt, Rotor Variable Drive |
| 1680 SN 45689-> | **A-1330499C1** | 4 | Belt, Separator Drive |
| 1620, 1640, 1660 | **A-191241C3** | 4 | Belt, Separator Drive |
| 1680 SN <-45689 | **A-191244C1** | 4 | Belt, Separator Drive |
| 1640 SN 97103->, 1660 SN 102897-> | **A-1347387C1** | 5 | Belt, Auxiliary Pump Drive |
| 1680 SN <-45689 | **A-191288C2** | 5 | Belt, Auxiliary Pump Drive |
| 1620 SN <-97103, 1640, 1660 | **A-1970115C1** | 5 | Belt, Auxiliary Pump Drive |
| 1680 PIN <JJC0115352 | **A-1970116C1** | 5 | Belt, Auxiliary Pump Drive; Single V |
| 1640, 1660 | **A-191290C1** | 6 | Belt, Grain Tank Unloader Drive |
| 1680 | **A-191291C1** | 6 | Belt, Grain Tank Unloader Drive |
| 1620 | **A-195143C1** | 6 | Belt, Grain Tank Unloader Drive |
| 1680 SN JJC0115352> | **A-1989217C1** | 6 | Belt, Grain Tank Unloader Drive |
| 1620 | **A-47424854** | 6 | Belt, Unloading Drive |
| 1640 SN JJC0097171 - JJC0097189 W/ 54 1/2" feeder, 1660 SN JJC010367 - JJC0103799 W/ 54 1/2" feeder, 1680 SN JJC0115001 - JJC0117059 W/ 54 1/2" feeder | **A-1321565C1** | 7 | Belt, Reel Pump Drive |
| 1640 SN JJC0034860 - JJC0097170 W/ 54 1/2" feeder, 1660 SN JJC0039130 - JJC00103066 W/ 54 1/2" feeder, 1680 SN JJC0046598 - JJC00115000 W/ 54 1/2" feeder | **A-1330311C1** | 7 | Belt, Reel Pump Drive |
| 1680 W/ 60" Feeder | **A-1308489C2** | 8 | Belt, Feeder Jackshaft Drive |

# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com





| Application | Part # | Ref. | Description |
|---|---|---|---|
| (1640, 1660 ALL w/ 47" feeder) | **A-1313095C2** | 8 | Belt, Feeder Jackshaft Drive |
| (1640, 1660, 1670, 1680 ALL W/ 54 1/2" Feeder) | **A-87629602** | 8 | Belt, Feeder Jackshaft Drive |
| 1680 W/ Rock Trap | **A-1315074C2** | 9 | Belt, Feeder Drive |
| (1640, 1660, 1680 ALL w/ rock trap) | **A-1315168C1** | 9 | Belt, Feeder Drive (7/8" X 166 1/2") |
| 1640 w/o rock trap, 1660 w/o rock trap, SN 38346->, 1680 w/o rock trap | **A-192738C1** | 9 | Belt, Feeder Drive (7/8" X 150 1/4") |
| 1680 W/O Rock Trap | **A-194528C1** | 9 | Belt, Feeder Drive (7/8" X 143 3/8") |
| 1640, 1660 | **A-195396C2** | 10 | Belt, Cleaning Fan Drive |
| 1620 | **A-599060R1** | 10 | Belt, Fan Drive |
| 1640, 1660, 1680, 1682 | **A-87683178** | 10 | Belt, Cleaning Fan Drive |
| 1640 W/Extended Length Cleaning System, 1660 W/Extended Length Cleaning System S/N JJC0038346>, 1680 Cleaning fan Drive | **A-1541569C1** | 10 | Belt, Cleaning Fan Drive |
| 1680 Fan Jackshaft Drive | **A-317904A1** | 11 | Belt, Fan Jackshaft Drive |
| 1640, 1660 SN <-38346 | **A-191305C1** | 11 | Belt, Fan Jackshaft Drive (set of 2) |
| 1620 | **A-674965R1** | 11 | Belt, Tailings Elev Drive |
| (1640, 1660, 1680 ALL W/ Straw Chopper) | **A-181055C1** | 12 | Belt, Elevator Drive |
| 1620 grain & corn | **A-182619C1** | 12 | Belt, Grain Elevator |
| 1620 w/ Straw Chopper, 1640 w/ Discharge Beater SN JJC0034705>, 1660 w/ Discharge Beater, 1680 W/ Discharge Beater, 1682 | **A-87476487** | 12 | Belt, Elevator Drive / Main, RH |
| 1680 W/ Extended Cleaning System | **A-1541702C1** | 13 | Belt, Separator Drive |
| 1640, 1660 | **A-84172256** | 13 | Belt, Straw Spreader Drive |
| 1640, 1660 | **A-1315265C1** | 14 | Belt, Straw Chopper Drive |
| 1680 | **A-1315266C1** | 14 | Belt, Straw Chopper Drive |
| 1620 w/ Straw Chopper, 1640 w/ Discharge Beater SN JJC0034705>, 1660 w/ Discharge Beater, 1680 W/ Discharge Beater | **A-87476487** | 14 | Belt, Elevator Jackshaft & Cleaning Fan |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated

# COMBINE BELTS




**IH**
**1644, 1666, 1688, 2144, 2166, 2188, 2344, 2366, 2388 2377, 2577, 2588, 5088**


| Application | Part # | Ref. | Description |
|---|---|---|---|
| (1688, 2188 ALL Fan Jackshaft Drive) | **A-317904A1** | 1 | Belt, Fan Jackshaft Drive |
| 1644, 1666, 2144, 2166 | **A-191305C1** | 1 | Belt, Fan Jackshaft Drive (set of 2) |
| 1644, 2144 | **A-J911565** | 1 | Belt, Fan, Alternator, & Water Pump |
| 1666, 1688, 2166, 2188 | **A-J911572** | 1 | Belt, Fan, Alternator, & Water Pump |
| 1644, 2144 | **A-1250587C1** | 2 | Belt, AC Compressor |
| 1666, 1688, 2166, 2188 | **A-396829R1** | 2 | Belt, AC Compressor |
| 1644, 1666, 2144, 2166 | **A-244420A4** | 3 | Belt, Rotor Belt |
| (1688, 2188 ALL w/o hi-power cam assm.) | **A-244422A4** | 3 | Belt, Rotor Drive |
| 1688, 2188 | **A-1541702C1** | 4 | Belt, Separator Drive |
| 1644, 1666, 2144, 2166 | **A-191241C3** | 4 | Belt, Separator Drive 130” |
| 2188 | **A-124573A1** | 5 | Belt, Auxiliary Pump Drive |
| 1644 | **A-1347387C1** | 5 | Belt, Auxiilary Pump Drive |
| 1688, 2144 | **A-1541700C1** | 5 | Belt, Auxiliary Pump Drive |
| 2166 | **A-708176** | 5 | Belt, Aux. Pump Drive |
| 2166 | **A-124572A1** | 5 | Belt, Auxiliary Pump Drive |
| 1644, 1666 | **A-1989216C1** | 6 | Belt, Grain Tank Unloader Drive |
| 1688, 2188 | **A-1989217C1** | 6 | Belt, Grain Tank Unloader Drive |
| (1688, 2144, 2166, 2188 ALL W/ 60” Feeder) | **A-1308489C2** | 8 | Belt, Feeder Jackshaft Drive w/ 60” Feeder |
| 1644, 1666 | **A-1313095C2** | 8 | Belt, Feeder Jackshaft Drive, 47” |
| (1644, 1666, 1688, 2144, 2166, 2188 ALL W/ 54 1/2” Feeder) | **A-87629602** | 8 | Belt, Feeder Jackshaft Drive |
| (1688, 2188 ALL W/ Rock Trap) | **A-1315074C2** | 9 | Belt, Feeder Drive |
| 1644, 1666, 2144, 2166 | **A-1315168C1** | 9 | Belt, Feeder Drive (7/8” X 166 1/2”) |
| 1644, 1666, 2144, 2166 | **A-192738C1** | 9 | Belt, Feeder Drive w/o Rock Trap (7/8” X 150 1/4”) |
| (1688, 2188 ALL W/O Rock Trap) | **A-194528C1** | 9 | Belt, Feeder Drive w/o Rock Trap (7/8” X 143 3/8”) |
| 1644 W/Extended Length Cleaning System, (1666, 1688, 2144, 2166, 2188 ALL Cleaning fan Drive) | **A-1541569C1** | 10 | Belt, Cleaning Fan Drive |
| (1644, 1666, 1688, 2144, 2166, 2188 ALL W/ Straw Chopper) | **A-181055C1** | 12 | Belt, Elevator Drive w/ Chopper, 201” |
| (1666, 1688 ALL W/ Discharge Beater), 1644 w/o Straw Chopper, 2144 W/O Straw Chopper, (2166, 2188 ALL w/o Straw Chopper) | **A-87476487** | 12 | Belt, Elevator Drive / Main, RH |
| 1644, 1666, 1688, 2144, 2166, 2188 | **A-84172256** | 13 | Belt, Straw Spreader Drive |
| 1644, 1666, 2144, 2166 | **A-1315265C1** | 14 | Belt, Straw Chopper Drive |
| 1688, 2188 | **A-1315266C1** | 14 | Belt, Straw Chopper Drive |
| (1644, 1666, 1688, 2144, 2166, 2188 ALL W/ Straw Chopper) | **A-181055C1** | 15 | Belt, Main Drive w/ Chopper, RH |
| 1644 w/o Straw Chopper, 2144 W/O Straw Chopper, (2166, 2188 ALL w/o Straw Chopper), (1666, 1688 ALL W/ Discharge Beater) | **A-87476487** | 15 | Belt, Main, Drive w/o Straw Chopper, RH |

# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com





**IH**
**2366, 2377, 2388,**
**2577, 2588,**
**5088, 6088, 7088**

| Application | Part # | Ref. | Description |
|---|---|---|---|
| 5088, 6088, 7088 | **A-87583785** | 1 | Belt, Air Screen Drive |
| 2366 SN JJC0255700>, 2377 , 2388 SN JJC0273000>, 2577, 2588, 5088, 6088, 7088 | **A-87755884** | 1 | Belt, Engine Fan |
| 2366 SN <JJC0255699, 2388 SN <JJC0272999 | **A-396829R1** | 2 | Belt, AC Compressor |
| 2577 S/N HAJ0300001>, 2588 S/N HAJ300001>, 5088, 6088, 7088 | **A-87311867** | 2 | Belt, AC Compressor |
| 2344, 2366 | **A-244420A4** | 3 | Belt, Rotor Belt |
| 2366 , 2388 SN <JJC0272999 W/ 17.5" Drive Pulle | **A-244423A5** | 3 | Belt, Rotor Drive |
| (2377, 2388, 2577, 2588, 5088 ALL ROTOR DRIVE) | **A-84194650** | 3 | Belt, Rotor Drive; Seamless |
| (2377, 2388 ALL SN HAJ0295001> Or Previous SN's W/ Heavy Duty Gearbox), (2577, 2588 ALL SN HAJ0300001>), 5088, 6088, 7088 | **A-84194650** | 3 | Belt, Rotor Drive |
| (5088, 6088, 7088 ALL Rotor Drive) | **A-87615553** | 3 | Belt, Rotor Drive |
| 2377 SN HAJ0292001-HAJ0300000, 2388 SN JJC0270500->, 2577, 2588 | **A-400427A1** | 4 | Belt, Separator Drive |
| 2388 S/N <-JJC0270499 | **A-1541702C1** | 4 | Belt, Separator Drive |
| 2366 | **A-191241C3** | 4 | Belt, Separator Drive 130" |
| 5088, 6088, 7088 | **A-84137716** | 4 | Belt, Separator Drive |
| 2388 Auxillary Pump Drive | **A-124573A1** | 5 | Belt, Auxiliary Pump Drive |
| 2388 | **A-708176** | 5 | Belt, Aux. Pump Drive |
| 2388 S/N <JJC0272999 | **A-124572A1** | 5 | Belt, Auxiliary Pump Drive |
| 2366, 5088 | **A-87330894** | 5 | Belt, Auxiliary Pump Drive |
| 2377, 2388, 2577, 2588 | **A-1989217C1** | 6 | Belt, Grain Tank Unloader Drive |
| 5088 | **A-47424854** | 6 | Belt, Unloading Drive |
| 2366 W/ 60" Feeder, 2388 SN <JJC0268799; W/ 60" Feeder | **A-1308489C2** | 8 | Belt, Feeder Jackshaft Drive w/ 60" Feeder |
| (2344, 2366 ALL W/ 54 1/2" Feeder), 2388 SN <JJC0268799; W/ 54 1/2" Feeder, 5088, 6088, 7088 | **A-87629602** | 8 | Belt, Feeder Jackshaft Drive, 54-1/2" |
| 5088, 6088, 7088 | **A-87332161** | 8 | Belt, Header Drive |
| (2377, 2388, 2577, 2588 ALL W/ Rock Trap) | **A-1315074C2** | 9 | Belt, Feeder Drive |
| 2366 w/ rock trap | **A-1315168C1** | 9 | Belt, Feeder Drive (7/8" X 166 1/2") |
| (2377, 2388, 2577, 2588 ALL W/O Rock Trap) | **A-194528C1** | 9 | Belt, Feeder Drive w/o Rock Trap (7/8" X 143 3/8") |
| 5088, 6088, 7088 | **A-87629601** | 9 | Belt, Feeder Drive w/ Rock Trap |
| 2366 SN JJC0184544>, 2377, 2388 SN JJC0198068>, 2577, 2588, 5088, 6088, 7088 | **A-301146A1** | 10 | Belt, Cleaning Fan Drive |
| 2344 Cleaning fan Drive, 2366 Cleaning fan Drive, S/N JJC0184544, 2388 Cleaning fan Drive, S/N JJC0198067 | **A-1541569C1** | 10 | Belt, Cleaning Fan Drive |

# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# COMBINE BELTS




**IH**
**2366, 2377, 2388,**
**2577, 2588,**
**5088, 6088, 7088**


| Application | Part # | Ref. | Description |
|---|---|---|---|
| (2366, 2377, 2388 ALL Fan Jackshaft Drive), 2577, 2588 | **A-317904A1** | 11 | Belt, Fan/ Jackshaft |
| 6088, 7088 | **A-87549557** | 11 | Belt, Unloading Drive |
| (2344, 2366, 2388, 2377, 2577, 2588, 7088, 5088, 6088 ALL W/ Straw Chopper) | **A-181055C1** | 12 | Belt, Elevator Drive w/ Chopper, 201" |
| (2344, 2366, 2377, 2388, 2577, 2588 ALL w/o Straw Chopper), (5088, 6088, 7088 ALL w/ Discharge Beater) | **A-87476487** | 12 | Belt, Elevator Drive / Main, RH |
| 2344, 2366, 2377, 2388, 2577, 2588 | **A-84172256** | 13 | Belt, Straw Spreader Drive |
| 5088, 6088, 7088 | **A-84163222** | 13 | Belt, Spreader Drive |
| 2344, 2366 | **A-1315265C1** | 14 | Belt, Straw Chopper Drive |
| 2377, 2388, 2577, 2588 | **A-1315266C1** | 14 | Belt, Straw Chopper Drive |
| 5088, 6088, 7088 | **A-87330903** | 14 | Belt, Straw Chopper Drive |
| (2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7088 ALL W/ Straw Chopper) | **A-181055C1** | 15 | Belt, Main Drive w/ Chopper, RH |
| (2344, 2366, 2377, 2388, 2577, 2588 ALL w/o Straw Chopper), (5088, 6088, 7088 ALL w/ Discharge Beater) | **A-87476487** | 15 | Belt, Main, Drive w/o Straw Chopper, RH |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


# = Part Currently Not Available  NI = Not illustrated



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com




## Case
## 7010, 8010, AFX8010, 7120, 8120, 9120





| Application | Part # | Ref. | Description |
|---|---|---|---|
| 7010, 8010, AFX8010, 7120, 8120, 9120 | **A-87317063** | 1 | Belt, Shoe Drive |
| 7010, 8010, AFX8010, 7120, 8120, 9120 | **A-86517680** | 2 | Belt, Straw Chopper Drive |
| 7010, 8010, AFX8010, 7120, 8120, 9120 | **A-87011585** | 3 | Belt, Unloading Auger Drive |
| 7010, 8010, AFX8010, 7120, 8120, 9120 | **A-86975809** | 4 | Belt, Bubble Up |
| (7010, 8010, AFX8010, 7120, 8120, 9120 ALL 2800 RPM) | **A-87283315** | 5 | Belt, Straw Chopper Drive |
| AFX8010 , (7010, 7120, 8010, 8120, 9120 ALL 3000 RPM) | **A-86976208** | 5 | Belt, Straw Chopper Drive (3000 RPM) |
| 7010, 8010, AFX8010, 7120, 8120, 9120 | **A-86975809** | 7 | Belt, Bubble Up |
| 7010, 8010, AFX8010, 8120, 9120 | **A-87282333** | 8 | Belt, A/C Compressor Drive |
| 7010, 7120, 8120, 9120 | **A-504212528** | 8 | Belt, AC Compressor |
| 7120, 8120, 9120 | **A-84223612** | 8 | Belt, AC Drive |
| 7120, 8120, 9120 | **A-84238514** | 8 | Belt, AC Compressor |
| 7120, 8010, AFX8010, 8120, 9120 | **A-87282305** | 9 | Belt, Fan Drive |
| 7010, 7120, 8120 | **A-87526140** | 8 | Belt, Engine Fan |
| 7010, 7120, 8120 | **A-86514512** | 9 | Belt, Rotary Screen Drive |
| 7010, 7120, 8120 | **A-87607871** | 9 | Belt, Rotary Screen Drive |
| 9120 | **A-9842161** | 9 | Belt, Rotary Air Screen Drive |
| 7010, 7120 | **A-500371653** | 9 | Belt, Alternator |
| 9120 | **A-504049425** | 9 | Belt, Alternator |
| 8120 | **A-47506727** | 9 | Belt, Alternator |
| 7010, 8010, AFX8010, 7120, 8120, 9120 | **A-87283139** | 10 | Belt, Tailings Processor |



*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated

# COMBINE BELTS





**Case**
**5130, 6130, 7130, 5140, 6140, 7140, 5150, 6150, 7150**

| Application | Part # | Ref. | Description |
|---|---|---|---|
| 5130 , (5130, 5140, 6140, 7140 ALL Unloading Drive) | **A-47424854** | 2 | Belt, Unloading Drive |
| 5140, 6140, 7140 | **A-47360559** | 2 | Belt, Unloader |
| 5140, 6130, 6140, 7130, 7140 | **A-87549557** | 2 | Belt, Unloading Drive |
| 5130, 5140, 6130, 6140, 7130, 7140 | **A-84548651** | 3 | Belt, Unloader Jackshaft |
| 5140, 6140, 7140 | **A-47455617** | 4 | Belt, Header Drive w/ Rock Trap |
| 5140, 6140, 7140 | **A-47616842** | 4 | Belt, Header Drive w/o Rock Trap |
| 5130, 6130, 7130 | **A-84365262** | 4 | Belt, Header Drive w/o Rock Trap |
| 5130, 6130, 7130 | **A-87332161** | 4 | Belt, Header Drive |
| 5130, 5140, 6130, 6140, 7130, 7140 | **A-87629601** | 5 | Belt, Feeder Drive w/ Rock Trap |
| 5140, 6140, 7140 | **A-84230076** | 7 | Belt, Cleaning System Drive |
| 5130, 5140, 6130, 6140, 7130, 7140 | **A-84163222** | 8 | Belt, Spreader Drive |
| 5140, 6140, 7140 | **A-47597575** | 9 | Belt, Chopper Frail High |
| 5130, 5140, 6130, 6140, 7130, 7140 | **A-87330903** | 9 | Belt, Straw Chopper Drive |
| 6088, 5140, 6140, 7140 | **A-87714971** | 10 | Belt, Rotor Gearbox |
| (6130, 7130 ALL Rotor Drive) | **A-87615553** | 10 | Belt, Rotor Drive |
| 5140, 6140, 7140 | **A-84586129** | 11 | Belt, Separator Drive |
| 5140, 7140 | **A-47655498** | 12 | Belt, Beater Drive |
| 5140, 6140, 7130, 7140 | **A-84150266** | 13 | Belt, Fan Drive |
| 5140, 6140, 7140, 5150, 6150, 7150 | **A-84230075** | 14 | Belt, Cleaning Fan/Elevator Jackshaft |
| 5140, 6140, 7140 | **A-84238446** | 15 | Belt, Variable Cleaning Fan |
| 5140, 6140, 7140 | **A-87583785** | 16 | Belt, Air Screen Drive |
| 5130, 5140, 6130, 6140, 7130, 7140 | **A-84292913** | | Belt, AC Compressor |
| 5140, 6140, 7140 | **A-87489502** | | Belt, AC Compressor |
| 5130, 5140, 6140, 7140 | **A-84312027** | | Belt, Alternator |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated


P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com





**Case**
**7230, 8230, 9230**

| Application | Part # | Ref. | Description |
|---|---|---|---|
| 7230, 8230, 9230 | **A-84345673** | 2 | Belt, Unloading Dual Drive |
| 7230, 8230, 9230 | **A-84345674** | 2 | Belt, Unloading Dual Drive |
| 7230, 8230 | **A-84376860** | 2 | Belt, Unloading Standard Drive |
| 8230 , 9230 3000 RPM | **A-86976208** | 4 | Belt, Straw Chopper Drive (3000 RPM) |
| 7230 | **A-87607871** | 9 | Belt, Rotary Screen Drive |
| 7230, 8230, 9230 | **A-9842161** | 10 | Belt, Rotary Air Screen Drive |
| 7230 | **A-86514512** | 10 | Belt, Rotary Screen Drive |
| (7230, 8230, 9230 ALL Fan Drive Set2), 8120 , (7120, 9120, 8230, 9230 ALL Engine Fan) | **A-47490848** | 11 | Belt, Fan Drive Set Of 2 |
| 7230, 8230, 9230 | **A-84223612** | 12 | Belt, AC Drive |
| 8230 | **A-84238514** | 12 | Belt, AC Compressor |
| 7230 Engine Componet Drive | **A-84292639** | | Belt, AC Compressor |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated

# COMBINE BELTS




**Case**
**7240, 8240, 9240**

| Application | Part # | Ref. | Description |
|---|---|---|---|
| 7240, 8240, 9240 | **A-84345673** | 2 | Belt, Unloading Dual Drive |
| 7240, 8240, 9240 | **A-84345674** | 2 | Belt, Unloading Dual Drive |
| 7240, 8240, 9240 | **A-84376860** | 2 | Belt, Unloading Standard Drive |
| 7240, 9240 | **A-47463606** | 11 | Belt, Fan Drive |
| 7240, 8240, 9240 | **A-47411931** | 11 | Belt, Fan Drive |
| 7240, 8240, 9240 | **A-47628753** | 12 | Belt, Vacuum Fan |
| 7240, 9240 | **A-47506727** | 13 | Belt, Alternator |
| 7240, 8240 | **A-47513876** | 13 | Belt, Alternator |
| 7240, 9240 | **A-47569912** | 13 | Belt, Alternator |
| 7240, 8240, 9240 | **A-47635775** | 14 | Belt, Air Screen |
| 7240 | **A-47635791** | 14 | Belt, Air Screen |
| 7240, 9240 | **A-84223612** | 15 | Belt, AC Drive |
| 7240, 8240, 9240 | **A-84238514** | 15 | Belt, AC Compressor |

*CASE-IH

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

# Belt Application Listing



| Part # | Description | Models |
|---|---|---|
| **A-124572A1** | Belt, Auxiliary Pump Drive | 2166, 2366, 2388 S/N <JJC0272999 |
| **A-124573A1** | Belt, Auxiliary Pump Drive | 2188 , 2388 Auxillary Pump Drive |
| **A-1250587C1** | Belt, AC Compressor | 1620, 1644, 1680, 2144 |
| **A-130724C91** | Belt, Fan, Alternator, Water Pump, Matched (Set/2) | 1420, 1620 |
| **A-1308489C2** | Belt, Feeder Jackshaft Drive | (1480, 1680, 1688, 2144, 2166, 2188, 2344, 2366 ALL W/ 60" Feeder), 2388 SN <JJC0268799; W/ 60" Feeder |
| **A-131201C92** | Belt, Fan (Set/2) | 1680 |
| **A-1313095C2** | Belt, Feeder Jackshaft Drive | 1440, 1460, 1640, 1644, 1660, 1666 |
| **A-1315074C2** | Belt, Feeder Drive | (1480, 1680, 1688, 2188, 2377, 2388, 2577, 2588 ALL W/ Rock Trap) |
| **A-1315168C1** | Belt, Feeder Drive (7/8" X 166 1/2") | 1440, 1460, 1640, 1644, (1640, 1660, 1680, 2366 ALL w/ rock trap), 2344, 1666, 2144, 2166 |
| **A-1315265C1** | Belt, Straw Chopper Drive | 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366 |
| **A-1315266C1** | Belt, Straw Chopper Drive | 1680, 1688, 2188, 2377, 2388, 2577, 2588 |
| **A-1321565C1** | Belt, Reel Pump Drive | 1640 SN JJC0097171 - JJC0097189 W/ 54 1/2" feeder, 1660 SN JJC010367 - JJC0103799 W/ 54 1/2" feeder, 1680 SN JJC0115001 - JJC0117059 W/ 54 1/2" feeder |
| **A-1330311C1** | Belt, Reel Pump Drive | 1640 SN JJC0034860 - JJC0097170 W/ 54 1/2" feeder, 1660 SN JJC0039130 - JJC00103066 W/ 54 1/2" feeder, 1680 SN JJC0046598 - JJC00115000 W/ 54 1/2" feeder, 1682, 7120, 8120, 9120 |
| **A-1330499C1** | Belt, Separator Drive | 1680 |
| **A-1347387C1** | Belt, Auxiliary Pump Drive | 1640, 1660, 1644 |
| **A-150816C1** | Belt, Platform Jackshaft Drive | 403, 503, 815 |
| **A-153301C1** | Belt, Reel Drive | 315 |
| **A-153359C1** | Belt, Straw Spreader Drive | 315, 1440, 1460, 1470, 1480, 1482 |
| **A-1541569C1** | Belt, Cleaning Fan Drive | (1640, 1644 ALL W/Extended Length Cleaning System), 1660 W/Extended Length Cleaning System S/N JJC0038346>, (1666, 1680, 1688, 2144, 2166, 2188, 2344 ALL Cleaning fan Drive), 2366 Cleaning fan Drive, S/N JJC0184544, 2388 Cleaning fan Drive, S/N JJC0198067 |
| **A-1541700C1** | Belt, Auxiliary Pump Drive | 1688, 2144, 2344 |
| **A-1541702C1** | Belt, Separator Drive | 1680 W/ Extended Cleaning System, 1688, 2188, 2388 S/N <-JJC0270499 |
| **A-160870C1** | Belt, Straw Chopper Drive | 815, 915 |
| **A-160871C1** | Belt, Straw Chopper Jackshaft Drive | 815, 915 |
| **A-164550R2** | Belt, Compressor Drive | 1640 S/N <34705, 1660 S/N <38346, 2344 |
| **A-167031C2** | Belt, Compressor Drive | 815, 915 |
| **A-168725C1** | Belt, Rotary Air Screen Drive | 815, 915 |
| **A-170948C1** | Belt, Straw Walker & Fan Jackshaft | 615, 715 |
| **A-171101C2** | Belt, Variable Speed Cylinder Drive | 615, 715 |
| **A-172360C1** | Belt, Rotary Air Screen Drive | 815, 915 |
| **A-177499C1** | Belt, Straw Chopper Drive | 815, 915 |
| **A-178763C1** | Belt, Hyd Reel Pump Drive | (815, 915 ALL gas) |
| **A-179007C1** | Belt, Hyd Reel Pump Drive | 82, 815, 915 diesel |
| **A-181013C1** | Belt, Straw Chopper Drive | 1480, 5088, 6088, 7088 |
| **A-181055C1** | Belt, Elevator Drive | (1440, 1460, 1470, 1480 ALL W/ Straw Chopper), 1482 SN 100001>, (1640, 1644, 1660, 1666, 1670, 1680 ALL W/ Straw Chopper), 1682, (1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7088 ALL W/ Straw Chopper) |
| **A-182619C1** | Belt, Grain Elevator, Grain/Corn | 1420, 1620, 5088 |
| **A-191241C3** | Belt, Separator Drive | 1420, 1440, 1460, 1470, 1620, 1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366 |

# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# Belt Application Listing



| Part # | Description | Models |
|---|---|---|
| **A-191244C1** | Belt, Separator Drive | 1480, 1680 |
| **A-191288C2** | Belt, Auxiliary Pump Drive | 1420, 1440, 1460, 1470, 1480, 1620, 1640 SN <JJC0034705, 1660 SN <JJC0038346, 1680, 1680 SN <-45689 |
| **A-191290C1** | Belt, Unloader Jackshaft Drive | 1440, 1460, 1470, 1640, 1660, 2144, 2166, 2344, 2366 |
| **A-191291C1** | Belt, Grain Tank Unloader Drive | 1480, 1680 |
| **A-191305C1** | Belt, Fan Jackshaft Drive (set of 2) | 715 S/N 23001>, 1440, 1460, 1470, 1640, 1660, 1644, 1660 SN <-38346, 1666, 2144, 2166, 2344, 2366 |
| **A-192738C1** | Belt, Feeder Drive (7/8" X 150 1/4") | 1440, 1460, (1640, 1680 ALL w/o rock trap), 1660, 1644, 1660 w/o rock trap, SN 38346->, 1666, 2144, 2166, 2344, 2366 |
| **A-194528C1** | Belt, Feeder Drive (7/8" X 143 3/8") | (1480, 1680, 1688, 2188, 2377, 2388, 2577, 2588 ALL W/O Rock Trap) |
| **A-195143C1** | Belt, Grain Tank Unloader Drive | 1420, 1620 |
| **A-195396C2** | Belt, Cleaning Fan Drive | 1440, 1460, 1470, 1480, 1482, 1640, 1660, 1680, 1682 |
| **A-196370C1** | Belt, Straw Spreader Drive | 815 |
| **A-1970115C1** | Belt, Auxiliary Pump Drive | 1482 , 1620 S/N JJC0032630>, 1620 SN <-97103, 1640, 1660 |
| **A-1970116C1** | Belt, Auxiliary Pump Drive; Single V | 1680 PIN <JJC0115352 |
| **A-197411C1** | Belt, Hydraulic Reel Drive | 1440, 1460 |
| **A-197414C2** | Belt, Hydraulic Reel Drive | 715 S/N <23001, 1420, 1440, 1460, 1480, 1482, 1680 S/N JJC0045689>, 1682, 1688, 2188, 2377, 2388, 2577 S/N HAJ0300001>, 2588 S/N HAJ300001> |
| **A-1979149C1** | Belt, Fan, Alt, Water Pump, Matched (Set/2) | 1640, 1660 |
| **A-1989216C1** | Belt, Grain Tank Unloader Drive | 1640 SN JJC0097103>, 1644 , 1660 SN JJC0038346>, 1666 |
| **A-1989217C1** | Belt, Grain Tank Unloader Drive | 715 S/N <23001, 1420, 1440, 1460, 1480, 1482, 1682, 1680 SN JJC0115352>, 1688, 2188, 2377, 2388, 2577, 2588 |
| **A-244420A4** | Belt, Rotor Belt | 1440, 1460, 1470, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366 |
| **A-244422A4** | Belt, Rotor Variable Drive | 1480, 1680, 1688, 2188, (1688, 2188 ALL w/o hi-power cam assm.) |
| **A-244423A5** | Belt, Rotor Drive | 2366 , 2388 SN <JJC0272999 W/ 17.5" Drive Pulle |
| **A-247428A1** | Belt, Knife Drive, 460 or 500 RPM | (HEAD, CUTTING PLATFORM: 1020 Knife Drive, 460 or 500 RPM) |
| **A-247430A1** | Belt, Knife Drive, 400 RPM | 315, 1420, 1620, (HEAD, CUTTING PLATFORM: 1020 Knife Drive 400 RPM) |
| **A-280210C2** | Belt, Compressor Drive | 1420, 1620 |
| **A-301146A1** | Belt, Cleaning Fan Drive | 2166 , 2366 SN JJC0184544>, 2377 , 2388 SN JJC0198068>, 2577, 2588, 5088, 5130, 5140 3/14 - 10/15, 6088, 6130, 7088, 7130, 7140 3/14 - 9/15 |
| **A-317904A1** | Belt, Fan Jackshaft Drive | (1480, 1680, 1688, 2188, 2366, 2377, 2388 ALL Fan Jackshaft Drive), 2388 SN <JJC0198067, 2388 Fan Jackshaft Drive (S/N <JJC0198067, 2577 Fan Jackshaft Drive, 2588 S/N HAJ300001> |
| **A-319905A1** | Belt, Knife Drive 600 RPM | (HEAD, CUTTING PLATFORM: 1020 Knife Drive, 600 RPM) |
| **A-395539R1** | Belt, Fan, Water Pump, & Alternator | 715, 715 D310 engine |
| **A-396829R1** | Belt, AC Compressor | 1640 SN JJC0034705>, 1660 SN JJC0038346>, 1666, 1670 SN <JJC0080540, 1680, 1688, 2166, 2188, 2366 SN <JJC0255699, 2388 SN <JJC0272999 |
| **A-400427A1** | Belt, Separator Drive | 2377 SN HAJ0292001-HAJ0300000, 2388 SN JJC0270500->, 2577, 2588 |
| **A-402368A1** | Belt, Feeder Drive | (2388, 2377, 2577, 2588 ALL w/ 60" Feeder) |
| **A-402370A1** | Belt, Feeder Jackshaft Drive | 2377 W/ 54 1/2" Feeder, (2377, 2388, 2577, 2588 ALL w/ 54.5" Feeder), 2388 SN JJC0268800>; W/ 54 1/2" Feeder, (2577, 2588 ALL W/ 54 1/2" Feeder) |
| **A-403617R1** | Belt, Alternator/Generator & Water Pump | 303, 315, 403, 503, 615, 715 C301 engine, 715 C301 engine, SN <-4914 |
| **A-413159A1** | Belt, Rotor Drive | 2377 SN <HAJ0295000 W/ 20.5" Drive Pulley, 2388 SN JJC0273000 - HAJ0295000 W/ 20.5" Drive Pulley, 2588 |
| **A-440498A3** | Belt, Auxiliary Pump Drive | 1680 S/N JJC0045689>, (2377, 2577, 2588 ALL AUX. PUMP DRIVE), 2388 AUX. PUMP DRIVE(SN JJC02730000>) |
| **A-47360559** | Belt, Unloader | 5140, 7140, 6140 |

# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

# Belt Application Listing



| Part # | Description | Models |
|---|---|---|
| **A-47411931** | Belt, Fan Drive | 7240, 8240, 9240 |
| **A-47424854** | Belt, Unloading Drive | 1420, 1620, 5088, 5130, (5140, 6140, 7140, 5130 ALL Unloading Drive) |
| **A-47455617** | Belt, Header Drive w/ Rock Trap | 5140, 6140, 7140 |
| **A-47463606** | Belt, Fan Drive | 7240, 9240 |
| **A-47490848** | Belt, Fan Drive Set Of 2 | (7230, 8230, 9230 ALL Fan Drive Set2) |
| **A-47506727** | Belt, Alternator | 7240, 8120, 9240 |
| **A-47513876** | Belt, Alternator | 7240, 8240 |
| **A-47569912** | Belt, Alternator | 7240, 9240 |
| **A-47597575** | Belt, Chopper Frail High | 5140, 6140, 7140 |
| **A-47616842** | Belt, Header Drive w/o Rock Trap | 5140, 6140, 7140 |
| **A-47628753** | Belt, Vacuum Fan | 7240, 8240, 9240 |
| **A-47635775** | Belt, Air Screen | 7240, 8240, 9240 |
| **A-47635791** | Belt, Air Screen | 7240 |
| **A-47655498** | Belt, Beater Drive | 5140, 7140 |
| **A-500371653** | Belt, Alternator | 7010, 7120 |
| **A-504049425** | Belt, Alternator | (7120, 9120 ALL Alternator), 8120 |
| **A-504212528** | Belt, AC Compressor | 7010, 7120, 8120, 9120 |
| **A-532031R2** | Belt, Governor | 815, 915 |
| **A-537072R92** | Belt, Fan, Alt, Gen, & Water Pump, (Set/2) | 815, 915, 1440, 1460, 1470, 1480, 1640 w/ Motorola alt., 1640 SN <-34705, 1660 |
| **A-599060R1** | Belt, Fan Drive | 1420, 1620 |
| **A-633728R2** | Belt, Fast Speed for Bolt Att. Feeder | 403, 503, 815, 915 |
| **A-C165** | Belt, Fast Speed for Bolt Att Feeder | 815, 915 |
| **A-65337C2** | Belt, Compressor Drive | (815, 915 ALL diesel) |
| **A-674965R1** | Belt, Tailings Elev Drive | 315, 1420, 1620 |
| **A-700709489** | Belt, Rotary Air Screen | 815, 915, (SWATHER/WINDROWER: 8830 15', 18', 21' SN CFH0030001-CFH0030158) |
| **A-708176** | Belt, Aux. Pump Drive | 2166, 2388 |
| **A-84137716** | Belt, Separator Drive | (7088, 5088, 6088 ALL Separator Drive) |
| **A-84150266** | Belt, Fan Drive | 5140, 6140, 7130, 7140 |
| **A-84163222** | Belt, Spreader Drive | 5088, 5130, 5140, 6088, 6130, 6140, 7088, 7130, 7140 |
| **A-84172256** | Belt, Straw Spreader Drive | 914 S/N 8001>, 915, 1440, 1460, 1470, 1480, 1640, 1644, 1660, 1666, 1680, 1688, 2144, 2166, 2188, 2366, 2388, 1482, 1670, 1682, 2344, 2377, 2577, 2588 |
| **A-84194650** | Belt, Rotor Drive; Seamless | (2377, 2388, 2577, 2588, 5088 ALL ROTOR DRIVE), 5130, 5140, 6088, 6140 Rotor Drive (3-14 - 10-15), 7088 , 7140 Rotor Drive (3-14 - 9-15) |
| **A-84223612** | Belt, AC Drive | 7120, 7230, 7240, 8120, 8230, 9120, 9230, 9240 |
| **A-84230075** | Belt, Cleaning Fan/Elevator Jackshaft | 5140, 5150, 6140, 6150, 7140, 7150 |
| **A-84230076** | Belt, Cleaning System Drive | 5140, 6140, 7140 |
| **A-84238446** | Belt, Variable Cleaning Fan | 5140, 6140, 7140 |
| **A-84238514** | Belt, AC Compressor | 7120, 7240, 8120, 8230, 8240, 9120, 9240 |
| **A-84292639** | Belt, AC Compressor | 7230 Engine Componet Drive |
| **A-84292913** | Belt, AC Compressor | 5130, 5140, 6130, 6140, 7130, 7140 |
| **A-84312027** | Belt, Alternator | 5130, 5140, 7140, 6140 |
| **A-84345673** | Belt, Unloading Dual Drive | 7230, 7240, 8230, 8240, 9230, 9240 |
| **A-84345674** | Belt, Unloading Dual Drive | 7230, 7240, 8230, 8240, 9230, 9240 |
| **A-84365262** | Belt, Header Drive w/o Rock Trap | 5130, 6130, 7130 |

# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# Belt Application Listing

*CASE-IH

| Part # | Description | Models |
|---|---|---|
| **A-84376860** | Belt, Unloading Standard Drive | 7230, 7240, 8230, 8240, 9240 |
| **A-84548651** | Belt, Unloader Jackshaft | 5130, 5140, 6130, 6140, 7130, 7140 |
| **A-84586129** | Belt, Separator Drive | 5140, 6140, 7140 |
| **A-86514512** | Belt, Rotary Screen Drive | 7010, 7120, 7230, 8120 |
| **A-86517680** | Belt, Straw Chopper Drive | AFX8010, 7010, 7120, 7230, 8010, 8120, 8230, 8240, 9120, 9230, 9240 |
| **A-86975809** | Belt, Bubble Up | AFX8010, 403, 503, 615, 715, 7010, 7120, 7230, 8010, 8120, 8230, 8240, 9120, 9230, 9240 |
| **A-86976208** | Belt, Straw Chopper Drive (3000 RPM) | AFX8010, 8230, (7010, 7120, 8010, 8120, 9120, 9230 ALL 3000 RPM) |
| **A-87011585** | Belt, Unloading Auger Drive | AFX8010, 7010, 7120, 8010, 8120, 9120 |
| **A-87282305** | Belt, Fan Drive | AFX8010, 7120, 8010, 8120, 9120 |
| **A-87282333** | Belt, A/C Compressor Drive | AFX8010, 7010, 8010, 8120 |
| **A-87283139** | Belt, Tailings Processor | AFX8010, 7010, 7120, 7230, 8010, 8120, 8240, 9120, 9230, 9240 |
| **A-87283315** | Belt, Straw Chopper Drive | 5088, 6088, 7088, (AFX8010, 7010, 7120, 8010, 8120, 9120 ALL 2800 RPM) |
| **A-87311867** | Belt, AC Compressor | 2577 S/N HAJ0300001>, 2588 S/N HAJ300001>, 7088, 5088, 6088 |
| **A-87317063** | Belt, Shoe Drive | AFX8010, 7010, 7120, 7230, 8010, 8120, 8230, 8240, 9240, 9120 |
| **A-87330894** | Belt, Auxiliary Pump Drive | |
| **A-87330903** | Belt, Straw Chopper Drive | |
| **A-87332161** | Belt, Header Drive | 5088, 5130, 6088, 6130, 7088, 7130 |
| **A-874097C1** | Belt, Compressor Drive | 1440, 1460, 1470, 1480 |
| **A-87476487** | Belt, Elevator Drive / Main, RH | 1470, 1482, 1682, (1480, 1660 ALL w/ Discharge Beater), (1666, 1670, 1680, 1688 ALL W/ Discharge Beater), (5088, 5130, 6088, 6130, 7088, 7130, 7140 ALL w/ Discharge Beater), (1420, 1620 ALL w/ Straw Chopper), 1644 w/o Straw Chopper, 2144 W/O Straw Chopper, (2166, 2188, 2344, 2377, 2366, 2388, 2577, 2588 ALL w/o Straw Chopper), 6140 Straw Chopper Drive, (1440, 1460 ALL w/ Discharge Beater SN 1501>), 1640 w/ Discharge Beater SN JJC0034705> |
| **A-87489502** | Belt, AC Compressor | 5140, 7140, 6140 |
| **A-87526140** | Belt, Engine Fan | 7230 |
| **A-87549557** | Belt, Unloading Drive | 5140, 6088, 6130, 6140, 7088, 7130, 7140 |
| **A-87583785** | Belt, Air Screen Drive | 5088, 5140, 6088, 6140, 7088, 7140 |
| **A-87607871** | Belt, Rotary Screen Drive | 7010, 7120, 7230, 8120 |
| **A-87615553** | Belt, Rotor Drive | (5088, 6088, 6130, 7088, 7130 ALL Rotor Drive) |
| **A-87629601** | Belt, Feeder Drive w/ Rock Trap | 5088, 5130, 5140, 6088, 6130, 6140, 7088, 7130, 7140 |
| **A-87629602** | Belt, Feeder Jackshaft Drive | 1440 SN <20714 W/ 54 1/2" Feeder, 1460 SN <23247 W/ 54 1/2" Feeder, (1480, 1640, 1644, 1660, 1666, 1670, 1680, 1688, 2144, 2166, 2188, 2344, 2366 ALL W/ 54 1/2" Feeder), 2388 SN <JJC0268799; W/ 54 1/2" Feeder, (5130, 5140, 6130, 6140, 7130, 7140 ALL Feeder Drive W/O Rock Trap), 5088, 6088, 7088 |
| **A-87683178** | Belt, Cleaning Fan Drive | 1640, 1660, 1680, 1682 |
| **A-87714971** | Belt, Rotor Gearbox | 6088, 5140, 6140, 7140 |
| **A-87755884** | Belt, Engine Fan | 2366 SN JJC0255700>, 2377 , 2388 SN JJC0273000>, 2577, 2588, 5088, 6088, 7088, (COTTON PICKER: 420 Tier 3) |
| **A-937928R1** | Belt, Elev Drive, w/o Raised Leveling Auger | 303, 403, 503, 615, 715 |
| **A-9842161** | Belt, Rotary Air Screen Drive | 9120 , (8230, 9230 ALL Rotary Air Screen Drive) |
| **A-J911565** | Belt, Fan, Alternator, & Water Pump | 1620 SN 32630->, 1640 S/N JJC0034705>, 1644, 1660 SN 38346->, 2144, 2344 |
| **A-J911572** | Belt, Fan, Alternator, & Water Pump | 1660 S/N JJC0038346>, 1666, 1688, 2166, 2188 |
| **A-J911573** | Belt, Fan, Alternator | 1660 |
| **A-J911574** | Belt, Fan Drive, Compressor | 1640, 1660, 1680 |


# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-55650C2** Radiator 84.00 Lbs.





***Dim/Info:***
Core Size: 25.375" Wide
27.875" High
6 Rows of Tubes
5 Fins per Inch

***For Models:*** 815, 915, 1440

**A-A189213** Radiator 84.20 Lbs.

***Replaces:*** 1275706C1, 1275721C91, 121722C4, 121722C3, 121722C2, 121722C1, 130869C2, 130869C1





***Dim/Info:***
Core Size: 25.375" Wide
33.125" High
6 Rows of Tubes
5 Fins per Inch

***For Models:*** 1460, 1480, 1640 SN <-JJC0034705, 1660 SN <-JJC0038346

**A-117403A1** Radiator 150.00 Lbs.

***Replaces:*** A189479, 116154A1





***Dim/Info:***
Core Size: 31.875" Wide
36.875" High
7 Rows of Tubes
5 Fins per Inch

***For Models:*** 1688, 2144, 2188 S/N <-JJC0191483

**A-A189470** Radiator 138.00 Lbs.


***Replaces:*** 1547946C2, A189067, 105943A1




***Dim/Info:***
Core Size: 30.50" Wide
32.625" High
7 Rows of Tubes
5 Fins per Inch

***For Models:*** 1620 SN JJ0032630>, 1640 SN JJ0034705>, 1644, 1660 SN JJ0038346>, 1666, 1670 SN JJC0080540-> Grain, Corn & Rice, 1680 SN JJC0045689> Grain, Corn & Rice, 1680 SN JJ0045689>, 1688, 2144, 2166, 2344


**A-194951A1** Radiator 175.00 Lbs.




***Dim/Info:***
Core Size: 34.00" Wide
36.875" High
7 Rows of Tubes
5 Fins per Inch

***For Models:*** 2166, 2188 S/N JJC0191483->, 2366 S/N <JJC0255700, 2388 S/N <JJC0273000

**A-411567A3** Radiator 111.08 Lbs.




***Dim/Info:***
Core Size: 25.50" Wide
39.375" High
5 Fins per Inch
Rows Of Tubes - 6


***For Models:*** 2366 SN: JJC0255700 >

**A-393229R1** Cap, Radiator (7 lb.) 0.18 Lbs.
For models w/ short filler neck.
***Replaces:*** 121951C1, 130704C1




***For Models:*** 1440, 1460, 1640 SN <-44C0034705, 1660 SN <-JJC0038346, 1680 SN <-JJC0045689, (**COTTON PICKER**: 1822, 1844, 2022)

**A-A166776** Cap, Radiator (10 lb.) 0.25 Lbs.





***For Models:*** 615, 715, 815, 915, 1420, 1620 SN <-JJC0032629, (**COTTON PICKER**: 95, 782, 1400)

**A-A170241** Cap, Radiator (16 lb.) 0.20 Lbs.



***For Models:*** AFX8010, 1620 SN JJC0032630->, 1640 SN JJC0034705->, 1644, 1660 SN JJC0038346->, 1666, 1680 SN JJC0045689->, 1688, 2144, 2166, 2188, 2344, 2366, 2388, (**COTTON PICKER**: MODULE EXPRESS 625, CPX420, 420, 2055, 2155, 2555)


**A-121759C1** Radiator Hose, Lower 1.25 Lbs.




***Dim/Info:***
A- 2.812"
B- 2.062"

***For Models:*** 1460, 1470, 1480, 1640 SN <JJC0034705, 1660 SN <JJC0038346, 1670 SN <JJC0080540, 1680 SN <JJC0045689

**A-672242C2** Hose, Thermostat By-Pass Housing 0.13 Lbs.
***Replaces:*** 672242C1




***Dim/Info:***
A - 1.16"

***For Models:*** 815 D414 ENG., 915, 1440 D436 ENG., 1460 DT436 ENG., 1470, 1480, 1640 D466 ENG., 1660 DT466B ENG., 1670, 1680 DTI466C ENG., (**COTTON PICKER**: 1822 D466 ENG., 1844)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# COOLING SYSTEMS

**A-548216R1** Radiator Hose, Upper 1.37 Lbs.




***Dim/Info:***
A - 2.000" I.D.
B - 2.250" I.D.

***For Models:*** 815, 915, 1440, 1460, 1470, 1480, 1640 SN <JJC0034705, 1660 SN <JJC0038346

**A-87308650** Water Pump 8.60 Lbs.
***Replaces:*** 87400267, J940052, J804927, 87453208



***For Models:*** 2366 SN JJC0255700>, 2377, 2388, 2577, 2588, 5088, 6088, 7088, (**COTTON PICKER**: MODULE EXPRESS 625, CPX610, CPX620, 420 Tier III, 620, 625)

**A-3132676R93** Water Pump, w/ Gasket 11.86 Lbs.
***Replaces:*** 3132676




***For Models:*** 715 W/ D310 ENG., (1420, 1620 ALL W/ D358 ENG.)

**A-673623C92** Water Pump 14.30 Lbs.
***Replaces:*** 677415C93



***For Models:*** 815, 1440

**A-673162C93** Water Pump 18.92 Lbs.
***Replaces:*** 672644, 673162N, 672644C93



***For Models:*** 915 W/DT414, 1460 W/DT436 & DT4368 ENG, 1470 W/DT466 B ENG, 1470, 1480 W/DT436 & DT4368 & DT466 B ENG, 1480 Early, 1640 SN <JJC0034705 W/D466 ENG, 1660 W/DT466B Engine, (1660, 1680 ALL Early), 1680 SN <JJC0045689 W/DTI-466C DIESEL ENG, (**COTTON PICKER**: 1822, 1844)

**A-J802970** Water Pump 5.78 Lbs.
***Replaces:*** J802358, A77703, J286277, A77471, AR77703, R2843597, J913432, 00181135, 76194797, J285411, 75287879, 76191549, J802923, J286278



***Dim/Info:***
Cummins Dsl

***For Models:*** 1620 SN JJC0032630>, 1640 SN JJC0034705>, 1644, 2144, 2344, (**COTTON PICKER**: 1800, 1822, 1844, 2022, 2044)

**A-J802975** Water Pump 8.25 Lbs.
***Replaces:*** J802479, A77704



***For Models:*** 1660, 1666, 1670, 1680, 1688, 2166, 2188, 2366, 2388

**A-504102491** Water Pump 13.28 Lbs.
***Replaces:*** 504079715



***For Models:*** AFX8010, 8010, 8120

**A-87326910** Belt Tensioner 4.30 Lbs.
***Replaces:*** J936203, J936202, J936201, J934817, J918944, J917485, J914086, J912246, 76193706, 75286363, 391420A1, 131627A1, J904370




***For Models:*** 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2388, (**COTTON PICKER**: CPX420, 420, 1800, 1822 S/N JJC0012691>, 1844 S/N JJC0002462>, 2022, 2044, 2055, 2155, 2555)

**A-1342836C1** Gasket, Thermostat Housing 0.01 Lbs.



***For Models:*** 815, 915, 1440, 1460, 1470, 1480, 1640 S/N <-JJC0034705, 1660 S/N <-JJC0038345, 1670 S/N <-JJC0080540, 1680 S/N <-JJC0045689, (**COTTON PICKER**: 1822, 1844)

**A-J914310** Gasket; Thermostat (2/Pack) 0.05 Lbs.



***Dim/Info:***
Length - 3.87"
Thickness - .032"
Width - 3.12"
minimum order qty 2

***For Models:*** 1660 SN: JJC0038346 >, W/ 6T-830, 1666 W/ 6T-830, 1670 SN: JJC0080540 >, W/ 6TA-830, 1680 SN: JJC0045689 >, W/ 6TA-830, 1688 W/ 6TA-830, 2166 P.I.N. JJC0180000 >, W/ 6TA-830 EMISS CERT ENGINE, 2166 P.I.N. < JJC0180000, W/ 6T-830, 2188 P.I.N. < JJC0191483, W/ 6TA-830, 2188 P.I.N. JJC0191483 >, W/ 6TA-830 EMISS CERT ENGINE, 2366 SN: < JJC0255700, 2377 , 2388 SN: < JJC0273000, (**COTTON PICKER**: CPX420, 420, 1822 SN: JJC0012691 >, W/ 6TA-830, 1844 SN: JJC0002462 >, W/ 6TA-830, (2022, 2044, 2055 ALL W/ 6TA-830), 2155 SN: JJC0156230 >, W/ 6TA-830 EMISS CERT ENGINE, 2155 SN: < JJC0156230, W/ 6TA-830, 2555)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-1801191** Thermostat; 180° 0.00 Lbs.



***For Models:*** 1470 , (1480, 1660, 1680 ALL Early)

**A-684739C1** Thermostat (190°) 0.30 Lbs.




***For Models:*** 815 W/ D414, 915 W/ DT414, 1440, 1460, 1470, 1480, 1640 W/ D466, 1660 W/ DT466B, (1670, 1680 ALL W/ DTI466C), (**COTTON PICKER**: 1822, 1844)

**A-J928639** Thermostat (203° F) 0.15 Lbs.
***Replaces:*** J907242, 3928639



***For Models:*** 1660 SN: JJC0038346 >, W/ 6T-830, 1666 W/ 6T-830, 1670 SN: JJC0080540 >, W/ 6TA-830, 1680 SN: JJC0045689 >, W/ 6TA-830, 1688 W/ 6TA-830, 2166 P.I.N. JJC0180000 >, W/ 6TA-830 EMISS CERT ENGINE, 2166 P.I.N. < JJC0180000, W/ 6T-830, 2188 P.I.N. < JJC0191483, W/ 6TA-830, 2188 P.I.N. JJC0191483 >, W/ 6TA-830 EMISS CERT ENGINE, 2366 SN: < JJC0255700, 2388 SN: < JJC0273000, (**COTTON PICKER**: CPX420, 420, 1822 SN: JJC0012691 >, W/ 6TA-830, 1844 SN: JJC0002462 >, W/ 6TA-830, (2022, 2044, 2055 ALL W/ 6TA-830), 2155 SN: JJC0156230 >, W/ 6TA-830 EMISS CERT ENGINE, 2155 SN: < JJC0156230, W/ 6TA-830, 2555)

**A-407046R1** Heater, Engine Block Frost Plug (1 5/8") 0.90 Lbs.
The katz frost plug heater is the most efficient type of engine heater available.



***Dim/Info:***
1 5/8" Dia. Plug
600 Watt
Forged Brass Body
Positive Locking Assembly
O-Ring Seal
Long Life

***For Models:*** 503 W/ D301 DIESEL ENGINE, 615 W/ D282 DIESEL ENGINE, 715 W/ D301 DIESEL ENGINE

**A-J942896** Support, Fan Pulley 8.03 Lbs.
***Replaces:*** J929458



***For Models:*** 1660 SN: JJC0038346 >, W/ 6T-830, 2166 P.I.N. < JJC0180000, W/ 6T-830, 2166 P.I.N. JJC0180000 >, W/ 6TA-830 EMISS CERT ENGINE, 2188 P.I.N. < JJC0191483, W/ 6TA-830, 2188 P.I.N. JJC0191483 >, W/ 6TA-830 EMISS CERT ENGINE, 2366 SN: < JJC0255700, 2388 SN: < JJC0273000, (**COTTON PICKER**: CPX610, CPX620, MODULE EXPRESS 625, 420 Tier 3, 620, (2022, 2044 ALL W/ 6TA-830), 2155 P.I.N. JJC0156230 >, W/ 6TA-830 EMISS CERT ENGINE, 2155 P.I.N. < JJC0156230, W/ 6TA-830, 2555)

**A-234067A3** Shaft, Rotary Screen Fan 5.30 Lbs.
***Replaces:*** 118143A2, 118143A1, 1979590C1, 234067A2, 234067A1, 1968544C2, 1968544C1, 1347255C1



***For Models:*** 1460, 1470, 1480, 1640, 1644, 1660, 1666, 1670, 1680, 1688, 2144, 2166, 2188, 2344, 2366 SN <JJC0255700

**A-379966R2** Belt, Fan Drive 0.30 Lbs.
0.531" x 54.27" Automotive Polyester Cord Cogged

***For Models:*** (**COTTON PICKER**: 414, 420, 616, 622)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# ENGINE PARTS


*CASE-IH

**A-86013886** Tensioner, Belt 3.55 Lbs.
***Replaces:*** 9840673, 89840673




***For Models:*** CT5050, CT5060, CT5070, CT5080

**A-675669C92** Crankshaft 178.00 Lbs.



***For Models:*** (1480, 1620, 1660, 1680 ALL W/ DT466 ENGINE)


**A-680275C92** Pulley, Crankshaft Dampener 21.09 Lbs.



***Dim/Info:***
Outside Diameter - 10.203"
Hole Diameter - 2.125"

***For Models:*** 815 W/ D-414 ENGINE, 915 W/ DT-414 ENGINE, 1440 W/ D-436 ENGINE, (1460, 1480 ALL W/ DT-436 ENGINE)

**A-683459C94** Pulley, Crankshaft Dampener 28.60 Lbs.



***Dim/Info:***
10.203" O.D.
3.30" Wide
2.124" Hole Dia.

***For Models:*** (1480, 1640, 1660, 1680 ALL W/ DT-466 ENGINE), (**COTTON PICKER**: 1822, 1844)

**A-J925568** Pulley, Damper 16.98 Lbs.
***Replaces:*** J914456, J912681,J910907, 75204967



***Dim/Info:***
9.67" O.D.
2.24" Wide
.95" Hole Dia.

***For Models:*** 1666 W/ 6T-830, 1688 W/ 6TA-830, 2166 P.I.N. < JJC0180000, W/ 6T-830, 2166 P.I.N. JJC0180000 >, W/ 6TA-830 EMISS CERT, 2188 W/ 6TA-830 EMISS CERT, 2366 SN: < JJC0255699, 2388 SN: < JJC0272999, (**COTTON PICKER**: CPX420, 420, 2055 W/ 6TA-830, 2155 P.I.N. < JJC0156230, W/ 6TA-830, 2155 P.I.N. JJC0156230 >, W/ 6TA-830 EMISS CERT, 2555 )

**A-J958258** Dampener Pulley 11.30 Lbs.
***Replaces:*** 3916436, 3958258, 3914454, 3911422, 3907190, J914454, J911422, J907190



***Dim/Info:***
Inside Diameter - .753"
Outside Diameter - 8.220"
Thickness - 2.10"

***For Models:*** 1620 SN JJC0032630-> W/ Cummins Eng., 1640 SN JJC0034705-> W/ Cummins Eng., 1644, 2144, 2344

**A-J929042** Camshaft 16.50 Lbs.




***For Models:*** 1620 W/ 6T-590 Eng., 1640 W/ 6TA-590 Eng., 1640 SN JJC0034705>, 1644 W/ 6TA-590 Eng., 1644 SN 44937696>, 2144 SN <-JJC0173150 W/ 6TA-590 Eng., (**COTTON PICKER**: 1800 W/ 6TA-590 Eng., 1822 SN JJC0012691>, 1822 SN JJC0012691-> W/ 6TA-590 Eng., 1844 SN JJC0002462-> W/ 6TA-590 Eng., 2022, (2022, 2044 ALL W/ 6TA-590 Eng.))

**A-J923478** Camshaft 29.00 Lbs.
***Replaces:*** J924471, J920065, J923388



***For Models:*** (1660, 1666, 2166 ALL W/ 6T-830 Eng.), (1670, 1688, 2166, 2188 ALL W/ 6TA-830 Eng.), 1680 S/N JJC0045689>, 2366 W/ 6T-830 & 6TAA-830 Eng., 2377 SN <-HAJ0295001 W/ 6T-830 & 6TAA-830 Eng., 2388 SN <-JJC0276540 W/ 6T-830 & 6TAA-830 Eng., 5088, (**COTTON PICKER**: CPX420 W/ 6T-830 & 6TA-830 Eng., 420, 1822 S/N JJC0012691>, 1844 S/N JJC0002462>, (2022, 2044, 2055, 2155 ALL W/ 6TA-830 Eng.), 2555 W/ 6T-830 & 6TAA-830 Eng.)

**A-J905427** Ring Gear; Flywheel 3.50 Lbs.
***Replaces:*** 3905427, 75208365



***Dim/Info:***
Inside Diameter - 15.080"
Outside Diameter - 16.024"
Teeth - 127
Width - 0.630"


***For Models:*** 1620 SN JJC0032630->, 1640 SN JJC0034705->, 1644, 1660 SN JJC0038346->, 1666, 1670 SN JJC0080540->, 1680 SN JJC0045689->, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7088, (**COTTON PICKER**: 420 Tier 3, 1800, 1822 SN JJC0012691->, 1844 SN JJC0002462->, 2022, 2044)

**A-J905449** Gasket, Head Cover 0.20 Lbs.
***Replaces:*** 3905449



***For Models:*** 1660, 1666, (1666, 1670, 1680 ALL Engine SN 44706126>), 1670 S/N JJC0080540->, (1670, 1680 ALL Engine SN <44706125), 1680 S/N JJC0045689->, 1688, 2166, 2166 SN <JJC0180000, 2188, 2188 SN <JJC0191483, 2366, 2377 SN HAJ292001-HAJ300000, 2388, 5088, (**COTTON PICKER**: CPX420, 420, 1822, 1844 SN JJ002462>, 2022, 2044, 2044 Engine SN <44706125, 2044 Engine SN 44706126>, 2055, 2155, 2155 SN <JJ0156230, 2555)

**A-3136433R95** Pump, Engine Oil 10.36 Lbs.



***For Models:*** 715, 1420, 1620


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-J937404** Pump, Engine Oil 5.20 Lbs.
***Replaces:*** J901175, J941742, J930337, J926203, J924720, J918212, J914006, J906414, J908151, J905811



***For Models:*** 1620, 1640, 1644, 2144, 2344, (**COTTON PICKER**: 1800, 1822 SN JJC0012691>, 1844 SN JJC0002462>, 2022, 2044)

**A-J948071** Pump, Engine Oil 5.44 Lbs.
***Replaces:*** J930338, J926201, J924644, J921067, A77801, J910066, J914007, J918213, J906415



***For Models:*** 1660, 1666, 1670, 1680, 1688, 2166, 2188, (2366, 2388 ALL SN <JJC0255699), (**COTTON PICKER**: CPX420, 420, 1822, 1844, 2022, 2044, 2055, 2155, 2555)

**A-1802666C92** Oil Pump Repair Kit, 1" Rotor 7.45 Lbs.
***Replaces:*** 1802666C91, 675361C2, 671608C91, 675361C1



***Dim/Info:***
1" Rotor

***For Models:*** 915 W/ DT414 Eng., 1440 W/ D436 Eng., 1460 W/ DT436 & DT436B Eng., 1470 W/ DT466B & DT466C Eng., Early Eng. SN - See Note, 1480 W/ DT436, DT436B, DT466B & DT466C Eng. - Early SN -See Note, 1640 SN <-JJC0034705 W/ D466 Eng., Early Eng. SN - See Note, 1660 SN <-JJC0038346 W/ DT466B Eng., Early Eng. SN - See Note, 1670 SN <-JJC0080540, W/ DTI466C Eng., Early Eng. SN - See Note, 1680 SN <-JJC0045689 W/ DTI466C Eng., Early Eng. SN - See Note, (**COTTON PICKER**: 1822 SN <-JJC0012691 W/ D466 Eng., Early Eng. SN - See Note, 1844 SN <-JJC0002462 W/ DT466C Eng., Early Eng. SN - See Note)

**A-1808832C92** Oil Pump Repair Kit, 1.25" Rotor 7.80 Lbs.
***Replaces:*** 1808832C91



***Dim/Info:***
1 1/4" Rotor
Includes - 1802845C91 Gerotor, 1802879C1 Plate, 1808833C91 Housing & (2) 675860C1 Rings.

***For Models:*** 1470 W/ DT466B & DT466C Eng., Late Engine SN - See Note, 1480 W/ DT466B & DT466C, Late Engine SN - See Note, 1640 SN <-JJC0034705 W/ D466 Eng., Late Eng. SN - See Note, 1660 SN <-JJC0038346 W/ DT466B Eng., Late Eng. SN - See Note, 1670 SN <-JJC0080540, W/ DTI466C Eng., Late Eng. SN - See Note, 1680 SN <-JJC0045689 W/ DTI466C Eng., Late Eng. SN - See Note, (**COTTON PICKER**: 1822 SN <-JJC0012691 W/ D466 Eng., Late Eng. SN - See Note, 1844 SN <-JJC0002462 W/ DT466C Eng., Late Eng. SN - See Note)

**A-393488R1** Gauge, Oil Pressure (80 lb) 0.30 Lbs.



***Dim/Info:***
2" Body Dia.

***For Models:*** 615, 715

**A-3129031R91** Switch, Oil Pressure Sender 0.10 Lbs.
***Replaces:*** 392249R92, 376855R92, A13794



***For Models:*** (1420, 1440, 1460, 1470, 1480, 1620, 1670 ALL Low Engine Oil Pressure Light), 1640 Low Engine Oil Pressure Light, SN <-JJC0034705, 1660 Low Engine Oil Pressure Light, SN <-JJC0038345, 1680 Low Engine Oil Pressure Light, SN <-JJC0045688, (**COTTON PICKER**: (782, 1400 ALL Low Engine Oil Pressure Light))

**A-104781C1** Cap, Fuel Tank; Non-Vented 0.27 Lbs.



***For Models:*** 1620 SN: JJC0032630 >, 1640, 1644, 1660, 1666, 1670 SN: JJC0080540 >, 1680, 1688, 2144, 2166, 2188, 2344 SN: < JJC0174449, 2366 SN: < JJC0254999, 2388 SN: < JJC0268799

**A-23995DC** Cap, Fuel (Vented) 0.28 Lbs.
***Replaces:*** 361910R91, 538063R1, 224839C91, 224839C92



***For Models:*** 315, 303, 403, 503, 615, 715, 815, 915, 1420, 1440, 1460, 1470, 1480, 1640, 1660, 1670, 1680, (**COTTON PICKER**: CPX420, 414, 420, 616, 622, 782, 1400, 1800, 1822, 1844, 2022, 2044, 2055, 2155, 2555)

**A-87648717** Pump, Fuel Lift 1.84 Lbs.
***Replaces:*** J936318, J933254, J906795, J917998, 76192494, 76191701, J932226, J930201, 30-3437485, 72501526, 3936318, 72515601



***For Models:*** 1660, 1660 SN JJC0038346>, 1666, 1670, 1670 SN JJC0080540>, 1680, 1680 SN JJC0045689>, 2166, (2144, 2166 ALL SN <JJC0180000), (**COTTON PICKER**: 1822 SN JJC0012691>, 1844 SN JJC0002462>, 2022, 2044, 2055), (**SWATHER/WINDROWER**: 8825, 8825HP, 8860, 8860HP, 8870)

**A-87473339** Pump, Fuel Lift 1.50 Lbs.
***Replaces:*** J936316, J925709, J930134, J930566, J932224, J933252, 76193593, 75289704, 87648709, 3925709, 3930134, 3930566, 3932224, 3933252, 3936316



***For Models:*** 2166 SN JJC0180000>, 2366 SN JJC0255700>, 2377, 2388, 5088, (**SWATHER/WINDROWER**: 8850 SN CFH0099165>, 8880, 8880HP)


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# ENGINE PARTS

*CASE-IH

**A-J918873** Line, Fuel Supply, Lift Pump to Injection Pump 0.50 Lbs.
***Replaces:*** 3918873




***For Models:*** 1688 W/ 6TA-830 Eng., 2166 SN JJC0180000-> W/ 6TA-830 Eng., 2188 SN <-JJC0191483 W/ 6TA-830 Eng., 2366 SN <-JJC0255699, (**COTTON PICKER**: 2055 W/ 6TA-830, 2155 SN <-JJC0156230 W/ 6TA-830 Eng.)

**A-83981012** Solenoid Valve, Fuel 0.20 Lbs.



***For Models:*** 1640 SN JJC0034705>, (**COTTON PICKER**: 1800, 2022, 2044), (**SWATHER/WINDROWER**: 6000, 6500, 8820, 8830)

**A-675813C2** Gasket, Timing Cover 0.10 Lbs.



***For Models:*** 815 W/ D414, 915 W/ DT414, 1440, 1460, 1470, 1480, 1640 S/N <JJC0034705, 1660 S/N <-JJC0038345, 1670 S/N <-JJC0080539, 1680 S/N <-JJC0045688, (**COTTON PICKER**: 1822, 1844)

**A-J918562** Hose, Turbo Supply 0.40 Lbs.
***Replaces:*** J909548



***Dim/Info:***
Length - 21 3/16"

***For Models:*** 1620 SN JJC0032630-> W/ 6T-590 Eng., 1640 SN JJC0034705-> W/ 6T-590 Eng., 1644 W/ 6TA-590, 1660 SN JJC0038346-> W/ 6T-830 Eng., 1666 W/ 6T-830 Eng., 1670 SN JJC0080540-> W/ Eng. SN 44489287->, 1670 W/ 6TA-830 Eng. W/ Eng. SN 44489287->, 1680 SN JJC0045689-> W/ 6TA-830 Eng., (1688, 2188 ALL W/ 6TA-830 Eng.), 2144 W/ 6TA-590 Eng., 2166 W/ 6T-830 / 6TA-830 Eng., 2344, 2366 SN <-JJC0255700, 2388 SN <-JJC0273000, (**COTTON PICKER**: CPX420, 420, 1822 SN JJC0012691-> W/ 6TA-590 Eng., 1844 SN JJC0002462-> W/ 6TA-590 Eng., (1800, 2022, 2044 ALL W/ 6TA-590 Eng.), (2022, 2044, 2055, 2155 ALL W/ 6TA-830 Eng.), 2555)

**A-87416028** Cooler, Oil 5.45 Lbs.
***Replaces:*** J921558, J918293, J911940, JR903375



***For Models:*** 1620 SN JJC0032630->, 1640 SN JJC0034705->, 1644, 2144, 2344, (**COTTON PICKER**: 1800 , 1822 SN JJC0012691->, 1844 SN JJC0002462->, 2022, 2044), (**SWATHER/WINDROWER**: 8850, 8880, 8880HP)

**A-3957544** Cooler, Oil 5.45 Lbs.
***Replaces:*** J921558, J918293, J911940, JR903375



***For Models:*** 1620 SN JJC0032630>, 1640 SN JJC0034705>, 1644 SN 44937696>, 2144, 2344, (**COTTON PICKER**: 1800, 1822 SN JJC0012691>, 1844 S/N JJC0002462>, 2022, 2044), (**SWATHER/WINDROWER**: 8850)

**A-675513C1** Gasket, Oil Cooler Mount 0.02 Lbs.



***For Models:*** 815, 915, 1440, 1460, 1480, 1640 S/N <-JJC0034704, 1660 S/N <-JJC0038346, 1670 S/N <-JJC0080540, 1680 S/N <-JJC0045689, (**COTTON PICKER**: 1822, 1844)

**A-688067C1** Drain Plug, Oil Pan 0.22 Lbs.
For Engines: D282, D312, D360, D407, DT407, D414, DT414, D429, D436, DT436, DT466 & V800
***Replaces:*** 445096



***Dim/Info:***
Thread Size - 7/8" X 18 UNS

***For Models:*** 503 D-301 Engine, 1440, 1460, 1480, (**COTTON PICKER**: 414, 420, 1822, 1844)

**A-59658D** Gasket, Oil Pan Drain Plug 0.05 Lbs.



***Dim/Info:***
Inside Diameter - 0.888"/ 0.891"
Outside Diameter - 1.278"/ 1.282"
Thickness - 0.064"
minimum order qty 5

***For Models:*** 1440, 1460, 1480, 1640 S/N <JJC0034705, 1660 S/N <JJC0038346, 1680 S/N <JJC0045689, (**COTTON PICKER**: 1822, 1844)

**A-87341875** Sensor, Temperature 0.10 Lbs.



***For Models:*** 2388, 2377, 2577, 2588

**A-A184785** Turbocharger 18.46 Lbs.
***Replaces:*** 749267C92



***Dim/Info:***
Includes - Mounting Gaskets

***For Models:*** 915 SN 8001->, 1460, 1470, 1480

**A-735270C91** Turbocharger 18.68 Lbs.
***Replaces:*** A184781, 684281C91, 684698C91, 1806078C91



***Dim/Info:***
Includes - Mounting Gaskets

***For Models:*** 1480 W/ SN 24001-> OR ALL RICE, (1660, 1670, 1680 ALL W/ DT466), (**COTTON PICKER**: 1822 W/ DT466, 1844)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-J802289** Turbocharger 22.70 Lbs.
For Cummins 6T-590 & 6TA-590 Engines
***Replaces:*** J919113, J907028, P3943547, J535414, J907026, J905818, J905817, JR802289, 3522778, 75287862, 148571A1, P3943547, Z5884227, 3528742, 3528741, 3522777, 3522778, 3535417, 3802289, 3535454, 3535421, 3535416, 3535415, 3535414, 3530714, 3528742, 3535420



***Dim/Info:***
Includes - Mounting Gaskets

***For Models:*** 1620 S/N JJC0032630>, 1640 S/N JJC0034705>, 1644, 2144 S/N <JJC0173150, (**COTTON PICKER**: 1800, 1822 S/N JJC0012691>, 1844 S/N JJC0002462>, 2022, 2044), (**SWATHER/WINDROWER**: 8850 S/N CFH0099001-CFH0099164)

**A-J802303** Turbocharger 27.80 Lbs.
Model H1E
***Replaces:*** J802303, J909308, JR909308, J919199



***Dim/Info:***
Includes - Mounting Gaskets

***For Models:*** 1660 S/N JJC0038346>, 1666, 1670 S/N JJC0080540>, 1680 S/N JJC0045689>, 1688, 2166 S/N <JJC018000, 2188 S/N <JJC0191483, (**COTTON PICKER**: 1822 S/N JJC0012691>, 1844 S/N JJC0002462>, 2022, 2044, 2055, 2155 S/N <JJC0156230)

**A-J536309** Turbocharger 34.80 Lbs.
***Replaces:*** J535617, JR802649, JR535617,



***Dim/Info:***
Includes - Mounting Gaskets

***For Models:*** 2166 SN JJC0180000->, 2188 SN JJC0191483->, 2366 SN <-JJC0255700, (**COTTON PICKER**: CPX420, 420, 2155 SN JJC0156230->, 2555)

**A-J908507** Injector 0.50 Lbs.



***For Models:*** 1660 W/ SN JJC0038346> 6T-830, 1666 W/ 6T-830, 2166 P.I.N. < JJC0180000, W/ 6T-830

**A-675967C91** Injector 0.46 Lbs.



***For Models:*** 815 , 1440 ESN 66058>, 1460 ESN <100008, 1480 ESN <103042

**A-687372C91** Injector 1.00 Lbs.



***For Models:*** 1460, 1470, 1480, 1660, 1670, 1680, (**COTTON PICKER**: (1822, 1844 ALL W/ Navistar Engine), 1844 SN <-JJC002462)

**A-J908511** Injector, Fuel 0.50 Lbs.



***For Models:*** 1670 S/N JJC0080540> w/ 6TA-830, 1680 S/N JJC0045689> w/ 6TA-830, (**COTTON PICKER**: 1822 S/N JJC0012691> w/ 6TA-830, 1844 S/N JJC0002462> w/ 6TA-830, (2022, 2044 ALL w/ 6TA-830))

**A-675442C1** Sleeve, Injector 0.15 Lbs.



***For Models:*** 1440, 1460, 1470, 1480, 1482, 1640 SN <JJC0034705, 1660 SN <JJC0038346, 1670, 1680 SN <JJC0045689, (**COTTON PICKER**: 1822, 1844)

**A-J930525** Injector 0.55 Lbs.
***Replaces:*** J928228, A77851



***For Models:*** 2166 6TA Emissions Certified Eng. SN JJC0180000->, 2366 SN <-JJC0255699

**A-87348171** Tube, Fuel Injection 0.35 Lbs.



***For Models:*** 2377, 2388, 2577, 2588, 5088, 6088, 7088, (**COTTON PICKER**: CPX620, MODULE EXPRESS 625, 420 Tier III, 620, 625)

**A-87348175** Tube, Fuel Injection 0.35 Lbs.



***For Models:*** 2377, 2388, 2577, 2588, 5088, 6088, 7088, (**COTTON PICKER**: CPX620, MODULE EXPRESS 625, 420 Tier III, 620, 625)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# ENGINE PARTS - FILTERS

*CASE-IH

**A-87348184** Tube, Fuel Injection 0.35 Lbs.



***For Models:*** 2377, 2388, 2577, 2588, 5088, 6088, 7088, (**COTTON PICKER**: CPX620, MODULE EXPRESS 625, 420 Tier III, 620, 625)

**A-87348283** Tube, Fuel Injection 0.35 Lbs.



***For Models:*** 2377, 2388, 2577, 2588, 5088, 6088, 7088, (**COTTON PICKER**: CPX620, MODULE EXPRESS 625, 420 Tier III, 620, 625)

**A-IHCK08** Carburetor Kit, Basic (IH) "Viton" 0.03 Lbs.

Basic carb kits contain gaskets, float valve & throttle shaft.



***For Models:*** 403 W/ IHC Carb. #'s - 379813R93, 534933R91, (453, 503 ALL W/ IHC Carb. # - 534933R91)

**A-304131R3** Glow Plug 0.08 Lbs.

Requires 11 Volts or less to keep from burning out

***Replaces:*** 304131R1, 304131R2, 343894R1, 343977R1



***Dim/Info:***
Tip Diameter: 0.20"
OD where it slides into the head: 0.3"
Amperage - 7.5-8 AMP Draw @ 11 Volts
Overall Length - 4.9"

***For Models:*** 101, 151, 181, 315, 403, 453, 503, 715, (**COTTON PICKER**: 414, 420)

**A-J900267** Seal 0.20 Lbs.



***For Models:*** 1480, 1620, 1640, 1644, 1660, 2144, 2344

**A-84330031** Bearing 0.67 Lbs.



***Dim/Info:***
Bore - 1.250"
Lube Type - Non-relubable
Bearing Width - .709"
Outside Diameter - 2.4406"
Overall Width - 1.406"
Bore Type - Round

***For Models:*** 1480, 1482, 1640, 1644, 1660, 1666, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577 S/N HAJ0300001>, 2588 S/N HAJ300001>, 5088, 5140, 6088, 6140, 7088, 7140, (**HEAD, CORN**: 724 S/N 513>), (**COTTON PICKER**: 782)

**A-87650438** Bearing (Import) 0.35 Lbs.



***Dim/Info:***
Inside Diameter - HEX .88"
Outside Diameter - 2.05"

***For Models:*** 5088, 5130, 5140, 6088, 6130, 6140, 7088, 7130, 7140

**A-87360565** Fuel Filter 1.60 Lbs.

***Replaces:*** 87349761

***For Models:*** 2388, 2377, 2577 S/N HAJ0300001>, 2588 S/N HAJ300001>, 5088, 6088, 7088, (**COTTON PICKER**: CPX620, MODULE EXPRESS 625, 420 Tier 3, 620)

**A-398080R2** Filter, Oil (Spin-on Type) 1.75 Lbs.



***For Models:*** (315, 715 ALL W/301 Gas), (**COTTON PICKER**: 414, 420, (616, 622 ALL W/301 Gas)), (**SWATHER/WINDROWER**: 4000, 5000, 5500)

**A-3136046R93** Filter, Oil 1.01 Lbs.

***Replaces:*** 3116609R92



***For Models:*** 303, 1620, (**COTTON PICKER**: 414, 420)

**A-J919562** Filter, Oil 2.95 Lbs.



***Dim/Info:***
Outlet Thread: 2.25" - 12
Length - 9.36"
Outside Diameter - 4.68"

***For Models:*** 1660 S/N 44489287>, 1666, 1670, 1680 S/N 44489287>, 1688, 2166, 2188, 2366, 2377, 2388, (**COTTON PICKER**: CPX420, 420, 2022, 2044, 2055, 2155, 2555)

**A-J100304** Filter; Coolant 1.20 Lbs.

***Replaces:*** 1801090C1, 690139C1, 86990977, 35-1270T92, A77544



***Dim/Info:***
Length - 3.937"
Outside Diameter - 3.937"

***For Models:*** (815, 915 ALL S/N 8001>), 1420, 1440, 1460, 1470, 1480, 1620, 1640 S/N <JJC0034705, 1660 SN: < JJC0038346, W/ DT466B, 1660 SN: JJC0038346 >, W/ 6T-830, 1666 W/ 6T-830, 1670 SN: JJC0080540 >, W/ 6TA-830, 1680 SN: < JJC0045689, W/ DTI-466C, 1680 SN: JJC0045689 >, W/6TA-830, 1688 W/6TA-830, 2166 P.I.N. < JJC0180000, W/ 6T-830, 2166 P.I.N. JJC0180000 >, W/ 6TA-830 EMISS CERT, 2188 P.I.N. < JJC0191483, W/ 6TA-830, 2188 P.I.N. JJC0191483 >, W/ 6TA-830 EMISS CERT, 2366 , 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540, HAJ0292001 >, 2577 S/N HAJ0300001>, 2588 S/N HAJ300001>, 5088, 6088, 7088, (**COTTON PICKER**: CPX420, CPX610, CPX620, MODULE EXPRESS 625, 420 Tier 3, 620, 782, 1400, 1822 SN: JJC0012691 >, W/ 6TA-830, 1844 SN: JJC0002462 >, W/ 6TA-830, (2022, 2044, 2055 ALL W/ 6TA-830), 2155 SN: < JJC0156230, W/ 6TA-830, 2155 SN: JJC0156230 >, W/ 6TA-830 EMISS CERT, 2555 )

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-87452704** Pulley, Alternator 1.61 Lbs.
***Replaces:*** 86975356



***For Models:*** 2366 SN: < JJC0255699, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088 SN <Y9G001764, (**COTTON PICKER**: CPX610, MODULE EXPRESS 625, 420 Tier 3, 620 )

**A-A40795** Starter Solenoid 0.80 Lbs.



***For Models:*** 660, 960, (**SWATHER/WINDROWER**: 950, 1150, 1255)

**A-TS-6075** Starter, Bosch 24.00 Lbs.
Reverse Feeder Motor, Bosch System (YR.92-85)
***Replaces:*** 0001367061



***Dim/Info:***
Type - Bosch, BO D/D
Volts/Kilowatts - 12/3.0
Rotation - CCW
Teeth - 9

***For Models:*** 1620, 1640, 1640, 1644, 1660, 1660, 1666, 1680, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2388

**A-107655C1** Solenoid, Power-Cab 0.90 Lbs.
***Replaces:*** 537067R2, 66581C3, 22-608



***For Models:*** 715 SN: 23001 >, 815 S/N 8001>, 914 SN: 8001 >, 915 S/N 8001>, 1420, 1440, 1460, 1470, 1480, 1620 SN: JJC0032630 >, 1640, 1644, 1660, 1666, 1670 HILLSIDE SN: JJC0080540 >, 1680, 1688, (**COTTON PICKER**: 95, 616, 622, 782, 1400, 1800, 1822 SN: JJC0012691 >; W/ NAVISTAR ENGINE, 1844 SN: JJC0002462 >; W/ NAVISTAR ENGINE, 2022, 2044, 2055)

**A-187103A1** Auxiliary Power Cord, 3 Pin 0.50 Lbs.
3 Spade Female Plug. For Use W/ Add On Monitors, Radios.



***Dim/Info:***
Three Pin Connector With 3' Of Harness.

***For Models:*** 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, (**COTTON PICKER**: CPX420, CPX610, CPX620, MODULE EXPRESS 625, 420, 620, 625, 2155, 2555)

**A-183038A1** Switch, Solenoid 0.75 Lbs.
***Replaces:*** 706124C3, 706124C2, 545756R1, 22-618, 6-1496, 22-492, D61168, D56649, A39079, 20-1608T1



***For Models:*** AFX8010 , 715 S/N 23001>, (815, 915 ALL S/N 8001>), 1420, 1440, 1460, 1470, 1480, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7010, 7088, 7120, 8010, 8120, 9120, (**COTTON PICKER**: CPX420, CPX610, CPX620, MODULE EXPRESS 625, 95, 420, 620, 782, 1400, 1800, 1822, 1844, 2022, 2044, 2055, 2155, 2555)

**A-107200C2** Light Switch (Rotary) 0.25 Lbs.



***For Models:*** 715 S/N 23001>, (815, 915 ALL S/N 8001>), 1620, 1640, 1644, 1660, 1666, 1680, 1688, (**COTTON PICKER**: 95, 1800, 1822, 1844, 2022, 2044, 2055)

**A-1502351C1** Relay, 12V 0.14 Lbs.
***Replaces:*** 3221178R1



***Dim/Info:***
Terminals - 5

***For Models:*** (2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588 ALL Headlamp)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# HYDRAULIC SYSTEM PARTS


**A-192865C2** Pulley, Aux. Pump Idler 5.02 Lbs.
***Replaces:*** 192865C1



***Dim/Info:***
Bore - 1.00"
Outside Diameter - 8.00"
Width - 2.34"

***For Models:*** 1420, 1440, 1460, 1470, 1480, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7088

**A-44R218** O-Rings 0.03 Lbs.
***Replaces:*** 1-9857T1, 35-1336T91, 35-1593T91, 35-1642T91



***Dim/Info:***
Inside Diameter - 1 1/4
Outside Diameter - 1 1/2
Standard Number - 218
Width - 1/8
minimum order qty 10

***For Models:*** 303, 403, 503, 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ292001-HAJ300000, 2388 , 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088, (**COTTON PICKER**: 414, 420, 1822, 1844)

**A-A47038** Seal Kit, Hydrostatic Steering Hand Pump 0.15 Lbs.
***Replaces:*** 224712C1, 86585473



***For Models:*** 303, 315, 403, 915 S/N 8001>, 1420 W/Ross pump & SN# <-20000, 1440 W/Ross pump & SN# <-50000, 1460 W/Ross pump & SN# <-52000, 1470 , 1480 W/ SN# <-52000, (**COTTON PICKER**: 1400, 1822, 1844)

**A-86508168** Seal Kit, Relief Valve 0.01 Lbs.



***Dim/Info:***
Includes - (2) Orings & (1) Backup Washer

***For Models:*** AFX8010, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 7010, 7120, 8010, 8120, 9120, (**COTTON PICKER**: CPX420, CPX610, CPX620, MODULE EXPRESS 625, 420, 620, 1800, 1822, 1844, 2022, 2044, 2055, 2155, 2555)

**A-191823C2** Rod; Auxiliary Drive Jackshaft 0.35 Lbs.



***For Models:*** 1480 , 1620 S/N JJC0032630>, 1640 S/N JJC0034705>, 1644, 1660, 1666, 1680, 1688, 2166, 2188, 2344, 2366, 2388, 2144, 2377, 2577, 2588


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Sickle Sections







| Part No. | Description | Dim (A) | Dim (B) | Dim (C) | Pkg Qty | Fastener | Repl. No. |
|---|---|---|---|---|---|---|---|
| **A-411-091** | Black 11ga Top Serrated | 3” | 2.062” | 1.250” | 10 | 7/32 x 5/8 | 634793R3 |
| **A-191256A1** | Section, Knife; Overserrated, 3”, Chrome | 3” | 2.062” | 1” | 25 | 7/32 x 5/8 | 191256B |
| **A-432-071** | Plated 11ga Big Tooth | 3” | 2.062” | 1.250” | 10 | 7/32 x 5/8 | 634794R3 |
| **A-112-001** | Plated 11ga Top Serrated | 2.5” | 2” | .875” | 10 | 7/32 x 5/8 | 179736C3, 71176531, 1053209M1 |
| **A-132-001** | Plated 11ga Big Tooth | 2.5” | 2” | .875” | 10 | 7/32 x 5/8 | 179736C3, 71176531, 1053209M1 |
| **A-211-271** | Black 11ga Top Serrated, 3 Hole | 3.250” | 2.062” | 1” | 10 | 7/32 x 5/8 CTSK | 826720C3 |
| **A-231-271** | Black 11ga Big Tooth, 3 Hole | 3.250” | 2.062” | 1” | 10 | 7/32 x 5/8 CTSK | 112074A1 |
| **A-211-411** | black 11ga top serrated, fine, 14 serrations/inch | 3.250” | 2.125” | 1” | 10 | 7/32 x 5/8 | MF: 1071707M1, CNH: 87422066, John Deere: W35888, MacDon: 34390 |
| **A-622-251** | Plated 11ga Top Serrated | twin point | 3 slotted holes | | 10 | 7/32 x 5/8 | 1970390C4 |
| **A-622-351** | Black 11ga Top Serrated | twin point | 3 slotted holes 1” C to C | | 10 | 7/32 x 5/8 | 1970390C4 |
| **A-632-351** | Black 11ga Big Tooth | twin point | 3 slotted holes | | 10 | 7/32 x 5/8 | 1970390C4 |
| **A-612-140** | (10) RH End Sections, Chrm Top Ser | end section | RH 3 hole | | 10 | 7/32 x 5/8 | 148200C1, E63245 |
| **A-612-150** | (10) LH End Sections, Chrm Top Ser | 3 hole | LH 3 hole | | 10 | 7/32 x 5/8 | 700705463, E75474 |
| **A-711-001** | Chrome 12ga Top Serrated | overlap section kit | 2 LH | 3 RH | | 7/32 x 5/8 CTSK | |
| **A-87728905** | Section, Sickle; Overserrated | | | | 25 | | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# SICKLE & RELATED PARTS

## Sickle Parts




*Pictures may not represent parts as listed.*


| Part No. | Description | Replaces | Application |
|---|---|---|---|
| **A-901-035** | Sickle Head | 178466C91 | 914 S/N 8001>, (HEAD, CUTTING PLATFORM: 810 ) |
| **A-901-041** | Sickle Head | 197230C91 | 1482 , (HEAD, CUTTING PLATFORM: 820 ) |
| **A-920-223** | Bearing | 176699C91 | 914, 1482, (HEAD, CUTTING PLATFORM: 810, 820) |
| **A-529-016** | Wear Plate, 5.5” | 71116532, 71176537 | SEVERAL |
| **A-529-056** | Wear Plate, 6” | 71116532, 206196M1, 231303M1, 1039627M1 | SEVERAL alternative to 529-016 |
| **A-529-156** | Wear Plate, 3/16 | 7116532, 206196M1, 231303M1, 1039627M1 | SEVERAL alternative to 529-016 |
| **A-920-386** | Shim, .010 | | SEVERAL |
| **A-920-387** | Shim, .024 | | SEVERAL |
| **A-515-066** | Knife Clip | 613842R2, H7542, 241216, E47955, 130431M1, 1041469M1, 1055108M1, 67357, 137651, 0145HS, 290816 | (HEAD, CUTTING PLATFORM: 820) |
| **A-711-066** | Knife Clip, Low | 515-066 | (HEAD, CUTTING PLATFORM: 820) |
| **A-515-116** | Knife Clip, Bolted or Riveted | 71189684, 71346158, 206195M1, 143241M1 | 914 S/N 8001>, 1482, (HEAD, CUTTING PLATFORM: 810), (HEAD, CORN: 810 non-floating) |
| **A-101001A2** | Clip; Knife Hold Down | | (HEAD, CUTTING PLATFORM: 1010, 1020) |
| **A-725-001** | Knifehead Pin Kit | 176699C91 | 914 SN 8001<, 1482 , (HEAD, CUTTING PLATFORM: 810, 820) |
| **A-612-140** | (10) RH End Sections, Chrm Top Ser | 148200C1, E63245 | SEVERAL RH 2 hole, (HEAD, CUTTING PLATFORM: 425, 525, 625, 1010, 1020, 8210, 8220, 8230, 8240) |
| **A-611-130** | (10) RH End Sections, Blk Top Ser | 9622715, 86617760 | SEVERAL , (HEAD, CUTTING PLATFORM: DH403, DHX182, DHX212, DHX252, DHX302, DHX362) |
| **A-612-150** | (10) LH End Sections, Chrm Top Ser | 700705463, E75474 | SEVERAL, (HEAD, CUTTING PLATFORM: 425, 525, 625, 8210, 8220, 8230, 8240) |
| **A-611-140** | (10) LH End Sections, Blk Top Ser | 86617759 | SEVERAL |
| **A-712-730** | RH End Sections, Chrm Top Ser; Card of 2 w/Rivets | | SEVERAL |
| **A-712-750** | LH End Sections, Chrm Top Ser; Card of 2 w/ Rivets | | SEVERAL |
| **A-712-780** | (2) RH End Sections, Blk Top Ser | | SEVERAL |
| **A-712-810** | RH/LH End Sections, Chrm Top Ser | | SEVERAL |
| **A-712-820** | RH/LH End Sections, Blk Top Ser | | SEVERAL |
| **A-904-003** | (1lb) 7/32 x 5/8” CTSK Rivet | 700000583 | SEVERAL including heavy CTSK sections |
| **A-904-020** | (1lb) 7/32 x 1/2” OH Rivet | | SEVERAL |
| **A-904-021** | (1lb) 7/32 x 9/16” OH Rivet | | SEVERAL regular & heavy sections |
| **A-904-022** | (1lb) 7/32 x 5/8” OH Rivet | 1980897C1, 700000883 | SEVERAL extra heavy sections |
| **A-904-024** | (1lb) 7/32 X 3/4” OH Rivet | | SEVERAL extra heavy sections |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Sickle Parts





*Pictures may not represent parts as listed.*

| Part No. | Description | Replaces | Application |
|---|---|---|---|
| **A-904-025** | (1lb) 7/32 x 7/8" OH Rivet | | SEVERAL |
| **A-904-027** | (1lb) 7/32 x 1" OH Rivet | | SEVERAL |
| **A-904-029** | (1lb) 7/32 x 1-1/8" OH Rivet | | SEVERAL |
| **A-904-040** | (1lb) 1/4 x 5/8" OH Rivet | | SEVERAL |
| **A-904-041** | (1lb) 1/4 x 7/8" OH Rivet | | SEVERAL |
| **A-904-042** | (1lb) 1/4 x 1" OH Rivet | | SEVERAL |
| **A-904-004** | (1lb) 7/32 x 7/8" CTSK Rivet | | SEVERAL |
| **A-904-005** | (1lb) 7/32 x 15/16" CTSK Rivet | | SEVERAL |
| **A-904-006** | (1lb) 7/32 x 1" CTSK Rivet | | SEVERAL |
| **A-904-008** | (1lb) 7/32 x 1-1/8" CTSK Rivet | | SEVERAL |
| **A-904-500** | (50) 7/32 x 5/8" Bolt & Nut | 700705296, AE57009, 86507777 | SEVERAL standard straight hole sections |
| **A-904-524** | (25) 7/32 x 7/8" Bolt & Nut | H125889, AE57010 | SEVERAL |
| **A-904-501** | (25) 7/32 x 1" Bolt & Nut | | SEVERAL |
| **A-904-525** | (50) 7/32 x 5/8" 60° CTSK Bolt & Nut | 700002978 | SEVERAL J.E.Love & Hart Carter |
| **A-904-528** | (25) 7/32 x 1" 60° CTSK Bolt & Nut | | SEVERAL |
| **A-904-526** | (50) 17/32" Bolt & Nut | 1307169C91, 1970505C1, 1970507C1 | (HEAD, CUTTING PLATFORM: 1010, 1020 TJ50BN) |
| **A-904-527** | (25) 1-1/8" Bolt w/ Nut | 1970402C5, 1970506C1 | (HEAD, CUTTING PLATFORM: 1010, 1020 TJ60BN) |
| **A-904-544** | (25) Jam Nut | 1970404C5PL, 1307170C91 | (HEAD, CUTTING PLATFORM: 1010, 1020 w/ 3 hole sections) |
| **A-904-526** | (50) 17/32" Bolt w/ Nut | 1307169C91, 1970505C1, 1970507C1 | (HEAD, CUTTING PLATFORM: 1010, 1020) |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

## Sickle Assemblies



| Part No. | Description | # Sect | Head No. | OEM No. | Section No. |
|---|---|---|---|---|---|
| **A-801-544** | 20', Black 11 ga Top Serrated, Bolt-On | 80 | 172726C1 | | 634793R3 |

***For Models:*** 403 hillside, (453, 615, 715, 815, 915 ALL w/ bellcrank)


## Sickle Assemblies



| Part No. | Description | # Sect | Head No. | OEM No. | Section No. |
|---|---|---|---|---|---|
| **A-801-326** | 15', Chrome 11ga Top Serrated, Bolt-On | 60 | 179765C1 | CIH-179762C91; CIH-179762C92 | 179736C93 |

***For Models:*** (**HEAD, CUTTING PLATFORM**: 810 floating header SN <-19000, Hart-Carter Gen I), (403, 615, 715, 815, 915, 1420, 1440, 1460, 1470, 1480 ALL 810 floating header SN <-19000 & Hart-Carter Gen I)


## Sickle Assemblies



| Part No. | Description | # Sect | Head No. | OEM No. | Section No. |
|---|---|---|---|---|---|
| **A-801-094** | 13', Plated 11ga Top Serrated, Bolt-On | 52 | CIH-180497C1; GLN-71189917 | CIH-180467C91; GLN-71189901 | CIH-179736C3; GLN-71176531 |
| **A-830-500** | 15', Chrome 11ga Big Tooth, Riveted | 60 | CIH-180497C1; GLN-71189917 | CIH-180468C91; GLN-71189903 | CIH-179736C3; GLN-71176531 |

***For Models:*** (**HEAD, CUTTING PLATFORM**: 810 floating header SN 19001-26000, Hart-Carter Gen II), (403, 615, 715, 815, 915, 1420, 1440, 1460, 1470, 1480 ALL 810 floating header SN 19001-26000 & Hart-Carter Gen II)

## Sickle Assemblies



| Part No. | Description | # Sect | Head No. | OEM No. | Section No. |
|---|---|---|---|---|---|
| **A-801-273** | 24', Chrome 11ga Top Serrated, Bolt-On | 94 | 178466C91 | 176721C93 | 634794R3 |

***For Models:*** (**HEAD, CUTTING PLATFORM**: 810 non-floating bar), (403, 615, 715, 815, 915, 1420, 1440, 1460, 1470, 1480 ALL 810 header w/ non-floating bar)

## Sickle Assemblies



| Part No. | Description | # Sect | Head No. | OEM No. | Section No. |
|---|---|---|---|---|---|
| **A-831-463** | 15', Black 11ga Big Tooth, Bolt-On | 58 | 197230C91 | 197463C93 | 826720C3 |
| **A-801-304** | 20', Black 11ga Top Serrated, Bolt-On | 78 | 197230C91 | 197466C93 | 826720C3 |


***For Models:*** (**HEAD, CUTTING PLATFORM**: 820), (815, 915 ALL combine SN 8001> w/ 820 auger header), (615, 715, 1420, 1440, 1460, 1470, 1480 ALL w/ 820 auger header)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com


## Sickle Assemblies




| Sickle No. | Description | Length | Section No. | Qty) Head | Qty) Center | Qty) Tail | Qty) Splice Kit |
|---|---|---|---|---|---|---|---|
| **A-197464C93BT** | Black 11ga Big Tooth, Headless Assembly | 16-1/2' | 826720C3BT | 1) 803-144 | 1) 803-137 | 1) 803-146 | 2) 711-010 |
| **A-197465C93BT** | Black 11ga Big Tooth Headless Assembly | 17-1/2' | 826720C3BT | 1) 803-144 | 1) 803-137 | 1) 803-147 | 2) 711-010 |
| **A-197467C93BT** | Black 11ga Big Tooth Headless Assembly | 22-1/2" | 826720C3BT | 1) 803-144 | 2) 803-137 | 1) 803-146 | 3) 711-010 |

***For Models:*** (**HEAD, CUTTING PLATFORM**: 820), (815, 915 ALL combine SN 8001> w/ 820 auger header), (615, 715, 1420, 1440, 1460, 1470, 1480 ALL w/ 820 auger header)

## Sickle Assemblies



| Part No. | Description | # Sect | Head No. | OEM No. | Section No. |
|---|---|---|---|---|---|
| **A-881-045** | 20', Black 11ga Top Serrated, Bolt-On | 78 | Headless | 1307283C99 | 826720C3 |
| **A-881-052** | 20', Black 11ga Big Tooth, Bolt-On | 78 | Headless | 1307283C99 | 826720C2 |
| **A-881-046** | 22-1/2', Black 11ga Top Serrated, Bolt-On | 88 | Headless | 1307284C99 | 826720C3 |
| **A-155-114A** | 25', Black 11ga Big Tooth, Bolt-On; Spliced | 25 | Headless | 376534A1 | 826720C3 |
| **A-155-134A** | 30', Black 11ga Big Tooth, Bolt-On; Spliced | 3 | Headless | 376535A1 | 826720C3 |


***For Models:*** (**HEAD, CUTTING PLATFORM**: (1010, 1020 ALL w/ 3" cut)), (1420, 1440, 1460, 1480, 1620, 1640, 1644, 1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2388 ALL 1010 or 1020 grain header w/ 3" cut)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

*CASE-IH

# SICKLE ASSEMBLIES

## Sickle Assemblies




| Sickle No. | Description | Length | Section No. | Qty) Head | Qty) Center | Qty) Tail | Qty) Splice Kit |
|---|---|---|---|---|---|---|---|
| **A-1307281C98BT** | Black 11ga Big Tooth Headless Assembly | 15' | 826720C3BT | 1) 803-306 | 1) 803-137 | 1) 803-149 | 2) 711-010 |
| **A-1326835C98BT** | Black 11ga Big Tooth Headless Assembly | 16-1/2' | 826720C3BT | 1) 803-307 | 1) 803-137 | 1) 803-140 | 2) 711-010 |
| **A-1307282C98BT** | Black 11ga Big Tooth Headless Assembly | 17-1/2' | 826720C3BT | 1) 803-307 | 1) 803-137 | 1) 803-150 | 2) 711-010 |
| **A-1307283C98BT** | Black 11ga Big Tooth Headless Assembly | 20' | 826720C3BT | 1) 803-306 | 2) 803-137 | 1) 803-138 | 3) 711-010 |
| **A-1307284C98BT** | Black 11ga Big Tooth Headless Assembly | 22-1/2' | 826720C3BT | 1) 803-307 | 2) 803-137 | 1) 803-140 | 3) 711-010 |
| **A-1307285C98BT** | Black 11ga Big Tooth Headless Assembly | 25' | 826720C3BT | 1) 803-306 | 2) 803-137 | 1) 803-141 | 3) 711-010 |
| **A-1307286C98BT** | Black 11ga Big Tooth Headless Assembly | 30' | 826720C3BT | 1) 803-306 | 3) 803-137 | 1) 803-142 | 4) 711-010 |

***For Models:*** **(HEAD, CUTTING PLATFORM**: (1010, 1020 ALL w/ 3" cut)), (1420, 1440, 1460, 1480, 1620, 1640, 1644, 1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2388 ALL 1010 or 1020 grain header w/ 3" cut)

## Sickle Sections




| Part No. | Description | Replaces | Application |
|---|---|---|---|
| **A-86616560** | Kit, Overlap Section, Twin Sickle | | (HEAD, **CUTTING PLATFORM**: DHX182, DHX212, DHX252, DHX302, DHX362, HDX122, HDX142, HDX162, HDX182) |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com


**A-125971A2** Jackshaft, Knife Drive 13.80 Lbs.
***Replaces:*** 125971A1



***Dim/Info:***
Length - 45.12"
Shaft Size - 1.125" Hex

***For Models:*** (**HEAD, CUTTING PLATFORM**: (1010, 1020 ALL 20 Ft.))

**A-937517R1** Flange, Bearing 0.20 Lbs.
Used in a variety of applications



***Dim/Info:***
Bearing OD - 2.047"
Bolt Circle - 3.00"

***For Models:*** 503 W/ 16' RICE PLATFORM & 24" O.D. AUGER, 815, 914, 915, 1420, 1440, 1460, 1470, 1480, 1482, 1620 SN: JJC0032630 >, 1640, 1644, 1660, 1666, 1670 SN: JJC0080540 >, (**HEAD, CUTTING PLATFORM**: 810, 820, 1010, 1020 SN: < JJC0227000 & JJC0315001 >)

**A-204807C91** Bearing, Grain Tank / Delivery Auger 0.40 Lbs.
***Replaces:*** 475698R91, H747048, H757708, 174523C91, 214366C91, 3074CSA, H435858, 455965R91, 528342R91, 50302, 528342R92, H757690, T18536, T27195, 1315407C91, 1319666C91, 3101580R91



***For Models:*** (82, 303, 315, 403, 503, 615, 715, 914, 915, 815, 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 5088, 2577, 2588, 6088, 7088), (**HEAD, CORN**: 303 S/N 8364001>, 724 S/N 513 >), (**HEAD, CUTTING PLATFORM**: 810)

**A-100952A1** Driveshaft, Header w/ 1-1/8" Hex End Yokes 28.70 Lbs.



***Dim/Info:***
2400 Walterscheid
C to C - 610 mm (24")
Implement - 1 1/8" Hex Slide Collar
Tractor - 1 1/8" Clamp Yoke

***For Models:*** 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, (**HEAD, CORN**: 1063)

**A-1313570C92** Field Tracker Header Drive Shaft 42.00 Lbs.



***Dim/Info:***
C to C - 1210 mm/ 48"
Implement - 1 1/8" Hex Slide Collar
Tractor - 1 1/8" Clamp Yoke

***For Models:*** 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, (**HEAD, CUTTING PLATFORM**: 1010, 1020)


**A-W244899-A** Driveshaft, Header, w/ 1-1/8" Hex End Yokes, 48" 42. Lbs.



***Dim/Info:***
Series - 2400 Agmaster
Genuine alternative to original part.
C to C - 1210 mm (48")
Implement - 1 1/8" Clamp Yoke
Tractor - 1 1/8" Hex Slide Collar


***For Models:***

**A-106024A1-SHAFT** Shaft, Auger Drive (Shaft Only) 13.10 Lbs.



***For Models:*** (**HEAD, CUTTING PLATFORM**: 1010, 1020)


**A-87450164** Sprocket, Auger Driven 16.50 Lbs.
***Replaces:*** 106055A1, 106055A2



***Dim/Info:***
Spline - 14
Teeth - 56

***For Models:*** (**HEAD, CUTTING PLATFORM**: 1010, 1020)

**A-87035837** Sprocket, Reel Drive 1.20 Lbs.
***Replaces:*** 129967A1



***Dim/Info:***
Bore - 1.125" w/ keyway
Teeth - 17

***For Models:*** (**HEAD, CUTTING PLATFORM**: 1010, 1020, 2010, 2020)

**A-87036543** Sprocket, Reel Drive 9.25 Lbs.
***Replaces:*** 129973A2, 129973A1



***Dim/Info:***
Chain - 50
Inside Diameter - 1.57"
Teeth - 51

***For Models:*** (**HEAD, CUTTING PLATFORM**: 1010, 1020, 2010, 2020, 3152, 3162)

**A-IS601512** Sprocket, Idler (Grain Head) 1.05 Lbs.



***Dim/Info:***
Bore - 1/2" Bearing
Chain Size - 60
Teeth - 15

***For Models:*** 303, 403, 503, 715, 914 S/N 8001>, 1482, (**HEAD, CUTTING PLATFORM**: 810, 820)

**A-565442R91** Sprocket, Idler (Grain Head) 0.78 Lbs.



***Dim/Info:***
Chain - 50
Inside Diameter - .500"
Teeth - 17

***For Models:*** 403, 453, 503, 615, 715, 815, 914, 915, 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2388 SN <JJC0276540, (**HEAD, CORN**: 303 S/N 8364001>), (**HEAD, CUTTING PLATFORM**: 810, 820)

*CASE-IH

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# GRAIN HEAD PARTS

*CASE-IH

**A-278642** Cross & Bearing Kit 0.64 Lbs.
***Replaces:*** AUB150288, 80161472, 1281444C1



***For Models:*** (**HEAD, CUTTING PLATFORM**: 1010, 1015, 1020)

**A-1330586C1** Kit, Cross & Bearing Repair 0.61 Lbs.

***Dim/Info:***
Size - (A) 23.8mm x (B) 61.3mm



***For Models:*** (**HEAD, CUTTING PLATFORM**: 1010, 1015, 1020)

**A-1316161C95** Knife Head Assembly 5.04 Lbs.
***Replaces:*** 87422431, 1316161C94, 1316161C93, 1316161C92, 1316161C91, 1307297C93, 1307297C92, 1307297C91



***For Models:*** (**HEAD, CUTTING PLATFORM**: 1010, 1020)

**A-1313797C2** Block, Knife Head - Boss 0.85 Lbs.
***Replaces:*** 1313797C1



***For Models:*** (**HEAD, CUTTING PLATFORM**: 1010, 1020)

**A-565442R91** Sprocket, Idler 0.78 Lbs.



***Dim/Info:***
Chain - 50
Inside Diameter - .500"
Teeth - 17

***For Models:*** 303, 315, 303 S/N 8364001>, 403, 453, 503, 615, 715, 815, 914, 915, 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388 SN <JJC0276540, 2577 S/N HAJ0300001>, 2588 S/N HAJ300001>, (**HEAD, CUTTING PLATFORM**: 810, 820)

**A-126314A2** Arm, Knife Crank 6.00 Lbs.
***Replaces:*** 126314A1



***For Models:*** (**HEAD, CUTTING PLATFORM**: 1010, 1020)

**A-138775A1** Pulley, Driven Knife, Wobble Box 17.90 Lbs.
***Replaces:*** 114388A1



***Dim/Info:***
Inside Diameter - .93"
Outside Diameter - 10.375"

***For Models:*** (**HEAD, CUTTING PLATFORM**: 1010, 1020)


**A-86622662** Shim, 1" 0.37 Lbs.
For Machines W/ Stub Guards
***Replaces:*** 199283, 813



***Dim/Info:***
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: 2010, 2020)

**A-613838R3** Forged Guard, 2 Prong 1.90 Lbs.
***Replaces:*** 613838R1 & BU270



***Dim/Info:***
minimum order qty 25

***For Models:*** (**HEAD, CUTTING PLATFORM**: (820, 1010, 1020 ALL W/ 3" Cut))

**A-CR7229** Guard, Knife 1.92 Lbs.
***Replaces:*** Crary # CR7229, Shoup # 417229, MCM # MCM7229



***Dim/Info:***
minimum order qty 5

***For Models:*** (**HEAD, CUTTING PLATFORM**: (820, 1010, 1020 ALL W/ Crary System 1996> W/ Wear Plates))

**A-CR7228** Guard, Knife; For Crary Cutting Systems 2.40 Lbs.
***Replaces:*** Crary CR7228, Shoup 417328, MCM# MCM7228



***Dim/Info:***
Uses 7/16" Carriage Bolts
minimum order qty 5

***For Models:*** (**HEAD, CUTTING PLATFORM**: (820, 1010, 1020 ALL W/ Crary System <1995 W/O Wear Plates))

**A-1307299C1** Guard, Double 2.00 Lbs.
***Replaces:*** FQ299



***Dim/Info:***
minimum order qty 25

***For Models:*** (**HEAD, CUTTING PLATFORM**: 1010, 1020), (**SWATHER/WINDROWER**: 721, 730), (**WINDROWER PLATFORM**: 725)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-1326787C3** Forged Guard, Left End 1.80 Lbs.
3 Used On Left End



***Dim/Info:***
minimum order qty 25
QTY - 3

***For Models:*** (**HEAD, CUTTING PLATFORM**: (820, 1010, 1020 ALL W/ 3" Cut))

**A-179775C1** Forged Guard 1.45 Lbs.
Two Prong
***Replaces:*** BU231



***Dim/Info:***
Bolt Diameter - .50" Square Bolt Hole
minimum order qty 25

***For Models:*** 815, 915, (**HEAD, CUTTING PLATFORM**: 810)

**A-633098R1** Forged Guard, 2 Prong 1.46 Lbs.
***Replaces:*** BU265



***Dim/Info:***
minimum order qty 25

***For Models:*** 82, 303, 315, 403, 503, 815, 914 S/N 8001>, 915, 1482, **(HEAD, CUTTING PLATFORM**: 810)

**A-472717R1** Forged Guard, 2 Prong, Stub 1.22 Lbs.
***Replaces:*** BU250



***Dim/Info:***
minimum order qty 25

***For Models:*** (**HEAD, CUTTING PLATFORM**: 810, 820)

**A-87702974** Guard 1.95 Lbs.



***For Models:*** (**HEAD, CUTTING PLATFORM**: 3020, 3152, 3162)

**A-86615982** Forged Guard, 2 Prong 2.32 Lbs.
***Replaces:*** 219191, 695501, 858778, 86521587, 86553340, 87042356 & BU215A



***Dim/Info:***
minimum order qty 25

***For Models:*** (**HEAD, CUTTING PLATFORM**: DH403, DHX182, DHX212, DHX252, DHX302, DHX362, 2020)

**A-87702973** Guard, Sickle; 3" 2.14 Lbs.



***Dim/Info:***
Width - 3"
minimum order qty 25

***For Models:*** (**HEAD, CUTTING PLATFORM**: 3020, 3152, 3162)

**A-118344** Guard, Double Prong 1.97 Lbs.



***Dim/Info:***
minimum order qty 25

***For Models:*** (**HEAD, CUTTING PLATFORM**: 1042, 1052, 2042, 2052, 2062, 2152, 2162)


**A-598171R1** Reel Teeth 0.21 Lbs.



***Dim/Info:***
Length - 11.250"
Wire Size - .187"

***For Models:*** 315, 403, 503 S.P., (**HEAD, CUTTING PLATFORM**: 810, 820, 1010, 1020)

**A-167651C1** Finger (RH) 0.28 Lbs.




***Dim/Info:***
A - 3.00"
B - 1.50"
C - 11.50"

***For Models:*** 315, 403, 503 S.P., (**HEAD, CUTTING PLATFORM**: 810, 820, 1010, 1020)

**A-1989441C1** Poly Reel Finger (End) 0.14 Lbs.



***Dim/Info:***
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: (1010, 1020 ALL SERIES HEAD))

**A-1989439C1** Poly Reel Finger (Wing Right) 0.14 Lbs.



***Dim/Info:***
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: (1010, 1020 ALL SERIES HEAD))

**A-1989440C1** Poly Reel Finger (Wing Left) 0.14 Lbs.



***Dim/Info:***
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: (1010, 1020 ALL SERIES HEAD))

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# GRAIN HEAD PARTS



**A-1989438C1** Poly Reel Finger (Double Wing) 0.18 Lbs.



***Dim/Info:***
minimum order qty 25

***For Models:*** (**HEAD, CUTTING PLATFORM**: (1010, 1020 ALL SERIES HEAD))

**A-84130300** Finger; Plastic 0.15 Lbs.
For 42MM Pipe
***Replaces:*** MacDon: 164434



***Dim/Info:***
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: 2142, 2152, 2162)

**A-87561020** Finger; Plastic, Heavy Duty 0.22 Lbs.
For 42 MM Pipe
***Replaces:*** MacDon: 137987



***Dim/Info:***
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: 2142, 2152, 2162)

**A-783597** Tine, Plastic; Full Bat, For Level II Reel, w/ Screws 0.20 Lbs.
For Level II Reels: 1.375" tube w/ .500" hex holes spaced @ 6.000" apart. Tines have a hex nub that fits into a hex hole in the tube. Standard since 1999/2000.



***Dim/Info:***
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: 1020 2001>, 2010, 2020)

**A-410857A1** Finger; LH Bat, Plastic (10/Pack) 0.14 Lbs.



***Dim/Info:***
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: 1020 2001>, 2010, 2020, 3020)

**A-86562205** Tine; Flexible Reel, Tear Drop Style 0.06 Lbs.
***Replaces:*** 2763064M1



***Dim/Info:***
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: DH403, DHX211, DHX181, DHX182, DHX212, DHX251, DHX252, DHX301, DHX302, DHX361, DHX362, 425), (**SWATHER/WINDROWER**: 8820, 8830, 8840)

**A-1970586C1** Tine, Reel Flex, Combine 0.10 Lbs.
Hart Carter Reel. Mounting screw enters from backside of bat.



***Dim/Info:***
minimum order qty 50

***For Models:*** (**HEAD, CUTTING PLATFORM**: 1010, 1020)

**A-91C246** Tine, Combine Reel Flex 0.14 Lbs.



***Dim/Info:***
minimum order qty 50

***For Models:*** SEVERAL with tear-drop style bats


**A-RT1038** Tine, Reel 0.14 Lbs.
For older Love tear drop reels. (Screw goes in from the front of the bat)
***Replaces:*** John Day #'s 3883-52583 and H3411



***Dim/Info:***
Packed 10 per bag w/ screws
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: (820, 1020 ALL <1987 W/ Love Tear Drop Reels))

**A-87620690** Guide, Finger 0.09 Lbs.
***Replaces:*** 87666079, 87051323, 410718A1, 1307259C1, 1307259C2



***For Models:*** 1470, 1482, (**HEAD, CUTTING PLATFORM**: 810, 820, 1010, 1015, 1020, 1042 SN CCC0010467>, 1052 SN CCC0012343>, (2010, 2020 ALL SN CBJ020701>), 2042, 2052, 2062, 2142, 2152, 2162, 3162, 3152)

**A-1316383C1** Shaft, Auger Finger 10.20 Lbs.



***For Models:*** (**HEAD, CUTTING PLATFORM**: 1010, 1015, 1020)

**A-1308425C1** Hub; Auger Finger 0.10 Lbs.



***For Models:*** 1470, 1482, (**HEAD, CUTTING PLATFORM**: 810, 820, 1010, 1015, 1020, 1042, 1052, 2042, 2052, 2062, 2142, 2152, 2162)

**A-84469382** Bearing; Reel Arm (1 Half) 0.06 Lbs.
Sold By The Half, 2 Pcs Required.
***Replaces:*** 89842300, 1347084C1, 003791390, 02807384



***For Models:*** (**HEAD, CUTTING PLATFORM**: DH403, DHX302, DHX181, DHX182, DHX211, DHX212, DHX251, DHX252, DHX301, DHX361, DHX362, 1010, 1020, 2010, 2020, 3152, 3162)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com


**A-1315597C1** Gear Set, Feeder Drive & Fan Gear 9.18 Lbs.
*Replaces:* 191285C1



***Dim/Info:***
Teeth - 18/31

***For Models:*** 1440, 1460, 1470, 1480, 1640, 1644, 1660, 1666, 1670 SN: JJC0080540 >, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577, 2588, 5088, 6088, 7088


**A-125990A1** Sprocket, Auger Drive 1.14 Lbs.



***Dim/Info:***
Inside Diameter - 1.74"
Teeth - 17

***For Models:*** (**HEAD, CUTTING PLATFORM**: 1010 SN: JJC0200001 >, 1020 SN: JJC0215001-JJC0227000 & JJC0315001 >)

**A-566518R91** Pulley, Idler 2.15 Lbs.



***Dim/Info:***
Belt Width - .995"
Outside Diameter - 7.000"
Width - 1.370"
Hole Diameter - .500"

***For Models:*** 82, 303, 615, 715 S/N 23001>, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2388, (**HEAD, CUTTING PLATFORM**: 820, 1010)

**A-345335A2** Plate, Seperator 0.31 Lbs.
*Replaces:* 345335A1



***Dim/Info:***
QTY - 10

***For Models:*** (AFX8010, 7010, 7120, 8010, 8120, 9120 ALL Gearbox, Header/Feeder)


**A-84159803** Plate, Friction 0.22 Lbs.
*Replaces:* 345334A1



***Dim/Info:***
QTY - 10

***For Models:*** (AFX8010, 7010, 7120, 8010, 8120, 9120 ALL Gearbox, Header/Feeder)


**A-199647C1** Sprocket, Driving 7.27 Lbs.



***Dim/Info:***
1.139" Hex Hub
Outside Diameter - 8.772"
Teeth - 35

***For Models:*** (**HEAD, CORN**: 900 SERIES, 1043, 1044, 1064, 1083, 1084)


**A-199643C1** Sprocket, Driving 5.29 Lbs.



***Dim/Info:***
1.139" Hex Hub
Outside Diameter - 7.585"
Teeth - 30

***For Models:*** (**HEAD, CORN**: 900 SERIES, 1043, 1044, 1064, 1083, 1084)


**A-199727C1** Sprocket, Driving 1.14 Lbs.



***Dim/Info:***
29mm Hex Hub
Outside Diameter - 3.294"
Teeth - 15

***For Models:*** (**HEAD, CORN**: 900 SERIES, 1043, 1044, 1054, 1063, 1064, 1083, 1084)


**A-199645C1** Sprocket Assembly 3.54 Lbs.



***Dim/Info:***
1.139" Hex Hub
Outside Diameter - 6.145"
Teeth - 24

***For Models:*** (**HEAD, CORN**: 900 SERIES, 1043, 1044)


**A-199729C1** Sprocket Assy.; Auger Drive 11.74 Lbs.



***Dim/Info:***
1.139" Hex Hub
Outside Diameter - 13.073"
Teeth - 64

***For Models:*** (**HEAD, CORN**: 900 SERIES, 1043, 1044, 1054, 1063, 1064, 1083, 1084)


**A-1306156C1** Sprocket Assembly 2.00 Lbs.



***Dim/Info:***
Inside Diameter - 3.255"
Outside Diameter - 6.136"
Teeth - 24

***For Models:*** (**HEAD, CORN**: 900 SERIES, 1064, 1083, 1084)

**A-1306146C1** Sprocket Assembly 7.81 Lbs.



***Dim/Info:***
3.625" Bolt Hole Centers
Inside Diameter - 2.887"
Outside Diameter - 6.625"
Teeth - 26 Double Sprocket

***For Models:*** (**HEAD, CORN**: 900 SERIES, 1054, 1063)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# CORN HEAD PARTS


**A-1306352C1** Sprocket Assy.; Main Drive 6.12 Lbs.



***Dim/Info:***
Outside Diameter - 6.153"
Teeth - 24 Double Sprocket

***For Models:*** (**HEAD, CORN**: 900 SERIES, 1054, 1063)


**A-1306358C1** Hub 3.08 Lbs.



***Dim/Info:***
3.625" O.D. Bolt Hole Centers
1.134" Hex Hub
Outside Diameter - 4.570"


***For Models:*** (**HEAD, CORN**: 900 SERIES, 1054, 1063)

**A-1327111C4** Retainer 1.91 Lbs.
***Replaces:*** 1327111C3, 1327111C2, 1327111C1



***For Models:*** (**HEAD, CORN**: 1043, 1044, 1054, 1063, 1064, 1083, 1084)


**A-1327069C1** Washer, Thrust 0.15 Lbs.



***Dim/Info:***
Inside Diameter - 2.01"
Outside Diameter - 3.55"
Thickness - .70"

***For Models:*** (**HEAD, CORN**: 1043, 1044, 1054, 1063, 1064, 1083, 1084)


**A-935856R2** Spacer 0.13 Lbs.
***Replaces:*** 199695C3, 1306208C2, 199691C2, 199691C3, 199692C3, 199693C2, 199693C3, 199694C2, 1306208C1, 199695C2, 199696C1, 199696C2, 199696C3, 199697C1, 199697C2, 935856R1, 199691C1, 199695C1, 199694C3



***Dim/Info:***
Inside Diameter - 1.310"
Outside Diameter - 1.755"
Width - .50"

***For Models:*** 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1660, 1680, 1682, 1688, (**HEAD, CORN**: 1043, 1044, 1054, 1063, 1064, 1083, 1084)


**A-86627870** Sprocket, Driven; Auger Drive 1.10 Lbs.
***Replaces:*** 179013A1



***Dim/Info:***
Inside Diameter - .518"
Teeth - 15


***For Models:*** 2388, 2577, 2588, (**HEAD, CUTTING PLATFORM**: 1010, 1020, 2010, 2020), (**HEAD, CORN**: 2206, 2208, 2212, 240630, 240636, 240638, 240670, 240822, 240830, 240836, 240838, 240870, 241220, 241222, 241230)

**A-86583943** Coupling 1.58 Lbs.



***For Models:*** (**HEAD, CORN**: 2206, 2208, 2212)


**A-87024803** Sprocket, Driving 7.67 Lbs.
***Replaces:*** 86524049



***Dim/Info:***
1.257" Hex Hub
Outside Diameter - 8.480"
Teeth - 25

***For Models:*** (**HEAD, CORN**: 2208, 2212, 240630, 240636, 240638, 240670, 240822, 240830, 240836, 240838, 240870, 241220, 241222, 241230, 320822, 320830, 320836, 320838, 320870, 321220, 321222, 321230)

**A-86583948** Spring 0.33 Lbs.



***For Models:*** (**HEAD, CORN**: 2206, 2208, 2212, 240630, 240636, 240638, 240670, 240822, 240830, 240836, 240838, 240870, 241220, 241222, 241230, 320630, 320636, 320638, 320670, 320822, 320830, 320836, 320838, 320870, 321220, 321222, 321230, 340630, 340636, 340638, 340670, 340822, 340830, 340836, 340838, 340870, 341220, 341222, 341230)


**A-87024802** Sprocket, Driving; Main Drive 5.11 Lbs.



***Dim/Info:***
1.257" Hex Hub
Outside Diameter - 7.570"
Teeth - 30

***For Models:*** (**HEAD, CORN**: 2208, 2212, 240630, 240636, 240638, 240670, 240822, 240830, 240836, 240838, 240870, 241220, 241222, 241230, 320822, 320830, 320836, 320838, 320870, 321220, 321222, 321230)

**A-1327164C1** Spring; Set of 6 0.72 Lbs.
***Replaces:*** 1327112C1



***For Models:*** (**HEAD, CORN**: 1043, 1044, 1054, 1063, 1064, 1083, 1084)

**A-176279C91** Chain, Gathering 9.72 Lbs.
***Replaces:*** 1133997R1, 1306953C91



***Dim/Info:***
Black Pin
Each Flight Extension Has 2 Predrilled Holes For Applications With Paddles.
Chain - CA555
Links - 48 endless

***For Models:*** 800, (**HEAD, CORN**: 800 SERIES, 823, 824, 833, 834, 843, 844, 853, 854, 863, 864, 873, 883, 900 SERIES, 943, 944, 954, 963, 964, 983, 984, 1000 SERIES, 1043, 1044, 1054, 1063, 1064, 1083, 1084)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com


**A-86523386** Chain, Gathering 9.72 Lbs.
*Replaces:* B93074



***Dim/Info:***
Black Pin
Each flight extension has 2 predrilled holes for applications w/ paddles.
2.63" Wide Attach Links.
Chain - CA555
Links - 48 endless

***For Models:*** (**HEAD, CORN**: (2206, 2208, 2212 ALL SN <-HAJ0003468))

**A-86979313** Chain, Gathering, Black Pin 9.55 Lbs.



***Dim/Info:***
2.35" Wide Attach Links.
Black Pins

***For Models:*** (**HEAD, CORN**: (2206, 2208, 2212 ALL SN HAJ0003469>), 240630, 240636, 240638, 240670, 240822, 240830, 240836, 240838, 240870, 241220, 241222, 241230, 320630, 320636, 320638, 320670, 320822, 320830, 320836, 320838, 320870, 321220, 321222, 321230, 340630, 340636, 340638, 340670, 340822, 340830, 340836, 340838, 340870, 341220, 341222, 341230)


**A-84284709** Chain, Corn Head Gathering 9.48 Lbs.



***Dim/Info:***
6 Paddle
For Corn Heads Model Year 2011 And After.
Chain - CA555


***For Models:*** (**HEAD, CORN**: (2206, 2208, 2212 ALL SN HAJ0003469>), 240630, 240636, 240638, 240670, 240822, 240830, 240836, 240838, 240870, 241220, 241222, 241230, 320630, 320636, 320638, 320670, 320822, 320830, 320836, 320838, 320870, 321220, 321222, 321230, 340630, 340636, 340638, 340670, 340822, 340830, 340836, 340838, 340870, 341220, 341222, 341230)

**A-84251979** Chain, Gathering 14.00 Lbs.
*Replaces:* 84977231



***For Models:*** (**HEAD, CORN**: 2606XR, 2608XF, 2608XR, 2612XR, 420630, 420830, 440630, 440830, 441230)

**A-86611426** Guide 3.50 Lbs.



***For Models:*** (**HEAD, CORN**: 2206, 2208, 2212, 240630, 240636, 240638, 240670, 240822, 240830, 240836, 240838, 240870, 241220, 241222, 241230)

**A-86837081** Sprocket, Row Unit Drive 1.27 Lbs.
*Replaces:* 86837080, 86837679



***Dim/Info:***
15 Spline Hub
Outside Diameter - 4.126"
Teeth - 7

***For Models:*** (**HEAD, CORN**: 2206, 2208, 2212, 240630, 240636, 240638, 240670, 240822, 240830, 240836, 240838, 240870, 241220, 241222, 241230, 320630, 320636, 320638, 320670, 320822, 320830, 320836, 320838, 320870, 321220, 321222, 321230, 340630, 340636, 340638, 340670, 340822, 340830, 340836, 340838, 340870, 341220, 341222, 341230)

**A-84347361** Sprocket, Row Unit Drive 1.78 Lbs.



***Dim/Info:***
Inside Diameter - 1.182"
Teeth - 7

***For Models:*** (**HEAD, CORN**: 2206, 2208, 2212, 240630, 240636, 240638, 240670, 240822, 240830, 240836, 240838, 240870, 241220, 241222, 241230, 320630, 320636, 320638, 320670, 320822, 320830, 320836, 320838, 320870, 321220, 321222, 321230, 340630, 340636, 340638, 340670, 340822, 340830, 340836, 340838, 340870, 341220, 341222, 341230)

**A-87473652** Sprocket, Corn Head Driven 2.90 Lbs.
*Replaces:* 84977538



***Dim/Info:***
Center Hole - .559"
Outside Diameter - Major: 5.845"
Minor: 5.029"
Teeth - 15


***For Models:*** (**HEAD, CORN**: 2606XR, 2608XF, 2608XR, 2612XR)

**A-84977235** Sprocket, Corn Head Driven 2.50 Lbs.




***For Models:*** (**HEAD, CORN**: 2606XR, 2608XF, 2608XR, 2612XR)

**A-86611369** Bracket 4.79 Lbs.



***For Models:*** (**HEAD, CORN**: 2206, 2208, 2212, 240630, 240636, 240638, 240670, 240822, 240830, 240836, 240838, 240870, 241220, 241222, 241230, 320630, 320636, 320638, 320670, 320822, 320830, 320836, 320838, 320870, 321220, 321222, 321230, 340630, 340636, 340638, 340670, 340822, 340830, 340836, 340838, 340870, 341220, 341222, 341230)

**A-86583945** Tube 0.60 Lbs.
*Replaces:* 611899



***Dim/Info:***
Length - 5.25"
Inside Diameter - 1.30"
Outside Diameter - 1.50"


***For Models:*** (**HEAD, CORN**: 2206, 2208, 2212, 240630, 240636, 240638, 240670, 240822, 240830, 240836, 240838, 240870, 241220, 241222, 241230, 320630, 320636, 320638, 320670, 320822, 320830, 320836, 320838, 320870, 321220, 321222, 321230, 340630, 340636, 340638, 340670, 340822, 340830, 340836, 340838, 340870, 341220, 341222, 341230)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# CORN HEAD PARTS


**A-176278C1** Sprocket, Gathering Chain Drive 3.34 Lbs.



***Dim/Info:***
Includes - (1) 454894R1 Roll Pin (not illustrated)
Bore - 1.00"
Teeth - 10

***For Models:*** (**HEAD, CORN**: 824, 833, 834, 844, 853, 854, 863, 864, 873, 874, 883)

**A-86978032** Plate, Deck (RH) 9.90 Lbs.
***Replaces:*** 86611537



***For Models:*** (**HEAD, CORN**: 2206, 2208, 2212, 240630, 240636, 240638, 240670, 240822, 240830, 240836, 240838, 240870, 241220, 241222, 241230)

**A-87047608** Plate, Deck LH; Hydraulic Actuated 13.44 Lbs.
***Replaces:*** 86980000, 86611535



***For Models:*** (**HEAD, CORN**: 2206, 2208, 2212, 240630, 240636, 240638, 240670, 240822, 240830, 240836, 240838, 240870, 241220, 241222, 241230)


**A-176357C1** Bushing, Upper 0.23 Lbs.



***Dim/Info:***
Length - 1.438"
Inside Diameter - 1.00"

***For Models:*** (**HEAD, CORN**: 824, 833, 834, 844, 853, 854, 863, 864, 873, 874, 883, 943, 944, 954, 963, 964, 983, 984, 1043, 1044, 1054, 1063, 1064, 1083, 1084)


**A-176374C1** Bushing, Lower 0.18 Lbs.



***Dim/Info:***
Length - 1.25"
Inside Diameter - 1.00"

***For Models:*** (**HEAD, CORN**: 824, 833, 834, 844, 853, 854, 863, 864, 873, 874, 883)

**A-176371KIT** Kit, Gather Chain Drive 5.10 Lbs.
Kit will modify 800 series Corn Hd gathering chain drive like 900 series, giving tighter fit & longer life.



***Dim/Info:***
Length - 6.04"


***For Models:*** (**HEAD, CORN**: 824, 833, 834, 844, 853, 854, 863, 864, 873, 874, 883)

**A-9412231** Locknut 0.07 Lbs.
***Replaces:*** 9413969




***For Models:*** 303, 403, 503, 615, 715, 914 S/N 8001>, 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577 S/N HAJ0300001>, 2588 S/N HAJ300001>, 5088, 6088, 7088, (**HEAD, CORN**: 824, 833, 834, 844, 853, 854, 863, 864, 873, 874, 883, 240822, 240838, 320630), (**COTTON PICKER**: CPX420, CPX610, CPX620, MODULE EXPRESS 625, 420, 616, 620, 622, 782, 1400, 1800, 1822, 1844, 2022, 2044, 2055, 2155, 2555), (**HEAD, CUTTING PLATFORM**: DHX181, DHX182, DHX211, DHX212, DHX251, DHX252, DHX301, DHX302, DHX361, DHX362, 810, 1042, 1052, 2042, 2052, 2062, 2142, 2152, 2162), (**SWATHER/WINDROWER**: 8820, 8830, 8840)

**A-25556** Washer 0.07 Lbs.



***For Models:*** (**HEAD, CORN**: 824, 833, 834, 844, 853, 854, 863, 864, 873, 874, 883)


**A-199497C1** Drive Sprocket 3.20 Lbs.
(The nut contained in this kit only fits the shaft mfg by A&I, nut will not fit OEM shaft.)



***Dim/Info:***
Includes - Sprocket, Nut, Washer
Bore - 1.00" w/ keyway
Teeth - 10

***For Models:*** (**HEAD, CORN**: 824, 833, 834, 844, 853, 854, 863, 864, 873, 874, 883, 900 SERIES, 943, 944, 954, 963, 964, 983, 984, 1043, 1044, 1054, 1063, 1064, 1083, 1084)

**A-124553** Key, Woodruff 0.02 Lbs.



***Dim/Info:***
Size - 1/4" x 1"

***For Models:*** 82, 303, 315, 403, 503, 615, 715, 815, 914, 915, 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577 S/N HAJ0300001>, 2588 S/N HAJ300001>, 5088, 6088, 7088, (**HEAD, CORN**: 824, 833, 834, 853, 844, 854, 863, 864, 873, 874, 883, 943, 944, 954, 963, 964, 983, 984), (**COTTON PICKER**: 95, 616, 622, 1800, 1822, 1844 S/N JJC0002462>, 2022, 2044)

**A-126-124** Key, Woodruff 0.02 Lbs.



***Dim/Info:***
Size - 1/4" x 1"
minimum order qty 10

***For Models:*** 82, 303, 315, 403, 503, 615, 715, 815, 914, 915, 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577 S/N HAJ0300001>, 2588 S/N HAJ300001>, 5088, 6088, 7088, (**HEAD, CORN**: 900 SERIES, 1043, 1044, 1054, 1063, 1064, 1083, 1084), (**COTTON PICKER**: 95, 616, 622, 1800, 1822, 1844 S/N JJC0002462>, 2022, 2044)

**A-937158R1** Groove Ring 0.01 Lbs.



***For Models:*** (**HEAD, CORN**: 824, 833, 834, 844, 853, 854, 863, 864, 873, 874, 883)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-176371SPL** Shaft, Special Built 1.50 Lbs.



***Dim/Info:***
Length - 7.10"

***For Models:*** (**HEAD, CORN**: 824, 833, 834, 844, 853, 854, 863, 864, 873, 874, 883)


**A-199479C3** Bushing, Upper 0.19 Lbs.



***Dim/Info:***
Length - 1.43"
Inside Diameter - 1.00"

***For Models:*** (**HEAD, CORN**: 943, 944, 954, 963, 964, 983, 984)


**A-199490C2** Shaft 1.53 Lbs.



***Dim/Info:***
Includes - (2) 937158R1 groove rings.
Length - 7.72"

***For Models:*** (**HEAD, CORN**: 943, 944, 954, 963, 964, 983, 984)

**A-87029139** Bracket, Row Unit Idler 2.81 Lbs.




***For Models:*** (**HEAD, CORN**: 2206, 2208, 2212, 240630, 240636, 240638, 240670, 240822, 240830, 240836, 240838, 240870, 241220, 241222, 241230, 320630, 320636, 320638, 320670, 320822, 320830, 320836, 320838, 320870, 321220, 321222, 321230, 340630, 340636, 340638, 340670, 340822, 340830, 340836, 340838, 340870, 341220, 341222, 341230)

**A-176280C1** Guide, Gathering Chain 2.70 Lbs.
Mounts w/ 5/16" X 3/4" No. 3 plow bolt & 5/16" flange locknut.



***For Models:*** (**HEAD, CORN**: 824, 833, 834, 843, 844, 853, 854, 863, 864, 873, 874, 883)


**A-1347176C1** Support, Gathering Chain 2.60 Lbs.
***Replaces:*** 199379C2, 199379C1, 199380C2



***For Models:*** (**HEAD, CORN**: 900 SERIES, 943, 944, 954, 963, 964, 983, 984, 1043, 1044, 1054, 1063, 1064, 1083, 1084)

**A-176287C2** Support Assy. (RH) 3.67 Lbs.
***Replaces:*** 176287C1

**A-176286C2** Bracket (LH) 3.67 Lbs.
***Replaces:*** 176286C1



***For Models:*** 800, (**HEAD, CORN**: 824, 833, 834, 843, 844, 853, 854, 863, 864, 873, 874, 883, 900 SERIES, 943, 944, 954, 963, 964, 983, 984, 1043, 1044, 1054, 1063, 1064, 1083, 1084)

**A-199372C5** Support Assy. (RH) 8.50 Lbs.
***Replaces:*** 199372C4, 199372C3

**A-199371C5** Support Assy. (LH) 9.40 Lbs.
***Replaces:*** 199371C4, 199371C3



***For Models:*** (**HEAD, CORN**: 943, 944, 954, 963, 964, 983, 984, 1043, 1044, 1054, 1063, 1064, 1083, 1084)


**A-199481C1** Pin, Large 0.17 Lbs.



***Dim/Info:***
Length - 3.19"
Outside Diameter - .50"

***For Models:*** (**HEAD, CORN**: 900 SERIES, 1043, 1044, 1054, 1063, 1064, 1083, 1084)

**A-176468C1** Spring 0.04 Lbs.



***For Models:*** (**HEAD, CORN**: 900 SERIES, 1043, 1044, 1054, 1063, 1064, 1083, 1084)

**A-1327151C1** Bushing 0.05 Lbs.
***Replaces:*** 1989230C1



***Dim/Info:***
Inside Diameter - 1.041"
Outside Diameter - 1.316"
Width - .31"

***For Models:*** (**HEAD, CORN**: 1043, 1044, 1054, 1063, 1064, 1083, 1084)

**A-1327205C1** Support (RH) 3.50 Lbs.
***Replaces:*** 1989234C1



***For Models:*** (**HEAD, CORN**: (1000 SERIES, 1043, 1044, 1054, 1063, 1064, 1083, 1084 ALL SN JJC014600->), 320630, 320636, 320638, 320670, 320822, 320830, 320836, 320838, 320870, 321220, 321222, 321230, 340630, 340636, 340638, 340670, 340822, 340830, 340836, 340838, 340870, 341220, 341222, 341230)

**A-1327204C1** Support (LH) 3.60 Lbs.
***Replaces:*** 1989233C1



***For Models:*** (**HEAD, CORN**: (1000 SERIES, 1043, 1044, 1054, 1063, 1064, 1083, 1084 ALL SN JJC014600->), 320630, 320636, 320638, 320670, 320822, 320830, 320836, 320838, 320870, 321220, 321222, 321230, 340630, 340636, 340638, 340670, 340822, 340830, 340836, 340838, 340870, 341220, 341222, 341230)

*CASE-IH

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# CORN HEAD PARTS


**A-327913A2** Shield, Stock Roll Bearing 0.07 Lbs.
***Replaces:*** 327913A1



***Dim/Info:***
Inside Diameter - .746"
Outside Diameter - 1.489"
Width - .024"

***For Models:*** (**HEAD, CORN**: (1043, 1044, 1054, 1063, 1064, 1083, 1084 ALL SN JJC0146000->))

**A-199293C5** Shaft, Stalk Roll 11.50 Lbs.
***Replaces:*** 199293C4



***Dim/Info:***
Length - 20.00"

***For Models:*** (**HEAD, CORN**: 320822, 900 SERIES, 1043, 1044, 1054, 1063, 1064, 1083, 1084, 320630, 320638, 320670, 320830, 320836, 320838, 320870, 321220, 321222, 321230, 340630, 340636, 340638, 340822, 340830, 340836, 340838, 340870, 341220, 341222, 341230)

**A-86641997** Shaft, Roll; Row Unit 6.80 Lbs.



***For Models:*** (**HEAD, CORN**: 2206, 2208, 2212, 240630, 240636, 240638, 240670, 240822, 240830, 240836, 240838, 240870, 241220, 241222, 241230)

**A-1306729C2** Stalk Roll Cone (RH) 6.94 Lbs.
Uses Needle Style Bearings.
***Replaces:*** 1989232C1, 1306729C1

**A-1306728C2** Stalk Roll Cone (LH) 6.78 Lbs.
***Replaces:*** 1989231C1, 1306728C1



***For Models:*** (**HEAD, CORN**: (1043, 1044, 1054, 1063, 1064, 1083, 1084 ALL SN <-JJC0145999))

**A-352551A1** Stalk Roll Auger Assembly (RH) 6.40 Lbs.
**A-352552A1** Stalk Roll Auger Assembly (LH) 6.40 Lbs.



***Dim/Info:***
Includes - Bearing & Shield

***For Models:*** (**HEAD, CORN**: (1043, 1044, 1054, 1063, 1064, 1083 ALL SN JJC0146000->))

**A-87737779** Spiral, Stalk; RH Location, LH Spiral Thread 4.87 Lbs.
***Replaces:*** 86618147, 87021346
**A-87737776** Spiral, Stalk; LH Location, RH Spiral Thread 5.78 Lbs.
***Replaces:*** 86618146, 87021344



***For Models:*** (**HEAD, CORN**: 2206, 2208, 2212, 240630, 240636, 240638, 240670, 240822, 240830, 240836, 240838, 240870, 241220, 241222, 241230)

**A-199408C1** Shim, Stalk Roll (10 Pk) 0.02 Lbs.



***Dim/Info:***
Thickness - .034"
minimum order qty 10

***For Models:*** (**HEAD, CORN**: 900 SERIES, 943, 944, 954, 963, 964, 983, 984, 1000 SERIES, 1043, 1044, 1054, 1063, 1064, 1083, 1084), (**HEAD, CUTTING PLATFORM**: 1015, 1020)


**A-199806C1** Shim, Stalk Roll (5 Pk) 0.02 Lbs.



***Dim/Info:***
Thickness - .034"
minimum order qty 5

***For Models:*** (**HEAD, CORN**: 900 SERIES, 943, 944, 954, 963, 964, 983, 984, 1000 SERIES, 1043, 1044, 1054, 1063, 1064, 1083, 1084), (**HEAD, CUTTING PLATFORM**: 1015, 1020)

**A-176301C2** Stalk Roll Shaft Coupling 1.59 Lbs.



***For Models:*** (**HEAD, CORN**: 824, 833, 834, 843, 844, 853, 854, 863, 864, 873, 874, 883, 943, 944, 954, 963, 964, 983, 984, 1043, 1044, 1054, 1063, 1064, 1083, 1084, 320630, 320636, 320638, 320670, 320822, 320830, 320836, 320838, 320870, 321220, 321222, 321230, 340630, 340636, 340638, 340670, 340822, 340830, 340836, 340838, 340870, 341220, 341222, 341230)

**A-176307C1** Rivet, Stalk Roll; 3/8" x 3" 0.11 Lbs.



***Dim/Info:***
Size - 3/8" x 3"

***For Models:*** (**HEAD, CORN**: 800 SERIES, 900 SERIES, 1043, 1044, 1054, 1063, 1064, 1083, 1084, 320630, 320636, 320638, 320670, 320822, 320830, 320836, 320838, 320870, 321220, 321222, 321230, 340630, 340636, 340638, 340670, 340822, 340830, 340836, 340838, 340870, 341220, 341222, 341230)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.




P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-86530072** Gear, Bevel; Row Unit Gearbox 4.50 Lbs.




***For Models:*** (**HEAD, CORN**: 2206, 2208, 2212, 240630, 240636, 240638, 240670, 240822, 240830, 240836, 240838, 240870, 241220, 241222, 241230, 320630, 320636, 320638, 320670, 320822, 320830, 320836, 320838, 320870, 321220, 321222, 321230, 340630, 340636, 340638, 340670, 340822, 340830, 340836, 340838, 340870, 341220, 341222, 341230, 341630, 341820)

**A-176291C91** Plate, Deck (LH) 8.24 Lbs.
**A-176292C91** Plate, Deck (RH) 8.22 Lbs.



***For Models:*** (**HEAD, CORN**: 824, 833, 834, 844, 853, 854, 863, 864, 873, 874, 883)


**A-199382C1** Plate, Deck (RH) 6.20 Lbs.
**A-199381C1** Plate, Deck (LH) 5.78 Lbs.



***Dim/Info:***
Dim A (1) - Abrasion Resistant

***For Models:*** (**HEAD, CORN**: 900 SERIES, 943, 944, 954, 963, 964, 983, 984, 1000 SERIES, 1043, 1044, 1054, 1063, 1064, 1083, 1084)


**A-1306207C1** Bar, Weld In 0.16 Lbs.
Welds on frame between back end of stalk rolls.



***Dim/Info:***
minimum order qty 2

***For Models:*** (**HEAD, CORN**: 800 SERIES, 824, 833, 834, 843, 844, 853, 854, 863, 864, 873, 874, 883, 900 SERIES, 943, 944, 954, 963, 964, 983, 984, 1000 SERIES, 1043, 1044, 1054, 1063, 1064, 1083, 1084)

**A-199097C3** Ear Deflector 0.27 Lbs.
***Replaces:*** 199097C2



***Dim/Info:***
minimum order qty 4


***For Models:*** 800, (**HEAD, CORN**: 800 SERIES, 824, 833, 834, 843, 844, 853, 854, 863, 864, 873, 874, 883, 900 SERIES, 943, 944, 954, 963, 964, 983, 984, 1000 SERIES, 1043, 1044, 1054, 1063, 1064, 1083, 1084)

**A-86526475** Ear Deflector 0.30 Lbs.



***For Models:*** (**HEAD, CORN**: 2206, 2208, 2212, 2606XR, 2608XF, 2608XR, 2612XR, 240630, 240636, 240638, 240670, 240822, 240830, 240836, 240838, 240870, 241220, 241222, 241230, 320630, 320636, 320638, 320670, 320822, 320830, 320836, 320838, 320870, 321220, 321222, 321230, 340630, 340636, 340638, 340670, 340822, 340830, 340836, 340838, 340870, 341220, 341222, 341230)

**A-177964C2** Facing, Auger Slip Clutch 0.34 Lbs.
***Replaces:*** 177964C1



***Dim/Info:***
Inside Diameter - 2.970"
Outside Diameter - 6.00"
Thickness - .192"

***For Models:*** 914 S/N 8001>, 1482, (**HEAD, CORN**: 810, 900 SERIES, 1043, 1044, 1054, 1063, 1064, 1083, 1084), (**HEAD, CUTTING PLATFORM**: 810, 820)

**A-568243R1** Spring 0.02 Lbs.



***Dim/Info:***
Length - .62"
minimum order qty 5

***For Models:*** 303, 315, 403, 503, 914, 1482, (**HEAD, CORN**: 810, 900 SERIES, 1043, 1044, 1054, 1063, 1064, 1083, 1084), (**HEAD, CUTTING PLATFORM**: 810, 820)

**A-631905R91** Sprocket, Idler 0.76 Lbs.
***Replaces:*** 103244, 298009A1



***Dim/Info:***
Chain - 50
Inside Diameter - .625"
Teeth - 17

***For Models:*** 815, 914, 915, 1440, 1460, 1480, 1644, 1666, 1688, 2144, 2188, 5088, 6088, 7088, (**HEAD, CORN**: 824, 833, 834, 844, 853, 854, 863, 864, 873, 874, 883, 943, 944, 954, 963, 964, 983, 984, 1043, 1044, 1054, 1063, 1064, 1083, 1084)

**A-86619126** Sprocket Assy.; Idler 1.03 Lbs.



***Dim/Info:***
Inside Diameter - .654"
Outside Diameter - 3.852"
Teeth - 15

***For Models:*** 503, 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1688, (**HEAD, CORN**: 303 S/N 8364001>, 824, 833, 834, 844, 853, 854, 863, 864, 873, 874, 883, 943, 944, 954, 963, 964, 983, 984, 1043, 1044, 1054, 1063, 1064, 1083, 1084, 2206, 2208, 2212, 240630, 240636, 240638, 240670, 240822, 240830, 240836, 240838, 240870, 241220, 241222, 241230, 320630, 320636, 320638, 320670, 320822, 320830, 320836, 320838, 320870, 321220, 321222, 321230, 340630, 340636, 340638, 340670, 340822, 340830, 340836, 340838, 340870, 341220, 341222, 341230), (**HEAD, CUTTING PLATFORM**: 2010, 2020)

**A-176283C91** Sprocket, Lower Idler 1.64 Lbs.
***Replaces:*** 180036C91, 176283C1



***Dim/Info:***
Chain - 555
Inside Diameter - .625"
Teeth - 8

***For Models:*** 800, (**HEAD, CORN**: 824, 833, 834, 844, 853, 854, 863, 864, 873, 874, 883, 900 SERIES, 943, 944, 954, 963, 964, 983, 984, 1043, 1044, 1054, 1063, 1064, 1083, 1084, 2206)


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

*CASE-IH

Truck icon indicates that the item is shipped via truck freight.

# CORN HEAD PARTS

**A-86611420** Hub 2.89 Lbs.
***Replaces:*** 86611419



***For Models:*** (**HEAD, CORN**: 2206, 2208, 2212)

**A-45396** Bearing, Ball 0.54 Lbs.
***Replaces:*** 80045396, 131655, 768197, 80550C91, 1315424C91, FH051680, 586609R92, 586609R91, 51680, K4334

***Dim/Info:***
Inside Diameter - 1.00"
Outside Diameter - 2.042"

***For Models:*** 914 S/N 8001>, 5088, 6088, 7088, (**HEAD, CORN**: 2206, 2208, 2212, 240630, 240636, 240638, 240670, 240822, 240830, 240836, 240838, 240870, 241220, 241222, 241230, 320630, 320636, 320638, 320670, 320822, 320830, 320836, 320838, 320870, 321220, 321222, 321230, 340630, 340636, 340638, 340670, 340822, 340830, 340836, 340838, 340870, 341220, 341222, 341230), (**HEAD, CUTTING PLATFORM**: 810)

**A-70575883** Bearing, Pickup 1.42 Lbs.
***Replaces:*** 86523785



***Dim/Info:***
Bore - 1.250"
Lube Type - Pre-lubed
Outside Diameter - 3.1496"
Bore Type - Hex

***For Models:*** (**HEAD, CORN**: 2206, 2208, 2212, 240630, 240636, 240638, 240670, 240822, 240830, 240836, 240838, 240870, 241220, 241222, 241230, 320630, 320636, 320638, 320670, 320822, 320830, 320836, 320838, 320870, 321220, 321222, 321230, 340630, 340636, 340638, 340670, 340822, 340830, 340836, 340838, 340870, 341220, 341222, 341230)


**A-JLM104948-I** Cone, Tapered Roller Bearing 1.05 Lbs.
***Replaces:*** 86980506



***Dim/Info:***
Bore - 1.968"
Radius - .12"
Width - .846"

***For Models:*** 1420, 1440, 1460, 1470, 1482, 1620, 1640, 1644, 1660, 1666, 1682, 2144, 2166, 2344, 2366, 6088, 7088, (**HEAD, CORN**: 900 SERIES, 1043, 1044, 1054, 1063, 1064, 1083, 1084, 2206, 2208, 2212, 320630, 320636, 320638, 320670, 320822, 320830, 320836, 320838, 320870, 321220, 321222, 321230), (**HEAD, CUTTING PLATFORM**: 3152, 3162), (**COTTON PICKER**: CPX420, 420, 782, 1822, 1844, 2022, 2044, 2155, 2555)


**A-JLM506849-I** Cone, Tapered Roller Bearing 0.81 Lbs.



***Dim/Info:***
Bore - 2.165"
Radius - .06"
Width - .905"

***For Models:***

**A-625743C1** Bearing, Cup; Rear Axle Hub 0.39 Lbs.
***Replaces:*** 248346, 714626, A61446, 2330050-04



***Dim/Info:***
Outside Diameter - 3.543"

***For Models:*** (**HEAD, CORN**: 2206, 2208, 2212, 320630, 320636, 320638, 320670, 320822, 320830, 320836, 320838, 320870, 321220, 321222, 321230)


**A-184596C2** Jackshaft 26.99 Lbs.
***Replaces:*** 184596C1, 1353229C91



***Dim/Info:***
Long - 64.50"


***For Models:*** 1420, (**HEAD, CORN**: (1043, 1044, 1054, 1063, 1064, 1083, 1084 ALL < 1982 Season)), (**HEAD, CUTTING PLATFORM**: (1010, 1020 ALL < 1982 Season), 1015)

**A-1327106C1** Collar 0.03 Lbs.



***For Models:*** (**HEAD, CORN**: 1043, 1044, 1054, 1063, 1064, 1083, 1084), (**HEAD, CUTTING PLATFORM**: 1010, 1015, 1020)


**A-CL50** 50 Connector Link (Drives) 0.04 Lbs.



***Dim/Info:***
minimum order qty 25

***For Models:*** 315, 914 S/N 8001>, 1420, 1460, 1470, 1482, 2188, 2366, 2377, 2388, 2577, 2588, (**HEAD, CORN**: 303 S/N 8364001>, 1043, 1044, 1054, 1063, 1064, 1083, 1084), (**HEAD, CUTTING PLATFORM**: 1010, 1015, 1020, 1052, 2016, 2052, 2062), (**COTTON PICKER**: CPX420, CPX610, CPX620, MODULE EXPRESS 625, 420, 620, 782, 1822, 1844, 2155, 2555)

**A-OL50** 50 Offset Link (Drives) 0.04 Lbs.
***Replaces:*** 3173544R91, H748301, 1315D, 1406977R1, 1408449R91, 3167873R91, 3168643R91, 3172243R91, B17570, 3173001R91, 89375, 47548, 596504R91, 790128R91, 3157463R1, 3157463R2, 3169675R92, 42363200, 86082, 3173000R91



***Dim/Info:***
minimum order qty 25

***For Models:*** (**HEAD, CUTTING PLATFORM**: 525, 1010, 1015, 1020), (**HEAD, CORN**: 1043, 1044, 1054, 1063, 1064, 1083, 1084)

**A-CL60** 60 Connector Link (Drives) 0.06 Lbs.
***Replaces:*** V12172



***Dim/Info:***
minimum order qty 25

***For Models:*** 1482 , (**HEAD, CUTTING PLATFORM**: DHX212, DHX251, DHX252, DHX301, DHX302, DHX362, 425), (**HEAD, CORN**: 303 S/N 8364001>, 240630, 240636, 240638, 240670, 240822, 240830, 240836, 240838, 240870, 241220, 241222, 241230, 320630, 320636, 320638, 320670, 320822, 320830, 320836, 320838, 320870, 321220, 321222, 321230, 340630, 340636, 340638, 340670, 340822, 340830, 340836, 340838, 340870, 341220, 341222, 341230), (**WINDROWER PLATFORM**: HDX122, HDX142), (**SWATHER/WINDROWER**: 8820 , 8830 S/N CFH0030159>, 8840 )

**A-RC60H** 60 Heavy Roller Chain, 10ft (Drives) 12.83 Lbs.
***Replaces:*** 625381R91, 623409R91, 617965R91, 578914R91, 578241R91, 576443R91, 456308R91, 515449R91, 514757R91, 511603R91, 37043A, 154241C91, 102108C91



***Dim/Info:***
Links Per 10 Feet - 160
Pitch Length - 3/4"
Width - 1/2"

***For Models:*** (**HEAD, CORN**: 1043, 1044, 1064, 1083, 1084)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com


**A-CL60H** Link, Chain (Drives) 0.08 Lbs.



***Dim/Info:***
minimum order qty 25

***For Models:*** 303, 1420, 1460, 1470, 1482, (**HEAD, CORN**: 1043, 1044, 1064, 1083, 1084), (**HEAD, CUTTING PLATFORM**: 2015, 2016)


**A-OL60H** Link, 60 Heavy Offset (Drives) 0.08 Lbs.



***Dim/Info:***
minimum order qty 25

***For Models:*** 303, 315, (**HEAD, CORN**: 1043, 1044, 1064, 1083, 1084)

**A-OL80** 80 Offset Link (Drives) 0.16 Lbs.



***Dim/Info:***
minimum order qty 5

***For Models:*** (**HEAD, CORN**: 303 S/N 8364001>, 240630, 240636, 240638, 240670, 240822, 240830, 240836, 240838, 240870, 241220, 241222, 241230, 320630, 320636, 320638, 320670, 320822, 320830, 320836, 320838, 320870, 321220, 321222, 321230, 340630, 340636, 340638, 340670, 340822, 340830, 340836, 340838, 340870, 341220, 341222, 341230)

**A-87283922** Sprocket Assy.; Auger Drive 6.42 Lbs.



***Dim/Info:***
Outside Diameter - 5.200"/6.135"
Teeth - 20/24

***For Models:*** (**HEAD, CORN**: 2206, 2208, 2212, 240630, 240636, 240638, 240670, 240822, 240830, 240836, 240838, 240870, 241220, 241222, 241230, 320630, 320636, 320638, 320670, 320822, 320830, 320836, 320838, 320870, 321220, 321222, 321230, 340630, 340636, 340638, 340670, 340822, 340830, 340836, 340838, 340870, 341220, 341222, 341230)

**A-84340041** Knife, Corn Head Stalk Chopping 1.35 Lbs.
***Replaces:*** 84976065



***Dim/Info:***
Overall Length - 9.190"
Overall Width - 2.250"
Thickness - .250"
Hole Size - 1.187"
minimum order qty 25

***For Models:*** (**HEAD, CORN**: 2606XR, 2608XF, 2608XR, 2612XR, 440630, 440636, 440638)

**A-176304C2** Stalk Roll Knife, 18" Long 2.00 Lbs.



***Dim/Info:***
Thickness - .215"
Width - 2.820"
minimum order qty 8

***For Models:*** (**HEAD, CORN**: (824, 833, 834, 844, 853, 854, 863, 864, 873, 874, 883 ALL 4 used per roll - 8 per row))

**A-1327126C1** Stalk Roll Knife, 18" Long 1.97 Lbs.
Has hard surfacing at cutting edge.
***Replaces:*** 1327207C2, 1327206C2, 199314C93, 199314C91, 199313C93, 199163C1, 199162C1, 1327207C1, 1327206C1



***Dim/Info:***
Thickness - .215"
Width - 2.218"
minimum order qty 8

***For Models:*** (**HEAD, CORN**: 900 SERIES, 943, 944, 954, 963, 964, 983, 984, 1043, 1044, 1054, 1063, 1064, 1083, 1084)

**A-1306079C1** Knife, Weed; RH/LH Rear 1.65 Lbs.
***Replaces:*** 180034C92



***Dim/Info:***
Length - 9.62"
Width - 3.19"
Hole Size - 8.31"

***For Models:*** (**HEAD, CORN**: 1043, 1044, 1054, 1063, 1064, 1083, 1084)

**A-1306823C1** Knife, Weed; LH Front 0.75 Lbs.



***For Models:*** (**HEAD, CORN**: 1043, 1044, 1054, 1063, 1064, 1083, 1084)

**A-1306824C1** Knife, Weed; RH Front 0.77 Lbs.




***For Models:*** (**HEAD, CORN**: 1043, 1044, 1054, 1063, 1064, 1083, 1084)

**A-86611418** Knife, Weed; RH/LH Rear, 16.4" 1.40 Lbs.



***For Models:*** (**HEAD, CORN**: 2206, 2208, 2212, 240630, 240636, 240638, 240670, 240822, 240830, 240836, 240838, 240870, 241220, 241222, 241230)

**A-86977538** Knife, Stalk Roll; 88 MM Wide 2.83 Lbs.
***Replaces:*** 86977537, 86980057



***For Models:*** (**HEAD, CORN**: (2206, 2208, 2212 ALL SN HAJ003469>), 240630, 240636, 240638, 240670, 240822, 240830, 240836, 240838, 240870, 241220, 241222, 241230)

**A-1989222C2** Bearing, Stalk Roll 0.75 Lbs.
***Replaces:*** 1989222C1



***Dim/Info:***
Length - 3.25"

***For Models:*** (**HEAD, CORN**: (1043, 1044, 1054, 1063, 1064, 1083 ALL SN JJC0146000->), 1084, 320630, 320636, 320638, 320670, 320822, 320830, 320836, 320838, 320870, 321220, 321222, 340630, 340636, 340638, 340670, 340822, 340830, 340836, 340838, 340870, 341220, 341222, 341230)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.


# CORN HEAD PARTS

**A-B95612** Bearing & Shield Kit; Lower Stalk Roll 1.64 Lbs.



***For Models:*** (**HEAD, CORN**: 1043, 1044, 1054, 1063, 1064, 1083, 1084, 320630, 320636, 320638, 320670, 320822, 320830, 320836, 320838, 320870, 321220, 321222, 340630, 340636, 340638, 340670, 340822, 340830, 340836, 340838, 340870, 341220, 341222, 341230)

**A-199308C1** Stalk Roll Drive Gear Set 4.44 Lbs.



***For Models:*** (**HEAD, CORN**: 824, 833, 843, 844, 853, 854, 863, 864, 873, 874, 883)


**A-199689C5** Housing, Stalk Roll Slip Clutch 5.09 Lbs.

***Replaces:*** 199689C1, 199689C4, 199689C2



***For Models:*** (**HEAD, CORN**: 1043, 1044, 1054, 1063, 1064, 1083, 1084)

**A-176387C1** Hub; Slip Clutch 1.04 Lbs.




***For Models:*** 800, (**HEAD, CORN**: 900 SERIES, 1043, 1044, 1054, 1063, 1064, 1083, 1084)

**A-176499C1** Hub; Slip Clutch 1.54 Lbs.



***For Models:*** 800, (**HEAD, CORN**: 900 SERIES, 1043, 1044, 1054, 1063, 1064, 1083, 1084)

**A-1327150C1** Holder; Slip Clutch 1.42 Lbs.



***For Models:*** (**HEAD, CORN**: 1043, 1044, 1054, 1063, 1064, 1083, 1084)

**A-87639816** Clutch, Jaw 1.25 Lbs.



***Dim/Info:***
Inside Diameter - 2.056"
Outside Diameter - 3.728"

***For Models:*** 2206, 2208, 2212, 240630, 240636, 240638, 240670, 240822, 240830, 240836, 240838, 240870, 241220, 241222, 241230, 320630, 320636, 320638, 320670, 320822, 320830, 320836, 320870, 321220, 321222, 321230, 340630, 340636, 340638, 340670, 340822, 340830, 340836, 340838, 340870, 341220, 341222, 341230

**A-87283349** Link, Connecting; A557 Chain 0.22 Lbs.

***Replaces:*** 1305988C93, 1313188C91, 1313189C91, 1324294C1, 1308271C92, 1308272C92, 1313410C91, 1319203C92, 182096C91, 182097C91, 89623609



***For Models:*** 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7010, 7088, 7120, 8010, 8120, 9120, AFX8010


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Feeder Chain/ Slats/ Raddle Chain



| Part No. | Description | Qty-Chain | Links | C-to-C of Sprockets | Applications | Wt. | |
|---|---|---|---|---|---|---|---|
| **A-175991C92** | Chain, Feeder House | 2-CA550 | 87 | 27 3/16" | (715, 815 ALL SN 8000->) | 176.00 | |
| **A-117869A1** | Chain, Feeder House | 2-CA557 | 60 | 27 3/16" | 1420, 1440, 1460, 1470, 1620, 1640, 1644, 1660, 1666<br>Note: For 47" feeder house - 10 Slats | 92.00 | |
| **A-117868A1** | Chain, Feeder House; Serrated Slat | 2-CA557 | 60 | 27 3/16" | 1420, 1440, 1460, 1620, 1640, 1644, 1660, 1666<br>Note: For 47" feeder house - 10 Slats | 90.00 | |
| **A-117871A1** | Chain, Feeder House | 2-CA557 | 69 | 27 1/4" | 1440, 1460, 1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366<br>Note: For 54" feeder house - 12 Smooth Slats | 110.00 | |
| **A-117871A1-S** | Chain, Feeder House; Serrated Slat | 2-CA557 | 69 | 27 1/4" | 1440, 1460, 1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366<br>Note: For 54" feeder house; 1/4" Serrated Slat Every 6th Link; Chrome Pins - 12 Slats | 103.00 | |
| **A-117865A1** | Chain, Feeder House; Rice | 2-CA557 | 69 | 27 1/4" | 1460, 1640, 1660, 1666, 2144, 2166, 2344, 2366<br>Note: For 54 1/2" feeder house; 1/4" serrated slats every 8th link; chrome pins - 9 Slats<br>Replaces: 110537A1, 1305987C92, 1305987C91, 1324272C2, 1324272C1, 1989514C1 | 103.00 | |
| **A-117872A1** | Chain, Feeder House; Smooth Slat | 2-CA557 | 69 | 36 3/8" | 1480, 1482, 1680, 1682, 1688, 2188<br>Note: For 54" feeder house - 12 Slats | 130.00 | |
| **A-117867A1** | Chain, Feeder House; Rice | 2-CA557 | 76 | 36 3/8" | 1480, 1680, 1688, 2188<br>Note: For 60" feeder house; 1/4" serrated slats every 8th link; chrome pins - 12 Slats | 112.00 | |
| **A-117872A1-S** | Chain, Feeder House; Serrated Slat | 2-CA557 | 69 | 36 3/8" | 1480, 1482, 1680, 1688, 2188<br>Note: For 54" feeder house; 1/4" serrated slats every 6th link; chrome pins - 12 Slats | 125.00 | |
| **A-195664A1** | Chain, Feeder House, Smooth Slat | 3-CA557 | 69 | 18 3/16" | (1680, 1682, 1688 ALL W/ 3-Strand Feeder Chain), 2188, 2388, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088<br>Note: For 54" feeder house - 22 Smooth Slats | 150.00 | |
| **A-117866A1** | Chain, Feeder House; Rice | 2-CA557 | 69 | 36 3/8" | 1680, 1688, 2188<br>Note: For 54 1/2" feeder house; 1/4" serrated slats every 8th link; chrome pins - 9 Slats<br>Replaces: 1957271C1, 1957592C2, 1957592C1, 1325400C91, 110538A1 | 125.00 | |
| **A-195668A1** | Chain, Feeder House; Smooth Slat | 3-CA557 | 75 | 18 3/16" | (1680, 1682, 1688 ALL W/ 3-Strand Feeder Chain), 2188, 2377, 2388, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088<br>Note: For 60" feeder house - 24 Slats; Chrome Pins | 180.00 | |
| **A-136438A1** | Chain, Feeder House; Serrated Slat | 2-CA557 | 76 | 27 1/4" | 2144, 2166, 2344, 2366<br>Note: For 60" feeder house; 1/4" serrated slats every 8th link - 10 Slats | 112.00 | |
| **A-136439A1-S** | Chain, Feeder House; Serrated Slat | 2-CA557 | 76 | 27 1/4" | 2144, 2166, 2344, 2366 SN <JJC0255699<br>Note: For 60" feeder house; 1/4" serrated slats every 6th link; chrome pins - 13 Slats | 112.00 | |
| **A-136439A1** | Chain, Feeder House; Smooth Slat | 2- CA557 | 76 | 27 1/4" | 2144, 2166, 2344, 2366 SN <JJC0255699<br>Note: For 60" feeder house - 13 Slats | 112.00 | |
| **A-136440A1** | Chain, Feeder House | 2-CA557 | 76 | 36 3/8" | 2188<br>Note: For 60" feeder house; 1/4" smooth slats every 6th link; chrome pins - 13 Slats | 137.00 | |


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

*CASE-IH

Truck icon indicates that the item is shipped via truck freight.

# FEEDER HOUSE CHAIN

## Feeder Chain/ Slats/ Raddle Chain



| Part No. | Description | Qty-Chain | Links | C-to-C of Sprockets | Applications | Wt. |
|---|---|---|---|---|---|---|
| **A-136440A1-S** | Chain, Feeder House | 2-CA557 | 76 | 36 3/8" | 1680, 2188<br>Note: For 60" feeder house; 1/4" serrated slats every 6th link; chrome pins - 13 Slats | 137.00 |
| **A-195670A2** | Chain, 60" Feeder House | 3-CA557 | 76 | 18 3/16" | 2188, 2377, 2388, 2577, 2588<br>Note: For 60" feeder house; 1/4" serrated slats every 2nd & 4th links - 26 Slats<br>Replaces: 195670A1 | 160.00 |
| **A-195666A2** | Chain, Feeder House | 3-CA557 | 69 | 36 3/16" | AFX8010, 1688, 2188, 2377, 2388, 2577, 2588, (5088, 6088, 7088 ALL W/ Rock Trap), 7010, 7120, 8010, 8120, 9120<br>Note: For 54" feeder house; 1/4" serrated slats every 2nd & 4th link - 22 Slats, Chrome Pins<br>Replaces: 84207190 | 149.00 |
| **A-84207192** | Chain, Feeder House; 60" Serrated Slat | 3-CA557 | 76 | 18 3/16" | 2188, 2377, 2388, 2577 S/N HAJ0300001>, 2588, 5088, 5140, (5130, 6130 ALL w/Rock Trap), 6140, 6088, 7088, 7130, 7140 | 163.00 |
| **A-84346485** | Chain, Feeder House; 3 Strand / Serrated Slats | | | | (5130, 6130, 7130 ALL Non-Rock Trap) | 155.00 |
| **A-87283357** | Chain, Feeder House | 2-CA557 | 95 | 18 1/16" | 7010, 7010 W/ Rock Trap, 8010, 8010 W/ Rock Trap, AFX8010 SN<HAJ106756, AFX8010 W/ Rock Trap<br>Note: This a single chain assembly. Two required per machine. 12 Slats, For models w/ rock trap; 1/4" smooth slats every 8th link; chrome pins<br>Replaces: 84084682 | 80.00 |
| **A-87283359** | Chain, Feeder House | 2-CA557 | 111 | 18 1/16" | (7010, 8010 ALL w/o Rock Trap), AFX8010 SN HAJ106756>; w/o Rock Trap, AFX8010 SN <HAJ106756<br>Note: For Models w/o Rock Trap; 2 Assemblies; 1/4" Smooth Slats Every 8th Link; Chrome Pins - 14 Slats | 164.00 |
| **A-87283358** | Chain, Feeder House; 2 Strand / Serrated Slats | 2-CA557 | 111 | 18 1/16" | (7010, 8010 ALL Non-Rock Trap), AFX8010 SN <HAJ106756<br>Note: For models w/o rock trap; 2 assemblies; 1/4" serrated slats every 8th link; chrome pins - 14 Slats<br>Replaces: 86995351 | 119.00 |
| **A-87283356** | Chain, Feeder House; 2 Strand / Serrated Slats | 2-CA557 | 95 | 18 1/16" | (7010, 8010 ALL W/ Rock Trap), AFX8010 SN <HAJ106756<br>Note: For models w/ rock trap; 2 assemblies required; 1/4" serrated slats every 8th link; chrome pins - 12 Slats | 114.00 |
| **A-84179639** | Chain, Feeder House; W/ Rock Trap | 4-CA557 | | | (7120, 7230, 7240, 8120, 8230, 8240, 9120, 9230, 9240 ALL W/ Rock Trap)<br>Note: Slat Every 2nd, 6th, & 8th Link, 36 Slats with Chrome Pin, Serrated Slats<br>Replaces: 87646015 | 233.00 |
| **A-84179642** | Chain, Feeder House; Non-Rock Trap | | | | (7120, 7230, 7240, 8120, 8230, 8240, 9120, 9230, 9240 ALL Non-Rock Trap)<br>Replaces: 87646005 | 260.00 |
| **A-84217945** | Chain; Inner Feeder House, Non-Rock Trap | CA557 113 (1.630" Long) | | | 7120, 7230, 7240, 8120, 8230, 8240, 9120, 9230, 9240<br>Note: For Non-Rockshaft Combines. This Is Inner Feederhouse Chain Only, NO SLATS INCLUDED. | 32.10 |
| **A-84217947** | Chain; Outer Feeder House, Non-Rock Trap | CA557 113 (1.630" Long) | | | 7120, 7230, 7240, 8120, 8230, 8240, 9120, 9230, 9240<br>Note: For Non-Rockshaft Combines. This Is Outer Feederhouse Chain Only, NO SLATS INCLUDED. | 28.50 |


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Feeder Chain/ Slats/ Raddle Chain



| Part No. | Description | Qty-Chain | Links | C-to-C of Sprockets | Applications | Wt. |
|---|---|---|---|---|---|---|
| **A-CA557CWN** | Chain Repair Link, Connector, CA557 with Cap Nuts | | | | (2377 SN HAJ292001-HAJ300000, 2577 SN HAJ0300001>, 2588 SN HAJ300001>) | 0.25 |
| **A-118270A1** | Slat, Feeder House; Serrated | | 2 1/4" hole spacing | 3/8" hole size | 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366 | 6.00 |
| **A-118268A1** | Slat, Feeder House; Smooth | | 2 1/4" hole spacing | 3/8" hole size | 1644, 1666, 2144, 2166, 2344, 2366 | 7.00 |
| **A-118269A1** | Slat, Feeder House | | | | 1680 SN JJC0045689>, 1688, 2188 | 8.37 |
| **A-118271A1** | Slat, Feeder House; Serrated | | | | 1688, 2188 | 8.00 |
| **A-196358A1** | Slat, Feeder House, (LH), Smooth | | | | 2188, 2388 | 5.00 |
| **A-196357A1** | Slat, Feeder House, (RH), Smooth | 2" length | 23.38" thick | 0.25" width | 2188, 2388 | 5.00 |
| **A-196359A2** | Slat, Serrated (RH) | | | | (2188, 2377, 2388, 2577, 2588 ALL w/ 54.5" & 60" Feeder)<br>Replaces: 196359A1 | 4.00 |
| **A-196360A3** | Slat, Serrated (LH) | | 23.375" length | 2.500" width | (2188, 2377, 2388, 2577, 2588 ALL w/ 54.5" & 60" Feeder)<br>Replaces: 196360A2, 196360A1 | 4.11 |
| **A-87283556** | Slat, Feeder House | | | | AFX8010 SN <HAJ106756, 7010, 8010 | 4.00 |
| **A-87282650** | Slat, Feeder Chain; Serrated | | | | AFX8010, 7010, 8010 | 4.00 |

*CASE-IH

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# FEEDER HOUSE PARTS

*CASE-IH

**A-1957439C3** Drum, Conveyor 85.00 Lbs.

Two Recessed Drum

***Replaces:*** 1957439C1, 187195C3, 187195C2




***Dim/Info:***
Length - 32”
Diameter - 10-3/4”

***For Models:*** 1420, 1440, 1460, 1470, 1480, 1482, 1620 SN: JJC0032630 >, 1640, 1644, 1660, 1666, 1670 SN: JJC0080540 >, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577 S/N HAJ0300001>, 2588 S/N HAJ300001>, (**HEAD, CUTTING PLATFORM**: 810), (**COTTON PICKER**: 1800, 1822 S/N JJC0012691>, 1844 S/N JJC0002462>, 2022, 2044, 2055, 2155)

**A-1957437C1** Drum, Feed Roll 62.10 Lbs.

Smooth Drum



***Dim/Info:***
Length - 32 1/4”
Diameter - 9 5/8”

***For Models:*** 1440, 1460, 1470, 1620, 1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366

**A-1957440C3** Drum, Feed Roll 86.00 Lbs.

Two Recessed Drum



***Dim/Info:***
Length - 41-3/4”
Diameter - 10-3/4”

***For Models:*** 1480, 1482, 1680, 1682, 1688, 2188

**A-196409A2** Drum, Feed Roll 120.00 Lbs.


Three Recessed Drum



***Dim/Info:***
Length - 41.750”

***For Models:*** 2188, 2377, 2388, 2577, 2588

**A-B92774** Nylon Insert, Feed Roll Drum; Set Of 2 W/ Rivets 2.00 Lbs.




***Dim/Info:***
Nylon
Includes - 2 Inserts & 10 Rivets

***For Models:*** 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366

**A-B93634** Nylon Insert, Feed Roll Drum; Set of 3 2.50 Lbs.

Includes 30 rivets.



***Dim/Info:***
Length - 30.25”
Width - 3.125”

***For Models:*** 2188, 2377, 2388, 2577, 2588

**A-1957437C1-PF** Drum, Feed Roll; Posifeed Design 62.35 Lbs.



***Dim/Info:***
Paddle style drum provides more aggressive and smoother feeding in light or heavy crops.
Installation is determined by feeding level required - aggressive or more aggresive.
Length - 32 1/4”
Diameter - 9 5/8”

***For Models:*** 1440, 1460, 1470, 1620, 1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366

**A-1957438C1-PF** Drum, Feed Roll 75.00 Lbs.



***Dim/Info:***
Paddle style drum provides more aggresive and smoother feeding in light or heavy crops.
Installation is determined by feeding level required - aggresive or more aggresive
Length - 41 3/4”
Diameter - 9 1/2”

***For Models:*** 1480, 1482, 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588

**A-87660197** Roller, Feeder 100.00 Lbs.

***Replaces:*** 87283559, 87283558, 87107284, 86995659



***Dim/Info:***
Length - 51-1/2”
Outside Diameter - 8” on Tube & 9” on Ring

***For Models:*** AFX8010, 7010, 8010


**A-84294425** Feed Roll Drum 72.00 Lbs.

***Replaces:*** 87640483



***For Models:*** 7120, 7230, 7240, 8120, 8230, 8240, 9120, 9230, 9240

**A-1324576C1** Feeder House Bottom 79.00 Lbs.



***Dim/Info:***
47” Feeder House
Length - 43.573”
Width - 35.625”

***For Models:*** 1420, 1440, 1460, 1620, 1640, 1644, 1660, 1666


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com


**A-1324578C2** Feeder House Bottom 88.00 Lbs.



***Dim/Info:***
54.5" Feeder House
Length - 51"
Width - 35.625"

***For Models:*** 1440, 1460, 1620, 1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366


**A-1324574C2** Feeder House Bottom; W/O Rock Trap 126.00 Lbs.



***Dim/Info:***
60" Feeder House

***For Models:*** 1480, 1680, 1688, 2188, 2377 SN HAJ292001-HAJ300000, 2388, 2577, 2588


**A-1324572C1** Feeder House Bottom 115.00 Lbs.



***Dim/Info:***
54 1/2" Feeder House

***For Models:*** 1480, 1482, 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588

**A-1994217C2** Feeder House Bottom 105.00 Lbs.




***Dim/Info:***
Length - 56.750"
Width - 35.563"

***For Models:*** 2144, 2166, 2344, 2366

**A-84140379** Floor, Feeder House; Front 150.00 Lbs.

***Replaces:*** 87393958



***For Models:*** AFX8010, 7010, 7120, 8010, 8120, 9120, 9230

**A-87282537** Floor, Feeder House; Center 85.00 Lbs.

***Replaces:*** 87282536, 86995577



***Dim/Info:***
Length - 53.500"
Width - 28.900"

***For Models:*** 7010, 7120, 7230, 7240, 8010, 8120, 8230, 8240, 9120, 9230, 9240, AFX8010

**A-84376397** Floor, Feeder House; Rear 51.00 Lbs.



***For Models:*** (7120, 7230, 7240, 8120, 8230, 8240, 9120, 9230, 9240 ALL W/ Rock Trap)

**A-47594973** Floor, Feeder House; Rear 112.00 Lbs.



***For Models:*** 7230, 7240, 8230, 8240, 9230, 9240

**A-87673525** Floor, Feeder House 51.00 Lbs.

***Replaces:*** 87533212, 86995578



***For Models:*** AFX8010, 7010, 7120, 8010, 8120, 9120

**A-663887R91** Pulley Assy, Unloader Belt Tightener/ Fan Jackshaft Drive Idler 3.00 Lbs.

***Replaces:*** F80073, 177195C1



***Dim/Info:***
Inside Diameter - 0.625" Bearing
Outside Diameter - 8.000"

***For Models:*** 303 SN: < 7277, 315, 403, 503 SN: 2431 >, 660, 800, 815, 914, 915 S/N <8000, 960 SN: 8334601 >, 1060, 1420, 1440, 1460 SN: < 23247 & 23250 >, 1470, 1480, 1482, 1620 SN: JJC0032630 >, 1640, 1644, 1660, 1666, 1670 SN: JJC0080540 >, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088, (**HEAD, CUTTING PLATFORM**: 1010), (**COTTON PICKER**: 95, 414, 420, 616, 622, 782), (**SWATHER/WINDROWER**: 201 SN: H3780 >, 8825, 8825HP)

*CASE-IH


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# FEEDER HOUSE PARTS

*CASE-IH

**A-B95328** Fins, Rock Trap Beater, Set Of 3 28.00 Lbs.



***Dim/Info:***
Includes - Hardware

***For Models:*** 1480, 1482, 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588, 5088, 6088, 7088

**A-187208C2** Shaft, Feed Conveyor Drum 16.20 Lbs.



***Dim/Info:***
Length - 45.000"

***For Models:*** 1480 w/o stone retarder SN 54601->; w/ stone retarder all SN, 1482, 1680 w/ or w/o stone retarder, 1682, 1688, 2188, 2377, 2388, 2577, 2588

**A-187207C2** Shaft, Feed Conveyor Drum 12.90 Lbs.



***Dim/Info:***
Length - 35.812"

***For Models:*** 1420 w/ stone retainer, 1440 w/o stone retarder SN 50407->; w/ stone retarder all SN, 1460, 1470 w/ stone retainer, (1620, 1640, 1660, 1666, 1670 ALL w/ or w/o stone retarder), 1644, 2144, 2166, 2344, 2366

**A-87646024** Shaft, Feeder Roller 22.27 Lbs.




***Dim/Info:***
Length - 53.19"

***For Models:*** AFX8010, 7010 SN HAJ202001>, 7120, 8010 SN HAJ202001>, 8120, 9120

**A-1338288C3** Arm, Feeder Drum (RH) 8.80 Lbs.
***Replaces:*** 1338292C3, 1338292C2, 1338292C1


**A-1338287C3** Arm, Feeder Drum (LH) 8.80 Lbs.
***Replaces:*** 1338291C3, 1338291C2, 1338291C1



***Dim/Info:***
Length - 23.375"


***For Models:*** 1620 S/N JJC0032630>, 1680 W/ Smooth Slats, W/ Stone Retarder, 1640 SN JJC0034705-> W/ Smooth Slats, W/ or W/O Stone Retarder, (1644, 1660, 1666, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388 ALL W/ Smooth Slats, W/ or W/O Stone Retarder), 2577 SN HAJ0300001>, 2588 STANDARD, RH

**A-87282449** Arm, Feeder Roller 19.00 Lbs.
***Replaces:*** 87281704, 87107279, 86995909




***For Models:*** (7010, 8010 ALL SN <HAJ202001), AFX8010

**A-87644200** Bracket, Feeder Roller Tension Adjustment 0.40 Lbs.




***For Models:*** 7010, 7120, 8010, 8120, 9120, AFX8010

**A-84075251** Bracket, Supporting; Feeder Roller Tension Adjusting 0.10 Lbs.



***For Models:*** 7010, 7120, 8010, 8120, 9120, AFX8010

**A-87518126** Rod, Feeder Roller Tension Adjusting 0.95 Lbs.



***For Models:*** AFX8010, 7010, 7120, 8010, 8120, 9120

**A-B95752** Kit; Chain Roller Silencer - 2 Strand 13.50 Lbs.



***Dim/Info:***
Includes - Shaft, Rollers And Hardware.
Helps Combine To Run Quieter
Reduces Wear On Feeder Chain By Keeping It Off Of Upper & Lower Wear Plates For Longer Chain Life

***For Models:*** 1480, 1680, 1688, 2188, 2388, 2588

**A-B95753** Kit; Chain Roller Silencer- 3 Strand 16.50 Lbs.



***Dim/Info:***
Includes - Shaft, Rollers And Hardware
Helps Combine To Run Quieter
Reduces Wear On Feeder Chain By Keeping It Off Of Upper & Lower Wear Plates For Longer Chain Life

***For Models:*** 1480, 1680, 1688, 2188, 2388, 2577, 2588, 5088, 6088, 7088

**A-B96276** Roller, Center 2.00 Lbs.



***For Models:*** 2188, 2388, 2577, 2588, 5088, 6088, 7088

**A-B96273** Roller, Outside 2.00 Lbs.



***For Models:*** 1420, 1440, 1460, 1480, 1620, 1640, 1644, 1660, 1666, 1680, 1688, 2144, 2166, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7088

**A-187217C1** Spacer, Drum Arm Pivot 0.15 Lbs.
***Replaces:*** 187217R1



***Dim/Info:***
Length - 1.81"
Inside Diameter - 0.656"
Outside Diameter - 0.875"

***For Models:*** 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2388

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-1330461C1** Flange-Brg, Drum, Feeder Conveyor 0.43 Lbs.
***Replaces:*** 565631R1, 202909C1



***Dim/Info:***
Bearing Outside Diameter - 2.327"
Bolt Circle - 3.562"

***For Models:*** 82, 303, 315, 403, 503, 815, 914, 915 S/N <8000, 1420, 1440, 1460, 1470, 1480, 1482, 1620 SN: JJC0022109 >, 1640, 1644, 1660, 1666, 1670 SN: JJC0080540 >, 1680, 1688, 1682, 2144, 2166, 2188, 2344, 2366, 2377 HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, (**HEAD, CORN**: 303 S/N 8364001>, 724 S/N 513>), (**COTTON PICKER**: 95, 414, 420, 1400, 1800, 2555 S/N <JJC0249499), (**HEAD, CUTTING PLATFORM**: 810, 2142, 2152, 2162), (**SWATHER/WINDROWER**: 8820 , 8830 S/N CFH0030159>, 8840)

**A-1307583C1** Bearing, Flange 0.62 Lbs.
***Replaces:*** 87283072, 6582183



***Dim/Info:***
Bearing Outside Diameter - 3.12"
Bolt Circle - 4.66"

***For Models:*** 1440, 1460, 1480, 1682, 1482, 1470, 1640, 1644, 1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7010, 7088, 7120, 8010, 8120, 9120, AFX8010, (**HEAD, CUTTING PLATFORM**: 1010, 1015, 1020)

**A-B96089** Bearing Kit, Center Roller 0.78 Lbs.

***For Models:*** 2188, 2388, 2577, 2588, 5088, 6088, 7088

**A-B96088** Bearing Kit, Outside Roller 0.70 Lbs.

***Dim/Info:***
Includes - (2) Bearings, (2) Plastic Washers & (1) Snap Ring

***For Models:*** 1440, 1460, 1480, 1640, 1660, 1666, 1680, 1688, 2188, 2388, 2577, 2588, 5088, 6088, 7088

**A-1302308C1** Bushing, Seperator Drive Belt Clutch Lever/Feeder Drive Idler Arm 0.01 Lbs.



***Dim/Info:***
Inside Diameter - 1"
Outside Diameter - 1.25"
Width - 1.125"

***For Models:*** 1420, 1440 SN 20933>, 1460 SN 23637>, 1470, 1480 SN 24001>, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7088

**A-174757C1** Pulley, Flat Idler, Separator & Feeder 5.41 Lbs.
***Replaces:*** 171737C11



***Dim/Info:***
Inside Diameter - 1.1810"
Outside Diameter - 8"

***For Models:*** (615, 715 ALL SN: 8001 >), 1420, 1440, 1460, 1470, 1480, 1620 SN: JJC0032630 >, 1640, 1644, 1660, 1666, 1670 SN: JJC0080540 >, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088

**A-238967A2** Pulley, Jackshaft Drive, Feeder 34.39 Lbs.
***Replaces:*** 238967A1



***Dim/Info:***
Outside Diameter - 13.22"
Pulley Grooves - 3
Teeth - 6

***For Models:*** 2144 SN: JJC0173150 >, 2166, 2188 P.I.N. JJC0193725 >, 2344, 2366, 2388 SN: < JJC0268799

**A-241929A2** Bearing, Feeder Jackshaft 8.00 Lbs.
***Replaces:*** 241929A1



***For Models:*** 2144 SN JJC0173150>, 2166 SN JJC0182025>, 2188 SN JJC0193725>, 2344, 2366, 2388, 2377, 2577, 2588, 5088, 6088, 7088


**A-396781A1** Pulley, Drive-Feeder 69.00 Lbs.
***Replaces:*** 1305297C1



***Dim/Info:***
Bolt Circle - 9.437"
Outside Diameter - 22.5625"
Pulley Grooves - 3

***For Models:*** 1420, 1440 SN: 10001 >, 1460 SN: 12001 >, 1470, 1480 SN: 14001-24000, 1482, 1620, 1640, 1644, 1660, 1666, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0268800-JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>

**A-185414C2** Support, Feeder Drive Idler Pivot 2.98 Lbs.
***Replaces:*** 185414C1, 188056C91



***For Models:*** 1440, 1460, 1470, 1480, 1640, 1644, 1660, 1666, 1670, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# FEEDER HOUSE PARTS


**A-193999C3** Pulley, Feeder Drive (12" O.D.) 45.75 Lbs.
***Replaces:*** 193999C2, 193999C1



***Dim/Info:***
Outside Diameter - 12"
Pulley Grooves - 4
Teeth - 14

***For Models:*** 1480, 1680, 1688, 2188, 2377, 2388, 2577, 2588

**A-76288** Pulley, Idler 3.31 Lbs.
***Replaces:*** 156221C91



***Dim/Info:***
Inside Diameter - .649"
Outside Diameter - 8.89"

***For Models:*** 303, 315, 403 SN: 7224 >, 503 SN: 2431 >, 615, 715, 815 SN: 3784 >, 914 SN: 8001 >, 915 SN: 2350 >, 1420, 1440 SN: 20714 >, 1460 SN: < 23247, 1480, 1482, 1620 SN: JJC0032630 >, 1640 SN: < JJC0034860 & JJC0097171-JJC0097189, 1660 P.I.N. <JJC0039130 & P.I.N. JJC010367-JJC0103799, 1680 SN: < JJC0046598 & P.I.N. JJC0115001-JJC0117059, 1682, (**COTTON PICKER**: 95 SN: 8001 >), (**HEAD, CUTTING PLATFORM**: 810 SN: 501 >, 1010, 1020 SN: < JJC0227000 & JJC0315001 >)

**A-541857R92** Sprocket, Idler; Feeder Reverser 1.07 Lbs.
***Replaces:*** TB16335, H747386, FH087726, 548674R91, 541857R91, 101616C91, 101616C92, 87726



***Dim/Info:***
Bore - .625"
Teeth - 15

***For Models:*** (1420, 1440, 1460, 1480 ALL W/ Rock Trap), 1620 SN JJC0032630> W/ Rock Trap, (1640, 1644, 1660, 1666, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588 ALL W/ Rock Trap)


**A-125407A1** Sprocket Assy, Feeder Reverser w/ Rock Trap 5.50 Lbs.
***Replaces:*** 1320110C3



***Dim/Info:***
Bore - 1.506" hex
Chain - 60
Teeth - 30

***For Models:*** 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388, 2577 SN HAJ0300001>, 2588 SN HAJ300001>

**A-1970248C1** Sprocket, Feeder Chain 3.74 Lbs.



***Dim/Info:***
Bore - 1.500" hex
Teeth - 9

***For Models:*** (615, 715 ALL SN 12001->), (815, 915 ALL SN 8001->), 914, 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366

**A-1970248C1-S** Sprocket, Feeder Chain, Split, Hardened 5.00 Lbs.



***For Models:*** (615, 715 ALL SN 12001->), (815, 915 ALL SN 8001->), 914, 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366

**A-84174008** Shaft; Conveyor Drive 65.00 Lbs.



***For Models:*** 5088, 5130, 5140, 6088, 6130, 6140, 7088, 7130, 7140

**A-87642397** Sprocket, Feeder House, Upper 35.35 Lbs.
***Replaces:*** 87384169



***Dim/Info:***
Length - 40.31"

***For Models:*** 2388 SN HAJ0300001>, 2577, 2588, 5088, 6088, 7088

**A-87284914** Sprocket, Feeder House, Upper 68.00 Lbs.
***Replaces:*** 87283554, 87282647, 87282648



***For Models:*** AFX8010, 7010, 8010

**A-84122242** Sprocket Assembly; Feed Conveyor 35.00 Lbs.



***Dim/Info:***
Spline Diameter - OD: 5.140" / ID: 3.001
Spline Count - 9
Overall Length - 40.25"
Tube Length - 39.75"
C to C Of Sprocket - 18.19"

***For Models:*** 5088, 6088, 7088

**A-84414906** Sprocket Assembly, Upper Feed Conveyor; w/o Rock Trap 35.00 Lbs.
***Replaces:*** 84166317



***Dim/Info:***
Teeth - 15

***For Models:*** 7120, 7230, 7240, 8120, 8230, 8240, 9120, 9230, 9240

**A-84414915** Sprocket, Feeder House; 15T, w/ Rock Trap- No Internal Clutch 65.00 Lbs.
***Replaces:*** 84296465



***Dim/Info:***
Overall Length - 53.44"

***For Models:*** 7120, 7230, 7240, 8120, 8230, 8240, 9120, 9230, 9240

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com


**A-87674273** Sprocket; Beater Drive, 30T 11.94 Lbs.

***Dim/Info:***
Teeth - 30




***For Models:*** (5088, 5130, 5140, 6088, 6130, 6140, 7088, 7130, 7140)

**A-193364C2** Hinge, Door Feed Plate 2.80 Lbs.



***For Models:*** 1420, 1440, 1460, 1470, 1620, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366

**A-242744A1** Door, Lower Feeder House 38.00 Lbs.
***Replaces:*** 193362C2



***For Models:*** 1420, 1440, 1460, 1470, 1620, 1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366

**A-242745A1** Door, Feeder Lower 29.50 Lbs.
***Replaces:*** 1933612C1, 1933612C2, 870602131, 193612C1, 193612C1, 87602131

***For Models:*** 1480, 1482, 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588, 5088, 6088, 7088

**A-252275A1** Kit, Feeder Rock Trap Door 31.00 Lbs.
Kit Contains: (1) A-175931C1 Rod, (1) 193611C2 Hinge, (1) 242745A1 Door, (8) 247780 Nuts & (8) 86624125 Bolts.




***For Models:*** 1480, 1482, 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588, 5088, 6088, 7088

**A-185819C1** Stripper Assy (RH), For 2 Strand Feeder Chain 2.20 Lbs.
***Replaces:*** 1305930C1



***For Models:*** 1420, 1440 SN: 10000 >, 1460 SN: 12001 >, 1470 SN: 1180 >, 1480 SN: 14001 >, 1482, 1620 SN: JJC0032630 >, 1640, 1644, 1660, 1666, 1670 HILLSIDE SN: JJC0080540 >, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366

**A-185818C1** Stripper Assy (LH), For 2 Strand Feeder Chain 2.09 Lbs.
***Replaces:*** 1305929C1



***For Models:*** 1420, 1440 SN: 10000 >, 1460 SN: 12001 >, 1470 SN: 1180 >, 1480 SN: 14001 >, 1482, 1620 SN: JJC0032630 >, 1640, 1644, 1660, 1666, 1670 HILLSIDE SN: JJC0080540 >, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366

**A-1321537C92** Flywheel, Feeder House Reverser Motor 18.80 Lbs.
***Replaces:*** 1321537C91

***Dim/Info:***
Bore - 1.502" w/ keyway
Teeth - 133



***For Models:*** 1420, 1440, 1460, 1480, 1620, 1640, 1644, 1660 w/ or w/o Rock Trap, 1666, 1680 SN<JJC0045689 w/ or w/o Rock Trap, 1682, 1688, 2144, 2166, 2188 w/ or w/o Rock Trap, 2344 SN <JJC0174399 w/ or w/o Rock Trap, 2366 SN <JJC0253999 w/ or w/o Rock Trap, 2388 SN <JJC0268799 w/ or w/o Rock Trap

**A-1321537RG** Ring Gear 2.60 Lbs.

***Dim/Info:***
Teeth - 133



***For Models:*** 1660 w/ or w/o Rock Trap, 1680 SN<JJC0045689 w/ or w/o Rock Trap, 2188 w/ or w/o Rock Trap, 2344 SN <JJC0174399 w/ or w/o Rock Trap, 2366 SN <JJC0253999 w/ or w/o Rock Trap, 2388 SN <JJC0268799 w/ or w/o Rock Trap

**A-181579C1** Disc, Friction Clutch, Feeder Jackshaft Drive 0.45 Lbs.


***Dim/Info:***
Inside Diameter - 5.00"
Outside Diameter - 8.384"
Thickness - .154"



***For Models:*** 1420, 1440 SN: 10001 >, 1460 SN: 12001 >, 1470 SN: 10076 >, 1480 SN: 14001 >, 1482, 1620 SN: JJC0032630 >, 1640, 1644, 1660, 1666, 1670 SN: JJC0080540 >, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2588 SN HAJ300001>, 2377 SN: HAJ0292001 >, 2577 SN HAJ0300001>, 2388 SN: < JJC0276540 & HAJ0292001 >, 5088, 6088

**A-398550A2** Plate, Feeder Jackshaft Drive 5.65 Lbs.
***Replaces:*** 185955C1

***Dim/Info:***
Inside Diameter - 4.92"



***For Models:*** 1420, 1440 SN: 10001 >, 1460 SN: 12001 >, 1470, 1480 SN: 14001 >, 1482, 1620 SN: JJC0032630 >, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>

**A-1305220C91** Hub, Feeder Jackshaft Drive 17.64 Lbs.



***For Models:*** 1440 SN: 10001 >, 1460 SN: 12001 >, 1470, 1480, 1640, 1644, 1660, 1666, 1670, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577, 2588

*CASE-IH

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# FEEDER HOUSE PARTS

*CASE-IH


**A-1994762C2** Pulley Assy, Driven, Unloader Jackshaft 16.67 Lbs.
*Replaces:* 1994762C1



***Dim/Info:***
Inside Diameter - 1.252"
Outside Diameter - 18.62"
Pulley Diameter - 1

***For Models:*** 1640 P.I.N. JJC0097103 >, 1644, 1660 P.I.N. JJC0102897 >, W/ EXT. LENGTH CLEANING, 1660 SN: JJC0038346 >, 1666, 1680 P.I.N. JJC0115352 >, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577, 2588

**A-253533A1** Hub, Feeder Jackshaft Drive 1.05 Lbs.



***Dim/Info:***
Length - 2.04"
Thread Size - 1 15/16" - 20 RH

***For Models:*** 2344, 2366, 2377, 2388, 2577 SN HAJ0300001>, 2588 SN HAJ300001>


**A-241930A1** Pulley Assy, Jackshaft Drive, Feeder 45.42 Lbs.



***Dim/Info:***
Bolt Circle - 5.125"
Pulley Grooves - 3
Teeth - 6

***For Models:*** 2144 P.I.N. JJC0173150 >, 2166 P.I.N. JJC0182025 >, 2188 P.I.N. JJC0193725 >, 2344, 2366, 2388 SN: < JJC0268799

**A-388396A1** Pulley, Feeder Jackshaft Drive 42.15 Lbs.
*Replaces:* 87665210



***Dim/Info:***
Outside Diameter - 13.230"
Pulley Grooves - 4
Spline - 6

***For Models:*** 2377, 2388, 2577, 2588, 5088, 6088, 7088

**A-197278C1** Shaft, Feeder House, Upper 35.60 Lbs.



***Dim/Info:***
Length - 65.250"

***For Models:*** (1480, 1482 ALL w/o feeder reverser or rock trap)

**A-1320099C2** Shaft, Feeder House, Upper 39.86 Lbs.



***Dim/Info:***
Length - 70.00"

***For Models:*** (1480, 1482 ALL w/ reverser w/ or w/o rock trap)

**A-1320160C3** Shaft, Feeder House, Upper 35.20 Lbs.



***Dim/Info:***
Length - 61.875"

***For Models:*** (1440, 1460 ALL w/ rock trap), 1470, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366, 2377, 2388, 2577 S/N HAJ0300001>, 2588 S/N HAJ300001>

**A-1989587C2** Sprocket Assy, Feeder House Conveyor 31.71 Lbs.



***Dim/Info:***
Length - 37.06"

***For Models:*** 1480, 1482, 1680, 1682, 1688, (2188, 2377, 2388 ALL W/ 3 Strand Conveyor Chain), 2577, 2588


**A-1321440C4** Shaft, Feeder House, Upper 38.00 Lbs.
*Replaces:* 1321440C3, 1321440C2, 1321440C1



***Dim/Info:***
Length - 68.00"


***For Models:*** 1470, 1680, 1682, 1688, 2188, 2388 SN <JJC0268799

**A-1989592C1** Support (LH), For 3 Strand Conveyor 2.10 Lbs.




***For Models:*** 2188, 2377, 2388, 2577 SN HAJ0300001>, 2588 SN HAJ300001>

**A-87530580** Support, Center, For 3 Strand Conveyor 2.10 Lbs.



***For Models:*** 2188, 2377, 2388, 2577, 2588

**A-1989593C1** Support (RH), For 3 Strand Conveyor 2.10 Lbs.



***For Models:*** 2188, 2377, 2388, 2577 SN HAJ0300001>, 2588 SN HAJ300001>


**A-176571C1** Drive Shaft 29.60 Lbs.



***Dim/Info:***
Length - 70.00"

***For Models:*** 715, 815, 915, 1420, 1440, 1460, 1480


**A-1319483C2** Drive Shaft 36.88 Lbs.



***Dim/Info:***
Length - 70.062"

***For Models:*** 1680, 1688, 2188 < JJC0193725

**A-178647C2** Coupling, Main Drive 1.65 Lbs.



***Dim/Info:***
Length - 4.63"
Diameter - 1.147" hex

***For Models:*** (**HEAD, CORN**: 824, 833, 834, 843, 844, 853, 854, 863, 864, 873, 874, 883)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com


**A-176537C2** Coupling, Main Drive 2.80 Lbs.



***Dim/Info:***
Length - 8.00"
Diameter - 1.147" Hex

***For Models:*** 615, 715 S/N <23001, (815, 915 ALL S/N 8001>), 1420, 1440, 1460, 1470, 1480, 1682, (**HEAD, CORN**: 843, 844, 853, 854, 863, 864, 873, 874, 883, 943, 944, 954, 963, 1043, 1044, 1054, 1063, 1064, 1083)


**A-1306158C1** Spacer, Drive Shaft 2.11 Lbs.



***Dim/Info:***
Length - 5.90"
Diameter - 1.138" Hex

***For Models:*** (**HEAD, CORN**: 900 SERIES, 1043, 1044, 1054, 1063)

**A-1321534C1** Shaft, Feeder House Reverser 6.85 Lbs.



***Dim/Info:***
Length - 13.00"

***For Models:*** (1420, 1440, 1460, 1480, 1620, 1640, 1644, 1660, 1666, 1680, 1682, 1688, 2144, 2166, 2188 ALL w/ or w/o Rock Trap), 2344 SN <JJC0174399 w/ or w/o Rock Trap, 2366 SN <JJC0253999 w/ or w/o Rock Trap, 2388 SN <JJC0268799 w/ or w/o Rock Trap

**A-87449896** Cylinder, Gear Box; Feeder Reverser 8.97 Lbs.
***Replaces:*** 87391858



***For Models:*** 2344 SN: JJC0174400 >, 2366 SN: JJC0254000 >, 2377 SN: HAJ0292001 >, 2388 SN: HAJ0292001 >, JJC0268800 >, 2577, 2588, (**COTTON PICKER**: MODULE EXPRESS 625, CPX420 SN Y6T011117-> FOR FAN ENGAGEMENT, CPX620 SN Y6T011706-> FOR FAN ENGAGEMENT, 420 FOR FAN ENGAGEMENT, 620)

**A-179665C91** Bearing Assy, Feeder Conveyor/ Rock Trap Beater 1.30 Lbs.



***Dim/Info:***
Bore - 1.50" Hex
Bearing Type - Prelubed

***For Models:*** 403, 503, 615, 715 SN: 23001 >, (815, 914 ALL SN: 8001 >), 915 SN: 8001 >, 1420, 1440, 1460, 1470, 1480, 1482, 1482 SN: JJC0032630 >, 1640, 1644, 1620, 1660, 1666, 1670 SN: JJC0080540 >, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2577, 2388 SN: < JJC0276540 & HAJ0292001 >, 2588

**A-611583R91** Bearing 1.20 Lbs.
***Replaces:*** 611582R91, 80553C91, 517618R91, 50864, 611583R91, T18852, F86574



***Dim/Info:***
Bore - 1.375"
Lube Type - Relubable
Outside Diameter - 2.8346"

***For Models:*** 615, 715 S/N <23001, 815 S/N 8001>, 914, 915, (1420, 1440, 1460, 1470, 1480, 1482, 1670, 1682 ALL Feeder Jackshaft)


**A-1319482C2** Jackshaft, Feeder Cross 34.90 Lbs.



***Dim/Info:***
Length - 70.00"

***For Models:*** 1640, 1644, 1660, 1666, 2144 SN <-JJC0173150, 2166 SN <-JJC0182025


**A-454113R91** Bearing, Feeder Jackshaft / Straw Chopper Rotor 1.70 Lbs.
***Replaces:*** 599601R91, 251531221, 455111R91, 450627R91, F84032



***Dim/Info:***
Bearing Type - Relubable

***For Models:*** 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1680, 1666, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7088

**A-241931A3** Shaft, Feeder 31.95 Lbs.



***Dim/Info:***
Length - 70.06"

***For Models:*** 2144 SN JJC0173150>, 2166, 2188 SN JJC0193725>, 2344 SN <JJC0174399, 2366 SN <JJC0253999, 2388 SN <JJC0268799


**A-389071A1** Shaft, Feeder House, Upper 39.00 Lbs.




***Dim/Info:***
Length - 69 1/8" (1756mm)


***For Models:*** 2377, 2388 SN JJC0268800->, 2577 SN HAJ0300001>, 2588 SN HAJ300001>

**A-1320279C1** Angle, Rock Trap Wear 7.00 Lbs.




***For Models:*** 1420, 1440, 1460, 1470, 1620, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366

**A-87612310** Angle, Rock Trap Wear 6.00 Lbs.
***Replaces:*** 1320278C1



***For Models:*** 1480, 1482, 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588, 5088, 6088, 7088

**A-389022A1** Shaft, Rock Trap Drum 32.00 Lbs.
***Replaces:*** 1320129C1, 1320129C2




***Dim/Info:***
Length - 59.06" (1500mm)

***For Models:*** 1480, 1482, 1680, 1682, 1688, 2188, 2377, 2388, 2577 SN HAJ0300001>, 2588 SN HAJ300001>

**A-389021A1** Shaft, Rock Trap Beater 27.00 Lbs.
***Replaces:*** 1327502C1, 1320161C2, 1320138C1, 1320161C1, 1320138C2



***Dim/Info:***
Length - 51"

***For Models:*** 1440, 1460, 1470, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

*CASE-IH

Truck icon indicates that the item is shipped via truck freight.

# FEEDER HOUSE PARTS

*CASE-IH

**A-87536812** Shaft, Rock Trap Friction Slip Clutch 4.15 Lbs.



***Dim/Info:***
Spline - 11
Teeth - 22

***For Models:*** 7010, 7120, 8010, 8120, 9120, AFX8010

**A-87536806** Plate, Internal Separator; Friction Clutch 0.60 Lbs.



***Dim/Info:***
Outside Diameter - 5.540"
Spline - 35

***For Models:*** 7010, 7120, 8010, 8120, 9120, AFX8010


**A-597537R91** Bearing, Feeder Reverser 1.65 Lbs.



***Dim/Info:***
Bore - 1.500"
Lube Type - Non-relubable
Bearing Width - .709"
Outside Diameter - 3.1495"
Overall Width - 2.219"
Bore Type - Round

***For Models:*** (1420, 1440, 1460, 1480, 1620, 1640, 1644, 1660, 1666, 1680, 1682, 1688, 2144, 2166, 2188, 2344 SN <JJC0174399, 2366 SN <JJC0253999, 2388 SN <JJC0268799)

**A-1321933C3** Support, Idler; Feeder Reverser 3.00 Lbs.
***Replaces:*** 1321933C2, 1321933C1



***For Models:*** (1420, 1440, 1460, 1480, 1620 ALL w/ or w/o Rock Trap), (1640, 1644, 1660, 1666, 1680, 1682, 1688, 2144, 2166, 2188 ALL w/ Rock Trap), 2344 SN <JJC0174399 w/ Rock Trap, 2366 SN <JJC0253999 w/ Rock Trap, 2388 SN <JJC0268799 w/ Rock Trap

**A-1329717C1** Sprocket, Feeder Reverser Drive 4.30 Lbs.
***Replaces:*** 1321535C1



***Dim/Info:***
Bore - 1.50"
Teeth - 20

***For Models:*** (1420, 1440, 1460, 1480, 1620, 1640, 1644, 1660, 1666, 1680, 1688, 2144, 2166, 2188 ALL w/ or w/o Rock Trap), 2344 SN <JJC0174399 w/ or w/o Rock Trap, 2366 SN <JJC0253999 w/ or w/o Rock Trap, 2388 SN <JJC0268799 w/ or w/o Rock Trap


**A-1329719C2** Sprocket, Feeder Reverse 2.95 Lbs.
***Replaces:*** 1329719C1



***Dim/Info:***
Bore - 1.507" Hex
Teeth - 20

***For Models:*** (1420, 1440, 1460, 1480 ALL W/ Rock Trap), 1620 SN JJC0032630> W/ Rock Trap, (1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388 ALL W/ Rock Trap), 2577 SN HAJ0300001>, 2588 SN HAJ300001>

**A-1321531C93** Sprocket, Feeder Reverser Idler 2.60 Lbs.



***Dim/Info:***
Bore - 1.312"
Teeth - 16

***For Models:*** 1640 SN JJC0034705> W/ Rock Trap, (1644, 1660, 1666, 1680, 1688, 2144, 2166, 2188 ALL W/ Rock Trap), 2344 SN <JJC0174399 W/ Rock Trap, 2366 SN <JJC0253999 W/ Rock Trap, 2388 SN <JJC0268799 W/ Rock Trap

**A-1329720C2** Sprocket, Feeder Reverser 9.60 Lbs.
***Replaces:*** 1329720C1



***Dim/Info:***
Bore - 1.50" Hex
Teeth - 40

***For Models:*** (1420, 1440, 1460, 1480, 1620, 1640, 1644, 1660, 1666, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388 ALL w/ or w/o Rock Trap), (2577, 2588 ALL w/ Rock Trap)

**A-681627** Gear, Feeder Reverser 14.85 Lbs.
***Replaces:*** 80681627



***Dim/Info:***
Hub - 6 spline
Outside Diameter - 8.335"
Teeth - 32


***For Models:*** 2344 SN JJC0174400>, 2366 SN JJC0254000>, 2377, 2388, 2577, 2588

**A-132709** Bearing Cup 0.10 Lbs.



**A-132710** Cone 0.21 Lbs.
***For Models:*** 82, 315, 2344, 2366, 2377, 2388, 2577, 2588, (**COTTON PICKER**: 95, 782), (**SWATHER/WINDROWER**: 8820, 8830 S/N CFH0030159>, 8840)


**A-388771A1** Jackshaft, Feeder Drive 26.00 Lbs.



***Dim/Info:***
Spline - 6/6

***For Models:*** 2344 SN: JJC0174400 >, 2366 SN: JJC0254000 >, 2377 SN: HAJ0292001 >, 2388 SN: JJC0268800 > & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>

**A-253531A1** Shaft, Jackshaft Drive 43.00 Lbs.
***Replaces:*** 239235A3



***Dim/Info:***
Length - 70.00"
Spline - 6

***For Models:*** 2144 SN JJC0173150>, 2166, 2188 SN JJC0193725>, 2344 SN: < JJC0174399, 2366 SN: < JJC0253999, 2388 SN: < JJC0268799


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-398526A1** Hub, Feeder Jackshaft Drive 11.90 Lbs.



***Dim/Info:***
1.508" hex
2 keyways

***For Models:*** 1420, 1440 SN 10001>, 1460 SN 12001>, 1470, 1480 SN 14001>, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1688, 2144, 2166, 2188, 2344 SN: JJC0174400 >, 2344, 2366 SN: JJC0254000 >, 2366, 2377 SN: HAJ0292001 >, 2388 SN: JJC0268800-JJC0276540 & HAJ0292001 >, 2388, 2577 SN HAJ0300001>, 2588 SN HAJ300001>


**A-168370C2** Ratchet, Slip Clutch 1.15 Lbs.
***Replaces:*** 86975803, 168370C1



***Dim/Info:***
Inside Diameter - 2.00"
Outside Diameter - 3.71"

***For Models:*** AFX8010, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7010, 7088, 7120, 8010, 8120, 9120, (**HEAD, CORN**: 720, 733, 743, 762, 763, 764, 782, 800 SERIES, 900 SERIES, 1043, 1044, 1054, 1063, 1064, 1083, 1084), (**FORAGE HARVESTER**: 720, 781, 830, 881)

**A-387284A1** Bearing Assy, Elevator Jackshaft 1.30 Lbs.
***Replaces:*** 473096R91, 473097R91, 473097R92





***For Models:*** (815, 915 ALL SN: 8001 >), 1420, 1440, 1460, 1470, 1480, 1482, 1620 SN: JJC0032630 >, 1640, 1644, 1660, 1666, 1670 SN: JJC0080540 >, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540, HAJ0292001 >, 2577, 2588, 5088, 6088, 7088, (**FORAGE HARVESTER**: 830, 881)

**A-86575514** Bearing, Ball 1.65 Lbs.
***Replaces:*** B92630, 66497, 80066497, 609150, 601854, 80045392, 80609150, 80601854, 86533335, 45392




***For Models:*** 2344, 2366, 2388, 2377, 2577 S/N HAJ0300001>, 2588 S/N HAJ300001>, AFX8010, 7010, 7120, 8010, 8120, 9120

**A-405718A1** Support, Feeder Reverser Gearbox 1.80 Lbs.
***Replaces:*** 388765A1



***For Models:*** 2344 SN JJC0174400->, 2366 SN JJC0254000->, 2377, 2388, 2577 SN HAJ0300001>, 2588 SN HAJ300001>

**A-87536805** Plate, Friction Clutch 0.10 Lbs.



***For Models:*** AFX8010, 7010, 7120, 8010, 8120, 9120

**A-87282003** Shaft, Feed Conveyor 4.50 Lbs.



***Dim/Info:***
Spline - 11/22

***For Models:*** AFX8010, 7010, 7120, 8010, 8120, 8230, 9120

**A-156816C91** Bearing Assy 0.87 Lbs.



***Dim/Info:***
Bore - 1.125" Hex
Bearing Type - Pre-lubed

***For Models:*** 914 SN: 8001 >, 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670 SN: JJC0080540 >, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2577, 2388 SN: < JJC0276540 & HAJ0292001 >, 2588, (**HEAD, CORN**: 762, 782, 800 SERIES, 900 SERIES, (1043, 1044, 1054, 1063, 1064, 1083, 1084 ALL 815 & 915, W/ QUICK-ATTACH FEEDER)), (**HEAD, CUTTING PLATFORM**: 810, 820, 1010, 1020), (**COTTON PICKER**: CPX420, CPX610, CPX620)

**A-434295A2** Finger; Retractable Auger 0.78 Lbs.
***Replaces:*** 1320699C1



***Dim/Info:***
Pin-to-End Length - 2.797"
Outside Diameter - .625"
Overall Length - 8.94"
PKG QTY - minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: 1010, 1015, 1020)


**A-1321735C3** Eyebolt, Adjusting 0.70 Lbs.
Used On Feederhouse, Straw Chopper Drive & Discharge Beater Bottom Applications On Different Machines.
***Replaces:*** 182892C1, 182892C91, 182892C2, 1321735C1, 1321735C2



***For Models:*** 1440, 1460, 1470, 1480, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7088

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

## Concaves



| Part No. | Description | Qty | Applications | Wt. | |
|---|---|---|---|---|---|
| **A-193986C5** | Concave, Center & Rear (Corn & Soybean) | 2 Used | 1420, 1620<br>Note: Wires Are 1/8" Lower Than OEM Concave. | 66.70 | |
| **A-183289C3** | Concave, Front (Small Grain) Narrow Space | 1 Used | 1420, 1620 | 70.00 | |
| **A-183292C3** | Concave, Middle/Rear (Small Grain) Narrow Space | 2 Used | 1420, 1620 | 70.00 | |
| **A-B93571** | Concave Set (Small Grain) | Set of 3 | 1440, 1460, 1470 | 250.00 | |
| **A-1309208C3** | Concave, Front (Small Grain) | 1 Used | 1440, 1460, 1470, 1640, 1644, 1660, 1666, 2144, 2166, 2344 SN <JJC0174449, 2366 SN <JJC0254999 | 63.60 | |
| **A-1309210C3** | Concave, Center & Rear (Small Grain) | 2 Used | 1440, 1460, 1470, 1640, 1644, 1660, 1666, 2144, 2166, 2344 SN <JJC0174449, 2366 | 60.20 | |
| **A-B93572** | Concave Set (Corn & Soybean) | Set Of 3 | 1440, 1460, 1470, (1644, 1666, 2144, 2166 ALL W/ Extensions) | 234.00 | |
| **A-1302606C5** | Concave, Front (Corn & Soybean) | 1 Used | 1440, 1460, 1470, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366 | 59.00 | |
| **A-1302607C4** | Concave, Center & Rear (Corn & Soybean) | 2 Used | 1440, 1460, 1470, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366<br>Note: Wires Are 1/8" Lower Than OEM Concave | 53.40 | |
| **A-B96128** | Concave Set (Corn & Soybean) | Set Of 3 | 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2366 | 280.00 | |
| **A-430964A1** | Concave, Front (Corn & Soybean) | 1 Used | 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344 SN JJC0174450>, 2366<br>Note: 1 Piece Construction<br>Replaces: 1300850C, 2356281R91 | 93.00 | |
| **A-430965A1** | Concave, Middle/Rear (Corn & Soybean) | 2 Used | 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344 SN JJC0174450>, 2366<br>Note: Wires Are 1/8" Lower Than OEM Concave.<br>Replaces: 2356282R91, 1300851C | 94.00 | |
| **A-87299958** | Concave Set; Round Bar (Corn & Beans) | | 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344 SN JJC0174450>, 2366, 2366 SN JJC0255000><br>Replaces: (1) 87495763 & (2) 87495745 | 206.00 | |
| **A-87495763** | Concave, Front; Round Bar | | 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344 SN JJC0174450>, 2366 SN JJC0255000><br>Replaces: 2356281R91, 1300850C | 72.00 | |
| **A-87495745** | Concave; Round Bar, Middle/Rear | 2 Used | 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344 SN JJC0174450>, 2366 SN JJC0255000><br>Replaces: 2356282R91, 1300851C | 66.00 | |
| **A-B94534** | Concave Extensions Set (Corn & Soybean) | Set Of 3 | 1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366 | 75.00 | |
| **A-307982A1** | Concave, Front Extension (Corn & Soybean) | 1 Used | 1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366<br>Replaces: 1318551C1 | 16.35 | |
| **A-307983A1** | Concave, Middle/Rear Extension (Corn & Soybean) | 2 Used | 1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366<br>Replaces: 1318552C1 | 15.37 | |
| **A-B96130** | Concave Set (Small Grain) | Set Of 3 | 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2366 | 280.00 | |
| **A-430960A1** | Concave, Front (Small Grain) | 1 Used | 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344 SN JJC0174450>, 2366 | 60.20 | |


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

# Concaves




| Part No. | Description | Qty | Applications | Wt. | |
|---|---|---|---|---|---|
| **A-430960A1HB** | Concave, Front (Small Grain, Helical Bar) | 1 Used | 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2366 Note: Helical bar concave features angled cross bars for more aggressive threshing | 96.00 | |
| **A-430963A1** | Concave, Middle/Rear (Small Grain) | 2 Used | 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2366 | 94.10 | |
| **A-B94536** | Concave Extension (Small Grain) | Set Of 3 | 1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366 | 75.00 | |
| **A-307984A1** | Concave, Front Extension (Small Grain) | 1 Used | 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366 Replaces: 1318553C1 | 17.50 | |
| **A-307985A1** | Concave, Middle/Rear Extension (Small Grain) | 2 Used | 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366 | 17.50 | |
| **A-B93573** | Concaves (Small Grain) | Set Of 3 | 1480, 1482, (1688, 2188 ALL Requires Extension Kit A-B94537) | 310.00 | |
| **A-1309207C3** | Concave, Center & Rear (Small Grain) | 2 Used | 1480, 1482, 1680, 1682, (1688, 2188 ALL Requires Extension A-307989A1), 2388 SN <JJC0276540 Replaces: 1309207C2, 1309207C1, 1319002C1, 1979798C1, 195348C5, 195348C2, 195348C1 | 101.00 | |
| **A-307988A1** | Concave, Front Extension (Small Grain) | 1 Used | (1680, 1682, 1688, 2188, 2388 ALL Used With Front Concave A-1309204C3) Replaces: 1318557C1 | 25.00 | |
| **A-307989A1** | Concave, Middle/Rear Extension (Small Grain) | 2 Used | (1680, 1682, 1688, 2188, 2388 ALL Used With Concave A-1309207C3) Replaces: 1318558C1 | 25.00 | |
| **A-B93574** | Concaves (Corn & Soybean) | Set Of 3 | 1480, 1482, (1680, 1682, 1688, 2188 ALL Requires Extension Kit A-B94535) | 297.00 | |
| **A-193782C6** | Concave, Front (Corn & Soybean) | 1 Used | 1480, 1482, (1680, 1682, 1688, 2188 ALL Requires Extension A-307986A1), 2388 SN <JJC0276540 Note: Wires Are 1/8" Lower Than OEM Concaves. | 71.00 | |
| **A-193783C5** | Concave, Center & Rear (Corn & Soybean) | 2 Used | 1480, 1482, (1680, 1682, 1688, 2188 ALL Requires Extension A-307987A1), 2388 SN <JJC0276540 Note: Wires Are 1/8" Lower Than OEM Concaves. | 98.00 | |
| **A-B96125** | Concaves (Corn & Soybean) | Set Of 3 | 1680, 1682, 1688, 2188, 2388, 2577, 2588, 5088, 6088, 7088 | 350.00 | |
| **A-386188A1** | Concave, Front (Corn & Soybean) | 1 Used | 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588, 5088, 5130, 5140 SN <YFG014001, 6088, 6130, 6140 SN <YFG014001, 7088, 7130, 7140 SN <YFG014001 Replaces: 87300870, 1300859C, 2356287R91 | 117.00 | |
| **A-386189A1** | Concave, Middle/Rear (Corn & Soybean) | 2 Used | 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588, 5088, 5130, 5140 SN <YFG014001, 6088, 6130, 6140 SN <YFG014001, 7088, 7130, 7140 SN <YFG014001 Replaces: 87300873, 87300871, 1300860C, 2356288R91 | 110.00 | |
| **A-307986A1** | Concave, Front Extension (Corn & Soybean) | 1 Used | (1680, 1682, 1688, 2188, 2388 ALL Used With Front Concave A-193782C6) Replaces: 1318555C1 | 18.50 | |
| **A-307987A1** | Concave, Middle/Rear Extension (Corn & Soybean) | 2 Used | (1680, 1682, 1688, 2188, 2388 ALL Used With Concave A-193783C5) Replaces: 1318556C1 | 17.45 | |
| **A-B96126** | Concaves, Large Wire; Heat Treat | Set Of 3 | 1680, 1682, 1688, 2377, 2388, 2577, 2588, 5088, 6088, 7088 | 0.00 | |
| **A-B96127** | Concave Set, Heavy Duty (Small Grain) | Set Of 3 | 1680, 1682, 1688, 2188, 2388, 2577, 2588, 6088, 7088 | 350.00 | |

Truck icon indicates that the item is shipped via truck freight.

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

## Concaves



| Part No. | Description | Qty | Applications | Wt. | |
|---|---|---|---|---|---|
| **A-418647A1** | Concave, Front (Small Grain) | 1 Used | 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588, 5088, 5130, 5140 SN <YFG014001, 6088, 6130, 6140 SN <YFG014001, 7088, 7130, 7140 SN <YFG014001<br>Replaces: 87300868 | 117.00 | |
| **A-418647A1HB** | Concave, Front Helical (Small Grain)<br>Helical Bars | 1 Used | 1680, 1682, 1688, 2188, 2388, 2577, 2588, 7088, 7130<br>Note: Helical bar concave features angled cross bars for more aggressive threshing | 116.00 | |
| **A-418648A1** | Concave, Middle/Rear (Small Grain) | 2 Used | 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588, 5088, 5130, 5140 SN <YFG014001, 6088, 6130, 6140 SN <YFG014001, 7088, 7130, 7140 SN <YFG014001<br>Replaces: 87300872, 87300869 | 84.00 | |
| **A-87298938** | Concave Set; Round Bar<br>Narrow Space | Set of 3 | 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588, 5088, 6088, 7088 | 210.00 | |
| **A-87456655** | Concave, Round Bar; Front<br>10 Wire | | 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588, 5088, 6088, 7088<br>Replaces: 412394A1 | 0.00 | |
| **A-412395A1** | Concave, Round Bar; Middle/Rear | 2 Used | 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588, 5088, 6088, 7088 4/07><br>Replaces: 87300873, 87300871, 1300860C, 2356288R91 | 70.00 | |
| **A-418646A1** | Concave, Middle/Rear; Large Wire, w/ Heat Treat | 2 Used | 2377, 2388, 2577, 2588, 5088, 5130, 5140 SN <YFG014001, 6088, 6130, 6140 SN <YFG014001, 7088, 7130, 7140 SN <YFG014001 | 110.00 | |
| **A-47552470** | Concave; Small Wire, Rear, Heat Treated | | (5140, 6140, 7140 ALL SN YFG014001>)<br>Note: For Front Concave, Order (1) 47552470 Concave & (1) 47607656 Concave Lip. | 42.00 | |
| **A-47607204** | Concave; Large Wire, Rear | | 5140, 5150, 6140, 6150, 7140, 7150 | 42.00 | |
| **A-47617985** | Concave; Large Wire, Rear, Heat Treat | | (5140, 6140, 7140 ALL SN YFG014001>)<br>Note: For Front Concave, Order (1) 47617985 Concave & (1) 47607656 Concave Lip. | 45.00 | |
| **A-47607606** | Concave; Round Bar, Rear | | (5140, 6140, 7140 ALL SN YFG014001>)<br>Note: For Front Concave Order (1) 47607606 Concave & (1) 47607656 Concave Lip. | 36.00 | |
| **A-84600010** | Concave; Round Bar, Rear | | 5130, 5140, 6130, 6140, 7130, 7140, 9230 | 68.00 | |
| **A-84237558** | Concave; LH Large Wire, Heat Treated<br>Includes: Corn & Soybean | | AFX8010, 7010, 7120, 7230, 7240, 8010, 8120, 8230, 8240, 9120, 9230, 9240<br>Replaces: 84084887 | 47.00 | |
| **A-84237557** | Concave; RH Large Wire, Heat Treated | | AFX8010, 7010, 7120, 7230, 7240, 8010, 8120, 8230, 8240, 9120, 9230, 9240<br>Note: Heat Treated. | 47.00 | |
| **A-86976414HB** | Concave, (RH); Corn & Soybean; Helical Bar | 1 Used | AFX8010, 7010, 7120, 8010, 8120, 8240, 8250, 9120 | 68.00 | |
| **A-87600861** | Concave (LH); Ext. Wear Round Bar | 1 Used | AFX8010, 7010, 7120, 7230, 7240, 8010, 8120, 8230, 8240, 9120, 9230, 9240<br>Replaces: 87612831, 84247323, 87282761 | 52.00 | |
| **A-87600863** | Concave (RH); Ext. Wear Round Bar | 1 Used | AFX8010, 7010, 7120, 7230, 7240, 8010, 8120, 8230, 8240, 9120, 9230, 9240<br>Replaces: 87612831, 87282764, 84247324 | 53.00 | |
| **A-87000774** | Concave (RH); Slotted | 1 Used | AFX8010, 7010, 7120, 8010, 8120, 9120<br>Replaces: 84084888 | 45.00 | |


Truck icon indicates that the item is shipped via truck freight.

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Concaves




| Part No. | Description | Qty | Applications | Wt. | |
|---|---|---|---|---|---|
| **A-87000772** | Concave (LH); Slotted | 1 Used | AFX8010, 7010, 7120, 8010, 8120, 9120<br>Replaces: 84084888 | 45.00 | |
| **A-87612841** | Concave (RH); Skip Wire, Ext. Wear, Corn/Bean | 1 Used | AFX8010, 7010, 7120, 8010, 8120, 9120 | 73.00 | |
| **A-87612838** | Concave (LH); Skip Wire, Ext Wear, Corn/Bean | 1 Used | AFX8010, 7010, 7120, 8010, 8120, 9120 | 54.00 | |
| **A-84563345** | Concave; LH Small Wire, Heat Treated<br>Small Grain | | 7010, 7120, 8010, 8120, 9120, AFX8010<br>Replaces: 86999050, 84563345 | 77.00 | |
| **A-86976418** | Concave (RH); Small Grain, Hardened | | AFX8010, 7010, 7120, 7230, 7240, 8010, 8120, 8230, 8240, 9120, 9230, 9240<br>Replaces: 86999057, 84563344 | 77.00 | |
| **A-86976418HB** | Concaves, RH; Small Grain, Helical Bar | 1 Used | AFX8010, 7010, 7120, 8010, 8120, 8240, 8250, 9120 | 69.00 | |
| **A-86976420HB** | Concaves, LH; Small Grain; Helical Bar | 1 Used | AFX8010, 7010, 7120, 8010, 8120, 8240, 8250, 9120 | 69.00 | |
| **A-84565262** | Concave, RH; Hard Threshing | | AFX8010, 7010, 7120, 7230, 7240, 8010, 8120, 8230, 8240, 9120, 9230, 9240<br>Note: Used For Small Grain For Hard Threshing Conditions. | 65.50 | |
| **A-84565257** | Concave (LH); Hard Threshing, Cereal | | AFX8010, 7010, 7120, 7230, 7240, 8010, 8120, 8230, 8240, 9120, 9230, 9240<br>Note: Used For Small Grain For Hard Threshing Conditions. | 65.50 | |
| **A-84237558** | Concave, LH Large Wire, Heat Treated<br>Includes: Corn & Soybean | | AFX8010, 7010, 7120, 7230, 7240, 8010, 8120, 8230, 8240, 9120, 9230, 9240<br>Note: Heat Treated.<br>Replaces: 84084887 | 47.00 | |
| **A-84237562** | Concave; LH Large Skip Wire, Heat Treated | | (7230, 7240, 8230, 8240, 9230, 9240) | 54.00 | |
| **A-B95335** | Grate Set, Keystock | Set Of 3 | 1440, 1460, 1470, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366 | 93.00 | |
| **A-1302562C1** | Grate, Keystock | 1 Used | 1440, 1460, 1470, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366<br>Note: Individual Keystock Grate | 31.12 | |
| **A-B95334** | Grate Set, Slotted | Set Of 3 | 1440, 1460, 1470, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366 | 83.00 | |
| **A-191538C3** | Grate, Slotted | 1 Used | 1440, 1460, 1470, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366<br>Note: Individual Slotted Grate | 23.90 | |
| **A-B95337** | Grate, Keystock | Set Of 3 | 1480, 1680, 1688, 2188, 2388, 2588 SN HAJ300001>, 5088, 6088, 7088 | 111.00 | |
| **A-1302563C1** | Grate, Keystock | 1 Used | 1480, 1680, 1688, 2188, 2377 SN HAJ292001-HAJ300000, 2388, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 5140, 6088, 6140, 7088, 7140 | 36.12 | |
| **A-B95336** | Grate Set, Slotted | Set Of 3 | 1480, 1680, 1688, 2188, 2388, 2588, 7088 | 81.00 | |
| **A-191535C2** | Grate, Slotted | 1 Used | 1480, 1482, 1680, 1682, 1688, 2188, 2377 SN HAJ292001-HAJ300000, 2388, 2577 SN HAJ0300001>, 2588, 5088, 6088, 7088<br>Note: Individual Slotted Grate | 27.00 | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.


# CONCAVE PARTS

**A-87627461** Support Plate; Concave 27.00 Lbs.
***Replaces:*** 1318433C1, 1318433C2, 1318433C3




***For Models:*** 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7088

**A-GCP1440** Cover Plate, Grate 8.00 Lbs.
Recommended for sunflowers and some grasses. Solid grate prevents stalks and stems from clogging the cleaning system.




***For Models:*** 1440, 1460, 1620, 1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366

**A-GCP1480** Cover Plate, Grate 10.00 Lbs.
Recommended for sunflowers and some grasses. Solid grate prevents stalks and stems from clogging the cleaning system.




***For Models:*** 1480, 1482, 1680, 1682, 1688, 2188, 2388, 2588

**A-CSK700** Shock Kit, Concave 43.00 Lbs.
Spring loaded concave shock kit is designed to reduce or prevent damage to the concaves, pipes & rotor. The heavy duty compression springs absorb the shock caused by foreign objects or large amounts of material going through the threshing area.



***For Models:*** 1680, 1682, 1688, 2188, 2388, 2577, 2588

**A-CSKT700** Turnbuckle Assembly, w/ Spring 4.00 Lbs.
***Dim/Info:***
Quantity - 2 Req'd



***For Models:*** 1640, 1644, 1660, 1666, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2388, 2577, 2588

**A-87379142** Interupter Bar, Small Grain Concave 0.14 Lbs.
***Replaces:*** 1324046C3




***For Models:*** 1640, 1644, 1660, 1666, 1670, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2577 S/N HAJ0300001>, 2377 b/n sn# HAJ0292001 & HAJ0300000, 2388, 2588 S/N HAJ300001>, 5088, 6088, 7088

**A-B95338** Kit, Interupter Bar 1.99 Lbs.
***Dim/Info:***
For Hard Thresh Crops.
Used With Small Wire Concaves.

***For Models:*** (1640, 1644, 1660, 1666, 1670, 1688, 2144, 2166, 2188, 2344, 2366, 2377 b/n sn# HAJ0292001 & HAJ0300000, 2388, 5088, 6088, 7088)

**A-CP1440** Cover Plate, Concave 4.00 Lbs.
Cover plates improve distribution of material across the entire width of shoe augers. Ideal for small grains. Install one or two cover plates on the first concave and one on the 2nd and 3rd if required.




***For Models:*** 1440, 1460, 1470

**A-CP1480** Cover Plate, Concave 10.00 Lbs.
Cover plates improve distribution of material across the entire width of shoe augers. Ideal for small grains. Install one or two cover plates on the first concave and one on the 2nd and 3rd if required.



***For Models:*** 1480, 1482

**A-CP16401** Cover Plate 5.00 Lbs.
Cover plates improve distribution of material across the entire width of shoe augers. Ideal for small grains. Install one or two cover plates on the first concave and one on the 2nd and 3rd if required.
***Dim/Info:***
1 Piece Concave




***For Models:*** 1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366

**A-CCP1640E** Cover Plate, Concave Extension Only 2.00 Lbs.
Cover plate used w/ concave extensions (B94536 & B94534 -set of 3 concaves) or individual concaves (1318553C1 & 1318551C1- front) & (307985A1 & 1318552C1 rear)
***Dim/Info:***
For bolt on concave extensions



***For Models:*** 1640, 1644, 1666, 2144, 2166, 2366

**A-CP1680** Cover Plate, Concave w/ Extension 11.00 Lbs.
Cover plates improve distribution of material across the entire width of shoe augers. Ideal for small grains. Install one or two cover plates on the first concave and one on the 2nd and 3rd if required.
***Dim/Info:***
Concave & Extension Cover Plates
Comes complete w/mounting hardware




***For Models:*** 1680, 1682, 1688, 2188, 2388, 2577, 2588, 5088, 6088, 7088

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.


P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-CCP1680E** Cover Plate; Concave Extension Only 2.00 Lbs.
Cover plate used w/ concave extensions (B94537 & B94535 set of 3 concaves) or individual concaves (307988A1 & 1318555C1 front) & (307989A1 & 1318556C1 rear)



***Dim/Info:***
For bolt on extensions

***For Models:*** 1680, 1682, 1688, 2188, 2388, 2577, 2588

**A-CP16801** Cover Plate, 1 Piece Concave 6.00 Lbs.
Cover plates improve distribution of material across the entire width of shoe augers. Ideal for small grains. Install one or two cover plates on the first concave and one on the 2nd and 3rd if required.



***Dim/Info:***
1 Piece Concave

***For Models:*** 1680, 1682, 1688, 2188, 2388, 2577, 2588, 5088, 6088, 7088

**A-CCP1640** Cover Plate, Concave & Extension 9.00 Lbs.
Cover plate improves distribution of material across entire width of the shoe auger. Ideal for small grains. Install one or two cover plates on the first concave and one on the 2nd & 3rd if required.



***For Models:*** 1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366


**A-191536C1** Channel, Grate Adjusting 0.50 Lbs.
Used w/ slotted grates 1303001C2, B95334, B95336



***Dim/Info:***
11.00" long


***For Models:*** 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ292001-HAJ300000, 2388, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088

**A-1321661C3** Cage, Front Rotor (RH) 95.00 Lbs.




***For Models:*** 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588, 5088, 6088, 7088

**A-1318729C5** Cage, Front Rotor (LH) 77.00 Lbs.




***For Models:*** 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588, 5088, 6088, 7088

**A-1318829C2** Cage, Front Rotor (LH) 90.00 Lbs.



***For Models:*** 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366

**A-1318419C3** Cage, Front Rotor (RH) 89.00 Lbs.



***For Models:*** 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# ROTOR CONES & WEAR ITEMS

**A-87391297** Rotor Cage, Ext. Wear 240.00 Lbs.

***Replaces:*** 87341408, 86980999, 84480923



***Dim/Info:***
Includes - vanes

***For Models:*** 7010, 7120, 8010, 8120, 8230 Tier 4 3/12-9/14, 9120, AFX8010

**A-CCIHCB** Rotor Cone Installation Hardware Kit 3.00 Lbs.


***Replaces:*** B94551 & B94552

***Dim/Info:***
Includes - Kit Contains: (25) 3/8" External Star Washers, (25) 3/8" X 1 1/4" Button Hex Cap Screw, (25) 3/8" Hex Flange Nuts, (4) 1/2" X 1 1/4" Flange Hex Bolts, (4) 1/2" Flange Locknuts

***For Models:*** 1420, 1440, 1460, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2388

**A-365928A2** Rotor Cone, Heavy Duty 220.00 Lbs.

Rotor cone is made of C1045 high carbon steel, designed w/ one welded seam for less wear points and longer life




***Dim/Info:***
Type - 1/4" Thick Walls & 3/16" Vanes

***For Models:*** 1440, 1460, 1470, 1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366

**A-437318A1** Rotor Cone 384.00 Lbs.

Rotor cone is made of C1045 high carbon steel, designed w/ one welded seam for less wear point and longer life.

***Replaces:*** 428242A1, 348510A1, 1317778C2, 1317778C3, 1317778C1, 1309384C3, 198102A2, 198102A1, 194049A2, 194049A1



***Dim/Info:***
Includes 3/16" Vanes
Type - 3/16" Thick Walls

**A-CCIHCB** Rotor Cone Installation Hardware Kit 3.00 Lbs.

***Replaces:*** B94551 & B94552


***Dim/Info:***
QTY - 1

***For Models:*** 1480, 1482, 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588

**A-443123A1** Rotor Cone, Heavy Duty 270.00 Lbs.

Rotor cone is made of C1045 high carbon steel, designed w/ one welded seam for less wear points and longer life

***Replaces:*** B92771, B93198




***Dim/Info:***
Type - 1/4" Thick Walls & 3/16" Vanes; For Grain, Corn Or Rice

***For Models:*** 1480, 1482, 1680, 1682, 1688, 2188, 2388, 2577, 2588, 5088, 6088, 7088

**A-428878A1** Rotor Cone, Heavy Duty, Stainless Steel Vanes 255.00 Lbs.

Rotor cone is made of C1045 high carbon steel, designed w/ one welded seam for less wear points and longer life.



***Dim/Info:***
Type - 1/4" Thick Walls, 3/16" Stainless Steel Vanes & T Bolts

***For Models:*** 1480, 1482, 1680, 1682, 1688, 2188, 2388, 2577, 2588

**A-RFAFX60** AFX Rotor Front Kit 270.00 Lbs.

AFX front rotor kit features smooth and even feeding providing more consistant material flow, reduce horsepower requirements and increase capacity.



***Dim/Info:***
Smooth, solid OEM style cone for even material distribution
No recessed areas, which can cause material build up
Hardened leading edge on impeller inlet flighting for longer wear
A & I or OEM bolt on impeller flighting makes repairs easy
All the benefit of a complete AFX rotor w/o the high cost

***For Models:*** 1440, 1460, 1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366

**A-RFAFX80** AFX Rotor Front Kit 315.00 Lbs.

AFX Rotor Kits Feature Smooth And Even Feeding Providing More Consistant Material Flow, Reduce Horse Power Requirements And Increase Capacity.



***Dim/Info:***
Smooth Solid OEM Style Cone For Even Material Distribution
No Recessed Areas Which Can Cause Material Build Up
Hardened Leading Edge On Impeller Inet For Longer Wear
A & I Or OEM Bolt On Impeller Inlet Flighing Maked Repairs Easy
All The Benefits Of A Complete AFX Rotor Without The High Cost

***For Models:*** 1480, 1680, 1682, 1688, 2188, 2388, 2577, 2588


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-193607C3** Support, Rotor Front, Std Wear 15.00 Lbs.
*Replaces:* 193607C2, 182974C93, 182974C92, 182974C91



***For Models:*** 1480 SN 54001>, 1482, 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588, 5088, 6088, 7088

**A-347913A1** Stiffener Vane, Cone Extension; Stainless Steel 1.00 Lbs.
*Replaces:* 249251A1



***For Models:*** 2377, 2388, 2577, 2588, 5088, 6088, 7088

**A-87382439** Transition Cone, Standard (Enhanced Shake Cleaning System) 220.00 Lbs.

*Replaces:* 87382438



***Dim/Info:***
Features - Stainless Steel Transport Vanes

***For Models:*** AFX8010 SN HAJ106401>; Enhanced Cleaning, 7010, 7120, 8010, 8120, 8230, 9120, 9230

**A-87517351** Deflector, Transition Cone (RH), Ext. Wear 44.00 Lbs.
*Replaces:* 87385250




***For Models:*** 7010, 7120, 8010, 8120, 9120, AFX8010

**A-87517350** Deflector, Transition Cone (LH), Ext. Wear 44.00 Lbs.
*Replaces:* 87354969



***For Models:*** 7010, 7120, 8010, 8120, 9120, AFX8010

**A-87107892** Stiffener Vane, Transition Cone 1.00 Lbs.



***For Models:*** 7010, 7120, 8010, 8120, 9120, AFX8010


**A-87053359** Stiffener Vane, Transition Cone 6.00 Lbs.
*Replaces:* 87350845



***Dim/Info:***
Type - Stainless Steel

***For Models:*** AFX8010 SN HAJ106401>, 7010, 7120, 7240, 8010, 8120, 8240, 9120, 9240

**A-87717924** Stiffener Vane, Vane Transport 2.00 Lbs.
*Replaces:* 87341038




***For Models:*** 7010, 7120, 8010, 8120, 9120, AFX8010

**A-B95908** Kit, Vane Transport Bolt 1.35 Lbs.

***Dim/Info:***
Includes - 3/8" X 1 1/2" T-Bolts & 3/8" Flange Nuts - Set Of 10
Quantity - Set of 10

***For Models:*** AFX8010, 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 5130, 5140, 6088, 6130, 6140, 7010, 7088, 7120, 7130, 7140, 7230, 7240, 8010, 8120, 8230, 8240, 9120, 9230, 9240, 3152, 3162

**A-1957445C3E** Blade Kit, Impeller (Combine) 66.40 Lbs.
OEM does not furnish the hardware in their kits
*Replaces:* 1309114C1



***Dim/Info:***
Includes - Grade 8 Hardware
Quantity - Set Of 2

***For Models:*** 1482, (1480, 1680 ALL uses 4 rotor blades, 2 kits are required per combine), 1682, 1688, 2188, 2377, 2388, 2577, 2588

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


*CASE-IH

Truck icon indicates that the item is shipped via truck freight.

# ROTOR CONES & WEAR ITEMS


**A-87715003** Kit, Rotor Impeller Service 116.00 Lbs.

*Replaces:* 87376706, 87315733



***For Models:*** AFX8010, 7010, 7120, 7230, 7240, 8010, 8120, 8230, 8240, 9120, 9230, 9240

**A-55825C1** Bushing 0.02 Lbs.



***Dim/Info:***
Length - .380"
Inside Diameter - .3170"
Outside Diameter - .5015" / .5620 Lip

***For Models:*** 1470, 1420, 1440, 1460, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7088, (**FORAGE HARVESTER**: 555, 650)


**A-55826C1** Bushing, Rotor Gear Shaft 0.01 Lbs.



***Dim/Info:***
Length - .50"
Inside Diameter - .6260"
Outside Diameter - .8145" / 1.00" Lip

***For Models:*** 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7088

**A-192385C1** Support, Lower Rotor Cage Seal 9.30 Lbs.



***For Models:*** 1480, 1482, 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588, 5088, 6088, 7088

**A-87602594** Shoe, Straight, Small Grain, Abrasion Resistant (Small Tube- 22.638" I.D.) 6.00 Lbs.



***For Models:*** 5088, 6088, 7088, 7010, 7120, 8010, 8120, 9120

**A-191546C2** Impeller, Threshing Rotor, Front 30.78 Lbs.



***For Models:*** 1440, 1460, 1470, 1640, 1644, 1660, 1666, 1670 SN: JJC0080540 >, 2144, 2166, 2344, 2366

**A-87315598** Shield, Rotor Impeller 0.20 Lbs.



**A-700127073** Nut, Knife 0.10 Lbs.



***For Models:*** 7010, 7120, 8010, 8120, 9120, AFX8010

**A-1345453C1** Insulator, Rubber, Rotor Drive Hub 0.50 Lbs.



***For Models:*** 1640, 1644, 1660, 1666, 1670, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Vanes Transport



***Note:*** A&I rotor vane kits use 3/8" hardware throughout. If installing on a Lowen/ A&I rotor cone, no modifications will be needed. If installing on a OEM rotor cone, 5/16" holes will need to be drilled out to 3/8"

| Part No. | Description | Qty | Type | Applications | Wt. |
|---|---|---|---|---|---|
| **A-193175C2** | Transport Vane | | 1/8" | 1440, 1460, 1470, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366 | 2.00 |
| **A-193179C2** | Transport Extension Vane | | 1/8" | 1440, 1460, 1470, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366 | 1.00 |
| **A-186075C2** | Vane, Transport Support | | 3/16" Stainless Steel | 1480, 1482, 1680, 1688, 2188, 2377, 2388, 2577, 2588<br>***Replaces***: 186075C1 | 2.00 |
| **A-347917A1** | Stiffener Vane, Transport | | 3/16" Stainless Steel | 2377, 2388, 2577, 2588, 5088, 6088, 7088 | 2.00 |
| **A-411518A2** | Stiffener Vane, Transition/Rotor Cone, Short Extension | | 3/16" Stainless Steel | 2377, 2388, 2577, 2588, 5088, 6088, 7088 | 1.30 |
| **A-195355C3** | Vane, Cone, Front | | 1/8" | 1440, 1460, 1470, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366<br>***Replaces***: 195355C2, 195355C1 | 4.00 |
| **A-186985C3** | Vane, Cone, Upper, Front | | 1/8" | 1440, 1460, 1470, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366 | 2.00 |
| **A-418654A2** | Stiffener Vane, Cone Front | | 3/16" Stainless Steel | 2377, 2388, 2577, 2588, 5088, 6088, 7088<br>***Replaces***: 418654A1 | 6.00 |
| **A-418655A2** | Stiffener Vane, Cone Short | | 3/16" Stainless Steel | 2377, 2388, 2577, 2588, 5088, 6088, 7088<br>***Replaces***: 418655A1 | 4.00 |
| **A-186984C1** | Cone Extension Vane | | 1/8" | 1420, 1440, 1460, 1470, 1620, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366 | 1.00 |
| **A-B95908** | Kit, Vane Transport Bolt<br>***Includes***: 3/8" X 1 1/2" T-Bolts & 3/8" Flange Nuts - Set Of 10 | Set of 10 | | AFX8010, 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 5130, 5140, 6088, 6130, 6140, 7088, 7010, 7120, 7130, 7140, 7230, 7240, 8010, 8120, 8230, 8240, 9120, 9230, 9240, 3152, 3162 | 1.35 |
| **A-B94097** | Kit, Vane Transport<br>***Includes***: Complete set of transport vanes and transport extension vanes. Vane transport bolts and nuts with 30 to 35 ft lbs torque. | | 1/8" Steel Vanes | 1440, 1460, 1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366 | 25.00 |
| **A-B94097-316** | Kit, Vane Transport<br>***Includes***: Complete set of transport vanes and transport extension vanes. Vane transport bolts and nuts with 30 to 35 ft lbs torque. | | 3/16" Steel Vanes | 1440, 1460, 1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366 | 29.00 |
| **A-B95480** | Kit, Vane Transport<br>***Includes***: T-Bolts | | 3/16" Stainless Steel Vanes | 1440, 1460, 1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366 | 29.00 |
| **A-B94098** | Kit, Vane Transport<br>***Includes***: Mounting Hardware | | 1/8" Steel Vanes | 1480, 1482, 1680, 1682, 1688, 2188, 2377 SN HAJ292001-HAJ300000, 2388, 2588 | 29.00 |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

*CASE-IH

Truck icon indicates that the item is shipped via truck freight.

## Vanes Transport



***Note:*** A&I rotor vane kits use 3/8" hardware throughout. If installing on a Lowen/ A&I rotor cone, no modifications will be needed. If installing on a OEM rotor cone, 5/16" holes will need to be drilled out to 3/8"

| Part No. | Description | Qty | Type | Applications | Wt. |
|---|---|---|---|---|---|
| **A-87297171** | Kit, Vane Transport<br>***Includes***: Mouting Hardware | | 3/16" Steel Vanes | 1480, 1482, 1680, 1682, 1688, 2188, 2388, 2588<br>***Note***: Heavy duty 3/16" steel vanes for added strength and longer wear | 37.00 |
| **A-348503A1** | Kit, Vane Transport<br>***Includes***: T- Bolts | | 3/16" Stainless Steel Vane | 1480, 1482, 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588<br>***Note***: Heavy duty 3/16" stainless steel vanes for added strength and longer wear. | 37.00 |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Vanes Transport




***Note:*** A&I rotor vane kits use 3/8" hardware throughout. If installing on a Lowen/ A&I rotor cone, no modifications will be needed. If installing on a OEM rotor cone, 5/16" holes will need to be drilled out to 3/8"

| Part No. | Description | Qty | Type | Applications | Wt. |
|---|---|---|---|---|---|
| **A-B93447** | Kit, Rotor Cone Vane Hardware<br>***Includes***: (20) Vane Transport T-Bolts & (20) Flange Serrated Lock Nuts | | | 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388 | 2.00 |
| **A-CPRK14203** | Kit, Rotor Cone Vane<br>***Includes***: Mounting Hardware | Set of 6 | 3/16" Vanes | 1420, 1620 | 31.00 |
| **A-B93193** | Kit, Rotor Cone Vane<br>***Includes***: Mounting Hardware | Set of 7 | 1/8" Vanes | 1440, 1460, 1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366 | 22.00 |
| **A-87328881** | Kit, Rotor Cone Vane<br>***Includes***: Mounting Hardware | Set of 7 | 3/16" Vanes | 1440, 1460, 1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366 | 41.00 |
| **A-321933A1** | Kit, Rotor Cone Vane<br>***Includes***: T-Bolt Mounting Hardware | Set of 7 | 3/16" Stainless Steel Vanes | 1440, 1460, 1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366 | 31.00 |
| **A-437319A2** | Kit, Rotor Cone Vane<br>***Includes***: Mounting Hardware | Set of 7 | 3/16" Vanes | 1480, 1482, 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588 | 46.00 |
| **A-428875A2** | Kit, Rotor Cone Vane<br>***Includes***: T-Bolt Mounting Hardware | Set of 7 | 3/16" Stainless Steel Vanes | 1480, 1482, 1680, 1682, 1688, 2188, 2388, 2588<br>***Replaces***: 428875A1 | 50.00 |
| **A-87298773** | Kit, Rotor Cone Vane<br>***Includes***: Hardware | Set of 5 | 3/16" Stainless Steel | 7010, 7088, 7120, 8010, 8120 | 41.20 |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

## Cylinder Rasp Bars



| Part No. | Description Qty | Type | Applications | Wt. | |
|---|---|---|---|---|---|
| **A-1308668C1** | Rasp Bar<br>minimum order qty 3 | Hardened, Corn & Grain | 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ292001-HAJ300000, 2388, 2577 SN HAJ0300001>, 2588 SN HAJ300001><br>***Replaces:*** 1309123C1 | 6.00 | |
| **A-V12059** | Rotor Bars<br>8 Helical / 8 Straight Bars | Standard | 1420, 1620<br>***Replaces:*** (8) 1310246C1 & (8) 1308668C1<br>***Includes:*** Mounting Hardware | 82.00 | |
| **A-1309175C3** | Rotor Bar, w/ Spike<br>1 Bar | | 1420, 1440, 1460, 1470, 1480, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ292001-HAJ300000, 2388, 2588<br>***Replaces:*** 1309175C1, 1309175C2, 1324362C91, 1324361C91, 1323093C91, 1323092C91, 1323091C91, 1309175C1 | 2.30 | |
| **A-1309336C2** | Rotor Bar, w/o Spike<br>1 Bar | Standard w/o Spike | AFX8010, 1420, 1440, 1460, 1470, 1480, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 5130, 5140, 6088, 6130, 6140, 7010, 7088, 7120, 7140, 7230, 7240, 8010, 8120, 8230, 8240, 9120, 9230, 9240<br>***Replaces:*** 1309336C1, 1323092C91, 1323091C91, 1323466C91, 1323465C91, 1323467C91, 1327511C91, B512089, B512090, 86996450 | 2.20 | |
| **A-B93417** | Rotor Bar Kit, Standard<br>12 Helical / 9 Straight Bars | Hardened | 1440, 1460, 1470, 1480, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366<br>***Includes:*** 3/8" X 1 1/4" NC Grade 8 Fasteners, (9) 1308668C1 & (12) 1308829C2 | 94.00 |  |
| **A-B93419** | Rotor Bar Kit, Standard<br>12 Helical & 3 Straight Bars | Hardened, Soybean | 1440, 1460, 1470, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366<br>***Includes:*** 3/8" X 1 1/4" NC Grade 8 Fasteners, (3) 1308668C1 & (12) 1308829C2 | 62.00 | |
| **A-1303038C2** | Rotor Bar, Standard | 42" Hardened Smooth | (1440, 1460, 1470, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366 ALL 3 Required), (1420, 1480, 1482, 1620, 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588 ALL 4 Required)<br>***Replaces:*** 180704C1 | 6.00 | |
| **A-1324580C2** | Rotor Bar, Standard | 42" Smooth, Chrome | 1460, 1470, 1480, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 2144, 2166, 2188, 2366, 2377, 2388, 2577, 2588<br>***Replaces:*** 1324580C1 | 6.00 | |
| **A-B93418** | Rotor Bar Kit, Standard<br>16 Helical & 12 Straight Bars | Hardened | 1480, 1482, 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588<br>***Includes:*** 3/8" X 1 1/4" NC Grade 8 Fasteners, (12) 1308668C1 & (16) 1308830C2 | 122.00 |  |
| **A-B93870** | Rotor Bar Kit, Standard<br>16 Helical & 12 Straight Bars | Chrome Alloy | 1480, 1482, 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588<br>***Includes:*** 3/8" X 1 1/4" NC Grade 8 Fasteners, (16) 1324581C2 & (12) 1324582C1 | 122.00 | |
| **A-B93420** | Rotor Bar Kit, Standard<br>16 Helical & 4 Straight Bars | Hardened, Soybean | 1480, 1482, 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588<br>***Includes:*** 3/8" X 1 1/4" NC Grade 8 Fasteners, (4) 1308668C1 & (16) 1308830C2 | 81.00 | |
| **A-B93452A** | Kit, Rotor Rasp Bar; w/ Kicker Bars | Grain/Corn | 1440, 1460, 1470, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366 | 0.00 | |
| **A-B93453A** | Kit, Rotor Rasp Bar; w/ Kicker Bars | Grain/Corn | 1480, 1482, 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588 | 220.00 |  |
| **A-B93657A** | Kit, Rotor Rasp Bar; w/o Straight Kicker Bars | Grain/Corn | 1480, 1482, 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588 | 0.00 | |


Truck icon indicates that the item is shipped via truck freight.

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Cylinder Rasp Bars




| Part No. | Description Qty Type | | Applications | Wt. |
|---|---|---|---|---|
| **A-B93656A** | Kit, Rotor Rasp Bar; w/o Straight Kicker Bars | Grain/Corn | 1440, 1460, 1470, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366 | 0.00 |
| **A-1968970C1** | Rasp Bar, Chrome, w/ Spike<br>minimum order qty 4 | Chrome, Specialty Crop | AFX8010, 1640, 1644, 1660, 1666, 1670, 1680, 1688, 2144, 2166, 2188, 2366, 2377, 2388, 2577, 2588, 7010, 7120, 8010, 8120, 9120<br>***Replaces:*** 87105275, 278820A1, 278820A2, 278820A3, 278820A4 | 2.30 |
| **A-278820A2** | Rotor Bar Extended Wear, w/ Spike<br>1 Bar | Hardened | AFX8010, 1640, 1644, 1660, 1666, 1670, 1680, 1688, 2144, 2166, 2188, 2366, 2377, 2388, 2577, 2588, 7010, 7120, 8010, 8120, 8230, 8240, 9120<br>***Replaces:*** 87105275, 278820A1, 278820A2, 278820A3 | 3.45 |
| **A-278821A2** | Rotor Bar, w/o Spike<br>minimum order qty 10 | Extended Wear | AFX8010, 1480, 1640, 1644, 1660, 1666, 1670, 1680, 1688, 2144, 2166, 2188, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7010, 7088, 7120, 8010, 8120, 9120<br>***Replaces:*** 86996392, 278821A1, 1968743C2, 1968743C1<br>***NOTE:*** Longer wear characteristics over 1309336C2. Increased material on leading edge for greater strength. Improved angle leading to threshing area for greater material flow. | 3.10 |
| **A-1968743C2** | Rasp Bar, w/o Spike, Chrome<br>minimum order qty 10 | Extended Wear | AFX8010, 1480, 1640, 1644, 1660, 1666, 1670, 1680, 1688, 2144, 2166, 2188, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7010, 7088, 7120, 8010, 8120, 9120<br>***Replaces:*** 86996392, 1968743C2, 1968743C1<br>***NOTE:*** Longer wear characteristics over 1309336C2. Increased material on leading edge for greater strength. Improved angle leading to threshing area for greater material flow. | 2.05 |
| **A-86992047** | Bar, Straight Rotor Seperator<br>Kicker Bar & 1318976C2 Sep. Bar | Chrome | AFX8010, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7088, 7120, 8120, 9120<br>***Replaces:*** 1968969C3, 1968969C2, 1968969C1 | 7.00 |
| **A-1317690C1** | Helical Kicker Angle, Rear<br>3 Required | Hardened | 1440, 1460, 1470, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366 | 9.00 |
| **A-1968967C2** | Helical Kicker Angle, Rear | Chrome | 1440, 1460, 2344, 1470, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2366 | 9.00 |
| **A-1968968C2** | Plate, Helical Kicker<br>minimum order qty 2 | Chrome | AFX8010, 1680, 1682, 1688, 2188, 2377, 2388, 2577 S/N HAJ0300001>, 2588 S/N HAJ300001>, 5088, 6088, 7010, 7088, 7120, 8010, 8120, 9120<br>***Replaces:*** 1968968C1, 86996708 | 10.00 |
| **A-1302103C1** | Standard Tooth Bar | 42" Bar | (1440, 1460, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366 ALL 3 used), (1420, 1480, 1620, 1680, 1688, 2188, 2388 ALL 4 used)<br>***NOTE:*** Check quantity used on model application information. | 8.00 |
| **A-183335C3** | Extension; Rear Rotor Bar | | 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 2344, 2366, 2377, 2388, 2577, 2588 | 2.00 |
| **A-1327676C1-H** | Angle, Helical Kicker (Rear); Hardened<br>minimum order qty 2 | Hardened | 1480, 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588, 5088, 6088, 7010, 7088, 7120, 8010, 8120, 9120, AFX8010<br>***Replaces:*** 86996452<br>***NOTE:*** 2 Required | 10.00 |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



Truck icon indicates that the item is shipped via truck freight.

## Cylinder Rasp Bars



| Part No. | Description Qty | Type | Applications | Wt. |
|---|---|---|---|---|
| **A-1318976C2** | Rotor Seperator Bar | Hardened, Straight Bar | 1420, 1440, 1460, 1470, 1480, 1620, 1640, 1644, 1660, 1666, 1670, 1680 S/N <JJC0045689, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7088, 7120, 8120, 9120<br>***Replaces:*** B512090, B512089, 86996451, 1968741C2, 1968741C1, 1327672C91, 1327671C91, 1321185C1, 1318976C1, 1303174C98, 1303174C97, 1303174C96 | 7.00 |
| **A-87368806** | Rasp Bar, w/ Spike<br>minimum order qty 2 | Hardened | 5088, 6088, 7010, 7088, 7120, 8010, 8120, 9120 | 5.23 |
| **A-87368807** | Rasp Bar<br>minimum order qty 4 | Hardened, Grain | 7010, 7120, 8010, 8120, 9120 | 5.60 |
| **A-86981487** | Bolt, Rasp Bar, M12 X 35, 10.9, Full Thread<br>minimum order qty 10 | M12 X 1.75 RH | 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7010, 7088, 7120, 8010, 8120, 9120, AFX8010 | 0.10 |
| **A-1327676C1-H** | Angle, Helical Kicker (Rear); Hardened<br>minimum order qty 2 | Hardened | 1480, 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588, 5088, 6088, 7010, 7088, 7120, 8010, 8120, 9120, AFX8010<br>***Replaces:*** 86996452<br>***Includes:*** 2 Required | 10.00 |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Impellers & Wear Bars



| Part No. | Description | Qty | Type | Applications | Wt. | |
|---|---|---|---|---|---|---|
| **A-B94524** | Wear Bars<br>***Includes***: Grade 8 Hardware | 3 Bars | Hardened | 1440, 1460, 1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366 | 18.00 | |
| **A-B94525** | Wear Bars<br>***Includes***: Grade 8 Hardware | 3 Bars | Chrome | 1420, 1440, 1460, 1620, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366<br>***Replaces***: B512076, 1300679C91, 1300680C91, 1322255C91, 180786C1, 180707C2, 183409C1, 183253C3, 183253C2, 183253C1, 180707C1, 1312407C1 | 18.00 | |
| **A-B94526** | Wear Bars<br>***Includes***: Grade 8 Hardware | 2 Bars | Hardened | 1480, 1482, 1680, 1682, 1688, 2188, 2388 | 16.00 | |
| **A-B94527** | Wear Bars<br>***Includes***: Grade 8 Hardware | 2 Bars | Chrome | 1480, 1482, 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588<br>***Replaces***: 1309186C2, 1309186C1 | 16.00 | |
| **A-1957447C2** | Blade Kit, Impeller (Combine)<br>***Includes***: Grade 8 Hardware | Set Of 2 | AR (Abrasion Resistant) | 1482, (1420, 1620 ALL use 2 rotor blades)<br>***Note***: OEM does not furnish the hardware in their kits | 51.00 | |
| **A-1957446C3E** | Blade Kit, Impeller (Combine)<br>***Includes***: Grade 8 Hardware | Set Of 3 | AR (Abrasion Resistant) | 1440, 1460, 1470, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366<br>***Note***: Does not include wear bars. Kits B93730 & B93731 include impeller blades and wear bars. OEM does not furnish the hardware in their kits. | 80.00 | |
| **A-B93730** | Blade, Impeller Kit w/Wear Bars<br>***Includes***: Grade 8 Hardware | Set Of 3 | AR (Abrasion Resistant) | 1440, 1460, 1470, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366 | 98.00 | |
| **A-B93731** | Blade, Impeller Kit w/Wear Bars<br>***Includes***: Grade 8 Hardware | Set Of 3 | Chrome Wear Bars | 1440, 1460, 1470, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366 | 98.00 | |
| **A-1957445C3E** | Blade Kit, Impeller (Combine)<br>***Includes***: Grade 8 Hardware | Set Of 2 | | 1482 , (1480, 1680 ALL uses 4 rotor blades, 2 kits are required per combine), 1682, 1688, 2188, 2377, 2388, 2577, 2588<br>***Note***: OEM does not furnish the hardware in their kits<br>***Replaces***: 1309114C1 | 66.40 | |
| **A-1957445C3EC** | Blade Kit, Impeller, Chrome (Combine)<br>***Includes***: Grade 8 Hardware | Set Of 2 | | 1480, 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588 | 79.00 | |
| **A-B93732** | Blade, Impeller Kit w/Wear Bars<br>***Includes***: Grade 8 Hardware | Set Of 2 | Hardened | 1480, 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588 | 84.00 | |
| **A-B93733** | Blade, Impeller Kit w/Wear Bars<br>***Includes***: Grade 8 Hardware | Set Of 2 | Chrome Wear Bars | 1480, 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588 | 84.00 | |
| **A-87308133** | Blade Kit, Impeller (Combine)<br>***Includes***: Grade 8 Hardware: 4 - 1/2" x 1-1/4" Bolts, 12 - 1/2" x 1-1/2" Bolts, 16 - Washers & Locknuts | Set Of 2 | AFX Rotor | 2366 W/ AFX Rotor | 67.00 | |

Truck icon indicates that the item is shipped via truck freight.

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

*CASE-IH

## Impellers & Wear Bars





| Part No. | Description | Qty | Type | Applications | Wt. |
|---|---|---|---|---|---|
| **A-434525A3** | Blade Kit, Impeller (Combine)<br>***Includes***: Grade 8 Hardware | Set Of 2 | AFX Rotor | (2377, 2388 ALL W/ AFX Rotor), 2577, 2588, 5088, 6088, 7088 | 89.00 |
| **A-87376702** | Kit, Wear Bar; Rotor Impeller<br>***Includes***: Use Nut, Flange, and UNF Bolt for SN HAJ106400 and Before | | AR (Abrasion Resistant) | AFX8010, 7010, 7120, 7230, 7240, 8010, 8120, 8230, 8240, 9120, 9230, 9240<br>***Replaces***: 87297735A, 87315732, 87297735 | 12.00 |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-87474830** Housing, Rotor Front Bearing 24.00 Lbs.
***Replaces:*** 253439A2, 1309076C1, 1302129C2



***For Models:*** 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1620 SN: JJC0032630 >, 1640, 1644, 1660, 1666, 1670, 1670 SN: JJC0080540 >, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2377 sn HAJ0292001-HAJ0300000, 2388, 2388 SN: < JJC0276540 & HAJ0292001 >, 2388 sn <-JJC0276540 & HAJ0292001-HAJ0300000, (2577, 2588 ALL sn HAJ0300000->)

**A-131436A2** Shaft, Concave Control 1.50 Lbs.
***Replaces:*** 131436A1



***Dim/Info:***
Length - 12"

***For Models:*** 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088

**A-S2090S00F** Separator Plate, Input / 2nd / PTO Clutch, (2.1 MM Thick) 0.40 Lbs.
For 7" Transmission Clutch Pack.



***Dim/Info:***
Inside Diameter - Major: 5.521"
Minor: 5.120"
Outside Diameter - 6.985"
Teeth - 52
Thickness - .830"

***For Models:*** AFX8010, 7010 Rotor Variator, Heade/Feeder, 8010 Rotor Variator, Header/Feeder, (7120, 8120, 9120 ALL Header/Feeder)

**A-S2080S00F** Separator Plate, Input / 2nd / PTO Clutch (2.4 MM Thick), 7" Trans Clutch Pack 0.46 Lbs.
For 7" Transmission Clutch Pack.



***Dim/Info:***
Inside Diameter - Major: 5.521"
Minor: 5.120"
Outside Diameter - 6.985"
Teeth - 52
Thickness - .094"

***For Models:*** AFX8010, 7010 Rotor Variator, Heade/Feeder, 8010 Rotor Variator, Header/Feeder, (7120, 8120, 9120 ALL Header/Feeder)

**A-1303136C2** Hub, Slip Clutch Drive 9.55 Lbs.
***Replaces:*** 1303136C1



***For Models:*** 1420, 1440 SN: 20977 >, 1460 SN: 1501 >, 1470 SN: 10001 >, 1480, 1482 SN: 5501 >, 1620 SN: JJC0032630 >, 1640, 1644, 1660 P.I.N. JJC0039550 >, 1666, 1670 SN: JJC0080540 >, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540, HAJ0292001 >, 2577, 2588, 5088, 6088, 7088

**A-1319402C1** Hub, Beater Drive Pulley 1.85 Lbs.
***Replaces:*** 195216C2



***Dim/Info:***
Bore - 1.130" Hex

***For Models:*** 1420, 1440 SN: 20977 >, 1460 SN: 23401 >, 1470, 1480 SN: 54001 >, 1482 SN: 20001 >, 1620 SN: JJC0032630 >, 1640, 1644, 1660, 1666, 1670 SN: JJC0080540 >, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577, 2588, 5088, 6088, 7088

**A-87481453** Hub, Rotor Drive Variator 19.10 Lbs.
***Replaces:*** 411046A1



***Dim/Info:***
20 spline bore

***For Models:*** 2344 SN JJC0174450>, 2366 SN JJC0255000>, 2377 SN HAJ0292001-HAJ0300000, 2388 SN JJC0270500>, 2588, 5088, 6088, 7088

**A-1345307C1** Coupling, Rotor Drive 14.24 Lbs.
***Replaces:*** 185166C91



***Dim/Info:***
Outside Diameter - 7.69"
Spline - 17

***For Models:*** 1440, 1460, 1470, 1480, 1482, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588

**A-87678413** Sprocket, Variator Pulley 8.15 Lbs.
***Replaces:*** 194464C2, 194464C1



***Dim/Info:***
Teeth - 25

***For Models:*** 1420, 1440, 1460, 1470, 1480, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7088

**A-184489C1** Hub- Fixed/ Variable Pulley, Rotor Drive 17.62 Lbs.
***Replaces:*** 1315291C2, 1315291C1



***Dim/Info:***
Spline Count - 13
Length - 11.73"
Teeth - 20

***For Models:*** 1620 P.I.N. JJC0022109 >, 1640 P.I.N. JJC0024223 >, 1644, 1660 P.I.N. JJC0026711 >, 1666, 1670 SN: JJC0080540 >, 1680 P.I.N. JJC0028498 >, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# THRESHING AREA

**A-278927A1** Bearing, Jackshaft Thrust 1.49 Lbs.
***Replaces:*** 194654C91



***Dim/Info:***
Inside Diameter - 2.750"
Outside Diameter - 4.481"
Thickness - .88"

***For Models:*** 1420, 1440, 1460, 1480, 1620, 1640, 1660, 1670, 1680, 1666, 1688, 2166, 2188, 1644, 2344, 2366, 2388, 1470, 2144, 2377, 2577, 2588, 5088, 7088, 6088

**A-86582880** Bearing, Cam Follower 0.51 Lbs.
***Replaces:*** 418732A1, 1315343C1



***Dim/Info:***
Outside Diameter - 1.500"
Overall Length - 2.40"
Thread Size - .625"

***For Models:*** 1620 Rotor Cam Follower Hub; SN JJC0022109>, 1640 Rotor Cam Follower Hub; SN JJC0024223>, 1660 Rotor Cam Follower Hub; SN JJC0026711>, (1644, 1666, 1670 ALL Rotor Cam Follower Hub), 1680 Rotor Cam Follower Hub; SN JJC0028498>, (1682, 1688, 2144, 2166, 2188, 2344, 2366, 2388, 2577, 2588, 5088 ALL Rotor Cam Follower Hub), 2377, 6088, 7088

**A-87529708** Pulley, Rotor Drive; Stationary 49.00 Lbs.
***Replaces:*** 411406A1



***Dim/Info:***
Inside Diameter - 4.009"
Outside Diameter - 20.500"

***For Models:*** 2377, 2388, 2577, 2588, 5088, 6088, 7088


**A-413164A1** Pulley Assy, Variable Rotor Drive 54.00 Lbs.
***Replaces:*** 411407A1



***Dim/Info:***
Outside Diameter - 20.500"

***For Models:*** 2377 , 2388 SN JJC0273000>, 2577, 2588, 5088, 6088, 7088

**A-86602942** Bearing, Rotor Front 4.30 Lbs.
***Replaces:*** 193282C91, 1302711C91



***Dim/Info:***
Type - Relubable
Inside Diameter - 2.00"
Outside Diameter - 3.937"

***For Models:*** 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2388, 2577, 2588, 5088, 6088, 7088

**A-188210C91** Bearing; Rotor Drive Thrust 0.50 Lbs.
***Replaces:*** 1315521C1




***For Models:*** 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7088

**A-1319270C1** Blade, Beater (Combine) 23.00 Lbs.
***Replaces:*** 1831128C1



***For Models:*** 1480, 1482 SN: 20001 >; SN: < 20000 USE #1300746C91, 1660 SN: JJC0038346 >, 1680, 1682, 1688, 2188, 2377 SN HAJ292001-HAJ300000, 2388 SN: < JJC0276540 & HAJ292001 >, 2577, 2588, 5088, 6088, 7088


**A-B95330** Fins, Rock Trap Beater, Set Of 3 20.00 Lbs.



***Dim/Info:***
Includes - Hardware
Type - Solid

***For Models:*** 1420, 1440, 1460, 1470, 1620, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2366


**A-B95329** Fins, Rock Trap Beater, Set Of 3 16.00 Lbs.



***Dim/Info:***
Includes - Hardware
Length - 32.675"
Type - Serrated

***For Models:*** 1420, 1440, 1460, 1470, 1620, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2366

**A-B95328** Fins, Rock Trap Beater, Set Of 3 28.00 Lbs.



***Dim/Info:***
Includes - Hardware
Length - 42.313"
Type - Solid

***For Models:*** 1480, 1482, 1680, 1682, 1688, 2377, 2388, 2577, 2588, 5088, 6088, 7088

**A-B95678** Fins, Rock Trap Beater, Set Of 3 23.00 Lbs.



***Dim/Info:***
Includes - Hardware
Length - 41.938"
Type - Serrated

***For Models:*** 1480, 1482, 1680, 1682, 1688, 2377, 2388, 2577, 2588


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-196482C2** Hub, Aux. Hydraulic Pump Drive Pulley 6.96 Lbs.
Has Threaded 1/4" Hole For A Grease Zerk Fitting.



***Dim/Info:***
Spline Count - 21
Outside Diameter - 5.41"

***For Models:*** 1420, 1440 SN 8069->, 1460 SN 9957->, 1470, 1480 SN 2900->, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ292001-HAJ300000, 2388, 2577 SN HAJ0300001>, 2588 SN HAJ300001>


**A-87545084** Hub, Auxillary Belt Drive 8.17 Lbs.
Used W/ 125cc Hydrostatic Pump



***Dim/Info:***
Teeth - 27

***For Models:*** (5088, 6088, 7088)


**A-122949A1** Pulley-Drive, Aux Pump 29.76 Lbs.



***Dim/Info:***
Pulley Grooves - 3

***For Models:*** 2166, 2366


**A-403149A1** Shaft, Hydrostatic Pump 8.44 Lbs.



***Dim/Info:***
Spline Count - 21 / 26
Length - 13.44"

***For Models:*** 2366 SN: JJC0254033 >, CORN/GRAIN; JJC0254130 >, RICE, (2377, 2388 ALL SN: HAJ0292001 >), 2388 SN: JJC0268956-JJC0276540, CORN/GRAIN, 2388 SN: JJC0269250-JJC0276540, RICE, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088


**A-400983R91** Bearing, Cone, Hydrostatic Pump 0.47 Lbs.



***Dim/Info:***
Bore - 1.187"

***For Models:*** 1420, 1460, 1470, 1480, 1620, 1640, 1660, 1666, 1670, 1680, 1688, 2166, 2188, 2366, 2377, 2388, 2577 S/N HAJ0300001>, 2588 S/N HAJ300001>, 5088, 6088, 7088, (**COTTON PICKER**: CPX420, CPX610, CPX620, MODULE EXPRESS 625, 420, 620, 1844 SN JJC0002462->, 2044, 2055 SN <-JJC0139015, 2155, 2555)

**A-530741R1** Bearing, Cup, Hydrostatic Pump 0.28 Lbs.



***Dim/Info:***
Outside Diameter - 2.531"

***For Models:*** 1420, 1460, 1470, 1480, 1620, 1640, 1660, 1666, 1670, 1680, 1688, 2166, 2188, 2366, 2377, 2388, 2577 S/N HAJ0300001>, 2588 S/N HAJ300001>, 5088, 6088, 7088, (**COTTON PICKER**: CPX420, CPX610, CPX620, MODULE EXPRESS 625, 420, 620, 1844 SN JJC0002462->, 2044, 2055 SN <-JJC0139015, 2155, 2555)


**A-401889R1** Gear, 1st - Sliding 12.79 Lbs.



***Dim/Info:***
Spline Count - 19
Teeth - 58

***For Models:*** 915, 1460, 1470, 1480, 1644 P.I.N. JJC0098060 >, 1660, 1666, 1670 SN: JJC0080540 >, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088


**A-184217C1** Shaft, Gear Input Pinion 3.67 Lbs.
Used in transmission: 236706A1 or 236707A1



***Dim/Info:***
Spline Count - 21
Length - 5.20"
Teeth - 26

***For Models:*** 2144 SN: JJC0173150 >, 2166 SN: JJC0182025 >, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088


**A-84438982** Coupling, Splined; Planetary Drive 3.32 Lbs.
Not used w/ axle extensions



***Dim/Info:***
Length - 4.09"
Spline - 22

***For Models:*** AFX8010, 7010, 7120, 8010, 8120, 9120


**A-84440162** Shaft, Drive, Transmission Half (LH) 17.64 Lbs.
663mm; W/O Axle Extensions



***Dim/Info:***
Spline Count - 22
Length - 26.12"

***For Models:*** AFX8010, 8010, 8120, 9120


**A-84440165** Shaft, Drive, Transmission Half (RH) 25.67 Lbs.
923mm; W/O Axle Extensions



***Dim/Info:***
Spline Count - 22
Length - 36.38"

***For Models:*** 8010, 8120, 9120, AFX8010

**A-84440967** Shaft, Drive, Transmission Half (LH) 44.09 Lbs.
***Replaces:*** 84440965 / Notes: For 265mm Axle Extension



***Dim/Info:***
Spline Count - 22
Length - 36.50"

***For Models:*** AFX8010, 8010, 8120, 9120

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# POWER TRAIN/PROPULSION


**A-84440974** Shaft, Drive, Transmission Half (RH) 33.03 Lbs.
***Replaces:*** 84440972 / Notes: For 265mm Axle Extension



***Dim/Info:***
Spline Count - 22
Length - 46.75”

***For Models:*** AFX8010, 8010, 8120, 9120

**A-248600A1** Coupling, Axle Drive Shaft 3.27 Lbs.
***Replaces:*** 250756A1



***Dim/Info:***
Spline Count - 12
Length - 3.66”


***For Models:*** 2166 Australian Combines SN JJC0182025>, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7088, (**COTTON PICKER**: CPX610, CPX620, MODULE EXPRESS 625, 620, 625)

**A-244549A1** Collar, Axle Drive Shaft 0.65 Lbs.



***For Models:*** 2577 SN HAJ0300001>, 2166, 2344, 2366, 2377, 2388, 2588 SN HAJ300001>, 5088, 6088, 7088, (**COTTON PICKER**: CPX610, CPX620, MODULE EXPRESS 625, 620)


**A-1980136C1** Shaft, Output for EATON Hydro 7.18 Lbs.
***Replaces:*** 142400C2



***Dim/Info:***
Spline Count - 26 / 21
Length - 13.44”

***For Models:*** 1460, 1470, 1480, 1660, 1680 SN <-45689


**A-403147A1** Shaft, Hydrostatic Motor Assy 6.65 Lbs.



***Dim/Info:***
Spline Count - 21 / 26
Length - 12.40”

***For Models:*** 2366 SN: JJC0254039 >, HYRO-SINGLE SPEED, 2366 SN: JJC0254072 >, HYDRO-TWO SPEED, (2377, 2388 ALL SN: HAJ0292001 >, HYDRO-SINGLE & TWO SPEED), 2388 SN: JJC0268991-JJC0276540, HYDRO-SINGLE SPEED, 2388 SN: JJC0269051-JJC0276540, HYDRO-TWO SPEED, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088, (**COTTON PICKER**: 2055 SN: JJC0249500 >, HYDRO-SINGLE SPEED, CPX420 HYDRO-SINGLE SPEED, (CPX610, CPX620 ALL HYDRO), MODULE EXPRESS 625, 420, 620, 2555 S/N JJC0249500>)

**A-530700R1** Sliding Gear, 2nd & 3rd 10.40 Lbs.



***Dim/Info:***
Spline Count - 26 / 19
Teeth - 46

***For Models:*** 915 SN 1250->, 1460, 1470, 1480, 1644, 1660, 1666, 1670, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ292001-HAJ300000, 2388


**A-401878R1** Shaft, Differential Pinion 14.66 Lbs.



***Dim/Info:***
Overall Length - 13.08”
Spline - 14

***For Models:*** 915, 1460, 1470, 1480, 1644 P.I.N. JJC0098060 >, 1660, 1666, 1670 SN: JJC0080540 >, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, (**COTTON PICKER**: CPX420, CPX610, CPX620, MODULE EXPRESS 625, 420, 620, 2055, 2155, 2555)


**A-530699R1** Gear, Differential Spool 26.40 Lbs.



***Dim/Info:***
Teeth - 59/ 39/ 27

***For Models:*** 915, 1460, 1470, 1480, 1644 SN JJC0098060>, 1660, 1666, 1670, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ292001-HAJ300000, 2388


**A-376461R2** Shaft, Final Drive Pinion 12.78 Lbs.



***Dim/Info:***
Spline Count - 12 / 12
Length - 12.50”
Teeth - 13

***For Models:*** 303, 315, 403, 503, 615, 715, (**COTTON PICKER**: 95, 414, 420)


**A-395675R1** Shaft, Final Drive Pinion 12.68 Lbs.



***Dim/Info:***
Spline Count - 12 / 12
Length - 12.75”
Teeth - 13

***For Models:*** 815 , 1420 SN <5500, 1440 SN <3000, (**COTTON PICKER**: 616, 622)


**A-401912R1** Shaft, Final Drive Pinion 13.22 Lbs.



***Dim/Info:***
Spline Count - 12
Length - 9.87”
Teeth - 13

***For Models:*** 915, 1460, 1660 SN <-JJC0041095


**A-130884C1** Shaft, Final Drive Pinion 13.25 Lbs.



***Dim/Info:***
Spline Count - 12
Length - 9.878”
Teeth - 13

***For Models:*** 1460, 1480, 1680 SN JJC0045689>

**A-1342912C1** Shaft, Differential 14.10 Lbs.



***Dim/Info:***
Length - 13.650”
Teeth - 12 / 29 / 14

***For Models:*** 1644 SN JJC0098060>, 1660 SN JJC0041095>, 1666, 1680 SN JJC0048625>, 1688, (**COTTON PICKER**: 2055)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

**A-236377A1** Bevel Gear; Differential 5.29 Lbs.



***Dim/Info:***
Teeth - 28

***For Models:*** 2144 SN: JJC0173150 >, 2166 P.I.N. JJC0182025 >, 2188 SN: JJC0193725 >, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540, HAJ0292001 >, 2577, 2588, 5088, 6088, 7088, (**COTTON PICKER**: CPX420, CPX610, CPX620, MODULE EXPRESS 625, 420, 620, 2555)


**A-184342C1** Coupler, Final Drive 2.40 Lbs.



***Dim/Info:***
Spline Count - 12
Length - 3.312"

***For Models:*** 615, 715, 815, 1420, 1440, 1620, 1640, 1644 SN <-JJC0098059, (**COTTON PICKER**: 95, 616, 622, 782, 1400, 1800, 1822, 1844, 2022, 2044)

**A-184341C2** Coupling, Axle Drive Shaft 2.76 Lbs.
***Replaces:*** 184341C1



***Dim/Info:***
Spline Count - 12
Length - 3.000"


***For Models:*** 915, 1440, 1460, 1480, 1640, 1644 SN JJC0098060>, 1660, 1666, 1670, 1680, 1680 SN <JJC0045689, 1688, 2144, 2144 SN <JJC0173150, 2166, 2166 SN <JJC0182025, 2188, 2188 SN <JJC0193725, CPX420, 420, 2055, 2155, 2555

**A-123763A1** Snap Ring, Axle 0.32 Lbs.



***For Models:*** 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 7088, 6088, (**COTTON PICKER**: CPX420, CPX610, CPX620, MODULE EXPRESS 625, 420, 620, 625, 2055, 2155, 2555)

**A-245105A2** Clip, Retaining, Axle Driveshaft Collar 0.01 Lbs.



***Dim/Info:***
minimum order qty 2

***For Models:*** 2166, 2344, 2366, 2377, 2388, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 7088, 5088, 6088, (**COTTON PICKER**: CPX610, CPX620, MODULE EXPRESS 625, 620)

**A-121795C1** Shaft, Axle Drive (RH) 14.14 Lbs.



***Dim/Info:***
Length - 16.650"

***For Models:*** 1460 SN <-32000

**A-1309012C1** Shaft, Axle Drive, LH 24.82 Lbs.



***Dim/Info:***
Length - 27.400"

***For Models:*** 1460 SN 32001-> on LH side, 1644 SN JJC0098060> on LH side, (1660, 1666 ALL on LH side), 1670 Hillside SN <-JJC0080539 on LH side, 1688 on LH side


**A-402725R2** Shaft, Axle Drive, RH 11.64 Lbs.



***Dim/Info:***
Length - 14.080"

***For Models:*** 915 SN <-8000 used on LH side, 1460 SN 32001-> used on RH side, 1644 SN JJC0098060> on RH side, (1660, 1666, 1670, 1688 ALL on RH side)

**A-193994C1** Axle Drive Shaft for w/ Axle Extension 20.40 Lbs.



***Dim/Info:***
Length - 22.650"

***For Models:*** 1460 SN <-32000 used on RH side

**A-184224C1** Axle Drive Shaft for w/ Axle Extension 17.72 Lbs.



***Dim/Info:***
Length - 20.080"

***For Models:*** 1460 SN 32001->, used on RH side, 1644 SN JJC0098060>, 1660 used on RH side, 1666

**A-184189C1** Shaft, Axle Drive 30.78 Lbs.



***Dim/Info:***
Length - 32.790"

***For Models:*** 1480 SN <-34000, 1660 SN JJC0038346>, 1680, 1688


**A-242837A1** Shaft, Axle Drive (RH) 8.25 Lbs.



***Dim/Info:***
Length - 10.87"

***For Models:*** (2144, 2166 ALL W/O Axle Extensions)


**A-242842A1** Shaft, Axle Drive (LH) 26.40 Lbs.



***Dim/Info:***
Length - 30.06"

***For Models:*** (2144, 2166 ALL W/ Single Wheels, 6" Axle Extension), (2344, 2366 ALL W/O Axle Extensions)


**A-242843A1** Shaft, Axle Drive (RH) 31.05 Lbs.



***Dim/Info:***
Length - 34.69"

***For Models:*** (2144, 2166 ALL W/ Duals & Flotation Wheels, 18" Axle Extensions), (2344, 2366 ALL W/ 18" Axle Extensions)

**A-242846A1** Shaft, Axle Drive (RH/LH) 22.00 Lbs.



***Dim/Info:***
Length - 29.44"

***For Models:*** (2188, 2377, 2388, 2577, 2588 ALL W/O Axle Extension), (**COTTON PICKER**: 2055)


**A-242852A1** Shaft, Axle Drive (RH/LH) 32.00 Lbs.



***Dim/Info:***
Length - 35.69"

***For Models:*** 2188 W/ Single Wheel Extension, 2377 SN HAJ292001-HAJ300000, 2388 W/ 6" Axle Extension, 2577 SN HAJ0300001>, 2588 SN HAJ300001>

**A-356460A1** Shaft, Axle Drive (RH/LH) 39.35 Lbs.



***Dim/Info:***
Length - 43"

***For Models:*** 2377 SN HAJ292001-HAJ300000, 2388 W/ Narrow Dual Wheels, 13" Axle Extension, 2577 SN HAJ0300001>, 2588 SN HAJ300001>


**A-242859A1** Shaft, Axle Drive (RH/LH) 37.50 Lbs.



***Dim/Info:***
Length - 41.181"

***For Models:*** 2188 W/ Duals & Flotation Wheels, 12" Axle Extension, (2377, 2388 ALL W/ 12" Axle Extension), 2577 SN HAJ0300001>, 2588 SN HAJ300001>, (**COTTON PICKER**: 2055, 2155, 2555)


**A-242853A1** Shaft, Axle Drive (RH/LH) 24.50 Lbs.



***Dim/Info:***
Length - 30.31"

***For Models:*** (2188, 2388 ALL W/ Track Attachment), 2588 SN HAJ300001>

**A-84069688** Shaft, Differential w/ Lock 14.70 Lbs.



***Dim/Info:***
Spline Count - 22 / 8
Length - 17.09"

***For Models:*** AFX8010, 7010, 7120, 8010, 8120, 9120

**A-1963810C2** Brake Disc, Heavy Duty 1.78 Lbs.
***Replaces:*** 321162R91, 121961C91



***Dim/Info:***
Spline Diameter - Major: 2.255" / Minor: 1.866"
Spline Count - 12
Lining Inside Diameter - 3.54"
Lining Outside Diameter - 6.518"
Thickness - .500"

***For Models:*** 403, 503, 615, 715, 815, 1420, 1440, 1620, 1640, 1644, (**COTTON PICKER**: 95, 414, 420, 616, 622, 782, 1400)

Truck icon indicates that the item is shipped via truck freight.

# POWER TRAIN/PROPULSION


**A-1975446C2** Brake Disc, Heavy Duty 2.00 Lbs.
*Replaces:* 121963C91



***Dim/Info:***
Inside Diameter - 4.000"
Internal Splines - 12
Outside Diameter - 7.125"


***For Models:*** 403, 453, 915, 1460, 1480

**A-366182R93** Brake Actuating Assembly 9.94 Lbs.




***For Models:*** 403, 503, 615, 715, 815, 1420, 1440, 1620, 1640, 1644 SN <JJC0098060, (**COTTON PICKER**: 95, 414, 420, 616, 622, 782, 1400)

**A-369080R91** Brake Actuating Assembly 11.66 Lbs.



***For Models:*** 403 HILLSIDE

**A-368293R91** Brake Actuating Assembly 7.20 Lbs.



***For Models:*** 303, 315, 615

**A-211-1028** Ball, Brake Disc (Steel) 0.10 Lbs.



***Dim/Info:***
Diameter - 7/8"

***For Models:*** 315, 403, 503, 615, 715, 815, 915 SN 8001 >, 1420, 1440, 1460, 1470, 1480, 1620 SN JJC0032630 >, 1640, 1644, 1660, 1666, 1670, 1680, 1688, (**COTTON PICKER**: 414, 420, 782, 1400, 1800, 1822 SN JJC0012691 >, & w/Navistar Eng. 1844 SN JJC0002462 >, & w/Navistar Eng. 2022, 2044, 2055)


**A-619731C1** Spring, Brake Actuator 0.01 Lbs.
*Replaces:* 357116R1



***Dim/Info:***
minimum order qty 2

***For Models:*** 403, 503, 615, 715, 815, 915, 1420, 1440, 1460, 1470, 1480, 1620, 1640, 1644, (**COTTON PICKER**: 95, 414, 420, 616, 622, 782, 1400)


**A-1997959C1** Disc, Friction Brake 0.13 Lbs.



***Dim/Info:***
Outside Diameter - 9.00"
Teeth - 39

***For Models:*** 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088, 2388 SN: < JJC0276540 & HAJ0292001 >, (**COTTON PICKER**: CPX420, CPX610, CPX620, MODULE EXPRESS 625, 420, 620, 2155, 2555)


**A-86990276** Disc, Friction 0.18 Lbs.



***Dim/Info:***
Inside Diameter - 4.125"
Outside Diameter - 5.56"
Teeth - 48

***For Models:*** AFX8010, 7010, 7120, 8010, 8120, 9120


**A-1285974C1** Plate, Separator, Transmission Master Clutch 0.80 Lbs.



***Dim/Info:***
Inside Diameter - 6.815"
Outside Diameter - 9.59"

***For Models:*** 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7088, (**COTTON PICKER**: CPX420, CPX610, CPX620, MODULE EXPRESS 625, 420, 620, 2155, 2555)


**A-1997455C1** Shaft, Transmission Output 15.25 Lbs.



***Dim/Info:***
Spline Count - 12/ 33/ 14
Length - 16.82"

***For Models:*** 2144 SN <JJC0173150, 2166 SN <JJC0182025, 2188 SN <JJC0193725, (**COTTON PICKER**: 2155)


**A-236378A1** Shaft, Transmission Output 15.95 Lbs.



***Dim/Info:***
Spline Count - 12 / 33 / 33
Length - 16.90"

***For Models:*** 2144 SN JJC0173150>, 2166 SN JJC0182025>, 2188 SN JJC0193725>, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7088, (**COTTON PICKER**: CPX420, CPX610, CPX620, MODULE EXPRESS 625, 420, 620, 625, 2555)

**A-84069687** Shaft, Transmission Output 12.38 Lbs.



***Dim/Info:***
Spline Count - 22 / 8
Length - 13.85"

***For Models:*** AFX8010, 7010, 7120, 8010, 8120, 9120

**A-1980169C1** Input Shaft Assy., Hydro. 6.75 Lbs.



***Dim/Info:***
Spline Count - 26 / 21
Length - 13.44"

***For Models:*** 1660, 1666, 1670, 1680, 1688, 2166, 2188, 2366 SN: <JJC0254032 CORN/GRAIN; <JJC0254129 RICE, 2388 SN: <JJC0268955 CORN/GRAIN; <JJC0269249 RICE


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-135290A1** Input Shaft, Final Drive 10.90 Lbs.



***Dim/Info:***
Spline Count - 12
Length - 10.00"
Teeth - 12

***For Models:*** 2144, 2166, 2188, 2344 SN <JJC0174359, 2366 SN <JJC0252949, 2377 SN HAJ0292001>, 2388 SN HAJ0300001>, 2577, 2588, 5088, 6088, 7088, (**COTTON PICKER**: CPX420, CPX610, CPX620, MODULE EXPRESS 625, 420, 620, 2055 SN JJC0155439>, 2155, 2555)

**A-280745A1** Shaft, Drive Axle (RH) 22.05 Lbs.



***Dim/Info:***
Length - 28.465"
Spline - 12

***For Models:*** (2344, 2366 ALL W/ 12" Axle Extension)


**A-280744A1** Shaft, Axle Drive (LH) 25.00 Lbs.



***Dim/Info:***
Length - 41.69"
Spline - 12

***For Models:*** (2344, 2366 ALL W/ 12" Axle Extension)

**A-117722C4** Insulator, Cab Mount 1.56 Lbs.



***For Models:*** 1420, 1440, 1460, 1470, 1480, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1688, (**COTTON PICKER**: 1800, 1822, 1844, 2022, 2044, 2055)

**A-84320293** Gas Strut 0.45 Lbs.



***For Models:*** (AFX8010, 7010, 7120, 8010, 8120, 9120 ALL LH Cab Door), (**SWATHER/WINDROWER**: (WD1203, WD1903, WD2303, WDX1202, WDX1902, WDX2302 ALL Cab Door))

**A-1280157C1** Strut, Door Gas 0.45 Lbs.




***For Models:*** 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1688, (**COTTON PICKER**: 1800, 1822, 1844, 2055)

**A-224357A1** Cylinder, Gas; Steering Wheel Tilt 1.02 Lbs.




***For Models:*** 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7088, (**COTTON PICKER**: CPX420, CPX610, CPX620, MODULE EXPRESS 625, 420, 620, 625, 2155, 2555)

**A-109240C1** Filter, Air Recirculation 0.10 Lbs.



***For Models:*** 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1688, (**COTTON PICKER**: 1800, 1822, 1844, 2022, 2044, 2055)


**A-CFM305** Floor Mat 7.00 Lbs.
Made with 3/8" thick, strong & durable PVC foam material




***Dim/Info:***
A - 57"
B - 24.62"
Excellent thermal insulation, sound & vibration absorption
Thickness - .375"

***For Models:*** 1420, 1440, 1460, 1480

**A-CFM350** Floor Mat 7.00 Lbs.
Made with 3/8" thick, strong & durable PVC foam material




***Dim/Info:***
A - 57.25"
B - 23.37"
Excellent thermal insulation, sound & vibration absorption
Thickness - .375"

***For Models:*** 1620, 1640, 1660, 1680, 1688

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# SEPARATOR AREA

*CASE-IH

**A-188013C91** PTO Drive Plate; 14", 8 Spring 9.38 Lbs.
***Replaces:*** 230233A1, 1251902C1, 92590C1, 1251902C2



***Dim/Info:***
Spline Diameter - 1.75"
Spline Count - 13

***For Models:*** 1420, 1440, 1460, 1470, 1480, 1620 S/N <JJC0032630, 1640 S/N <JJC0034705, 1660 S/N <JJC0038346, 1670 S/N <JJC0080540, 1680 S/N <JJC0045689

**A-184429C2** PTO Drive Plate: used w/ J917052 Flywheel 10.00 Lbs.
***Replaces:*** 184429C1



***Dim/Info:***
Outside Diameter - 13.87"
Spline - 13

***For Models:*** 1620 SN JJC0032630>, 1640 S/N JJC034705>, 1640 S/N 11C0032630>, 1644, 1660 S/N JJC0038346>, 1666, 1670 S/N JJC0080540>, 1680 S/N JJC0045689>, 1688, 2144, 2166, 2188, 2344, 2366, 2388, 2377 SN HAJ292001-HAJ300000, 2577 SN HAJ0300001>, 2588 SN HAJ300001>

**A-173133C91** Seal, PTO Drive Shaft Housing 0.20 Lbs.



***Dim/Info:***
Inside Diameter - 2.562"
Outside Diameter - 3.629"


***For Models:*** 815, 915, 1420, 1440, 1460, 1470, 1480, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2388, 2377, 2577, 2588

**A-87430518** Flange, Bearing, Shaker Shaft & Inclined Delivery Auger 0.38 Lbs.
***Replaces:*** 181383C1, D57237




***For Models:*** (1440, 1460 ALL SN 1501>), 1470 SN 1180>, 1480 SN 14001>, 1482, 1640, 1644, 1660, 1666, 1670 SN JJC0080540>, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ0292001>, 2388 SBI <JJC0276540 & HAJ0292001>, 2577, 2588, 5088, 6088, 7088

**A-87318100** Cam, Shaker Shaft (RH) 4.30 Lbs.
Used On Models W/ HD Drive And Extended Length Cleaning Systems.
***Replaces:*** 1322574C1



**A-1322573C1** Cam, Shaker Shaft, LH 3.00 Lbs.



***For Models:*** 2377, 7088, 5088, 6088, 1640 SN JJC0097190>, 1644, 1660 PIN JJC0039550>, 1666, 1670 HILLSIDE SN JJC0080540>, 1680 SN JJC0045689>, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2388 SN <JJC0276540 & HAJ292001>, 2577, 2588

**A-84435858** Bearing, Shaker Shaft Pitman 1.89 Lbs.
Heavy Duty Drive.
***Replaces:*** 1345226C1, 1322676C1


***For Models:*** 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7088

**A-87671723** Arm Assembly, Shoe Hanger; Front 3.00 Lbs.
***Replaces:*** 1957450C1



***For Models:*** 1640, 1644, 1660 SN JJC039550>, 1666, 1670, 1680 HD Chaffer Drive SN JJC047025>, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7088

**A-87671724** Arm Assy, Rear Chaffer Hanger 4.50 Lbs.
***Replaces:*** 1957455C1



***For Models:*** 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7088

**A-87672100** Arm, Shoe 9.20 Lbs.
***Replaces:*** 1957460C2, 1957460C1



***For Models:*** 1644, 1640, 1660 SN JJC0038346-, 1666, 1670 SN JJC0080540-, 1680 SN JJC0045689-, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7088


**A-191677C1** Gear-Bevel, Auger Bed 1.06 Lbs.
Used on shaker shaft and auger drive & models w/ extended length cleaning system



***Dim/Info:***
14 teeth
1.13" hex ID
minimum order qty 2


***For Models:*** 1420, 1440, 1460, 1470, 1480, 1482, 1620 SN: JJC0032630 >, 1640, 1644, 1660, 1666, 1670 HILLSIDE SN: JJC0080540 >, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2388 SN: < JJC0276540 & HAJ292001 >, 2377 SN HAJ292001-HAJ300000, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088

**A-84320470** Support, Upper Shoe Drive (LH) 7.00 Lbs.



***For Models:*** AFX8010, 7010, 7120, 8010, 8120, 9120

**A-84320472** Support, Upper Shoe Drive (RH) 6.80 Lbs.



***For Models:*** AFX8010, 7010, 7120, 8010, 8120, 9120

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.




P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-84459072** Bushing, Rubber; Upper Shoe Drive 0.68 Lbs.
*Replaces:* 442446, 80442446, 89811662, 9838354, 89838354



***For Models:*** AFX8010, 7010, 7120, 8010, 8120, 9120

**A-87562561** Arm, Shaker Shoe, Lower 3.35 Lbs.




***For Models:*** 7010, 7120, 8010, 8120, 9120

**A-84435858** Bearing, Shaker Shaft Pitman 1.89 Lbs.
Heavy Duty Drive.
*Replaces:* 1345226C1, 1322676C1


***For Models:*** 1620, 1682, 2188, 6088, 7010, 7088, 7120, 8010, 8120, 9120

**A-87314041** Arm, Shaker Shoe, Upper 4.05 Lbs.



***For Models:*** 7010, 7120, 8010, 8120, 9120, AFX8010

**A-84446877** Housing, Bearing; Shoe Drive, Upper 0.72 Lbs.
*Replaces:* 84097461, 84032313, 442901, 80442901



***Dim/Info:***
minimum order qty 2

***For Models:*** AFX8010, 7010, 7120, 8010, 8120, 9120

**A-320033** Housing, Shaker Shoe Bearing Half 0.44 Lbs.
*Replaces:* 80320033



***For Models:*** AFX8010, 7010, 7120, 8010, 8120, 9120

**A-87317702** Arm, Shaker Shoe Drive 9.50 Lbs.



***For Models:*** AFX8010, 7010, 7120, 8010, 8120, 9120

**A-84000052** Bushing, Rubber; Shaker Shoe 0.11 Lbs.
*Replaces:* 398810, 190068



***Dim/Info:***
minimum order qty 4

***For Models:*** 7010, 7120, 8010, 8120, 9120, AFX8010

**A-1330054C1** Pulley Assy, Rotor Drive, Variable 43.25 Lbs.



***Dim/Info:***
17.500" OD
1.986" bore

***For Models:*** 1620 P.I.N. JJC0022115 >, 1640 SN: < JJC0024223 & JJC0034705 >, 1644, 1660 SN: JJC0026711 >, 1666, 1670 SN: JJC0080540 >, 1680 P.I.N. JJC0028498 >, 1688, 2144, 2166, 2188, 2344, 2366, 2388 SN: < JJC0276540


**A-191461C1** Pulley, Separator Drive 39.00 Lbs.



***Dim/Info:***
Outside Diameter - 11.397"
Pulley Grooves - 3
Spline - 14

***For Models:*** 1420, 1440, 1460, 1470, 1620 SN: JJC0032630 >, 1640, 1644, 1660, 1666, 1670 SN: JJC0080540 >, 2144, 2166, 2344, 2366 SN: < JJC0253999

**A-87323202** Pulley, Separator Idler 13.90 Lbs.
Also Order 87306803 Bearing & 800-2147 Snap Ring (Snap Ring Not Supplied by A&I) / Replaces: 362674A2



***Dim/Info:***
Inside Diameter - 1.8495"
Pulley Diameter - 8.00"

***For Models:*** 2377, 2388, 2577, 2588


**A-87306803** Bearing, Seperator Idler Pulley 0.25 Lbs.



***Dim/Info:***
Bore - .6693" (17.0002mm)
Bearing Sides - 2 Contact Seals
Outside Diameter - 1.8504" (47.000mm)
Width - .5512" (14.000mm)

***For Models:*** 1420, 1460, 1470, (2388, 2377 ALL SN HAJ0295001>), 2577, 2588, 7088, 5088, 6088, (**COTTON PICKER**: 95, 782, 1400)


**A-364320A2** Pulley, Separator Driven 58.15 Lbs.



***Dim/Info:***
Inside Diameter - 3.507"
Outside Diameter - 14.75"
Pulley Grooves - 5

***For Models:*** 2377, 2388, 2577, 2588

**A-391285A1** Bushing, Idler Arm; Seperator 0.05 Lbs.




***For Models:*** 2377, 2388, 2577, 2588

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# SEPARATOR AREA


**A-193948C1** Pulley, Fan Drive 5.27 Lbs.



***Dim/Info:***
10.12" OD

***For Models:*** 1420, 1440, 1460 SN: < 23247 & 23250 >, 1470, 1480, 1482, 1620 SN: JJC0032630 >, 1640, 1644, 1660, 1666, 1670 SN: JJC0080540 >, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088

**A-295918A1** Pulley, Fan Jackshaft 7.05 Lbs.



***Dim/Info:***
14.00" OD
4.26" ID

***For Models:*** 2166, 2366 SN: JJC0184544 >, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088

**A-195161C1** Pulley Assy, Beater Drive, RH Side 3.50 Lbs.
***Replaces:*** 195162C1



***Dim/Info:***
8.50" OD
2.01" ID

***For Models:*** 1420, 1440, 1460 SN: < 23247 & 23250 >, 1470, 1480, 1482, 1620 SN: JJC0032630 >, 1640, 1644, 1660, 1666, 1670 SN: JJC0080540 >, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 HAJ0292001 >, 2388, 2577 SN HAJ0300001>, 2588 SN HAJ300001>

**A-185286C91** Hub Assy, Fan Driver Adjusting 3.86 Lbs.



***Dim/Info:***
Inside Diameter - 1.2515"
Outside Diameter - 4.228"

***For Models:*** 1420, 1440 SN 10001>, 1460 SN 12001, 1470 SN 1180>, 1480 SN 14001>, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7088

**A-188846C2** Hub Assy, Rotor Drive Pulley 18.84 Lbs.
***Replaces:*** 188846C1



***Dim/Info:***
1.109" bore
12 spline

***For Models:*** 1620 P.I.N. JJC0022115 >, 1640 SN: < JJC0024223 & JJC0034705 >, 1644, 1660 SN: JJC0026711 >, 1666, 1670 SN: JJC0080540 >, 1680 P.I.N. JJC0028498 >, 1688, 2144, 2166, 2188, 2344 SN: < JJC0174449, 2366 SN: < JJC0254999, 2388 SN: < JJC0270499


**A-87481453** Hub, Rotor Drive Variator 19.10 Lbs.
***Replaces:*** 411046A1



***Dim/Info:***
20 spline bore

***For Models:*** 2344 SN JJC0174450>, 2366 SN JJC0255000>, 2377 SN HAJ0292001-HAJ0300000, 2388 SN JJC0270500>, 2577, 2588, 5088


**A-1541551C1** Bushing, Cleaning Fan Drive Pulley 0.15 Lbs.



***Dim/Info:***
1.947" O.D. Compressed
1.763" I.D. Compressed
1.190" Wide

***For Models:*** 1640, 1644, 1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588

**A-1989251C1** Pitman Assy., Shaker Shaft 8.82 Lbs.



***For Models:*** 1640 SN JJC0097190>, 1644, 1660 PIN JJC0039550>, 1666, 1680 SN JJC0045689>, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ0292001>, 2388 SN: <JJC0276540 & HAJ0292001>, 2577, 2588

**A-195457C93** Lever, Separator 5.65 Lbs.
***Replaces:*** 195457C92, 1347039C1



***For Models:*** 1420, 1440, 1460, 1470, 1620, 1640, 1644, 1660, 1666, 1670 SN: JJC0080540 >, 2144, 2166, 2344, 2366

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-191384C2** Shaft, Output, Feeder Housing 5.07 Lbs.
***Replaces:*** 191384C1



***Dim/Info:***
12.87" long
14/ 42 spline

***For Models:*** 1440, 1460, 1470, 1480, 1640, 1644, 1660, 1666, 1670 SN: JJC0080540 >, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088


**A-191396C1** Shaft, Input Drive, Feeder Drive Forward 6.25 Lbs.



***Dim/Info:***
14.94" long
10/ 42 spline

***For Models:*** 1440, 1460, 1470, 1480, 1640, 1644, 1660, 1666, 1670, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088


**A-1979251C1** Shaft, Hanger Arm 0.84 Lbs.



***Dim/Info:***
5.812" long

***For Models:*** 1640 w/ HD Drive & Extended Length Cleaning System, 1644, 1660 SN JJC0038346 >, w/ HD Drive & Extended Length Cleaning Syst, 1666, 1670 Hillside SN JJC0080540 >, 1680 SN JJC0045689 >, w/ HD Drive & Extended Length Cleaning Syst, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ292001-HAJ300000, 2388 SN < JJC0276540 & HAJ292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>

**A-192816C1** Shaft, PTO Drive 16.20 Lbs.



***Dim/Info:***
16.25" long
13 tooth spline

***For Models:*** 1420, 1440, 1460, 1470, 1480, 1620, 1640, 1644, 1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ292001-HAJ300000, 2388 , 2577 SN HAJ0300001>, 2588 SN HAJ300001>

**A-84159803** Plate, Friction 0.22 Lbs.
***Replaces:*** 345334A1



***Dim/Info:***
QTY - 6

***For Models:*** (AFX8010, 7010, 7120, 8010, 8120, 9120 ALL Beater/Chopper Drive PTO Clutch)


**A-345335A2** Plate, Seperator 0.31 Lbs.
***Replaces:*** 345335A1



***Dim/Info:***
QTY - 6

***For Models:*** (AFX8010, 7010, 7120, 8010, 8120, 9120 ALL Beater/Chopper Drive PTO Clutch)

**A-195349C2** Bushing Flywheel, PTO 0.54 Lbs.



***Dim/Info:***
Inside Diameter - 1.17"
Outside Diameter - 2.05"

***For Models:*** 1440, 1460, 1470, 1480, 1640 SN <JJC0034705, 1660 SN <JJC0038346, 1670 SN <JJC0080540, 1680 SN <JJC0045689

**A-1324896C2** Bushing Flywheel, PTO 1.50 Lbs.



***Dim/Info:***
Inside Diameter - 1.17"
Outside Diameter - 2.84"

***For Models:*** 1620 SN JJC0032630>, 1640 SN JJC0034705>, 1644, 1660 SN JJC0038346>, 1666, 1670 SN JJC0080540>, 1680 SN JJC0045689>, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ292001-HAJ300000, 2388, 2577 SN HAJ0300001>, 2588 SN HAJ300001>

**A-1308505C1** Jack Shaft, Separator Drive 13.86 Lbs.
Variable speed pulley sheave number 193622C2 fits on end of this shaft.



***Dim/Info:***
27.81" long
14, 14, 12 spline

***For Models:*** 1420, 1440, 1460, 1470, 1480, 1620 SN <-22115, 1640 SN <-24223, 1660 SN <-26711, 1680 early

**A-61801C1** Bearing Cup 0.16 Lbs.
***Replaces:*** 21882480, 7713753, T54090



***Dim/Info:***
Outside Diameter - 2.480"

***For Models:*** (1420, 1440, 1460, 1470, 1480, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588 ALL Seperator Jackshaft)

**A-273633** Bearing, Cone 0.28 Lbs.
***Replaces:*** 21871496, 61802C91, T54089



***Dim/Info:***
Bore - 1.496"

***For Models:*** (1420, 1440, 1460, 1470, 1480, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588 ALL Seperator Jackshaft)

**A-1989550C3** Shaft, Cleaning Fan 30.00 Lbs.



***Dim/Info:***
58.62" long

***For Models:*** 1644, 1660 S/N JJC0038346>, 1666, 2144, 2166, 2344, 2366

**A-1989543C3** Shaft, Cleaning Fan 24.70 Lbs.



***Dim/Info:***
73.56" long

***For Models:*** 1688, 2188, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


*CASE-IH

Truck icon indicates that the item is shipped via truck freight.

# SEPARATOR SHAFTS, GEARS, & PARTS




**A-142848A1** Shaft-Adjusting Gear, Cleaning Fan 2.48 Lbs.



***For Models:*** 2144, 2166, 2188, 2344, 2366, 2377, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088

**A-181202C1** Shaft, Adjusting Gear 1.80 Lbs.



***For Models:*** 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688


**A-1329745C1** Shaft, Seperator Drive Pulley 15.43 Lbs.



***Dim/Info:***
23.31" long
14/ 17 spline

***For Models:*** 1620 SN: JJC0032630 >, 1640 SN: JJC0034705 >, 1644, 1660, 1666, 1670 SN: JJC0080540 >, 2144, 2166, 2344, 2366 SN: < JJC0253999

**A-1302221C1** Retainer, Shaker Shaft 1.21 Lbs.



***For Models:*** 1440 SN: 10001 >, 1460 SN: 12001 >, 1470 SN: 1180 >, 1480 SN: 14001 >, 1482, 1640, 1644, 1660, 1666, 1670 SN: JJC0080540 >, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088

**A-86980613** Shaft, Shaker Shoe Drive 59.19 Lbs.



***Dim/Info:***
80.31" long

***For Models:*** AFX8010, 7010, 7120, 8010, 8120, 9120

**A-1970192C2** Shaft, Shaker 14.00 Lbs.
***Replaces:*** 1970192C1



***Dim/Info:***
59.19" long

***For Models:*** 1640 SN: JJC0097190 >, 1644, 1660 SN: JJC0038346 >, 1660 SN: JJC0039550 >, 1666, 1670 HILLSIDE SN: JJC0080540 >, 2144, 2166, 2344, 2366

**A-1322616C2** Shaft, Shaker Drive 22.00 Lbs.
***Replaces:*** 1322616C1



***Dim/Info:***
74.12" long

***For Models:*** 1680 S/N JJC0045689>, 1682, 1688, 2188, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088

**A-84330069** Bearing; Shaker Shaft, Standard 0.87 Lbs.
***Replaces:*** 87376564



***For Models:*** 2588, 5088, 5130, 6088, 6130, 7088, 7130

**A-87282886** Shaft, Beater Drive 129.98 Lbs.

***Replaces:*** 87107720



***Dim/Info:***
Length - 103.19"

***For Models:*** AFX8010, 8010, 8120, 9120

**A-194394C1** Hub-Fitting, Variable Pulley, Female Seperator Drive 8.18 Lbs.



***For Models:*** 1420, 1440, 1460, 1470, 1480, 1620 SN: JJC0032630 >, 1640, 1644, 1660, 1666, 1670 SN: JJC0080540 >, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 S/N HAJ0300001>, 2588 S/N HAJ300001>, 5088, 6088, 7088

**A-194853C3** Shaft, Elevator & Fan Drive 3.50 Lbs.



***Dim/Info:***
10.00" long

***For Models:*** 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ292001-HAJ300000, 2388 , 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088

**A-1309015C1** Shaft, Fan 33.96 Lbs.
***Replaces:*** 185140C2



***Dim/Info:***
74.25" long

***For Models:*** 1480 SN 24852->, 1482, 1680, 1682

**A-B12170** Rachet, Shaker Shaft/ Elevator Drive Jackshaft 0.82 Lbs.



***Dim/Info:***
Inside Diameter - 2.00"
Outside Diameter - 3.71"

***For Models:*** 303 SN: 7278 >, 403 SN: 1323 >, 503, 615, 715, 914, (815, 915 ALL SN: 8001 >), 1420, 1440, 1460, 1470 SN: <10075, 1480, 1482, 1620 SN: JJC0032630 >, 1640, 1644, 1660, 1666, 1670 SN: JJC0080540 >, 1680, 1682, 1688, 2144, 2166 P.I.N. < JJC018000, 2188 P.I.N. < JJC0191483, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577, 2588, 5088, 6088, 7088, (**HEAD, CORN**: 724)

**A-287902** Bearing, Cone; Seperator Drive Housing 0.61 Lbs.
***Replaces:*** 83961748, 80287902, 70929742, H364463C91, BU64441, LF829104, 364463C91, D63653



***Dim/Info:***
Bore - 2.000"
Radius - .14"
Width - .875"

***For Models:*** AFX8010, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7088, 7010, 7120, 8010, 8120, 9120


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-556448R1** Bushing 0.11 Lbs.



***Dim/Info:***
1.00" long
0.88" OD

***For Models:*** 303, 403, 503, 615, 715, 815 SN: 8001 >, 915, 1420, 1440, 1460, 1470, 1480, 1482, 1620 SN: JJC0032630 >, 1640, 1644, 1660, 1666, 1670 SN: JJC0080540 >, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088


**A-1324948C1** Fan Sheave, Variable Speed, Adjustable Half 14.20 Lbs.
***Replaces:*** 185023C93



***Dim/Info:***
Bore - 1.25"
Outside Diameter - 11.875"

***For Models:*** 1420, 1440, 1460 SN 12001->, 1470, 1480 SN 14001->, 1482, 1620, 1640, 1660, 1680, 1682

**A-1324949C1** Fan Sheave, Variable Speed, Fixed Half 18.82 Lbs.



***Dim/Info:***
Bore - 1.25"
Outside Diameter - 11.875"

***For Models:*** 1420 SN 5501->, 1440 SN 21622->, 1460 SN 12001->, 1470 , 1480 SN 14001->, 1482, 1620, 1640, 1660, 1680


**A-193622C2** Sheave, Variable Speed 44.50 Lbs.
(One piece assembly)



***Dim/Info:***
1.304" bore
14 spline

***For Models:*** 1420, 1440, 1460, 1470, 1480, 1620 SN <-22115, 1640 SN <-24223, 1660 SN <-26771, 1688 late models use a three piece assembly


**A-183288C1** Pulley, Variable Speed, Cleaning Fan 5.71 Lbs.



***Dim/Info:***
11.87" OD
2.00" ID

***For Models:*** 1420, 1440 SN: 10001 >, 1460 SN: 12001 >, 1470 SN: 1180 >, 1480 SN: 24001 >, 1482, 1620 SN: JJC0032630 >, 1640, 1644, 1660, 1666, 1670 SN: JJC0080540 >, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2388 SN: < JJC0276540

**A-183333C1** Hub, Fan Driver Fixed Pulley 11.56 Lbs.



***Dim/Info:***
1.253" bore

***For Models:*** 1420, 1440 SN 10001>, 1460 SN 12001>, 1470 SN 1180>, 1480 SN 14001>, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ292001-HAJ300000, 2388, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088


**A-1541552C2** Pulley Assembly, Cleaning Fan, Inner 11.90 Lbs.



***Dim/Info:***
11.91" OD
1.75" bore

***For Models:*** 1644, 1660 SN JJC0038346>, 1666, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ292001-HAJ300000, 2388, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088


**A-87522943** Pulley, Fixed, Fan Drive, Outer 14.70 Lbs.
***Replaces:*** 1541553C1



***Dim/Info:***
11.90" OD
1.75" bore

***For Models:*** 1640, 1644, 1660 SN: JJC0038346 >, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088

**A-166067C91** Walker Wood Blocks 1.00 Lbs.



***Dim/Info:***
Includes - W/ Hardware, Steel Plates & Shims
Quantity - Set Of 2

***For Models:*** 815, 914, 915

**A-168215C92** Bearing, Fan Jackshaft Thrust 1.15 Lbs.
***Replaces:*** 168215C91



***For Models:*** 615, 715, 815, 915, 1420, 1440, 1460, 1470, 1480, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7088

**A-512725** Bearing 0.75 Lbs.
***Replaces:*** 300426R91, 400601A1, 90-2673T1, 21871800, 8L4221, 412744A1



***Dim/Info:***
Bore - 1.796"
Radius - .14"
Width - 1.000"

***For Models:*** 915, 1420, 1440, 1460, 1470, 1480, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7088, (**COTTON PICKER**: CPX420, CPX610, CPX620, MODULE EXPRESS 625, 420, 620, 2055, 2155, 2555)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

## Chaffers




| Part No. | Description | Type | Spacing | Width | Length | Applications | Wt. |
|---|---|---|---|---|---|---|---|
| **A-1330681C1** | Chaffer, Long Finger, Top | Short Shoe | 1 5/8" | 35.80" | 61.75" | 815, 1420, 1620 | 70 |
| **A-1330684C2** | Chaffer, Short Finger, Top | Short Shoe | 1 1/8" | 45.00" | 61.75" | (914, 915 ALL S/N 8001>), 1440, 1460, 1470, 1640, 1660 | 87 |
| **A-1330685C2** | Chaffer, Short Finger, Top | Short Shoe | 1 5/8" | 45.00" | 61.75" | 915 S/N <8000, 1440, 1460, 1470, 1640, 1660 | 82 |
| **A-1330686C2** | Chaffer, Long Finger, Top | Short Shoe | 1 5/8" | 45.00" | 61.75" | 915 SN 8001 >, 1440, 1460, 1640, 1660 ***Replaces:*** 172841C2 | 87 |
| **A-1319092C4** | Chaffer, Adjustable Air Foil, Top | Short Shoe; Galvanized Steel | | 45.00" | 61.75" | 1440, 1460, 1470, 1640, 1660, 1670 | 87 |
| | ***Note:*** Features nylon adjustment mechanisms and cushions in each wire hole to improve adjustments and to reduce friction, wear & breakage. Spring loaded indexed lever allows smooth adjustment and makes it easy to return to the same settings. | | | | | | |
| **A-B91515** | Chaffer, Air Foil, Rigid | Short Shoe | | | | 1440, 1460, 1470, 1640, 1660 | 86.00 |
| **A-1330687C4** | Chaffer, Short Finger, Top | Short Shoe | 1 1/8" | 60.00" | 61.75" | 1480, 1482, 1680, 1682 ***Note:*** Two adjustment handles | 116 |
| **A-1330688C3** | Chaffer, Short Finger, Top | Short Shoe | 1 5/8" | 60.00" | 61.75" | 1480, 1482, 1680, 1682 | 98 |
| **A-1330689C3** | Chaffer, Long Finger, Top | Short Shoe | 1 5/8" | 60.00" | 61.75" | 1480, 1482, 1680, 1682 | 116 |
| **A-B91516** | Chaffer, Air Foil, Rigid | Short Shoe | | | | 1480, 1482, 1680, 1682 | 100 |
| **A-1970516C8** | Chaffer, Adjustable Air Foil, Top | Long Shoe, Galvanized Steel | | 45.00" | 74.88" | 1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366 | 115 |
| | ***Note:*** Features nylon adjustment mechanisms and cushions in each wire hole to improve adjustments and to reduce friction, wear and breakage. Spring loaded indexed lever allows smooth adjustment and makes it easy to return to the same settings. | | | | | | |
| **A-1957316C7** | Chaffer, Short Finger, Top | Long Shoe | 1 1/8" | 45.00" | 74.88" | 1640 S/N JJC0034705>, 1644, 1660 S/N JJC0038346>, 1666, 2144, 2166, 2344, 2366 | 115 |
| **A-1957315C8** | Chaffer, Short Finger, Top | Long Shoe | 1 5/8" | 45.00" | 74.88" | 1640 S/N <JJC0034705, 1644, 1660, 1666, 2144, 2166, 2344, 2366 | 115 |
| **A-1957314C8** | Chaffer, Long Finger, Top | Long Shoe | 1 5/8" | 45.00" | 74.88" | 1640 S/N <JJC0034705, 1644, 1660, 1666, 2144, 2166, 2344, 2366 ***Note:*** Used on models w/ long cleaning system | 103 |
| **A-1957314C8H** | Chaffer, Hillside w/ Long Finger, Top | Long Shoe | 1 5/8" | 45.00" | 74.88 | 1644, 1660, 1666, 2144, 2166, 2344, 2366 ***Note:*** This has 3 dividers and can be used with hillside extensions. | 100 |
| **A-1322467C6** | Chaffer, Short Finger, Top | Long Shoe | 1 1/8" | 60.00" | 74.88" | 1680, 1682, 1688, 2188, 2377 SN HAJ292001-HAJ300000, 2388, 2577, 2588 ***Replaces:*** 1322467C1, 1322467C2, 1322467C3, 1322467C4, 1322467C5 | 165 |
| **A-1322673C6** | Chaffer, Short Finger, Top | Long Shoe | 1 5/8" | 60.00" | 74.88" | 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588, 5088, 6088, 7088 | 170 |
| **A-1322659C6** | Chaffer, Long Finger, Top | Long Shoe | 1 5/8" | 60.00" | 74.88" | 1680, 1682, 1688, 2188, 2377 SN HAJ292001-HAJ300000, 2388, 2577, 2588, 5088, 6088, 7088 ***Replaces:*** 1322659C1, 1322659C2, 1322659C3, 132659C4, 1322659C5 | 140 |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Chaffers




| Part No. | Description | Type | Spacing | Width | Length | Applications | Wt. | |
|---|---|---|---|---|---|---|---|---|
| **A-1322659C6H** | Chaffer, Hillside w/ Long Finger, Top | Long Shoe | 1 5/8" | 60.00" | 74.88" | 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588, 5088, 6088, 7088<br>***Note:*** This has 5 dividers and can be used with hillside extensions. | 135 | |
| **A-1347372C7** | Chaffer, Adjustable Air Foil, Top | Long Shoe, Galvanized Steel | | 60.00" | 74.88" | 1680, 1682, 1688, 2188, 2388, 2377 SN HAJ292001-HAJ300000, 2577, 2588, 5088, 6088, 7088<br>***Replaces:*** 1347372C1, 1347372C2, 1347372C3, 1347372C4, 1347372C5, 1347372C6 | 156 | |
| | ***Note:*** Features nylon adjustment mechanisms and cushions in each wire hole to improve adjustments and to reduce friction, wear and breakage. Spring loaded indexed lever allows smooth adjustment and makes it easy to return to the same settings. | | | | | | | |
| **A-B91517** | Chaffer, Air Foil, Rigid | Long Shoe | | | | 1680, 1682, 1688, 2188, 2388, 5088, 6088, 7088 | 115 | |
| **A-87109842** | Chaffer, Adjustable Air Foil, Top<br>Quantity Required: 2 | Peterson, Galvanized | 1 1/8" | 30.94" | 56.813" | AFX8010, 7230, 8010, 8120, 8230, 9120, 9230<br>***Note:*** Double handle, manual adjust | 64 | |
| **A-87109842-R** | Chaffer, Air Foil, Rigid<br>minimum order qty 2 | Rigid- Non Adjustable | | 30.94" | 56.81" | AFX8010, 8010, 8120, 9120 | 46 | |
| **A-1346913C2** | Sieve, Bottom; Blunt Finger | Short Shoe | 1 1/8" | 36.00" | 51.50" | 1420, 1620 | 72 | |
| **A-1347016C2** | Sieve, Bottom; Short Finger | Short Shoe | 1 5/8" | 45.25" | 51.50" | 1440, 1460, 1470, 1640, 1660 | 84 | |
| **A-1346914C2-S** | Sieve, Bottom; Short Finger | Short Shoe | 1 1/8" | 45.25" | 51.50" | 1440, 1460, 1470, 1640, 1660 | 84 | |
| **A-1346914C2** | Sieve, Bottom; Blunt Finger | Short Shoe | 1 1/8" | 45.25" | 51.50" | 1440, 1460, 1470, 1640, 1660<br>***Replaces:*** 192091C2 | 80 | |
| **A-1347015C3** | Sieve, Bottom; Short Finger | Short Shoe | 1 5/8" | 60.20" | 51.50" | 1480, 1482, 1680, 1682 | 88 | |
| **A-1346915C3** | Sieve, Bottom; Blunt Finger | Short Shoe | 1 1/8" | 60.20" | 51.50" | 1480, 1482, 1680, 1682<br>***Replaces:*** 193960C2 | 90 | |
| **A-1994961C5** | Sieve, Bottom; Short Finger | Long Shoe | 1 5/8" | 45.20" | 65.00" | 1644, 1666, 2144, 2166, 2344, 2366 | 80 | |
| **A-1325323C6** | Sieve, Bottom; Blunt Finger | Long Shoe | 1 1/8" | 45.20" | 65.00" | 1640 S/N JJC0034705>, 1644, 1660 S/N JJC0038346>, 1666, 2144, 2166, 2344, 2366 | 90 | |
| **A-1979328C8** | Sieve, Bottom; Short Finger | Long Shoe | 1 5/8" | 60.75" | 65.00" | 1680, 1682, 1688, 2188, 2377 SN HAJ292001-HAJ300000, 2388, 2577, 2588, 5088, 5130, 5140 Model Year <10/2017, 6088, 6130, 6140 Model Year <10/2017, 7088, 7130, 7140 Model Year <10/2017<br>***Replaces:*** 1979328C1, 1979328C2, 1979328C3, 1979328C4, 1979328C5, 1979328C6, 1979328C7, 87712276 | 110 | |
| **A-1322464C7-S** | Sieve, Bottom; Short Finger | Long Shoe | 1 1/8" | 60.75" | 65.00" | 1680, 1682, 1688, 2188, 2388, 2577, 2588, 5088, 6088, 7088 | 118 | |
| **A-1322464C7** | Sieve, Bottom; Blunt Finger | Long Shoe | 1 1/8" | 60.75" | 65.00" | 1680, 1682, 1688, 2188, 2377 SN HAJ292001-HAJ300000, 2388, 2577, 2588, 5088, 6088, 7088<br>***Replaces:*** 1322464C1, 1322464C2, 1322464C3, 1322464C4, 1322464C5 | 118 | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.




Truck icon indicates that the item is shipped via truck freight.

# CHAFFERS/ SIEVE

## Chaffers




| Part No. | Description | Type | Spacing | Width | Length | Applications | Wt. | |
|---|---|---|---|---|---|---|---|---|
| **A-1347367C2** | Sieve, Bottom; Round Hole | Long Shoe | 3/8" (10 MM) | 60.75" | 65.00" | 1680 SN JJC0047412>, 1688, 2188, 2377, 2388, 2577, 2588, 5088, 6088, 7088 ***Replaces:*** 1347367C1 | 75 | |
| **A-87109815** | Presieve | | 1 1/8" | 51.75" | 29.878" | 7010, 7120 ***Replaces:*** 84084941 | 49 | |
| **A-87109824** | Presieve; Closz Slat | Galvanized | 1 5/8" | 51.75" | 29.878" | 7010, 7120 ***Replaces:*** 87105822 | 53 | |
| **A-87109836** | Sieve, Closz Slat, Upper | Short Finger | 1 5/8" | 51.75" | 59.125" | 7010, 7120 | 100 | |
| **A-87109832** | Sieve, Upper; Corn | Long Finger | 1 5/8" | 51.75" | 59.125" | 7010, 7120 | 90 | |
| **A-87109844** | Sieve, Closz Slat, Lower | Blunt Finger, Galvanized | 1 1/8" | 51.750" | 59.125" | 7010 , 7120 SN <YAG209977, 8010, 8120, 9120 | 95 | |
| **A-87109826** | PreSieve, Closz Slat | Galvanized | 1 5/8" | 61.938" | 29.878" | AFX8010, 7120, 7230, 7240 Model Year <9/2017, 8010, 8120, 8230, 8240 Model Year <9/2017, 9120, 9230, 9240 Model Year <9/2017 ***Replaces:*** 87042470, 84083981 | 55 | |
| **A-87109817** | PreSieve, Grain; Closz Slat | Galvanized | 1 1/8" | 61.938" | 29.878" | AFX8010 SN <HAJ105126, AFX8010 SN HAJ105126>, 7120, 7230, 7240 Model Year <9/2017, 8010, 8120, 8230, 8240 Model Year <9/2017, 9120, 9230, 9240 Model Year <9/2017 ***Replaces:*** 84084942 | 60 | |
| **A-87109834** | Sieve, Upper; Corn Quantity: 2 | Long Finger, Galvanized | 1 5/8" | 30.938" | 56.813" | AFX8010, 7230, 8010, 8120, 8230, 9120, 9230, (7240, 8240, 9240 ALL Model Year <9/2017) ***Replaces:*** 84084664 ***Note:*** Single handle, manual adjust | 60 | |
| **A-87109830** | Sieve, Closz Slat, Upper | Short Finger, Galvanized | 1 1/8" | 30.938" | 56.813" | AFX8010, 7230, 8010, 8120, 9120, 9230, (7240, 8240, 9240 ALL Model Year <9/2017) ***Note:*** Double handle, manual adjust | 64 | |
| **A-87109846** | Sieve, Closz Slat, Lower | Blunt Finger, Galvanized | 1 1/8" | 30.938" | 56.813" | AFX8010, 7120, 7230, 8010, 9230, (7240, 8240, 9240 ALL Model Year <9/2017), (8120, 9120 ALL SN <YAG209977) | 55 | |
| **A-87109850** | Sieve, Closz Slat, Lower; | Short Finger, Galvanized | 1 5/8" | 30.938" | 56.813" | AFX8010, 7120, 7230, 8010, 8120, 8230, 9120, 9230, (7240, 8240, 9240 ALL Model Year <9/2017) | 49 | |




Replacement parts are for A&I replacement chaffers and sieves only.

Truck icon indicates that the item is shipped via truck freight.

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Chaffer Frames & Shoes



| Part No. | Description | Qty | Type | Applications | Wt. |
|---|---|---|---|---|---|
| **A-1302071C4** | Sieve Shoe Frame Rail (RH) | | Short Shoe | 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1660, 1670, 1680, 1682 | 10.00 |
| **A-1302070C4** | Sieve Shoe Frame Rail (LH) | | Short Shoe | 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1660, 1670, 1680, 1682 | 10.00 |
| **A-1979202C1** | Rail, Chaffer (LH) | | Short Shoe | 1420, 1440, 1460, 1470, 1620, 1640, 1660, 1670, 1680 S/N JJC0045689>, 1682 | 35.00 |
| **A-1979203C1** | Rail, Chaffer (RH) | | Short Shoe | 1420, 1440, 1460, 1470, 1620, 1640, 1660, 1670, 1680 S/N JJC0045689>, 1682 | 35.00 |
| **A-1319258C1** | Support, Chaffer Finger Cover | | 42.69" | 1440, 1460, 1470, 1640, 1644, 1660 SN: < JJC0038346, 1666, 1670 SN: JJC0080540 >, 2144, 2166, 2344, 2366 | 2.14 |
| **A-87741795** | Support, Chaffer Front Hanger | | | 1440, 1460, 1470, 1480, 1482, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588<br>***Replaces:*** 352013A1, 186651C91, 186651C92, 186651C93, 186651C94, 186651C95 | 27.00 |
| **A-192039C3** | Rail, Chaffer (LH) | | Short Shoe | 1480, 1482, 1680, 1682 | 38.00 |
| **A-192040C3** | Rail, Chaffer (RH) | | Short Shoe | 1480, 1482, 1680, 1682 | 38.00 |
| **A-1312156C1** | Support, Chaffer Pan, Chaffer Sieve | | | 1460, 1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366 | 9.60 |
| **A-1979900C5** | Support, Shoe Side (LH) | | Long Shoe | 1640, 1644, 1660 SN JJC0038346->, 1666, 1680 SN JJC0045689->, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2588 SN HAJ300001>, 5088, 6088, 7088 | 35.20 |
| **A-1979901C5** | Support, Shoe Side (RH) | | Long Shoe | 1640, 1644, 1660 SN JJC0038346->, 1666, 1680 SN JJC0045689->, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2588 SN HAJ300001>, 5088, 6088, 7088 | 35.20 |
| **A-1979206C1** | Rail, Chaffer (LH) | | Long Shoe | 1640, 1644, 1660 SN: JJC0038346 >, 1666, 2144, 2166, 2344, 2366 | 45.00 |
| **A-1979207C1** | Rail, Chaffer (RH) | | Long Shoe | 1640, 1644, 1660 SN: JJC0038346 >, 1666, 2144, 2166, 2344, 2366 | 45.00 |
| **A-1317398C1** | Support, Grain Auger Trough Tube | | | 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588 | 13.00 |
| **A-1322452C2** | Rail, Chaffer (LH) | | Long Shoe | 1680 SN JJC0047412>, 1688, 2188, 2377, 2388, 2577, 2588, 5088, 6088, 7088<br>***Replaces:*** 87379120. 84169374 | 38.00 |
| **A-1322453C2** | Rail, Chaffer (RH) | | Long Shoe | 1680 SN JJC0047412>, 1688, 2188, 2377, 2388, 2577, 2588, 5088, 6088, 7088<br>***Replaces:*** 87379121, 84169439 | 38.00 |


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



Truck icon indicates that the item is shipped via truck freight.


# CHAFFERS/ SIEVE/ FRAMES/ SHOES RELATED PARTS

**A-WLV4** Square Adjustable Chaffer Wire, 64" 0.28 Lbs.



***For Models:*** SEVERAL

**A-1994858C1** Cover, Sieve Finger 4.00 Lbs.



***For Models:*** 1680 SN JJC0045689>, 1688, 2188, 2377, 2388, 2577, 2588, 5088, 6088, 7088

**A-186597C1** Bushing, Chaffer Drive Hanger Arm 0.27 Lbs.



***Dim/Info:***
.630" ID
Includes - 1 Pc. / Bag

***For Models:*** 1440, 1460, 1470, 1480, 1482, 1640, 1644, 1660, 1670, 1680, 1682

**A-1330323C2** Bushing, Chaffer Drive Arm 0.50 Lbs.



***Dim/Info:***
Includes - 1 Pc. / Bag
Length - 2.87"
Bore - .633"
Outside Diameter - 1.50"

***For Models:*** 1640 P.I.N. JJC0035370 >, 1644, 1660, 1666 SN JJC0038346>, 1670 SN: JJC0080540 >, 1680 P.I.N. JJC0047878 >, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577, 2588, 5088, 6088, 7088, 3152, 3162

**A-G10642** Bearing, Needle; Chaffer Drive Hanger Support 0.05 Lbs.
***Replaces:*** 7037211, 551139R1, S49913, F37590, 551139R91, 631599C91, 529930R91, 50-2805T1



***For Models:*** 1420, 1440, 1460, 1480, 1620, 1640, 1660, 1670, 1680, 1666, 1688, 2166, 2188, 1644, 1682, 1482, 2344, 2366, 2388, 1470, 2144, 2377, 2577, 2588, 5088, 6088, 7088

**A-87376924** Bushing, Shaker Shaft / Chaffer Drive Arm 1.06 Lbs.
***Replaces:*** 1979383C1, 1979383C2



***Dim/Info:***
.633" ID
Includes - 1 Pc. / Bag

***For Models:*** 1640 P.I.N. JJC0035370 >, 1644, 1660, 1666 SN JJC0038346>, 1670 SN: JJC0080540 >, 1680 P.I.N. JJC0047878 >, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577, 2588, 5088, 6088, 7088

**A-627555R91** Bushing, Hanger Arm, Shoe Sieve 0.17 Lbs.



***Dim/Info:***
.643" ID
Includes - 1 Pc. / Bag

***For Models:*** 303, 403, 503, 615, 715, 815, 914, 915, 1420, (1440, 1460 ALL SN: < 1500), 1470, 1480 16 required, 1482, 1620 SN: JJC0032630 >, 1640, 1644, 1660 SN: < JJC0039550, 1670, 1680, 1682

**A-87538600** Rubber Bushing 0.30 Lbs.
***Replaces:*** 87716908, F17773



***Dim/Info:***
Includes - 1 Pc. / Bag
Inside Diameter - 0.637"

***For Models:*** 1640 P.I.N. JJC0035370 >, 1644, 1660, 1666 SN JJC0038346>, 1670 SN: JJC0080540 >, 1680 P.I.N. JJC0047878 >, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577, 2588, 5088, 6088, 7088

**A-B94553** Kit, Bushing - Sieve; Complete Set 4.00 Lbs.

***Dim/Info:***
Reduce Vibration
Increase Sieve Life

***For Models:*** 1460, 1480

**A-87299946** Kit, Bushing; Sieve, Heavy Duty 9.80 Lbs.
Kit Contains: (2) 87376924, (8) 1330323C1 & (10) 87538600 Bushings.



***For Models:*** 1640 P.I.N. JJC0035370 >, 1644, 1660, 1666 SN JJC0038346>, 1670 SN: JJC0080540 >, 1680 P.I.N. JJC0047878 >, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577, 2588, 5088, 6088, 7088

**A-87313325** Lever Assy, Chaffer 11.02 Lbs.
***Replaces:*** 1957467C3



***Dim/Info:***
Includes - 1330323C2 Bushing; 1979251C1 Shaft, 87323537 Bar Assy

***For Models:*** 1640 Heavy Duty Extended Length Chaffer, 1644 SN: JJC0098060 >, 1660 P.I.N. JJC0039550 >, 1666 SN: JJC0106005 >, 1680 S/N JJC0045689>, 1682 , 1688 SN: JJC0120460 >, 2144, 2166, 2188, 2344, 2366, 2377, 2388, (2577, 2588 ALL SN <HAJ303741)

**A-192056C1** Grain Pan, Upper 9.00 Lbs.



***Dim/Info:***
Type - Upper Shoe Pan Assembly

***For Models:*** 1440, 1460, 1470, 1640, 1660, 1666, 1670, 2144, 2166, 2344, 2366

**A-192057C1** Grain Pan, Upper 9.00 Lbs.
***Replaces:*** 87379130, 87379122, 87546889, 1312938C1, 87745690



***Dim/Info:***
Type - Upper Shoe Pan Assembly

***For Models:*** 1480, 1482, 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588, 5088, 6088, 7088

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
aiproducts
e-mail: sales@aiproducts.com
web: www.aiproducts.com

# CHAFFERS/ SIEVE/ FRAMES/ SHOES RELATED PARTS

**A-175114C1** Finger, Auger Bed, Short 0.10 Lbs.



***For Models:*** 815, 914, 915, 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088


**A-1312476C1** Finger, Auger Bed, Long 0.20 Lbs.



***For Models:*** 1460, 1640, 1644, 1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088

**A-1319209C1** Bottom Assembly, Shoe Return Pan 51.00 Lbs.


***Replaces:*** 191941C1



***Dim/Info:***
Type - Short Shoe

***For Models:*** 1480, 1482, 1680, 1682


**A-1322461C1** Bottom Assembly, Shoe Return Pan 72.00 Lbs.



***Dim/Info:***
Type - Long Shoe

***For Models:*** 1680 SN JJC0047412>, 1688, 2188, 2377, 2388, 2577, 2588, 5088, 6088, 7088

**A-87557503** Shoe, Shaker 310.00 Lbs.



***For Models:*** AFX8010, 1620, 1640, 1660, 1680, 5088, 6088, 7010, 7088, 7120, 8010, 8120, 9120, (**COTTON PICKER**: 420 Tier 3)


**A-84320474** Housing, Bearing; Shaker Shoe Drive 2.39 Lbs.



***For Models:*** 7010, 7120, 8010, 8120, 9120, AFX8010

**A-8** Support, Chaffer Pan 12.00 Lbs.

***Replaces:*** 1312969C1



***For Models:*** 1680 W/ Long Chaffer SN JJC0047412>, 1688, 2188, 2377, 2388, 2577, 2588


**A-9811082** Bushing, Shoe Arm, Upper 1.48 Lbs.

***Replaces:*** 89811082, 84097509, 84320630



***For Models:*** AFX8010, 7010, 7120, 8010, 8120, 9120

**A-84052651** Bushing, Shaker Shoe, Upper 0.28 Lbs.




***Dim/Info:***
Length - 2.05"
Inside Diameter - .640"
minimum order qty 4

***For Models:*** AFX8010, 7010, 7120, 8010, 8120, 9120

**A-338222** Bushing, Shaker Shoe, Upper 0.18 Lbs.

***Replaces:*** 80338222



***Dim/Info:***
minimum order qty 2

***For Models:*** AFX8010, 7010, 7120, 8010, 8120, 9120

**A-429232** Bushing, Cleaning Shoe Pivot Frame 0.07 Lbs.

***Replaces:*** 80429232, 87689278



***For Models:*** AFX8010, 7010, 7120, 8010, 8120, 9120

**A-434817** Roller, Cleaning Shoe Pivot Frame 0.31 Lbs.


***Replaces:*** 80434817



***For Models:*** AFX8010, 7010, 7120, 8010, 8120, 9120

**A-9831928** Shaft, Cleaning Shoe Pivot Frame 2.21 Lbs.

***Replaces:*** 89831928, 428648




***Dim/Info:***
8.280" Long

***For Models:*** AFX8010, 7010, 7120, 8010, 8120, 9120

**A-87378753** Support, Chaffer Front Seal 12.00 Lbs.

***Replaces:*** 192065C1



***For Models:*** 1480, 1482, 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

*CASE-IH

Truck icon indicates that the item is shipped via truck freight.


# ELEVATOR CHAIN

## Chain, Clean Grain Elevator



| Part No. | Links-Chain | Paddle Size | Qty-Paddle | Applications |
|---|---|---|---|---|
| **A-186221C1** | 149- CA550 | 6 5/8" x 2 5/8" | 36- 185333C1 | 1420, 1620 |
| **A-1302201C91** | 150-CA550 | 7 3/4" x 2 3/4" | 37-1302203C1 | 1440, 1460, 1470 |
| **A-1302195C91** | 160-CA550 | 7 11/16" x 3 11/16" | 40-1302197C1 | 1480 sn 14001->, 1482 |
| **A-1321334C92** | 150-CA550 | 5 5/8" x 4" | 37-1317480C2 | 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366 |
| **A-1317482C92** | 153-CA550 | 7.63" x 4.13" | 38-1318493C2 | 1680, 1682, 1688, 2188, 2377 SN HAJ292001-HAJ300000, 2577 S/N HAJ0300001>, 2388, 2588 |
| **A-87281911** | CA550HD | 9 3/4" x 5 1/8" | 36-87282471 | AFX8010, 7010, 7120, 7230, 7240, 8010, 8230, 8120, 8240, 9120, 9230, 9240 |

## Chain, Return Elevator



| Part No. | Links-Chain | Paddle Size | Qty-Paddle | Applications |
|---|---|---|---|---|
| **A-1303114C91** | 112-CA550 | 5 5/8" x 2 3/4" | 28-1303116C1 | 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ292001-HAJ300000, 2388, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088 |

## Paddle, Tailings Elevator Chain



| Part No. | Links-Chain | Paddle Size | Qty-Paddle | Applications |
|---|---|---|---|---|
| **A-1303116C1** | | 5.625" X 2.750" | 3 | 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577 SN HAJ0300001>, 2588 SN HAJ300001> |
| **A-1302203C1** | | 7.625" X 2.750" | 3 | 1440, 1460, 1470 |
| **A-1302197C1** | | 7.625" X 3.750" | 3 | 1480, 1482 |
| **A-1318493C2** | | 7.63" X 4.13" | 3 | 1680, 1682, 2188, 1688, 2377, 2388, 2577 SN HAJ0300001>, 2588, 5088, 6088, 7088 |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

# CLEAN GRAIN & RETURN ELEVATOR PARTS

**A-1317271C1** Cover-Rear, Boot, Clean Grain Elevator 3.45 Lbs.



***For Models:*** 1640, 1644, 1660, 1666, 1670 HILLSIDE SN: JJC0080540 >, 2144, 2166, 2344, 2366

**A-1317437C1** Cover-Rear, Boot, Clean Grain Elevator 3.97 Lbs.



***For Models:*** 1680, 1682, 1688, 2188, 2377, 2388 SN: < JJC0276540 & HAJ292001 >, 2577, 2588

**A-87282356** Link, Connecting 0.16 Lbs.



***Dim/Info:***
Size - CA550HD
Pin Size - 3.17mm OD

***For Models:*** AFX8010, 7010, 7120, 7230, 7240, 8010, 8120, 8230, 8240, 9120, 9230, 9240

**A-87717729** Link, Offset 0.16 Lbs.
***Replaces:*** 86995345



***Dim/Info:***
Size - CA550HD
Pin Size - 3.17mm OD


***For Models:*** AFX8010, 7010, 7120, 7230, 7240, 8010, 8120, 8230, 8240, 9120, 9230, 9240

**A-582018R1** Block, Elevator Drive Chain Tightner 0.25 Lbs.
***Replaces:*** B512091



***For Models:*** 1420, 1440, 1460, 1470, 1480, 1482, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588

**A-198279A1** Hub, Clutch Plate, Elevator Drive Jackshaft 2.15 Lbs.
***Replaces:*** 1319232C1



***Dim/Info:***
1.25" bore
3.53" long

***For Models:*** 1440 SN 40001->, 1460 SN 42001->, 1470, 1480 SN 44001->, 1482 SN 20001->, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2588 SN HAJ300001>, 5088, 6088, 7088 SN <Y9G001953

**A-194835C2** Retainer, Clutch Ratchet, Elevator Shaft 5.00 Lbs.
***Replaces:*** 194735C1



***For Models:*** 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7088


**A-188119C1** Trough, Elevator Head 3.19 Lbs.



***For Models:*** 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588

**A-1317376C9** Housing, Clean Grain Elevator 176.00 Lbs.


***Replaces:*** 1317376C8, 1317376C7, 1317376C6, 1317376C5, 1317376C4, 1317376C3, 1317376C2, 1317376C1



***For Models:*** 1640, 1644, 1660, 1666, 1670 Hillside; SN JJC0080540>, 2144, 2166, 2344, 2366 W/O AFS

**A-1317456C6** Housing, Clean Grain Elevator 180.00 Lbs.


***Replaces:*** 1317456C5, 1317456C4, 1317456C3, 1317456C2, 1317456C1



***For Models:*** 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588

**A-367708A4** Housing, Clean Grain Elevator 173.00 Lbs.

***Replaces:*** 367708A3, 367708A2, 367708A1



***For Models:*** 2366 W/ AFS

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


*CASE-IH

Truck icon indicates that the item is shipped via truck freight.

# CLEAN GRAIN & RETURN ELEVATOR PARTS

**A-367308A5** Housing, Clean Grain Elevator 180.00 Lbs.

***Replaces:*** 367308A4, 367308A2, 367308A1



***For Models:*** (2377, 2388, 2577, 2588 ALL W/ AFS)

**A-87693856** Cover, Clean Grain 6.11 Lbs.

***Replaces:*** 84078033, 84099826, 84023432

***Dim/Info:***
Length - 63.12"



***For Models:*** AFX8010, 7010, 7120, 8010, 8120, 9120

**A-84078027** Cover, Return Tailings Std. 5.10 Lbs.


***Dim/Info:***
Length - 64"



***For Models:*** AFX8010, 7010, 7120, 8010, 8120, 9120

**A-191778C2** Housing, Tailings Elevator 111.00 Lbs.


***Replaces:*** 191778C1



***For Models:*** 1440, 1460, 1470, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366

**A-87470913** Housing, Tailings Elevator 125.00 Lbs.

***Replaces:*** 87364551, 192430C3, 192430C2, 192430C1



***For Models:*** 1480, 1482, 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588

**A-87510515** Boot, Bottom; Clean Grain Elevator 34.20 Lbs.

***Replaces:*** 87282146, 84194821



***For Models:*** 7010, 7120, 8010, 8120, 9120, AFX8010 SN HAJ106401>

**A-86620026** Flange, Triangular 0.33 Lbs.

***Replaces:*** 84814939, 80036403, 80410434, 86574241, 80578139, 3101585R1, 180955C1, 578189



***Dim/Info:***
C to C - 3.937" / 100.01mm
Bearing Outside Diameter - 2.835" / 72mm

***For Models:*** AFX8010, 715, 815, 914 S/N 8001>, 915, 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7010, 7088, 7120, 8010, 8120, 9120

**A-87109213** Cover, Elevator Head Top 12.64 Lbs.

***Replaces:*** 86975886



***For Models:*** AFX8010, 7010, 7120, 8010, 8120, 9120


**A-1321128C1** Cover, Clean Grain Elevator Head; Front 15.00 Lbs.



***For Models:*** 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344 SN <JJC0174359, 2366 SN <JJC0252949

**A-156910C1** Door, Tailings Elevator; Non-perforated 3.15 Lbs.


***Replaces:*** 184560C91



***For Models:*** 315, 403, 503, 715, 815, 914, 915, 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588

**A-174193C1** Door, Tailings Elevator; Perforated 1.15 Lbs.

***Replaces:*** 239997A1



***For Models:*** 315, 403, 503, 715, 815, 914, 915, 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.




P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-1317276C1** Elevator Door, Clean Grain, Solid 8.00 Lbs.




***For Models:*** 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366

**A-1317841C1** Elevator Door, Clean Grain, Perforated 3.00 Lbs.




***For Models:*** 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366

**A-1317430C1** Elevator Door, Clean Grain, Solid 10.20 Lbs.



***For Models:*** 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588

**A-1317842C1** Elevator Door, Clean Grain, Perforated 2.31 Lbs.




***For Models:*** 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588

**A-87282183** Door, Clean Grain Elevator 18.40 Lbs.




***For Models:*** AFX8010 SN HAJ106401>, 7010, 7120, 8010, 8120, 9120

**A-191790C2** Hinge, False Bottom; Elevator 2.00 Lbs.
***Replaces:*** 191790C1




***For Models:*** 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588

**A-191771C1** Boot, Tailings Elevator 10.75 Lbs.




***For Models:*** 1420, 1440, 1460, 1470, 1620, 1640, 1644, 1660, 1666, 1670

**A-183160C1** Boot, Tailings Elevator 10.75 Lbs.



***For Models:*** 1480, 1482, 1680, 1682, 1688, 2144, 2166, 2188

**A-87636252** Boot, Tailings Elevator 11.10 Lbs.
***Replaces:*** 222814A2



***For Models:*** 2344, 2366, 2377, 2388, 2577, 2588

**A-1317673C2** Boot, Clean Grain Elevator (Inner) 5.50 Lbs.



***For Models:*** 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366

**A-1318584C2** Boot, Clean Grain Elevator (Inner) 4.61 Lbs.
***Replaces:*** 1318584C2



***For Models:*** 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588

**A-1318585C3** Boot, Clean Grain Elevator (Outer) 6.10 Lbs.
***Replaces:*** 1318585C2, 1318585C2




***For Models:*** (1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2344, 2366 ALL W/O Advanced Farming System Yield Monitor)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# CLEAN GRAIN & RETURN ELEVATOR PARTS

**A-176175A2** Boot, Clean Grain Elevator (Outer) 6.13 Lbs.
***Replaces:*** 176175A1



***For Models:*** (2188, 2377, 2388, 2577, 2588 ALL W/O Advanced Farming System Yield Monitor)

**A-1318590C3** Guard, Deflector; Grain Elevator Bottom 2.30 Lbs.
***Replaces:*** 1318590C2, 1318590C1



***For Models:*** 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588

**A-1317270C3** Deflector, Grain Elevator, Bottom 1.45 Lbs.
***Replaces:*** 1317270C2, 1317270C1, 131720C1



***For Models:*** 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366

**A-84163887** Plate, Large Deflector; Grain Flow (AFS) Stainless Steel 2.68 Lbs.
***Replaces:*** 224602A1



***For Models:*** 1644, 1666, 2144, 2166, 2344, 2366

**A-84156951** Plate, Large Deflector; Grain Flow (AFS) Stainless Steel 3.61 Lbs.
***Replaces:*** 224603A1




***For Models:*** 1688, 2188, 2388

**A-1321130C1** Trough, Grain Auger 6.55 Lbs.



***For Models:*** 1640, 1644, 1660, 1666, 1670, 1682, 2144, 2166, 2344 SN <JJC0174359, 2366 SN <JJC0252949

**A-1321557C2** Trough Tube, Clean Grain Auger 18.00 Lbs.



***Dim/Info:***
lower
35.00" long

***For Models:*** 1660, 1666, 1680, 1688, 2144 SN <-JJC0172845, 2166 SN <-JJC0180000, 2188 SN <-JJC0191483, 2388

**A-199006A2** Trough, Clean Grain Auger Tube 18.00 Lbs.



***Dim/Info:***
lower
35.00" long

***For Models:*** 2588 SN HAJ300001>, 2144 SN JJC0172845->, 2166 SN 44C0180000->, 2188 SN JJC0191483->, 2344, 2366, 2388, 2377 SN HAJ292001-HAJ300000, 2577 SN HAJ0300001>

**A-1541638C1** Trough, Clean Grain; Non-Perforated 20.00 Lbs.



***For Models:*** 1644, 1660 SN JJC0038346>, 1666, 2144, 2166, 2344, 2366

**A-1989374C1** Clean Grain Trough 28.00 Lbs.

***Replaces:*** 87395607



***For Models:*** 1680 W/ Extended Length Cleaning System, 1688, 2188, 2377, 2388, 2577, 2588

**A-1324840C1** Bearing Hub, Tailings Auger 10.40 Lbs.
***Replaces:*** 192783C1



***Dim/Info:***
8.04" OD
6.29" long

***For Models:*** 303, 315, 615, 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ292001-HAJ300000, 2388, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088, (**COTTON PICKER**: 95, 1400)


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
aiproducts
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-570265R91** Pulley, Idler (Flanged) 2.22 Lbs.




***Dim/Info:***
A - 7.000" outer dia.
B - .625" hole dia.
C - 1.312" Width

***For Models:*** 303, 403, 503, 615, 715, 815, 914, 915, 1480


**A-673214R91** Pulley, Idler (V-belt) 2.26 Lbs.
***Replaces:*** 673214C91, 86996213




***Dim/Info:***
A - 7.312" outer dia.
B - .625" hole dia.
C - 1.187" Width

***For Models:*** 303, 315, 403, 503, 615, 715, 815, 915, 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7088, (**COTTON PICKER**: 95, 616, 622, 1400)

**A-176579C1** Pulley, Idler (Flat) 5.28 Lbs.







***Dim/Info:***
A - 8.000" outer dia.
B - .625" hole dia.
C - 3.250" Width

***For Models:*** 615, 715, (815, 915 ALL SN 8001->), 1440, 1460, 1480, 1482, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ292001-HAJ300000, 2388, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088, (**HEAD, CORN**: 810), (**HEAD, CUTTING PLATFORM**: 820)


**A-566519R1** Pulley, Idler (Flat) 2.15 Lbs.



***Dim/Info:***
A - 1" Width
B - 1/2" Bore
C - 7" O.D.

***For Models:*** 503, 615, 715, (**HEAD, CORN**: 402)


**A-582389R91** Sprocket, Idler 0.82 Lbs.



***Dim/Info:***
15 teeth
.625" inside dia.
60 chain

***For Models:*** 82, 303, (**HEAD, CORN**: 303 S/N 8364001>), 403, 503, 715, (**HEAD, CORN**: 240822, 240838, 320630)

**A-86619126** Sprocket Assy.; Idler 1.03 Lbs.



***Dim/Info:***
Inside Diameter - .654"
Outside Diameter - 3.852"
Teeth - 15

***For Models:*** 82, 303, 403, 503, 715, 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1688, 303 S/N 8364001>, (**HEAD, CORN**: 824, 833, 834, 844, 853, 854, 863, 864, 873, 874, 883, 943, 944, 954, 963, 964, 983, 984, 1043, 1044, 1054, 1063, 1064, 1083, 1084)

**A-631905R91** Sprocket, Idler 0.76 Lbs.
***Replaces:*** 103244, 298009A1



***Dim/Info:***
Chain - 50
Inside Diameter - .625"
Teeth - 17

***For Models:*** 815, 914, 915, 1440, 1460, 1480, 2577, 2588, 5088, 6088, 7088, (**HEAD, CORN**: 943, 944, 954, 963, 964, 983, 984)

**A-565442R91** Sprocket, Idler 0.78 Lbs.



***Dim/Info:***
Chain - 50
Inside Diameter - .500"
Teeth - 17


***For Models:*** 303, 315, 303 S/N 8364001>, 403, 453, 503, 615, 715, 815, 914, 915, 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388 SN <JJC0276540, 2577 S/N HAJ0300001>, 2588 S/N HAJ300001>, (**HEAD, CUTTING PLATFORM**: 810, 820)

**A-183210C91** Hub Assy, Elevator Jackshaft Drive 8.05 Lbs.



***For Models:*** 1420, (1440, 1460 ALL SN <5501), 1470 SN 1180>, 1480 SN <1501, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7088


**A-936744R1** Bushing, Elevator Jackshaft Hub 0.10 Lbs.



***Dim/Info:***
2.015" O.D.
1.891" I.D.
.730" Wide

***For Models:*** 303, 403, 503, 615, 715, 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7088

**A-1317412C1** Sprocket, Grain Elevator Drive 3.40 Lbs.



***Dim/Info:***
32 teeth, 50 chain
6.721" OD
1.250" ID

***For Models:*** 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ292001-HAJ300000, 2388, 2577 SN HAJ0300001>, 2588 SN HAJ300001>

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


*CASE-IH

Truck icon indicates that the item is shipped via truck freight.

# GRAIN HANDLING SHAFTS, SPROCKETS, PULLEY




**A-1321039C1** Sprocket, Grain Elevator 1.84 Lbs.



***Dim/Info:***
29 teeth, 50 chain
6.122" OD
2.00" ID

***For Models:*** 1660 used on incline elevator, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ292001-HAJ300000, 2388, 2577 SN HAJ0300001>, 2588 SN HAJ300001>

**A-188189C1** Sprocket, Grain Elevator 2.69 Lbs.



***Dim/Info:***
33 teeth, 50 chain
6.920" OD
2.25" ID

***For Models:*** 1440 elev spout, (1460, 1480 ALL elev spout slow speed headshaft SN 1501->), 1470, 1482

**A-1319176C1** Sprocket, Clean Grain Elevator 2.10 Lbs.



***Dim/Info:***
7 teeth
1.250" bore

***For Models:*** (1420, 1620 ALL Lower Clean Grain Auger), 1440 Lower Clean Grain Auger SN 30485->, 1460 Lower Clean Grain Auger SN 33286->, 1470 Lower Clean Grain Auger SN 10701->, 1480 Lower Clean Grain Auger SN 34001->, 1482 Lower Clean Grain Auger SN 20001->


**A-1317192C1** Sprocket, Clean Grain Elevator 3.55 Lbs.



***Dim/Info:***
9 teeth
1.250" bore

***For Models:*** 1682 Lower Clean Grain Auger, (1640, 1644, 1660, 1666, 1670, 1680, 1688, 2144, 2166, 2344, 2366 ALL Upper & Lower Clean Grain Auger), (2188, 2388 ALL Upper Clean Grain Auger), 2377 SN HAJ292001-HAJ300000, 2577 SN HAJ0300001>, 2588 SN HAJ300001>


**A-192139C2** Sprocket, Grain & Tailings Elevator Drive 2.74 Lbs.



***Dim/Info:***
25 tooth, 50 chain
5.323" OD
1.25" ID

***For Models:*** 1440, 1460, 1470, 1480, 1482, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, (2344, 2366 ALL SN <-JJC0184543), 2388 SN <-JJC0198067


**A-168683C1** Sprocket, Clean/ Tailings Elevator 2.00 Lbs.



***Dim/Info:***
7 tooth
1.00" bore

***For Models:*** 815 SN 1291> Upper Clean Grain Auger, 914 Upper Clean Grain Auger, 915 SN 1089> Upper Clean Grain Auger, (1420, 1620 ALL Upper Clean Grain & Upper & Lower Tailing Auger), 1440 SN 10001> Lower Clean Grain & Upper & Lower Tailing Auger, 1460 SN 12001> Lower Clean Grain & Upper & Lower Tailing Auger, 1470 SN 1180-10170 Lower Clean Grain & SN 1180> Upper Tailing Au, 1480 SN 14001> Upper Tailing Auger, (1640, 1644, 1660, 1666, 1670 ALL Upper & Lower Tailing Auger), (1482, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2388 ALL Upper Tailing Auger), 2377 SN HAJ292001-HAJ300000, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088


**A-1302200C1** Sprocket, Clean/ Tailings Elevator 2.08 Lbs.



***Dim/Info:***
7 tooth
1.125" bore

***For Models:*** 1480 Lower CG SN14001-34000, Lower Tail SN14001-> & All Upper CG, 1482 Upper Clean Grain Auger & Lower Tailing Auger, 1440 Upper Clean Grain Auger SN 10001->, 1470 Upper Clean Grain Auger SN 1180->, 1460 Upper Clean Grain Auger SN 12001->, (1680, 1682, 1688 ALL Lower Tailing Auger)


**A-165292C1** Sprocket, Clean/ Tailings Elevator 1.56 Lbs.



***Dim/Info:***
6 tooth
1.00" bore

***For Models:*** (715, 914 ALL Lower Clean Grain & Lower Tailing Auger), 815 Upper Clean Grain SN <-1290, All Lower CG & Lower Tail SN 34, 915 Upper Clean Grain SN <-1088, All Lower CG & Lower Tail SN 19, (1440, 1460 ALL Upper & Lower Clean Grain & Tailing Augers SN <-10000), 1470 Upper & Lower Clean Grain & Tailing Augers SN <-1179, 1480 Upper Tailing Auger SN <-14000


**A-186720C1** Sprocket, Clean/ Tailings Elevator 1.70 Lbs.



***Dim/Info:***
6 tooth
1.125" bore

***For Models:*** 1480 Lower Clean Grain & Lower Tailing Auger SN <-14000


**A-188188C1** Sprocket, Elevator Drive 1.60 Lbs.



***Dim/Info:***
27 tooth, 50 chain,
5.723" OD
2.25" ID

***For Models:*** 1440 Headshaft, 1460 Headshaft, Grain elev spout, 1470 Headshaft, Grain elev spout SN 5501->, 1480 Headshaft, Grain elev spout SN 14001->, 1482, 1640 SN <-JJC0034705, 1660, 1680 SN <-45689, (Tailing drive / driven for <-80540), 1682


**A-182945A1** Sprocket, Grain Elevator Drive 5.05 Lbs.



***Dim/Info:***
1.25" bore
25/ 30 teeth, 50 chain

***For Models:*** 2144, 2166, 2188, 2344, 2366, 2388 SN: < JJC0276540

**A-348324A1** Sprocket Assy, Grain Elevator Drive 3.74 Lbs.



***Dim/Info:***
1.25" bore
20/ 27 teeth, 50 chain

***For Models:*** 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com


**A-296022A1** Sprocket Assy, Grain Elevator Drive 4.21 Lbs.



***Dim/Info:***
1.25" bore
27 teeth, 50 chain

***For Models:*** 2166, 2366 SN: JJC0184544 >, 2377 SN: HAJ0292001 >, 2388 SN: JJC0198068-JJC0276540, HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>

**A-296023A1** Sprocket Assy, Grain Elevator Drive 5.29 Lbs.



***Dim/Info:***
1.25" bore
27/ 32 teeth, 50 chain

***For Models:*** 2166, 2366 SN: JJC0184544 >, 2377 SN: HAJ0292001 >, 2388 SN: JJC0198068-JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>


**A-143960A1** Sprocket, Clean Grain Elevator 3.50 Lbs.



***Dim/Info:***
9 tooth
1.375" bore

***For Models:*** (2188, 2388 ALL Lower Clean Grain Auger), 2377 SN HAJ292001-HAJ300000, 2577 SN HAJ0300001>, 2588 SN HAJ300001>


**A-1345472C1** Sprocket, Tailings Elevator Drive 3.18 Lbs.
***Replaces:*** 1979808C1



***Dim/Info:***
27 tooth, 50 chain
5.723" OD
1.000" ID

***For Models:*** (1640, 1644, 1660, 1666, (1670, 1680 ALL SN 80540->), 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ292001-HAJ300000, 2388, 2577 SN HAJ0300001>, 2588 SN HAJ300001>


**A-144031A1** Sprocket, Tailings Elevator 2.10 Lbs.



***Dim/Info:***
7 tooth
1.250" bore

***For Models:*** (2144, 2166, 2188 ALL Lower Tailing Auger), 2377 SN HAJ292001-HAJ300000, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088, (2344, 2366, 2388 ALL Lower Tailing Auger)


**A-87748377** Sprocket, Elevator Head, Driven 8.80 Lbs.
***Replaces:*** 87586562, 87108698, 86998172



***Dim/Info:***
37 teeth
1.182" bore

***For Models:*** 7010, 7120, 8010, 8120, 9120, AFX8010


**A-87283101** Sprocket, Upper Clean Grain Elevator 1.03 Lbs.



***Dim/Info:***
Inside Diameter - .984"
Teeth - 15

***For Models:*** AFX8010 SN <HAJ105101, 5088, 6088, 7010, 7088, 7120, 8010, 8120, 9120


**A-87283695** Sprocket, Upper Clean Grain Elevator 3.55 Lbs.
***Replaces:*** 87108702, 86975916



***Dim/Info:***
Inside Diameter - 1.379"
Teeth - 23

***For Models:*** AFX8010 SN HAJ105101>, 7010, 7120, 8010, 8120, 9120

**A-87731456** Sprocket, Upper Clean Grain Elevator 2.65 Lbs.
***Replaces:*** 87283677, 86999488



***Dim/Info:***
Inside Diameter - 1.379"
Teeth - 17

***For Models:*** AFX8010, 7010, 7120, 8010, 8120, 9120

**A-87283438** Sprocket, Elevator Head Drive 4.69 Lbs.
***Replaces:*** 86998052



***Dim/Info:***
9 teeth
35 MM Round Bore

***For Models:*** AFX8010, 7010, 7120, 8010, 8120, 9120

**A-87283436** Sprocket, Lower Clean Grain Elevator 4.83 Lbs.
***Replaces:*** 87283182, 86975226



***Dim/Info:***
9 teeth
45 MM Round Bore

***For Models:*** 7010, 7120, 8010, 8120, 9120, AFX8010

**A-86999492** Sprocket, Bubble Up Auger; Driven 4.26 Lbs.



***Dim/Info:***
26 teeth
1.182" bore

***For Models:*** AFX8010, 7010, 7120, 7240, 8010, 8120, 8240, 9120, 9240

**A-1321167C92** Sprocket, Grain Tank Unloader Drive 3.54 Lbs.



***Dim/Info:***
33 tooth, 50 chain
6.920"OD
1.132"&1.250"ID

***For Models:*** 1620 SN 32630->, 1640 SN <-97103, 1660, 1670, 1680 SN <-115352


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# GRAIN HANDLING SHAFTS, SPROCKETS, PULLEY

*CASE-IH

**A-187331C1** Sprocket, Grain Tank Unloader Drive 4.36 Lbs.



***Dim/Info:***
49 tooth, 40 chain
8.090" OD
1.000" ID

***For Models:*** 1482, 1640 SN 35422->, 1660 SN 102897->, 1670 SN 80540->, 1680 SN 115352->, 2188, 2388, 2588 SN HAJ300001>


**A-1347360C1** Sprocket, Grain Tank Unloader Drive 3.92 Lbs.



***Dim/Info:***
33 tooth, 50 chain
6.920" OD
6.920" bushing ID

***For Models:*** 1640 SN 97103->, 1644, 1660 SN 102897->, 1666, 1680 SN 115352->, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ292001-HAJ300000, 2388 SN <-JJC0276540


**A-1347384C1** Bushing, Grain Tank Unloading Sprocket 0.02 Lbs.
***Replaces:*** A58376



***Dim/Info:***
1.408" O.D.
1.254" I.D.
.750" Wide

***For Models:*** 1640, 1644, 1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588


**A-192922C1** Sprocket, Grain Tank Unloader Drive 3.22 Lbs.
front auger driven



***Dim/Info:***
43 tooth, 40 chain
7.130" OD
1.000" ID

***For Models:*** 1420, 1440, 1460, 1470, 1480, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ292001-HAJ300000, 2388 SN <-JJC0276540, 2588 SN HAJ300001>

**A-192925C1** Sprocket, Grain Tank Unloader Drive 2.36 Lbs.
rear auger driven



***Dim/Info:***
37 tooth, 40 chain,
6.210" OD
1.000" ID

***For Models:*** 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640 SN <-97103, 1644, 1660 SN <-80540, 1666, 1670 SN <-102896, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ292001-HAJ300000, 2388 SN <-JJC0276540


**A-1347402C1** Sprocket, Unloader Drive (Lower) 14.40 Lbs.



***Dim/Info:***
33/ 57 Teeth
1.38" bore

***For Models:*** 1640 SN JJC0034705>, 1644, 1660 SN JJC0038346>, 1666, 1680 SN JJC0115352>, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ292001-HAJ300000, 2388

**A-86627639** Sprocket, Idler; Unloading Drive 1.16 Lbs.



***Dim/Info:***
Bore - .640"
Teeth - 15

***For Models:*** 5088, 6088, 7010, 7088, 7120, 8010, 8120, 9120, AFX8010


**A-84069777** Sprocket, Unloading Drive 10.35 Lbs.



***Dim/Info:***
Bore - 1.379"
Teeth - 38


***For Models:*** AFX8010, 7010, 7120, 8010, 8120, 9120

**A-1345064C1** Support, Drive Idler Sprockets, Clean Grain Elevator 2.59 Lbs.



***For Models:*** 1640, 1644, 1660, 1666, 1670 SN: JJC0080540 >, 2144, 2166, 2344, 2366


**A-1319759C1** Sprocket, Idler, Clean Grain Elevator 0.95 Lbs.



***Dim/Info:***
17 teeth
0.755" hex bore

***For Models:*** 1640, 1644, 1660, 1666, 1682, 2144, 2166, 2344, 2366

**A-1347494C1** Shaft, Unloader Belt Drive 10.58 Lbs.



***Dim/Info:***
Length - 30.69"

***For Models:*** 1640 P.I.N. JJC0097103 >, 1644, 1660 P.I.N. JJC0102897 >, On Models w/ Ext. Length Cleaning, 1666, 2144, 2166, 2344, 2366

**A-1347352C1** Shaft, Grain Tank Unloader Belt Drive 7.85 Lbs.



***Dim/Info:***
Length - 23.25"

***For Models:*** 1680 P.I.N. JJC0115352 >, 1682, 1688, 2188, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>

**A-1324929C1** Gear, Unloader, Upper Gear Case Assembly 2.87 Lbs.



***Dim/Info:***
18 teeth

***For Models:*** (815, 915 ALL S/N 8001>), 1420, 1440, 1460, 1470, 1480, 1482, 1620 SN: JJC0032630 >, 1640 P.I.N. < JJC0097103, 1660 P.I.N. < JJC0102897, 1670 , 1680 P.I.N. < JJC0115352, 1682

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

# GRAIN HANDLING SHAFTS, SPROCKETS, PULLEY

**A-115970** Bearing, Cone; Lower Unloading Gearbox 0.42 Lbs.
***Replaces:*** 20879D, 753165R91, 710343, 700710817, 21983K, A29976



***Dim/Info:***
Bore - 1.375"

***For Models:*** 82, 1640 SN JJC0097103>, 1644, 1660 SN JJC0102897>, 1666, 1680 SN JJC0115352>, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588

**A-116210** Bearing, Cup; Lower Unloading Gearbox 0.29 Lbs.
***Replaces:*** DA0710350, K19176, 753165R91, 21983K, ST991, A29977, 36736



***Dim/Info:***
Outside Diameter - 2.717"

***For Models:*** 82, 303, 403, 503, 615, 715 S/N <23001, 815, 1640 SN JJC0097103>, 1644, 1660 SN JJC0102897>, 1666, 1680 SN JJC0115352>, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, (**COTTON PICKER**: 95, 1400)


**A-B95321** Kit, Lower Unloading Auger Gearbox Repair 3.59 Lbs.



***Dim/Info:***
Used On Models With Enclosed Gear Style Gearboxes.

***For Models:*** AFX8010, 1440, 1460, 1480, 1620, 1640, 1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 7010, 8010


**A-87331114** Shaft, Upper Unloading Auger Gearbox 6.05 Lbs.



***Dim/Info:***
15 Bevel Teeth
21 Spline
6.340" Long

***For Models:*** AFX8010 SN HAJ106401>, 5088, 6088, 7010, 7088, 7120, 8010, 8120, 9120

**A-86623219** Shaft, Lower Unloading Auger Gearbox 4.52 Lbs.



***Dim/Info:***
7.81" Long
8/ 21 Spline


***For Models:*** AFX8010, 5088, 6088, 7010, 7088, 7120, 8010, 8120, 9120

**A-853116** Bearing Assembly, Unloading Auger Gearbox 1.30 Lbs.
***Replaces:*** 5187264, 80853116, 338700A1, 100720



***For Models:*** AFX8010, 5088, 6088, 7010, 7088, 7120, 8010, 8120, 9120, 1042, 1052, 2042, 2052, 2062, 2142, 2152, 2162


**A-178116C1** Shaft, Vertical Unloading Auger 2.44 Lbs.



***Dim/Info:***
5.87" long

***For Models:*** (815, 915 ALL Low profiles SN 8001->)


**A-1327739C2** Shaft, Vertical Unloading Auger 4.56 Lbs.



***Dim/Info:***
9.75" long

***For Models:*** 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640 SN <-JJC0097103, 1660 SN <-JJC0102897, 1680 SN <-JJC0115352, 1682


**A-1327738C2** Horizontal Shaft 5.60 Lbs.
Can repl: 193702C92 old style by adding washers.
***Replaces:*** 192790C1



***Dim/Info:***
13.50" long

***For Models:*** 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640 SN <-JJC0097103, 1660 SN <-JJC0102897, 1680 SN <-JJC0115352, 1682

**A-1347260C1** Pinion, Upper Unloading Gearbox, 18T 2.70 Lbs.



***Dim/Info:***
6.03" long
18 teeth
19 spline

***For Models:*** 1640 PIN: JJC0097103 >, 1644, 1660 PIN: JJC0102897 >, 1666 , 1670 SN: JJC0080540 >, 1680 PIN: JJC0115352 >, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540, 2388 SN: HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>


**A-1319246C1** Shaft, Elevator Drive 9.00 Lbs.



***Dim/Info:***
28.27" Long

***For Models:*** 1440, 1460, 1470


**A-156010C92** Bearing, Elevator Drive/ Auger Trough 0.67 Lbs.
***Replaces:*** 374101A1, 1270174C91, 156011C92, 156011C91, 156010C91



***Dim/Info:***
Bore - 1.250"
Lube Type - Non-Relubable
Outside Diameter - 2.4409"

***For Models:*** 815, 915 S/N <8000, 1480, 1482, 1640 S/N <JJC0034705, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2388, 2377, 2577, 2588, 5088, 6088, 7088


**A-186164C1** Shaft, Grain Elevator Head 2.98 Lbs.
7 tooth sprocket 168683C1 used on this



***Dim/Info:***
13.75" long

***For Models:*** 1420, 1620


**A-186723C1** Shaft, Grain Elevator Head 3.74 Lbs.
7 tooth sprocket 1302200C1 used on this shaft.



***Dim/Info:***
13.310" long

***For Models:*** 1440 SN 10001->, 1460 SN 12001->, 1470, 1480, 1482

**A-1317429C1** Shaft, Grain Elevator Head 3.78 Lbs.
sprocket 1317192C1 used on this shaft.



***Dim/Info:***
10.970" long

***For Models:*** 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366


**A-86998178** Shaft, Grain Elevator Head 6.26 Lbs.



***Dim/Info:***
15.81" Long

***For Models:*** AFX8010, 7010, 7120, 8010, 8120, 9120

**A-181312C1** Head Shaft, Tailings Elevator 2.76 Lbs.
7 tooth sprocket 168683C1 used on this shaft.



***Dim/Info:***
12.750" long

***For Models:*** 1420, 1620

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


*CASE-IH

Truck icon indicates that the item is shipped via truck freight.

# GRAIN HANDLING SHAFTS, SPROCKETS, PULLEY

*CASE-IH

**A-191785C1** Head Shaft, Tailings Elevator 2.42 Lbs.
read application information about 168683C1 sprocket used w/ this tailings elevator head shaft.



***Dim/Info:***
11.000" long

***For Models:*** 715 S/N 23001>, 1440, 1460, 1470, 1480, 1482, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ292001-HAJ300000, 2388 SN <-HAJ300000, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088

**A-1319247C1** Shaft-Drive, Grain & Tailings Elevator 8.84 Lbs.



***Dim/Info:***
24.06" long

***For Models:*** 1480 SN: 44001 >, 1482 SN: 20001 >, 1680, 1682, 1688, 2188, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>

**A-1321347C1** Shaft-Drive, Grain Elevator 8.77 Lbs.



***Dim/Info:***
26.38" long

***For Models:*** 1640, 1644, 1660, 1666, 1670 SN: JJC0080540 >, 2144 SN: < JJC0172845, 2166 SN: < JJC018000

**A-195185A1** Shaft, Clean Grain & Tailings Elevator 9.50 Lbs.



***Dim/Info:***
26.87" long

***For Models:*** 2144, 2166, 2344, 2366

**A-86997062** Shaft, Tailings Processor; Upper Blower Drive 5.29 Lbs.



***Dim/Info:***
12.81" long

***For Models:*** AFX8010, 7010, 7120, 8010, 8120, 9120

**A-87283680** Shaft, Clean Grain Elevator, Upper 10.87 Lbs.



***Dim/Info:***
24.62" long

***For Models:*** AFX8010 SN HAJ105771>, 7010, 7120, 8010, 8120, 9120


**A-1321440C4** Shaft, Feeder House, Upper 38.00 Lbs.
Uses 3/8" X 2 1/2" Roll Pins Part# 87597 (Not Included Or Offered By A&I Products)
***Replaces:*** 1321440C3, 1321440C2, 1321440C1



***Dim/Info:***
Length - 68.00"

***For Models:*** 1470, 1680, 1682, 1688, 2188, 2388 SN: < JJC0268799

**A-1345065C1** Support Assy, Pivot Tightener, Grain Elevator Drive 3.00 Lbs.



***For Models:*** 1680 P.I.N. JJC0047413 >, 1682, 1688, 2188, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>

**A-84159803** Plate, Friction 0.22 Lbs.
***Replaces:*** 345334A1



***Dim/Info:***
QTY - 4

***For Models:*** (AFX8010, 7010, 7120, 8010, 8120, 9120 ALL Unloader Drive PTO Clutch)

**A-345335A2** Plate, Seperator 0.31 Lbs.
***Replaces:*** 345335A1



***Dim/Info:***
QTY - 4

***For Models:*** (AFX8010, 7010, 7120, 8010, 8120, 9120 ALL Unloader Drive PTO Clutch)

**A-168370C2** Ratchet, Slip Clutch 1.15 Lbs.
***Replaces:*** 86975803, 168370C1



***Dim/Info:***
Inside Diameter - 2.00"
Outside Diameter - 3.71"

***For Models:*** 2144 SN JJC0172845>; Elevator Jackshaft Drive, 2166 SN JJC018000>; Elevator Jackshaft Drive, 2188 SN JJC0191483>; Elevator Jackshaft Drive, (2344, 2366, 2377, 2388, 5088, 6088, 7088 ALL Elevator Jackshaft Drive)

**A-565673R92** Bearing 1.20 Lbs.
***Replaces:*** 700717774, 610188R91, 565672R92, 565672R91, 51292, K3315



***Dim/Info:***
Bore - 1.250"
Lube Type - Non-Relubable
Outside Diameter - 2.8346"

***For Models:*** 1420, 1440, 1460, 1480, 1620, 1640, 1644, 1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2388, 2377, 2577, 2588

**A-1317250C91** Bearing, Flanged 0.90 Lbs.
***Replaces:*** 1317250C1



***For Models:*** (1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588 ALL RH Grain Trough Auger & Grain Elevator Headshaft Bearing)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com


**A-670375R11** Flange, Bearing, Distribution Auger (RH) 0.66 Lbs.
***Replaces:*** 164948C91



***Dim/Info:***
Bearing Outside Diameter - 2.441"
Bolt Circle - 3.562"

***For Models:*** 815 SN: 8001 >, 915, 1640, 1644, 1660, 1666, 1670 SN: JJC0080540 >, 1682, 2144, 2166, 2344, 2344 SN: < JJC0174359, 2366 SN: < JJC0252949, (**HEAD, CUTTING PLATFORM**: 1042, 1052)

**A-939461R1** Flange, Bearing 0.32 Lbs.



***Dim/Info:***
Bearing Outside Diameter - 2.441"
Bolt Circle - 3.562"

***For Models:*** 815 SN: 8001 >, 914, 915, 1480, 1482, 1640, 1644, 1660, 1666, 1670 SN: JJC0080540 >, 1680, 1682, 1688, 2144, 2166, 2188, 2344 SN: < JJC0174359, 2366 SN: < JJC0252949, 2388 S/N <JJC0276540, (**FORAGE HARVESTER**: 720, 830), (**HEAD, CORN**: 724 SN: 513 >, 733, 743, 762, 763, 764, 782)


**A-87430561** Flange, Bearing 0.55 Lbs.
w/ Lube fitting
***Replaces:*** 939462R91



***Dim/Info:***
Bearing Outside Diameter - 2.835"
Bolt Circle - 3.937"

***For Models:*** 615 , 715 SN: < 23001, 815 , 914 SN: < 8001, 915 SN: < 8000, 1420, 1440, 1460, 1470, 1480, 1482, 1620 SN: JJC0032630 >, 1640, 1644, 1660, 1666, 1670 SN: JJC0080540 >, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2388 SN: < JJC0276540, 5088, 6088, 7088

**A-462360R1** Flange, Bearing 0.20 Lbs.



***Dim/Info:***
Bearing Outside Diameter - 2.047"
Bolt Circle - 3.00"

***For Models:*** 303, 815, 914, 915, 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577 S/N HAJ0300001>, 2588 S/N HAJ300001>, 5088, 6088, 7088, (**HEAD, CORN**: 303 S/N 8364001>, 724 S/N 513>)


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# AUGER RELATED PARTS

*CASE-IH


**A-1317738C1** Tube, Unloading Auger (Front) 161.00 Lbs.



***Dim/Info:***
90.250" long
12" ID

***For Models:*** 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ292001-HAJ300000, 2388

**A-195342C1** Tube, Unloading Auger (Rear) 141.00 Lbs.



***Dim/Info:***
87.250" long
12" ID

***For Models:*** (815, 915 ALL S/N 8001>), 1420, 1460, 1470, 1480, 1482, 1440

**A-1317783C5** Tube, Unloading Auger (Rear) 140.00 Lbs.

Rear Section For 172" Long Auger




***Dim/Info:***
82.5" long
12" ID

***For Models:*** 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ292001-HAJ300000, 2388

**A-1317899C4** Tube, Unloading Auger (Rear) 158.00 Lbs.

Rear Section For 208" Long Auger



***Dim/Info:***
119" long
12" ID

***For Models:*** 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ292001-HAJ300000, 2388, 2577 SN HAJ0300001>


**A-84072623** Support, Unloading Auger Extension Bearing 2.57 Lbs.
Used With 3 Ft. Unloading Auger Extension.



***For Models:*** 5088, 6088, 7010, 7088, 7120, 8010, 8120, 9120, AFX8010

**A-87470158** Tube; Horizontal Unloading Auger, 18 Ft., Extended Wear 400.00 Lbs.

***Replaces:*** 87284775



***Dim/Info:***
Length - 198"
Color - Black

***For Models:*** AFX8010, 7010, 8010

**A-84416910** Bearing (Import) 1.45 Lbs.



***Dim/Info:***
Bearing Inside Diameter - 1.625"
Lock Collar Inside Diameter - 1.63"
Lock Collar Outside Diameter - 2.472"
Bearing Outside Diameter - 3.3465" / 85mm
Bearing Width - 1.6929" / 43mm

***For Models:*** 7240, 8240, 9240

**A-220040A2** Shaft, Auger Connecting 1.50 Lbs.
Used With 198987A1 & 282176A2 Front Split Unloading Augers




***Dim/Info:***
6.00" long
1.00" hex

***For Models:*** 1644, 1666, 1688, (1660, 1680, 2144, 2166, 2188 ALL Used when replacing part# 1989388C2 w/ part# 198987A1), 2344, 2366, 2377 SN HAJ292001-HAJ300000, 2388, 2577 SN HAJ0300001>, 2588 SN HAJ300001>

**A-87302539** Yoke-Shaft, Inclined Delivery Auger 1.18 Lbs.

***Replaces:*** 1321056C1



***Dim/Info:***
16 spline

***For Models:*** 1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>

**A-186700C1** Flange, Delivery Auger Tube 0.70 Lbs.



***Dim/Info:***
Inside Diameter - 6.108"

***For Models:*** 1440, 1460, 1470, 1480, 1482, 1640, 1644, 1660, 1666, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 5130, 5140, 6088, 6130, 6140, 7088, 7130, 7140

**A-191854C1** Tube, Tailings Delivery 9.10 Lbs.



***For Models:*** 1480, 1482, 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588

**A-185038C7** Trough Assy, Auger Bed 160.94 Lbs.


***Replaces:*** 185038C6, 185038C3



***For Models:*** 1440, 1460, 1470, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366

**A-87378752** Support, Auger Front 8.00 Lbs.

***Replaces:*** 1345014C3, 1345014C2, 1345014C1



***For Models:*** 1680, 1688, 2188, 2377, 2388, 2577, 2588

Truck icon indicates that the item is shipped via truck freight.

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com


**A-1347432C2** Seal, Lower Unloading Gearbox 0.01 Lbs.



***Dim/Info:***
Inside Diameter - 1.352"
Outside Diameter - 1.653"
Width - .290"

***For Models:*** 1640 SN JJC0097103>, 1644, 1660 SN JJC0102897>, 1666, 1680 SN JJC0115352>, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588


**A-518819R1** Bearing, Cup; Lower Unloading Gearbox 0.25 Lbs.




***Dim/Info:***
Outside Diameter - 2.717"
Radius - .03"
Width - .593"

***For Models:*** 1640 SN JJC0097103>, 1660 SN JJC0102897>, 1680 SN JJC0115352>, 1666, 1688, 2166, 2188, 1644, 2344, 2366, 2388, 2144, 2377, 2577, 2588

**A-1989464C1** Gear-Drive, Lower Grain Tank Unloader Auger 2.72 Lbs.



***Dim/Info:***
1.50" bore
21 teeth

***For Models:*** 1640 P.I.N. JJC0097103 >, 1644, 1660 P.I.N. JJC0102897 >, 1666, 1680 P.I.N. JJC0115352 >, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>

**A-1989463C1** Shaft-Output, Auger, Unload, Lwr Grain Tank 6.60 Lbs.



***Dim/Info:***
12.67" long
1.375" OD

***For Models:*** 1640 P.I.N. JJC0097103 >, 1644, 1660 P.I.N. JJC0102897 >, 1666, 1680 P.I.N. JJC0115352 >, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>

**A-1327976C91** Housing, Unloading Auger 35.00 Lbs.



***For Models:*** 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640 SN <-JJC0097103, 1660 SN <-JJC0102897, 1680 SN <-JJC0115352, 1682

**A-192475C3** Unloader Housing, Lower 95.00 Lbs.



***For Models:*** 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2388, 2377 SN HAJ292001-HAJ300000

**A-87337242** Hydraulic Cylinder, Unloader Clutch 1.71 Lbs.



***Dim/Info:***
ID: 1.250"
STROKE: 2.750"


***For Models:*** 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: JJC0268800-JJC0270499 & HAJ0292001 >

**A-1319908C1** Side, Elevator Head (RH) 9.40 Lbs.



***For Models:*** 1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>

**A-1321560C3** Tube, Upper Grain Elevator Head 8.14 Lbs.
***Replaces:*** 1321560C2



***For Models:*** 1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2577, 2588, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >

**A-87515819** Shaft, Inclined Grain Elevator Head 4.45 Lbs.
***Replaces:*** 1317470C1




***For Models:*** 1680, 1682, 1688, 2188, 2377 SN: HAJ0292001 >, 2388, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577, 2588

**A-251472A1** Guard-Lower, Grain Elevator Head, Extended Wear 16.00 Lbs.



***For Models:*** 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, (2577, 2588 ALL SN: HAJ0300001>)

**A-1347399C1** Plate, Unloader Drive 2.25 Lbs.




***For Models:*** 1640 P.I.N. JJC0097103 >, 1644, 1660 P.I.N. JJC00102897 >, 1666, 1680 P.I.N. JJC0115352 >, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577, 2588

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.


# AUGER RELATED PARTS

**A-189456A1** Plate, Grain Elevator Head, Inclined, LH Front 3.00 Lbs.
***Replaces:*** 121370A1, 1321072C1, 1321069C1, 1321070C1




***For Models:*** 1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588

**A-1321552C2** Support, Grain Elevator Head, Inclined, Front 4.30 Lbs.
***Replaces:*** 1321552C1




***For Models:*** 1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588

**A-1321097C2** Cover, Auger; Grain Elevator Head, Inclined 4.00 Lbs.
***Replaces:*** 1321097C1




***For Models:*** 1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588

**A-251458A1** Plate, Grain Elevator Head, Inclined (Ext. Wear), RH Side 9.00 Lbs.




***For Models:*** 1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588

**A-1979134C1** Support, Auger Bearing; Grain Elevator Head, Inclined 7.00 Lbs.
***Replaces:*** 1321555C1




***For Models:*** 1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588

**A-1321551C2** Panel, Rear Support; Grain Elevator Head, Inclined 6.00 Lbs.
***Replaces:*** 1321551C1




***For Models:*** 1660, 1666, 2144, 2166, 2344, 2366

**A-1321095C1** Panel, Grain Elevator Head, Inclined, RH Side 5.00 Lbs.




***For Models:*** 1680, 1688, 2188, 2377, 2388, 2577, 2588

**A-1319940C1** Cover, Grain Elevator Head, Inclined, Rear 9.00 Lbs.




***For Models:*** 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588

**A-1321550C2** Panel, Rear Support; Grain Elevator Head, Inclined 6.00 Lbs.
***Replaces:*** 1321550C2




***For Models:*** 1680, 1688, 2188, 2377, 2388, 2577, 2588

**A-1319942C1** Cover, Rear; Horizontal Grain Elevator Head 7.00 Lbs.



***For Models:*** 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366

**A-1317439C1** Cover, Front; Grain Elevator Boot 4.00 Lbs.



***For Models:*** 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.




P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-223237A1** Side Plate, Outer; Grain Elevator, w/ AFS 7.00 Lbs.
For Machines W/ AFS




***For Models:*** (1644, 1666, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588 ALL W/ Advanced Farming System Yield Monitor)

**A-198603A2** Hood, Front; Grain Elevator Head, Inclined 12.00 Lbs.
***Replaces:*** 198603A1



***For Models:*** 2144 SN JJC0172845> W/O AFS, 2166 SN JJC0180000> W/O AFS, 2344, 2366

**A-229609A2** Hood, Front; Grain Elevator Head, Inclined (Corn & Grain) 5.00 Lbs.
***Replaces:*** 229609A1, 197872A2, 197872A1



***For Models:*** 2144 SN JJC0172845> W/O AFS, 2166 SN JJC0180000> W/O AFS, 2188 SN JJC0191473>, 2344, 2366, 2377, 2388, 2577, 2588

**A-238646A1** Cover, Inclined Grain Elevator Head 14.50 Lbs.



***For Models:*** 2188 SN JJC0191483> W/ AFS & Yield Monitor, (2377, 2388, 2577, 2588 ALL W/ AFS & Yield Monitor)

**A-251464A1** Cover, Inclined Grain Elevator Head; Extended Wear 13.65 Lbs.



***For Models:*** 2188 SN JJC0191483> W/ AFS & Yield Monitor, (2377, 2388, 2577, 2588 ALL W/ AFS & Yield Monitor)

**A-198994A1** Hub End, Auger 3.20 Lbs.



***For Models:*** 2377, 2388, 2577, 2588

**A-611583R91** Bearing 1.20 Lbs.
***Replaces:*** 611582R91, 80553C91, 517618R91, 50864, 611583R91, T18852, F86574



***Dim/Info:***
Bore - 1.375"
Lube Type - Relubable
Outside Diameter - 2.8346"

***For Models:*** 615, 715 S/N <23001, 815 S/N 8001>, 914, 915, (1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588 ALL Inclined Delivery Auger)


**A-1317251C3** Support, Head Shaft; Grain Elevator Head, Inclined 2.00 Lbs.
***Replaces:*** 1317251C2, 1317251C1



***For Models:*** 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588

**A-87662984** Kit,; Cross Auger Liner (Weld In), Stainless Steel 28.00 Lbs.

Welding Required
***Replaces:*** 87662994, 87315123



***Dim/Info:***
101.459" Long
13.160" Wide


***For Models:*** AFX8010, 7010, 7120, 8010, 8120, 9120

**A-1319901C1** Side Head (LH) 6.00 Lbs.
Used w/ horizontal or inclined grain elevator heads



***For Models:*** 1640, 1644, 1660, 1666, 1670 HILLSIDE SN: JJC0080540 >, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2388 SN: < JJC0276540 & HAJ292001 >, 2377 SN HAJ292001-HAJ300000, 2577 SN HAJ0300001>, 2588 SN HAJ300001>

**A-1321126C1** Side, Horizontal Grain Head Elevator; RH 9.10 Lbs.




***For Models:*** 1640, 1644, 1660, 1666, 1670, 1682, 2144, 2166, 2344 SN <JJC0174359, 2366 SN <JJC0252949

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.


# AUGER RELATED PARTS

**A-182838C1** Support-Cap, Outer Brg, Grain Tank Unload Auger 0.75 Lbs.
*Replaces:* 178159C1



***For Models:*** 315, 815, 914, 915, 1420, 1440, 1460, 1470, 1480, 1482, 1620 SN: JJC0032630 >, 1640, 1644, 1660, 1666, 1670 SN: JJC0080540 >, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7010, 7088, 7120, 8120, 9120

**A-160796C91** Bearing, Outer Unloading Auger 0.46 Lbs.
*Replaces:* 165333C91, F53346




***Dim/Info:***
Bearing Width - .591"
Bore - 1.000"
Bore Type - Round
Inner Width - .844"
Lube Type - Relubable
Outside Diameter - 2.0472"
Overall Width - 1.219"

***For Models:*** 715, 815, 914, 915, 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ0292001> & <HAJ0300000, 2388 SN <JJC0276540, HAJ0292001> & <HAJ0300000, (2577, 2588 ALL SN HAJ030001->)

**A-1989462C1** Shaft-Input, Auger, Unload, Lwr Grain Tank 6.40 Lbs.



***Dim/Info:***
13.15" long
1.500" OD

***For Models:*** 1640 P.I.N. JJC0097103 >, 1644, 1660 P.I.N. JJC0102897 >, 1666, 1680 P.I.N. JJC0115352 >, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>


**A-1989581C1** Seal, Lower Unloading Gearbox 0.05 Lbs.



***Dim/Info:***
Inside Diameter - 1.430"
Outside Diameter - 2.005"
Width - .320"

***For Models:*** 1640 SN JJC0097103>, 1660 SN JJC0102897>, 1680 SN JJC0115352>, 1666, 1688, 2166, 2188, 1644, 2344, 2366, 2388, 2144, 2377, 2577, 2588

**A-186517C1** Matched Gear Set 5.60 Lbs.
bevel gears. Not sold separately.



***Dim/Info:***
21 & 28 tooth


***For Models:*** 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640 SN <-JJC0097103, 1660 SN <-JJC0102897, 1680 SN <-JJC0115352, 1682

**A-1317859C1** Support, Bearing, Unloader, Split Auger (Upper) 2.25 Lbs.



***For Models:*** 1644, 1660 SN: JJC0038346 >, 1666, 1670 SN: JJC0080540 >, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>


**A-84330028** Bearing, Unloading Split Auger 0.60 Lbs.
*Replaces:* 203389C91, 1268018C91, 1277982C91, 1250740C91, 1989614C1



***Dim/Info:***
Bore - 1.000"
Outside Diameter - 2.4409"
Bore Type - Hex
Inner Ring Width - .949"
Outer Ring Width - .630"


***For Models:*** 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588

**A-113960C93** Cylinder, Unloading Swing Auger 11.46 Lbs.



***For Models:*** 1440, 1460, 1480


**A-224584A2** Clutch Plate, Friction 0.15 Lbs.
*Replaces:* 224584A1



***Dim/Info:***
4.805" OD
2.65" ID

***For Models:*** (**HEAD, CUTTING PLATFORM**: 1010 SN: < JJC0304999, 1020 SN: < JJC0323604)

**A-588997R1** Bushing 0.10 Lbs.




***Dim/Info:***
1.36" ID

***For Models:*** 303, 403, 503, 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1660, 1680

**A-191645C6** Auger Trough 180.00 Lbs.

*Replaces:* 191645C1, 191645C2, 191645C3, 191645C4, 191645C5



***For Models:*** 1480, 1482, 1680, 1682, 1688, 2188, 2377, 2388, 2577 SN HAJ0300001>, 2588

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.




P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

*CASE-IH

**A-1317452C1** Clamp, Auger Trough; Solid 4.65 Lbs.



***For Models:*** 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366

**A-1327668C1** Support, Grain Auger Trough Tube 12.99 Lbs.



***For Models:*** 1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366

**A-188285C1** Ring, Grain Auger Trough Support RH 0.65 Lbs.



***For Models:*** 1480, 1482, 1640, 1644, 1660, 1666, 1670, 1680, 2144, 2166, 2344, 2366

**A-1317442C1** Clamp, Auger Trough; Solid 1.50 Lbs.



***For Models:*** 1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588

**A-B94626** Block, Bed Auger Mounting; Wood; 1.00 Lbs.

***Replaces:*** 193414C2



***Dim/Info:***
Includes - Single w/ Hardware

***For Models:*** 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588

**A-248307A2** Tube, Vertical Unloading Grain Tank 124.00 Lbs.

***Replaces:*** 1338394C1, 248307A1, 1338394C2



***For Models:*** 1440, 1460, 1470, 1480, 1482, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577 SN HAJ0300001>, 2588 SN HAJ300001>

**A-248308A2** Auger Elbow 51.00 Lbs.

***Replaces:*** 248308A1, 87398012, 1989472C1, 193417C94, 193417C93, 193417C92, 193417C91



***Dim/Info:***
Heavier 1" Thick Steel Ring For Added Strength
Solid Welded Seam

***For Models:*** 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588

**A-186657C3** Support Bar, Unloader Elbow, w/ Hole For Grease Fitting 0.45 Lbs.

***Replaces:*** 186657C1, 186657C2



***For Models:*** 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588

**A-52443** Bearing, Ball 1.52 Lbs.

***Replaces:*** 80052443, 243030



***Dim/Info:***
Bore - 1.500"
Lube Type - Non-relubable
Outside Diameter - 3.1496"

***For Models:*** (7010, 7088, 8010 ALL Tailings Auger), 5088, 6088, 7088, 7120, 8120, 9120

**A-84131732** Door, Grain Saver 6.00 Lbs.



***For Models:*** 5088, 6088, 7088, 7010, 7120, 8010, 8120, 9120

**A-87044350** Bearing; Ball; Horizontal Unloading Auger 0.79 Lbs.

***Replaces:*** 87598793, 80325110, 84069440, 325110



***Dim/Info:***
Bore - 1.181"
Outside Diameter - 2.441"

***For Models:*** (5088, 6088, 7010, 7088, 7120, 8010, 8120, 9120, AFX8010 ALL Horizontal Unloading Auger)

**A-87605590** Bearing; Elevator Head / Bubble Up Auger 1.38 Lbs.

***Replaces:*** 80212606, 84814912, 212606, 212607, 80212607



***Dim/Info:***
Bore - 1.378"
Outside Diameter - 2.838"

***For Models:*** AFX8010, 5088, 5130, 5140, 6088, 6130, 6140, 7010, 7088, 7120, 7130, 7140, 7230, 8010, 8120, 8230, 9120, 9230, 3152, 3162

Truck icon indicates that the item is shipped via truck freight.

# AUGER RELATED PARTS

**A-195293C91** Bearing, Auger Bed & Straw Spreader 0.40 Lbs.



***Dim/Info:***
Bore - .875"
Outside Diameter - 2.0472"
Bore Type - Hex

***For Models:*** 1440 Straw Spreader & (Auger Bed SN 30001->), 1460 Straw Spreader & (Auger Bed SN 32001->), 1482 Straw Spreader & (Auger Bed SN 10001->), (1420, 1470, 1480, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588 ALL Auger Bed & Straw Spreader), (5088, 6088, 7088 ALL Auger Bed Only)

**A-574940R91** Bearing, Needle; Tailings Auger 0.44 Lbs.
Used With 192563C1 & 193225C1 Tailing Augers.



***Dim/Info:***
Bore - 1.002"
Outside Diameter - 1.3135"

***For Models:*** 303, 315, 615, 1420, 1440, 1460, 1470, 1480, 1482, 1620 SN JJC0032001>, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 5140, 6088, 6140, 7088, 7140, (**COTTON PICKER**: 95, 1400)


**A-325103** Bearing; Tailing Auger 0.45 Lbs.
***Replaces:*** 89813580, 80326925, 80321804, 80325103, 84434989, 309084, V84141



***Dim/Info:***
Bore - .984"
Outside Diameter - 2.047"

***For Models:*** 5088, 6088, 7010, 7088, 7120, 8120, 9120

**A-G13609** Bearing, Thrust; Tailing Auger 0.02 Lbs.
***Replaces:*** 368372R91, A57046, G13604, 18-693, 142090, 18-1643, 18-1693



***For Models:*** 315, 403, 503, 615, 715, 815, 914, 915 S/N <8000, 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7088, (**COTTON PICKER**: 1800, 1822 S/N JJC0012691>, 1844 S/N JJC0002462>, 2022, 2044, 2055, 2155, 2555 S/N <JJC0249499)

**A-T38017** Thrust Washer, Auger 0.11 Lbs.
Used W/ G13609 Bearing.



***Dim/Info:***
Inside Diameter - 1.006"
Outside Diameter - 1.545"
Width - .092"

***For Models:*** 303, 403, 503, 615, 715, 815, 914, 915 S/N <8000, 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7088

**A-694444** Bearing, Ball 1.31 Lbs.




***For Models:*** 5088, 6088, 7088











*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com










| Ref. | Description<br>Part No. | Dimensions | | | | | |
|---|---|---|---|---|---|---|---|
| 1 | **Auger, Tailings**<br>A-192549C2 | A- 85.25" | B- 1.125" | 5.00" RH flighting | | |  |
| *For Models 1480, 1482, 1680, 1682, 1688* | | | | | | | |
| 1 | **Auger, Tailings**<br>A-191734C1 | A- 62.50" | B- 1.00" | 5.00" RH flighting | | |  |
| *For Models 1440, 1460, 1470, 1640, 1644, 1660, 1666, 1670* | | | | | | | |
| 1 | **Auger, Lower Return/Tailings**<br>A-144028A2 | A- 85.69" | B- 1.25" | 5" RH flighting | | |  |
| *For Models 2188, 2377 SN HAJ0292001 - HAJ0300000, 2388, (2577, 2588 ALL SN HAJ0300001->), 5088, 6088, 7088, (5140, 6140, 7140 ALL SN <YFG014000)* | | | | | | | |
| 1 | **Auger, Tailings**<br>A-144021A2 | A- 62.81" | B- 1.25" | 5.25" RH flighting | | |  |
| *For Models 2144, 2166, 2344, 2366* | | | | | | | |
| 1 | **Auger, Tailings; Ext Wear**<br>A-87730185 | A- 98.25" | B- 1.376" | C- 1.562" | | |  |
| *For Models AFX8010, 7010, 7120, 8010, 8120, 9120* | | | | | | | |
| 2 | **Auger, Grain Delivery**<br>A-1319710C1 | A- 81.50" | B- 1.625" | C- 1.00" | D- 1.125" | 7.50" LH flighting |  |
| *For Models 1440, 1460, 1470, 1480* | | | | | | | |
| 2 | **Auger, Grain Delivery; 1 1/4" Shaft**<br>A-1318912C3 | A- 79.06" | B- 1.625" | C- 1.00" | D- 1.25" | 8.625" LH flighting |  |
| *For Models 1640, 1644, 1660, 1666, 1670, 1682, 2144, 2166, 2344, 2366* | | | | | | | |
| 2 | **Auger, Inclined Grain Delivery**<br>A-249275A1 | A- 47.375" | B- 1.375" | C- 1.00" | 10" LH flighting | |  |
| *For Models 1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588* | | | | | | | |
| 2 | **Auger, Grain Delivery (For Corn & Grain)**<br>A-162103C91 | A- 11.375" | B- 2.375" | 5" LH flighting | | Corn & Beans |  |
| *For Models 815, 914, 915, 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1682, 2144, 2166, 2344, 2366 SN <JJC0252949* | | | | | | | |
| 2 | **Auger, Inclined Grain Delivery; Stainless Steel**<br>A-320724A3 | A- 47.50" | B- 1.875" | | | |  |
| *For Models (1644, 1666, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388 ALL w/ Advanced Farming System (AFS))* | | | | | | | |
| 2 | **Auger, Inclined Delivery Elevator; Stainless Steel**<br>A-87347842 | A- 47.375" | B- 1.87" | C- 1.00" | | |  |
| *For Models 1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588* | | | | | | | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

*CASE-IH

# AUGER RELATED PARTS














| Ref. | Description<br>Part No. | Dimensions | | | | | |
|---|---|---|---|---|---|---|---|
| 2 | **Auger, Incline Delivery**<br>A-84577410 | A- 74.875” | | | | |  |
| | *For Models 5088, 5130, 6088, 6130, 7088, 7130, (5140, 6140, 7140 ALL SN <YFG014000)* | | | | | | |
| 2 | **Auger, Bubble Up, Ext Wear**<br>A-87733275<br>**Bearing; Elevator Head / Bubble Up Auger**<br>A-87605590 | A- 81.625” | B- 3.00” | C- 1.377” | | |  |
| | *For Models AFX8010, 7010, 7120, 7230, 7240, 8010, 8120, 8230, 8240, 9120, 9230, 9240* | | | | | | |
| 2 | **Auger, Bubble Up; Ext Wear**<br>A-87733272<br>**Bearing; Elevator Head / Bubble Up Auger**<br>A-87605590 | A- 72.56” | B- 3.00” | C- 1.377” | 11.75” LH flighting | |  |
| | *For Models AFX8010, (7010, 8010 ALL Low Profile), 7120, 8120, 9120* | | | | | | |
| 3 | **Auger, Grain Tank Lower**<br>A-87617556 | A-110.375” | B- 1.75” | C- 0.999” | Balanced | 2 used |  |
| | *For Models 1440, 1460, 1470, 1480, 1482, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ292001-HAJ300000, 2388, 2577, 2588* | | | | | | |
| 3 | **Auger, Grain Tank Bottom; Front, Std Unload,; Ext. Wear**<br>A-87280345 | A-120.812” | B- 1.18” | C- 2.375” | D- 1.377” | Auger Is Balanced |  |
| | Replaces standard wear auger part# 84075319 which has .25” thick flighting. This auger is extended wear auger w/ .312” thick flighting. | | | | | | |
| | *For Models (AFX8010, 7010, 7120, 7240, 8010, 8120, 8240, 9120, 9240 ALL Front)* | | | | | | |
| 3 | **Auger, Grain Tank Bottom; Rear, Std Unload, Ext. Wear**<br>A-87280343 | A-120.812” | B- 1.18” | C- 2.375” | D- 1.377” | RH |  |
| | Replaces Standard Wear Auger Part# 84075320 Which Has .250” Thick Flighting. This Auger Is Extended Wear Auger With .312” Thick Flighting | | | | | | |
| | *For Models (AFX8010, 7010, 7120, 8010, 8120, 9120 ALL Rear)* | | | | | | |
| 3 | **Auger, Grain Tank Bottom High Capacity Unload; Front, Ext Wear**<br>A-84368833 | A- 122.38” | B-2.5” | flighting A - 100”; flighting B - 5.25” | A - 9.5” LH Ext Wear; B - 9.5” RH Ext Wear | |  |
| | *For Models 7230, 7240, 8230, 8240, 9230, 9240* | | | | | | |
| 3 | **Auger, Grain Tank Bottom, High Capacity Unload; Rear, Ext Wear**<br>A-84368835 | A- 122.38” | B- 2.5” | Flighting “A” - 100”; Flighting “B” - 5.25” | “A” - 9.5” RH; “B” - 9.5” LH | |  |
| | *For Models 7230, 7240, 8230, 8240, 9230, 9240* | | | | | | |
| 4 | **Auger, Unloading, 172” 1-piece**<br>A-1317935C1<br>For a 1 piece 172” auger. | A-182.125” | B- 3.00” | C- 1.00” | 11.75” RH flighting | Balanced |  |
| | *For Models 1460, 1470, 1480, 1482, 1640 SN <-JJC0097103, 1660 SN <-JJC0102897, 1670, 1680 SN <-JJC0115352, 1682* | | | | | | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.




P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com













| Ref. | Description<br>Part No. | Dimensions | | | | | |
|---|---|---|---|---|---|---|---|
| 4 | **Auger, Unloading 172" 1-piece**<br>A-1347499C2<br>For a 1 piece 172" auger. | A-182.875" | B- .998" | C- 3.000" | | |  |
| *For Models 1640 SN JJC0097103->, 1644, 1660 SN JJC0102897->, 1666, 1680 SN JJC0115352->, 1688* | | | | | | | |
| 4 | **Auger, Unloading, Rear Split, 172"**<br>A-1317680C2 | A- 89.25" | B- 0.998" | | | |  |
| *For Models 1644, 1660 SN JJC0038346>, 1666, 1670 SN JJC0080540>, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ292001-HAJ300000, 2388, 2577 S/N HAJ0300001>, 2588 S/N HAJ300001>* | | | | | | | |
| 4 | **Auger, Unloading, Front Split, Extended Wear, 172" or 208"**<br>A-282176A2<br>For 172 or 208" Auger Replaces:<br>282176A1 | A- 90.50" | B- 3.00" | 11.25" RH flighting | | |  |
| *For Models 1644, 1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2388, 2377, 2577 SN HAJ0300001>, 2588 SN HAJ300001>* | | | | | | | |
| 4 | **Auger, Unloading, Rear Split, 208"**<br>A-199023A1 | A- 125.25" | B- .998" | C- 3.00" | 11.75" RH flighting | 208" rear split |  |
| *For Models 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ292001-HAJ300000, 2388, 2577 S/N HAJ0300001>, 2588 SN HAJ300001>* | | | | | | | |
| 4 | **Auger, Unloading, Front Split, 172" & 208"**<br>A-1317891C1<br>Pin Driven | A- 96.187" | B- 3.00" | C- 1.00" | 11.50" RH flighting | 172" front split |  |
| *For Models 1660 SN <-JJC0102897, 1670, 1680 SN <-JJC0115352, 1682* | | | | | | | |
| 4 | **Auger; Horizontal Unloading, 18 Ft., Ext. Wear**<br>A-87280339 | A-212.625" | B- 4.50" | C- 12.50" | Balanced | |  |
| *For Models AFX8010, 5088, 5140, 6088, 6140, 7010, 7088, 7120, 7140, 8010, 8120, 9120* | | | | | | | |
| 4 | **Auger, Horizontal Unloading; High Capacity Unload, Ext Wear**<br>A-47373691 | A-228.250" | B- 4.500" | Flighting Diameter 14.000" LH | Flighting Length - 201.625" | |  |
| *For Models 7230, 8230, 9230, (7240, 8240, 9240 ALL SN <YGG231218)* | | | | | | | |
| 4 | **Auger, Horizontal Unloading; High Capacity Unload, Ext Wear (8 Spline)**<br>A-47897750 | A-227.625" | B - 4.500" | Flighting Diameter 14.000" LH | Flighting Length 200.125" | |  |
| *For Models (7240, 8240, 9240 ALL SN YGG231219>)* | | | | | | | |
| 4 | **Auger, Inner Fold Unloading; Combine End, Ext Wear**<br>A-47395188 | A- 88 3/16" | B- 4 1/2" | Flighting Diameter 14" LH | Flighting Length 83 3/8" | |  |
| *For Models (7240, 8240, 9240 ALL SN <YEG227001)* | | | | | | | |
| 4 | **Auger, Inner Fold Unloading; Combine End, Ext Wear**<br>A-47523765 | A-113.875" | B- 4.500" | Flighting Diameter 14" LH | Flighting Length 109.250" | |  |
| *For Models (7240, 8240, 9240 ALL SN YEG227001>)* | | | | | | | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# AUGER RELATED PARTS














| Ref. | Description<br>Part No. | Dimensions | | | | |
|---|---|---|---|---|---|---|
| 4 | **Auger, Inner Fold Unloading; Middle, Ext Wear**<br>A-47476066 | A-114.750" | B- 4.500" | Flighting Diamter 14" LH | Flighting Length 109" |  |
| *For Models (7240, 8240, 9240 ALL SN <YEG227001)* | | | | | | |
| 4 | **Auger, Inner Fold Unloading; Middle, Ext Wear**<br>A-47523269 | A- 89.125" | B- 4.500" | Flighting Diamter 14" LH | Flighting Length 83.375" |  |
| *For Models (7240, 8240, 9240 ALL SN YEG227001>)* | | | | | | |
| 4 | **Auger, Outer Fold Unloading; Ext Wear**<br>A-47445370 | A- 95.250" | B- 4.500" | Flighting Diamter 14" LH | Flighting Length 69" |  |
| *For Models 7240, 8240, 9240* | | | | | | |
| 4 | **Auger Extension, Unloading; 3 Ft., Extended Wear**<br>A-87657822<br>**Bearing; Elevator Head / Bubble Up Auger**<br>A-87605590 | A- 38.00" | B- 4.50" | Spline Diamter 1.365" | 21 Teeth |  |
| *For Models AFX8010, 5088, 5140, 6088, 6140, 7010, 7088, 7120, 7140, 8010, 8120, 9120* | | | | | | |
| 4 | **Auger Extension, Unloading, 3 Ft., Standard Wear**<br>A-87575223<br>**Bearing; Elevator Head / Bubble Up Auger**<br>A-87605590 | A- 38.00" | B- 4.50" | 21 Teeth | |  |
| *For Models AFX8010 SN HAJ200029>, 5088, 5140, 6088, 6140, 7010, 7088, 7120, 7140, 8010, 8120, 9120* | | | | | | |
| 4 | **Auger, Unloading; High Capacity Extension, Ext Wear**<br>A-47395186 | A- 72" | B- 4.5" | Shaft Diameter 1.618" | Flighting Diameter 14" LH |  |
| *For Models (7240, 8240, 9240 ALL SN <YGG231218)* | | | | | | |
| 4 | **Auger, Unloading; High Capacity Extension, Ext Wear**<br>A-47826369 | A- 72.375" | B- 4.500" | Flighting Diameter 14.000" LH | Flighting Length 66.125" |  |
| *For Models (7240, 8240, 9240 ALL SN YGG231219>)* | | | | | | |
| 5 | **Auger, Clean Grain**<br>A-1319169C1 | A- 70.31" | B- 1.25" | C- 1.00" | Flighting Diameter 6.25" RH |  |
| | If puchasing for 1440 SN <30484 or 1460 SN <33285, must also order sprocket # 1319176C1. | | | | | |
| *For Models 1440, 1460, 1470* | | | | | | |
| 5 | **Auger, Clean Grain**<br>A-1319173C1 | A- 76.00" | B- 1.25" | Flighting Diameter 7" RH | |  |
| *For Models 1480, 1482* | | | | | | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.




P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com













| Ref. | Description<br>Part No. | Dimensions | | | | |
|---|---|---|---|---|---|---|
| 5 | **Auger, Clean Grain**<br>A-1317484C2 | A- 68.75" | B- 1.25" | Flighting Diameter 7" RH | |  |
| *For Models 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366* | | | | | | |
| 5 | **Auger, Clean Grain**<br>A-1317409C1 | A- 76" | B- 1.25" | Flighting Diameter 8" RH | |  |
| *For Models 1680, 1682, 1688* | | | | | | |
| 5 | **Auger, Clean Grain; Std.**<br>A-143959A2 | A- 76.375" | B- 1.375" | | |  |
| *For Models 2188, 2388 Standard On SN <JJC0274396 & JJC0267150>* | | | | | | |
| 5 | **Auger, Clean Grain; Extended Wear**<br>A-249279A1 | A- 76.50" | B- 1.375" | | |  |
| *For Models 2188, 2377 SN HAJ0292001-HAJ0300000, 2388 Optional On SN <JJC0274396; Standard On SN JJC0274450>, 2577, 2588* | | | | | | |
| 5 | **Auger, Clean Grain**<br>A-47595610 | A- 86.375" | B- 1.5" | C- 69.5" | Flighting Diameter 8.5" RH |  |
| *For Models (5140, 6140, 7140 ALL SN YFG014001>)* | | | | | | |
| 5 | **Auger, Clean Grain; Reinforced**<br>A-87283130 | A-100.375" | B- 1.18" | C- 2.50" | D- 1.769" |  |
| *For Models AFX8010, 7120, 7230, 8010, 8120, 8230, 9120, 9230* | | | | | | |
| 5 | **Auger, Clean Grain**<br>A-87510720 | A- 72.75" | B- 1.5" | Flighting Diameter 8.5" RH | Flighting Length 61.625" |  |
| *For Models 5088, 6088, 7088, (5140, 6140, 7140 ALL SN <YFG014000)* | | | | | | |
| 6 | **Auger, Vertical Unloading**<br>A-192835C1<br>For old style gear box. | A- 49.125" | B- 3.00" | 11.75" RH flighting | |  |
| *For Models 1440, 1460, 1470, 1480, 1482, 1640 SN <-JJC0097103, 1660 SN <-JJC0102897, 1670, 1680 SN <-JJC0115352, 1682* | | | | | | |
| 6 | **Auger, Vertical Unloading**<br>A-1347341C2<br><br>Used only on combines fitted with new style unloading gearcase part# 1989350C1 | A- 48.81" | B- 3.00" | Double flighting on first 24" | |  |
| *For Models 1640 SN <JJC0097103, 1660 SN <JJC0102897, 1680 SN <JJC0115352* | | | | | | |
| 6 | **Auger, Vertical Unloading, Heavy Sectional Flighting**<br>A-87325666 | A- 49.75" | B- 3.00" | 11.75" RH flighting | 6 & 19 spline |  |
| *For Models 1640 SN JJC0097103->, 1644, 1660 SN JJC0102897->, 1666, 1680 SN JJC0115352->, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ292001-HAJ300000, 2388, 2577, 2588* | | | | | | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# AUGER RELATED PARTS










| Ref. | Description<br>Part No. | Dimensions | | | | | |
|---|---|---|---|---|---|---|---|
| 6 | **Auger, Vertical Unloading**<br>A-1347389C1 | A- 49.75" | B- 3.00" | 11.75" RH flighting | 6 & 19 spline | |  |
| *For Models 1640 SN JJC0097103->, 1644, 1660 SN JJC0102897->, 1666, 1680 SN JJC0115352->, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577 S/N HAJ0300001>, 2588 S/N HAJ300001>* | | | | | | | |
| 6 | **Auger, Vertical Unloading**<br>A-84447940 | A- 47.25" | B- 4.50" | | | |  |
| *For Models AFX8010, 5088, 5140, 6088, 6140, 7010, 7088, 7120, 7140, 8010, 8120, 9120* | | | | | | | |
| 6 | **Auger, Vertical Unloading; Ext. Wear**<br>A-87733266 | A- 47.25" | B- 4.50" | Flighting Diameter 14.5" LH | | |  |
| *For Models AFX8010, 7010, 7120, 8010, 8120, 9120* | | | | | | | |
| 6 | **Auger, Vertical Unloading; Ext. Wear**<br>A-87756536 | A- 47.25" | B- 4.50" | 14.5" LH flighting | | |  |
| *For Models 5088, 5130, 5140, 6088, 6130, 6140, 7088, 7130, 7140, 7230, 8230, 9130* | | | | | | | |
| 6 | **Auger, Vertical Unloading,**<br>**High Capacity Unload; Ext Wear**<br>A-47886360 | A- 41.125" | B- 4.5" | Flighting Diameter 15.5" LH | | |  |
| *For Models (7240, 8240, 9240 ALL SN YGG231219>)* | | | | | | | |
| 6 | **Auger, Vertical Unloading;**<br>**High Capacity Unload, Ext Wear**<br>A-84522663 | A- 41.50" | B- 4.50" | Flighting Diameter 15.50" LH | | |  |
| *For Models 7230, 8230, 9230, (7240, 8240, 9240 ALL SN <YGG231218)* | | | | | | | |
| 7 | **Auger, Tailings Delivery**<br>A-192563C1 | A- 37.625" | B- 1.00" | Flighting Diameter 5.00" LH | | |  |
| *For Models 1480, 1482, 1680, 1682, 1688, 2188, 2377 SN HAJ292001-HAJ300000, 2388, 2577, 2588, 5088, 6088, 7088* | | | | | | | |
| 7 | **Auger, Tailings Delivery**<br>A-193225C1 | A- 25.625" | B- 1.00" | Flighting Diameter 5.00" LH | | |  |
| *For Models 1440, 1460, 1470, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366* | | | | | | | |
| 7 | **Auger, Tailing Delivery**<br>A-87379140 | A- 37.625" | B- 1.00" | C- 2.50" | Flighting Diameter 5" LH | Flighting Length 33.875" |  |
| *For Models 1480, 1482, 1680, 1682, 1688, 2188, 2377, 2388, 2577 S/N HAJ0300001>, 2588 S/N HAJ300001>, 5088, 5130, 5140 SN <YFG014000, 6088, 6130, 6140 SN <YFG014000, 7088, 7130, 7140 SN <YFG014000* | | | | | | | |
| 7 | **Auger, Tailing Delivery; Ext Wear**<br>A-84402652 | A- 97.06" | B- 1.56" | C- 2.35" | Flighting Diameter 5.00" | Flighting Length 76.5" |  |
| *For Models 7010, 7120, 7230, 7240, 8010, 8120, 8230, 8240, 9120, 9230, 9240* | | | | | | | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com




| Ref. | Description<br>Part No. | Dimensions | | | | |
|---|---|---|---|---|---|---|
| 7 | **Auger, Tailings Lower**<br>A-47561763 | A- 76.69" | B- 1.25" | Flighting Diameter 5.00" RH | |  |
| *For Models (5140, 6140, 7140 ALL SN YFG014001>)* | | | | | | |
| 8 | **Auger, Grain Bed**<br>A-1308541C1<br>**Bearing, Auger Bed & Straw Spreader**<br>A-195293C91 | A- 78.25" | B- 1.50" | C- 0.875" | Flighting Diameter 5.25" RH |  |
| *For Models 1420, 1440, 1460, 1470, 1480 SN 34001>, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2388* | | | | | | |
| 8 | **Auger, Bed, Extended Wear**<br>A-282955A1<br>Mounted on left most position.<br>**Bearing, Auger Bed & Straw Spreader**<br>A-195293C91 | A- 78.25" | B- 1.50" | C- 0.875" Hex | Flighting Diameter 5.00" LH |  |
| *For Models 2344, 2366, 2377 HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>* | | | | | | |
| 8 | **Auger, Grain Bed; LH Rotation**<br>A-1309229C1 | A- 78.375" | B- 1.50" | C- 0.875" Hex | |  |
| *For Models 1480 SN <-34000, 2344, 2366, 2388 SN <-JJC0274396* | | | | | | |
| 8 | **Auger, Grain Bed; RH Rotation**<br>A-193398C1 | A- 78.250" | B- 1.125" Hex | C- 1.50" | |  |
| *For Models 1420 SN <5500, 1440 SN <30000, 1460 SN <32023, 1470, 1480 SN <34000, 1482 SN <10277, 1620, 1640, 1644, 1660, 1666, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2388 S/N <JJC0276540* | | | | | | |
| 8 | **Auger, Auger Bed, Extended Wear**<br>A-249278A1 | A- 78.25" | B- 1.50" | C- 0.875" Hex | Right Hand |  |
| *For Models 1440, 1640 SN <JJC0034705, 1660, 1666, 2144, 2166, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>* | | | | | | |
| 8 | **Auger, Grain Bed; LH**<br>A-87649712 | A- 79.06" | B- 1.5" | Flighting Diameter 5" LH | Flighting Length 53.75" |  |
| *For Models (2388, 2577, 2588 ALL SN HAJ303001>), 5088, 5130, 5140, 6088, 6130, 6140, 7088, 7130, 7140* | | | | | | |
| 8 | **Auger, Grain Bed; RH**<br>A-87649711 | A- 79.06" | B- 1.5" | Flighting Diameter 5" RH | Flighting Length 53.75" |  |
| *For Models (2388, 2577, 2588 ALL SN HAJ303001>), 5088, 5130, 5140, 6088, 6130, 6140, 7088, 7130, 7140* | | | | | | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# DISCHARGE - STRAW CHOPPER & SPREADER PARTS

*CASE-IH

**A-1302175C2** Shaft, Discharge Beater 16.80 Lbs.



***Dim/Info:***
54.56" long

***For Models:*** 1440, 1460, 1470, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366


**A-1319266C1** Hub Assy, Discharge Beater 8.66 Lbs.
***Replaces:*** 183129C2



***Dim/Info:***
14.00" OD

***For Models:*** 1420, 1440, 1460, 1470, 1480, 1482, 1620 SN: JJC0032630 >, 1640, 1644, 1660, 1666, 1670 SN: JJC0080540 >, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088

**A-1319269C1** Blade, Beater, Combine 18.80 Lbs.



***For Models:*** 1440, 1460, 1470, 1640, 1644, 1660 SN: < JJC0038346, 1666, 1670 SN: JJC0080540 >, 2144, 2166, 2344, 2366

**A-87106692** Knife Section, Straw Chopper; 15/Pack 0.22 Lbs.
21 Used Coarse Cut



***Dim/Info:***
42 Used Fine Cut
minimum order qty 15

***For Models:*** AFX8010, 7010, 7120, 8010, 8120, 9120

**A-B96349** Knife Kit, Straw Chopper 2.50 Lbs.
***Replaces:*** SCK200



***Dim/Info:***
Tungsten Carbide Edge
Type - Hardened And Hard Surfaced

***For Models:*** 715, 914, 1482, 2388 S/N <JJC0276540

**A-442832A1** Blade, Straw Chopper Rotor; Set of 2 2.50 Lbs.
***Replaces:*** 427502A1, 197124C1



***For Models:*** 615, 715 S/N <23001, 815, 914 S/N 8001>, 915, 1420, 1440, 1460, 1470, 1480, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588

**A-1302763C1** Blade, Straw Chopper Concave; Double 0.50 Lbs.



***Dim/Info:***
QTY - 12

***For Models:*** 1440, 1460, 1470, 1480, 1482, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344 SN <JJC0174399, 2366 SN <JJC0253999, 2388 SN <JJC0268799

**A-1302764C1** Blade, Straw Chopper Concave; Single 0.30 Lbs.



***Dim/Info:***
QTY - 1

***For Models:*** 1440, 1460, 1470, 1480, 1482, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344 SN <JJC0174399, 2366 SN <JJC0253999, 2388 SN <JJC0268799

**A-396962A1** Blade, Straw Chopper; Concave End 0.30 Lbs.



***For Models:*** 2344 SN JJC0174400>, 2366 SN JJC0254000>, 2388 SN JJC0268800>

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

# STRAW CHOPPER & SPREADER PARTS

**A-396960A1** Blade, Straw Chopper 0.53 Lbs.

***Dim/Info:***
minimum order qty 4



***For Models:*** 1688, 2188, 2344 SN JJC0174400>, 2366 SN JJC0254000>, 2388 SN JJC0268800>

**A-87315088** Blade, Straw Chopper 0.50 Lbs.

***Dim/Info:***
minimum order qty 4



***For Models:*** (2377, 2388 ALL SN HAJ0292001>), (2577, 2588 ALL SN HAJ0300001>), 5088, 6088, 7088

**A-144705A1** Support Assy, Straw Chopper (RH) 22.00 Lbs.

***Replaces:*** 181097C1



***For Models:*** 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670 SN: JJC0080540 >, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577 S/N HAJ0300001>, 2588 S/N HAJ300001>, 5088, 6088, 7088

**A-87379133** Pan, Straw Chopper Deflector 109.00 Lbs.


***Replaces:*** 181147C4, 181147C3, 181147C2, 181147C1



***For Models:*** 1480, 1680, 1688, 2188, 1682, 1482, 2388, 2377, 2577, 2588

**A-87315495** Bar Assembly; Straw Chopper 20.50 Lbs.

***Replaces:*** 87315091, 87315495



***For Models:*** 1440, 1460, 1470, 1480, 1482, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2388

**A-194194C1** Bevel Gear, Straw Spreader 1.18 Lbs.

***Replaces:*** 185410C1, 1300639C1, 87375653

***Dim/Info:***
14 tooth, .875" hex
minimum order qty 2



***For Models:*** 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1660, 1670, 1680, 1682, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7088

**A-192240C1** Shaft, Vertical Straw Spreader 1.94 Lbs.

***Dim/Info:***
10.625" long, .875" hex



***For Models:*** 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688

**A-192242C1** Shaft, Horizontal Straw Spreader 9.50 Lbs.

***Dim/Info:***
47.500" long, .875" hex



***For Models:*** 1440, 1460, 1470, 1480, 1482, 1640, 1644, 1660, 1666, 1680, 1682, 2144, 2166, 2344, 2366 SN <-JJC0254999

**A-192241C1** Shaft, Horizontal Straw Spreader 11.58 Lbs.

***Dim/Info:***
58.000" long, .875" hex



***For Models:*** 1480, 1482, 1680, 1682

**A-128440A1** Shaft, Straw Spreader 2.21 Lbs.

Used on models w/ straw spreader.

***Dim/Info:***
12.00" long



***For Models:*** 1644, 1666, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>

**A-427270A1** Shaft, Straw Spreader 11.00 Lbs.

***Dim/Info:***
57.50" long



***For Models:*** 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>

**A-109485A1** Shaft, Straw Spreader & Chaff Spreader 2.21 Lbs.

Used on models w/ Straw Spreader & Chaff Spreader

***Dim/Info:***
12.00" long



***For Models:*** 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388, 2577 SN HAJ0300001>, 2588 SN HAJ300001>

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

*CASE-IH

Truck icon indicates that the item is shipped via truck freight.

# STRAW CHOPPER & SPREADER PARTS

*CASE-IH

**A-411043A1** Shaft, Straw Chopper Housing Gear 15.65 Lbs.



***Dim/Info:***
27.12" long
20/ 34/ 12 spline

***For Models:*** 2344 SN: JJC0174450 >, 2366 SN: JJC0255000 >, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>

**A-87386758** Shaft; Chopper Jackshaft 18.08 Lbs.



***For Models:*** 5088, 5130, 5140, 6088, 6130, 6140, 7088, 7130, 7140

**A-1957657C2** Shaft, Bearing Block, Discharge Beater 14.16 Lbs.
For use w/ discharge beater.
***Replaces:*** 1957657C1



***Dim/Info:***
27.81" long
12/ 14 spline

***For Models:*** 1620 SN: JJC0022115 >, 1640 SN: < JJC0024223, 1644, 1660 SN: JJC0026711 >, 1666, 1670 SN: JJC0080540 >, 1680 SN: JJC0028498 >, 1688, 2144, 2166, 2188, 2344 SN: < JJC0174449, 2366 SN: < JJC0254999, 2388 SN: < JJC0270499

**A-411044A1** Shaft, Bearing Block, Discharge Beater 14.00 Lbs.
For use w/ discharge beater.



***Dim/Info:***
27.81" long
20/ 14 spline

***For Models:*** 2344 SN: JJC0174450 >, 2366 SN: JJC0255000 >, 2377 SN: HAJ0292001 >, 2388 SN: JJC0270500 > & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>

**A-ST874A** Bearing, Cup; Straw Chopper Gearcase Jackshaft 0.42 Lbs.
***Replaces:*** 613854C91, 59720H, 43353H, ST774, S201091, A30493, ST774B, 29008H




***For Models:*** 1440, 1460, 1470, 1480, 1640, 1644, 1660, 1670, 1680, 1666, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588

**A-87282228** Shaft, Straw Chopper Drive 81.00 Lbs.



***Replaces:*** 87107192, 86975806



***Dim/Info:***
104.31" long

***For Models:*** AFX8010, 8010, 8120, 9120

**A-181195C1** Shaft, Chopper Drive 4.37 Lbs.



***Dim/Info:***
11.48" long
12/ 20 spline

***For Models:*** 1440, 1460, 1470, 1480, 1640, 1644, 1660, 1666, 1670 SN: JJC0080540 >, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN: HAJ300001 (10/06 >), 5088, 6088, 7088

**A-1315264C1** Pulley, Straw Chopper Drive 41.20 Lbs.



***Dim/Info:***
2 pulleys 14" OD
2 pulleys 7" OD
12 tooth ID spline

***For Models:*** 1640, 1644, 1660, 1666, 1670, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ292001-HAJ300000, 2388, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088

**A-84146248** Pulley, Straw Chopper Belt Tightener 3.90 Lbs.



***Dim/Info:***
Inside Diameter - .6470"
Outside Diameter - 6.505"
Width - 3.45"

***For Models:*** 1640 sn JJC0034705->, 1644, 1660 sn JJC0038346->, 1666, 1670 sn JJC0080540->, 1680 sn JJC0045689->, 1688, 2144, 2166, 2188, 2344, 2366, 2377 sn HAJ0292001-HAJ0300000, 2388 sn <-JJC0276540 and HAJ0292001-HAJ0300000, (2577, 2588 ALL sn HAJ0300001->)

**A-168370C2** Ratchet, Slip Clutch 1.15 Lbs.
***Replaces:*** 86975803, 168370C1



***Dim/Info:***
Inside Diameter - 2.00"
Outside Diameter - 3.71"

***For Models:*** (AFX8010, 7010, 7120, 8010, 8120, 9120 ALL Straw Chopper & Beater Drives)


**A-559154R1** Bushing, Chopper Drive Idler 0.02 Lbs.
***Replaces:*** 559306R1, 188056C91



***Dim/Info:***
1.128" O.D. Compressed
1.000" I.D. Compressed
1.000" Wide

***For Models:*** 303, 403, 503, 615, 715, 815, 914 S/N <8001, 915 S/N <8000, 1440, 1460, 1470, 1480, 1640, 1644, 1660, 1666, 1670, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588

**A-1302176C2** Shaft, Discharge Beater 21.00 Lbs.
***Replaces:*** 1302176C1



***Dim/Info:***
69.81" long

***For Models:*** 1480, 1482, 1680, 1682, 1688, 2188, 2377 SN: HAJ0292001 >, 2388 , 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-1315269C2** Pulley, Idler (V-belt) 0.96 Lbs.



***Dim/Info:***
4.375" outer dia.
.500" hole dia.
1.000" Width

***For Models:*** 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN HAJ292001-HAJ300000, 2388, 2577, 2588

**A-181196C2** Pulley, Spreader Driven; 10" 4.90 Lbs.
***Replaces:*** 108533A1, 181196C1



***For Models:*** 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344 SN <JJC0174399, 2366 SN <JJC0252399, 2388 SN <JJC0270499

**A-84435858** Bearing, Shaker Shaft Pitman 1.89 Lbs.
Heavy Duty Drive.
***Replaces:*** 1345226C1, 1322676C1

***For Models:*** 1620, 1682, 2188, 6088, 7010, 7088, 7120, 8010, 8120, 9120

**A-243333A1** Gear Set, Straw Chopper 7.83 Lbs.
***Replaces:*** 188814C1, 243334A1, 243335A1



***For Models:*** 1440, 1460, 1470, 1480, 1640, 1644, 1660, 1666, 1670 SN: JJC0080540 >, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088

**A-87726624** Bat, Straw Spreader; RH Curved 1.80 Lbs.
***Replaces:*** 371055A1




***For Models:*** 2377, 2388, 2577, 2588, 5088, 6088, 7088

**A-87726623** Bat, Straw Spreader; LH Curved 1.80 Lbs.
***Replaces:*** 371056A1



***For Models:*** 2377, 2388, 2577, 2588, 5088, 6088, 7088

**A-71785HD** Spindle, Steering (RH/LH) 21.85 Lbs.
***Replaces:*** 401768R92




***Dim/Info:***
A - 12.750"
B - 1.667"
C - 1.780"
D - 1.375"
Spline Count - 24

**A-WBKIH3** Wheel Bearing Kit 1.72 Lbs.
**A-391824R11** Hub, Front Wheel (8 Bolt) 28.00 Lbs.
***Replaces:*** 1323559C1

***For Models:*** (815, 915 ALL SN 8001->), (1420, 1440, 1460 ALL w/ 11.0x16, 12.4x16, 18.4x26, 11.2x24 tires), 1620 w/ 10.0x16, 9.0x18 tires, (**COTTON PICKER**: 95, 782, 1400, 1822, 1844, 2022, 2044)

**A-1315374C2** Spindle (RH/LH) 34.00 Lbs.



***Dim/Info:***
A- 12.50"
B- 1.671"
C- 2.6245"
D- 1.6875"

**A-427546** Jam Nut, Spindle 0.50 Lbs.
**A-185106C1** Bearing, Thrust 0.58 Lbs.
**A-15943DA** Washer, Felt 0.01 Lbs.
**A-1259528C1** Hub, Wheel 45.09 Lbs.
***Replaces:*** 1259528C91

***For Models:*** (1420, 1440, 1460 ALL W/ Fixed Or Adj. Axle), 1620 W/ 11.00-16, 12.4-16 Or 11.2-24" Wheels, (1640, 1644, 1660 ALL W/ Adj. Or Non-Adj. Axle W/O Power Glide), (1666, 2144, 2166 ALL W/ Adj. Axle W/O Power Glide), 2344 SN <JJC0174359 W/ 92-120" Axle W/O Power Glide, 2366 SN <JJC0252949 W/ 92-120" Axle W/O Power Glide

**A-186680C1** Bushing, Spindle 0.35 Lbs.
Used W/ 186052C1 King Pin.



***For Models:*** (1460, 1480, 1660, 1666, 1680, 1688, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588 ALL Used W/ 186052C1 King Pin)

**A-9512162** Bushing, King Pin (Bronze) 0.51 Lbs.
Used w/ power glide axle.
***Replaces:*** 1970142C1



***Dim/Info:***
Inside Diameter - 1.88"
Outside Diameter - 2.252"
Width - 1.50"

***For Models:*** 1620 SN: JJC0032630 >, 1640 P.I.N. JJC0034001 >, 1644, 1660 P.I.N. JJC0036301 >, 1666, 1680 P.I.N. JJC0044001 >, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577, 2588

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

*CASE-IH

Truck icon indicates that the item is shipped via truck freight.

# REAR AXLE/STEERING PARTS

**A-1970143C1** Pin, King 7.19 Lbs.
Used w/ power guide axle.



***Dim/Info:***
9.12" long

***For Models:*** 1620 SN: JJC0032630 >, 1640 P.I.N. JJC0034001 >, 1644, 1660 P.I.N. JJC0036301 >, 1666 , 1666 P.I.N. JJC0044001 >, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>


**A-186052C1** King Pin, Steering Knuckle 16.21 Lbs.



***Dim/Info:***
20.00" long

***For Models:*** 1420, 1460, 1480, 1660, 1666, 1680, 1688, 2166, 2188, 2344 SN: JJC0174360 >, 2366 SN: JJC0252950 >, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>


**A-186796C1** Cylinder End 1.76 Lbs.




***Dim/Info:***
A - 2.750"
B - M22 X 1.5 RH thread

***For Models:*** 1666, 1644, 1400, (1420, 1440, 1460, 1620, 1640, 1660, 2144, 2166, 2344, 2366 ALL w/o power guide axle)

**A-84814042** Cylinder End; Steering 3.86 Lbs.
***Replaces:*** 84073454




***Dim/Info:***
A- 3.75"
B- M26 X 1.5 RH Thrd.


***For Models:*** AFX8010, 7010, 7120, 8010, 8120, 9120

**A-1259582C4** Steering Cylinder Trunion 0.53 Lbs.



***For Models:*** (**COTTON PICKER**: CPX420, 420, 1800, 1844, 2022, 2044, 2055, 2155, 2555)

**A-1302687C1** Tie Rod (RH) 1.50 Lbs.
Adjustable Axle 92" To 120"




***Dim/Info:***
A- 3.87"
B- 1.00"
16 UNF RH Thrd.

***For Models:*** 1440, 1460, 1640, 1644, 1660, 1666, 2144, 2166, 2344 SN: < JJC0174359, 2366 SN: < JJC0252949


**A-1302686C1** Tie Rod (LH) 12.60 Lbs.
For 92" To 120" Wide Adjustable Axle




***Dim/Info:***
A- 40"
B- 1.187"
Holes - 9 (.390") Holes Spaced 4.000" Apart
Outside Diameter - 1.187"
Thread Size - 5/8"-18 UNF RH
Taper Length - 1 1/2" TPF; .683" To .775"

***For Models:*** 1440, 1460, 1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366


**A-359774A1** Tie Rod (LH) 22.65 Lbs.
***Replaces:*** 180799C91




***Dim/Info:***
A- 45.50"
B- 1.50"

***For Models:*** 1460, 1480, 1660, 1666, 1680, 1688, 2166, 2188, 2344, 2366, 2388


**A-A44762** Tie Rod End (RH Thread), Short 1.74 Lbs.
***Replaces:*** 180798C91




***Dim/Info:***
A - 3.750"
B - 1.000"-16 Thread (RH Thread)

***For Models:*** 1460, 1480, 1660, 1666, 1680, 1688, 2166, 2188, 2344, 2366, 2388


**A-1968998C1** End Assembly, Tie Rod 3.00 Lbs.
***Replaces:*** 1277259C1, 78813C1, 503100C91




***Dim/Info:***
A- 4.87"
B- 1-1/8" 12 UNF RH Thrd.

***For Models:*** 1620 SN JJC0032630>, 1640 SN JJC0034001>, 1644, 1660 SN JJC0036301>, 1666, 1680 SN JJC0044001>, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588


**A-437222A1** Ball Joint, Steering Cylinder 3.40 Lbs.




***Dim/Info:***
A- 3.125"
B- 1.00"- 16 UN RH Thrd.

***For Models:*** 2344 SN: JJC0174450 >, 92"/120" AXLE, W & W/O PWR GUIDE, 2366 SN: JJC0255000 >, 92"/120" AXLE, W/ PWR GUIDE, (2377, 2388 ALL SN: HAJ0292001 >, SINGLE & DUAL CYL, W/ PWR GUIDE), 2388 SN: JJC0273000 >, SINGLE & DUAL CYL, W/ PWR GUIDE, 2577 SN HAJ0300001>, 2588 SN HAJ300001>

**A-86984112** Tie Rod End 3.50 Lbs.




***Dim/Info:***
A- 5.50"
B- 1.125" 12 UNF RH Thrd.

***For Models:*** 2366 SN JJC0255700-> W/O Power Guide Axle, 92"-120" Adj. Axle, 2377 W/O Power Guide Axle, 92"-120" Adj. Axle, 2388 SN JJC0273000-> W/O Power Guide Axle, 92"-120" Adj. Axle, 2577 SN HAJ0300001>, 2588 SN HAJ300001>

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com


**A-86984111** Tie Rod End 17.55 Lbs.




***Dim/Info:***
A- 33.75"
B- 1.50"

***For Models:*** 2366 SN JJC0255700-> W/O Power Guide Axle, 92"-120" Adj. Axle, 2377 W/O Power Guide Axle, 92"-120" Adj. Axle, 2388 SN JJC0273000-> W/O Power Guide Axle, 92"-120" Adj. Axle, 2577 SN HAJ0300001>, 2588 SN HAJ300001>


**A-84442906** Tie Rod; Short Threaded 4.10 Lbs.
***Replaces:*** 84073399




***Dim/Info:***
A- 4.75"
B- M30 X 1.5 RH Thrd.

***For Models:*** AFX8010, 7010, 7120, 8010, 8120, 9120

**A-180801C1** Tube, Tie Rod 25.35 Lbs.



***Dim/Info:***
68.87" long

***For Models:*** 1460, 1480, 1660, 1666, 1680, 1688, 2166, 2188, 2344, 2366 SN: < JJC0255699, 2388 SN: < JJC0272999


**A-87012417** Tube, Tie Rod; Inner 10.55 Lbs.
***Replaces:*** 361408A1



***Dim/Info:***
33.00" long
1-1/8 12 NF RH ID Thrd
15 cross holes

***For Models:*** 1640 SN JJC0034001>, 1644, 1660 SN JJC0036301>, 1666, 1680 SN JJC0044001>, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588


**A-1280658C1** Tie Rod, Short; 2WD 2.94 Lbs.




***Dim/Info:***
A - 4.100"
B - 1.125"
12 - RH Thread

***For Models:*** (**COTTON PICKER**: CPX420, 420, 1800, 1844, 2022, 2044, 2055, 2155, 2555)


**A-A177916** Bushing, Pivot Pin 1.23 Lbs.



***Dim/Info:***
2.55" O.D.
1.97" I.D.
1.97" Long

***For Models:*** (**COTTON PICKER**: (CPX420, CPX610, CPX620 ALL Adj. Axle & Axle W/ Wheel Drive Motor), 420, 1800 Adj. Axle SN JJC133070->, (2022, 2055, 2155, 2555 ALL Adj. Axle), 2555 Adj. Axle & Axle W/ Wheel Drive Motor)

**A-548247R91** Hydraulic Cylinder, Steering, w/o Power Guide Axle 11.5 Lbs.
***Replaces:*** 157422C91



***Dim/Info:***
ID: 2.000"
STROKE: 9.000"

***For Models:*** 815 SN: 8001 >, 915, 1420, 1440, 1460, 1480, 1620, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366, (**COTTON PICKER**: 95)

**A-87337229** Cylinder Assy, Steering 13.00 Lbs.
Used w/ power guide axle.
***Replaces:*** 127913C93, 127916C1, 127913C92, 127913C91



***Dim/Info:***
ID: 2.250"
STROKE: 9.000"
Thread Size - 1.000"-16 (Both Ends)

***For Models:*** 1420, 1440, 1460, 1480, 1620 SN JJC0032630>, 1640 PIN JJC0034001>, 1644, 1660, 1666, 1680 PIN <JJC0044001, 2144, 2166, 2344 SN <JJC0174399, 2366 SN <JJC0253999, 2377 SN HAJ0292001>, 2388 SN JJC0268800-JJC0276540 & HAJ0292001>, 2577, 2588

**A-186140C91** End, Steering Cylinder 3.36 Lbs.



***Dim/Info:***
Female thread 1.00-16 RH thread

***For Models:*** (1420, 1440, 1460, 1640, 1644, 1660, 1666, 2144, 2166, 2366 ALL w/ Power Guide Axle), 1620 w/ Power Guide Axle & sn JJC0032630->, 2388 w/ Power Guide Axle & sn <-JJC0272999, (1688, 1480 ALL w/ Adjustable Axle), (1680, 2188 ALL w/ Adjustable & Power Axles), 2388 w/ Adjustable Axle & sn <-JJC0270499, 2344 92"-106" w/o Power Guide Axle & sn JJC0174360->, 2366 92"-106" w/o Power Guide Axle & sn JJC0252949->

**A-104809C1** Bushing 0.03 Lbs.
Various uses



***Dim/Info:***
.396" I.D.
1.044" O.D. On Lip
.773" O.D. On Bushing
.72" Long

***For Models:*** 2144, 2166, 2188, 2344, 2366, 2388, 2377 SN HAJ292001-HAJ300000, 2577 SN HAJ0300001>, 2588 SN HAJ300001>, 5088, 6088, 7088), (**COTTON PICKER**: CPX420, CPX610, CPX620, MODULE EXPRESS 625, 420, 620, 2155, 2555)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# REAR AXLE/STEERING PARTS

**A-193912C3** Arm, Steering (RH) 11.90 Lbs.
**A-193911C4** Arm, Steering (LH) 11.90 Lbs.



***For Models:*** 1420, 1440, 1460, 1620, 1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366

**A-186639C1** Lever, Steering (RH) 8.98 Lbs.
**A-186641C1** Lever, Steering (LH) 12.13 Lbs.




***For Models:*** 1460, 1480, 1660, 1666, 1680, 1688, 2166, 2188, 2344 SN JJC0174360>, 2366 SN <JJC0255699, 2388 SN <JJC0276540

**A-412305A1** Arm, Steering (RH) 12.14 Lbs.
USED ON ADJUSTABLE AXLE



***For Models:*** 2366 SN: JJC0255700 >, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >


**A-1334694C1** Pivot Pin, Center Steering Arm 2.00 Lbs.



***Dim/Info:***
Diameter - .994"
Overall Length - 8.25"
Shaft Length - 7.81"
Pin Hole - .25"

***For Models:*** (**COTTON PICKER**: CPX420, 420, 1800, 2022, 2055, 2155, 2555)


**A-177751C1** Bushing, Axle Pivot 0.50 Lbs.



***Dim/Info:***
Inside Diameter - 4.010"
Outside Diameter - 4.195"
Width - 1.470"

***For Models:*** 815, 915, 1420, 1440, 1460, 1470, 1480, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2588 SN HAJ300001>, 2577 SN HAJ0300001>, (**COTTON PICKER**: 95, 782, 1400, 1822, 1844, 2022, 2044, 2055)

**A-182794C1** Bushing, Pivot; Rear Axle 0.25 Lbs.



***Dim/Info:***
4.178" O.D.
4.000" I.D.
.736" Wide

***For Models:*** 1440, 1460, 1480, 1640, 1644, 1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, (**COTTON PICKER**: 95)


**A-168385C2** Washer, Axle Pivot 0.30 Lbs.
***Replaces:*** 168385C1



***Dim/Info:***
Inside Diameter - 4.030"
Outside Diameter - 5.032"
Thickness - .122"


***For Models:*** 815, 915, 1420, 1440, 1460, 1470, 1480, 1620, 1640, 1644, 1660, 1670, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, (**COTTON PICKER**: 95, 782), 1666, (**COTTON PICKER**: 1400)

**A-316945A1** Support, Steering Cyl 8.90 Lbs.
***Replaces:*** 133319A1, 186574C1



***For Models:*** 1644, 1460, 1480, 1660, 1666, 1680, 1688, 2166, 2188, 2344 SN: JJC0174360 >, 2366 SN: JJC0252949 >, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0270499 - JJC0270500, & HAJ0292001 >, 2577

**A-625743C1** Bearing, Cup; Rear Axle Hub 0.39 Lbs.
***Replaces:*** 248346, 714626, A61446, 2330050-04



***Dim/Info:***
Outside Diameter - 3.543"

***For Models:*** 815, 915 S/N <8000, 1420, (1460, 1480 ALL w/ 92"-120" Adjustable Axle), 1620, (1660, 1666, 1680, 1688, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588 ALL w/ 92"-120" Adjustable Axle), 8010, 8120, 9120

**A-182795C1** Bushing, Steering Axle Support 3.55 Lbs.



***Dim/Info:***
Inside Diameter - 4.005"
Outside Diameter - 5.000"
Width - 1.760"

***For Models:*** 1420, (1440, 1460 ALL SN: 5501 >), 1480 SN: 1501 >, 1620 SN: JJC0032630 >, 1640, 1644, 1660 P.I.N. JJC0036301 >, 1666, 1680 P.I.N. JJC0044001 >, 1688, 2144, 2166, 2188, 2344, 2366, 2377 SN: HAJ0292001 >, 2388 SN: < JJC0276540 & HAJ0292001 >, 2577 SN HAJ0300001>, 2588 SN HAJ300001>

**A-44995098** Seal, Wheel 0.42 Lbs.
***Replaces:*** 491641C1, 86503133



***Dim/Info:***
Inside Diameter - 3.241"
Outside Diameter - 4.522"
Width - .050"

***For Models:*** 1420, 1440, 1460, 1620, 1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366, (**COTTON PICKER**: CPX420, 420, 1800, 1844, 2022, 2044, 2055, 2155, 2555)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com


**A-1259528C1** Hub, Wheel (8 Bolt) 45.09 Lbs.
***Replaces:*** 1259528C91



**A-WB916** Wheel Bolt, 9/16-18 X 1.690" 0.15 Lbs.

***For Models:*** (1420, 1440, 1460 ALL W/ Adj. Or Non Adj. Axle), 1620, 1660, 1666 W/ Adj. Axle W/O Power Glide, (1640, 1644, 1660, 2144, 2166, 2344, 2366 ALL W/ Adj. Or Non Adj. Axle W/O Power Glide), (**COTTON PICKER**: CPX420, 420, 1800, 1844, 2022, 2044, 2055, 2155, 2555)

**A-663557R1** Bearing (LM501349) 0.49 Lbs.





**A-663558R1** Bearing 0.24 Lbs.
***Replaces:*** 1012359, 2230050-05, 663558R91, 665099R1, 671076R1, 713545

**A-A61447** Bearing Cone 0.81 Lbs.
***Replaces:*** 1013468, 3230271R1, 3230271R91, 625742C1, 714634, 2330050-09, 248347, 625741C1, 625742C91


***For Models:*** 1460, 1480, 1482, 1660, 1666, 1680, 1682, 1688, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588

**A-169293C11** Hub, Steering Axle 33.33 Lbs.




***For Models:*** AFX8010, 82, 303, 315, 403, 503, 615, 715, 815, 914, 915 SN: < 8000, 1420, 1440, 1460, 1480, 1470, 1482, 1620, 1640, 1644, 1660, 1666, 1680, 1682, 1688, 2144, 2166, 2188, 2344 SN: JJC0174360 >, W/O POWER GUIDE AXLE, 2366 SN: < JJC0255699, 2388 SN: < JJC0268799, 2377, 2577 S/N HAJ0300001>, 2588 S/N HAJ300001>, 5088, 6088, 7010, 7088, 7120, 8010, 8120, 9120, (**HEAD, CORN**: 240822, 240838, 320630), (**COTTON PICKER**: CPX420, CPX610, CPX620, MODULE EXPRESS 625, 95, 414, 420, 616, 620, 622, 782, 1400, 1800, 1822, 1844, 2022, 2044, 2055, 2155, 2555), (**HEAD, CUTTING PLATFORM**: 2142, 2152, 2162, 3152, 3162, 810)

**A-402622A1** Hub, Adjustable Axle 32.70 Lbs.



***For Models:*** 2366 SN: JJC0255700 >, 2377 SN: < HAJ0295001, 2388 SN: JJC0268800-JJC0270499 & < HAJ025001

**A-87307671** Hub, Rear Axle 32.60 Lbs.
w/ 92"-120" adjustable axle



***For Models:*** (2377, 2388 ALL SN HAJ0295001>), 2577, 2588

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


Truck icon indicates that the item is shipped via truck freight.

Augers. . . . . .137-138
Belts. . . . . .133-134
Chaffers/Sieves/Frames/Shoes . . . . . 136
Corn Head Parts . . . . . 135
Concaves . . . . . 136
Elevator Chains. . . . . 136
Feeder House Parts. . . . . 135
Grain Handling Shafts, Sprockets & Pulleys . . . . . 136
Grain Head Parts . . . . . 135
Rasp Bars. . . . . 136
Straw Chopper & Spreader Parts. . . . . 136





P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com




| Application | Part # | Ref. | Description |
|---|---|---|---|
| 520C, 660 SN HP87101>, 670 SN HP36101>, 660B, 670B, 680B | **A-71427255** | 1 | Belt; Feeder Pivot Shaft Drive/Header Countershaft, 195.47” |
| 520C, 540C, 540E, 560C, 560E, 660, 660B, 670, 670B, 680B | **A-71390199** | 2 | Belt; Shaker Shoe Pitman Drive, 100.8” |
| (660, 670 ALL Grain Elevator Drive; SN <HP87101) | **A-227455M1** | 3 | Belt; Grain Elevator Drive |
| (660, 670 ALL SN HP87101>), 680B SN <HUC8101 | **A-71403685** | 3 | Belt; Grain Elevator Drive, 130” |
| 660B, 670B, 680B SN HUC8101> | **A-71410765** | 3 | Belt; Grain Elevator Drive, 128.85” |
| 660 | **A-71386352** | 4 | Belt; Beater Drive, 3HB, 175.3” |
| 520C, 660B, 670, 670B, 680B Effective S/N HSC8101 | **A-71388216** | 4 | Belt; Beater Drive, 4HB, 176.3” |
| 660, 670 | **A-101102M1** | 5 | Belt; Unloader Drive; 149.3” |
| 520C, 660B, 670B, 680B | **A-71410767** | 5 | Belt; Bin Unloader Drive, 142.04” |
| 520C, 660, 660B, 670, 670B | **A-71390188** | 6 | Belt; Main Countershaft Drive, 143.0” |
| 680B | **A-71403721** | 6 | Belt; Main Countershaft Drive, 170.08” |
| 520C, 660 SN HR87101>, 660B, 670 SN HR36101> | **A-71418984** | 7 | Belt; Tandem Pump Drive, 91.1” |
| 680B | **A-71406285** | 7 | Belt; Rotor Pump Drive, 104.13” |
| 660 SN <HR87101, 670 SN <HR36101, 670B | **A-71418976** | 7 | Belt; Tandem Pump Drive, 90.2” |
| 680B | **A-71406286** | 8 | Belt; Propel Pump Drive, 98.6” |
| 670B | **A-71418978** | 8 | Belt; Propel Pump Drive, 93.3” |
| 520C, 660 SN HP87101>, 660B, 670 SN HP36101>, 670B, 680B | **A-71399519** | 9 | Belt; Jackshaft To Header Countershaft, 160.5” |
| 520C, 660 SN HP87101>, 660B, 670 SN HP36101>, 670B, 680B | **A-71398384** | 10 | Belt; Beater To Feederhouse Jackshaft Drive, 136.0” |
| 520C, 540C, 560C, 540E, 560E, 660, 660B, 670, 670B, 680B | **A-71385801** | 12 | Belt; Return Elevator Drive, 109.6” |
| (660, 670 ALL Spreader Jackshaft Drive) | **A-227455M1** | 13 | Belt; Spreader Jackshaft Drive |
| 520C, 660B, 670B, 680B | **A-71406338** | 13 | Belt; Chopper Drive, Primary, 136.5” |
| 660B, 670B, 680B | **A-71414420** | 13 | Belt; Spreader Drive, Primary, 130” |
| 660 SN <HR87101, 670 SN <HR36101 | **A-71385837** | 13 | Belt; Chopper Primary Drive, 123.8” |
| 660 SN <HR87101, 670 SN <HR36101 | **A-A3289213** | 14 | Belt; Fan/Alternator Drive, Cummins, 68.5” |
| 660 SN <HR87101, 670 SN <HR36101 | **A-A71410501** | 14 | Belt; Fan/Alternator Drive, (Update Kit), Cummins |
| (660, 670 ALL Engine SN T11858>), 660B, 670B | **A-V685121530** | 14 | Belt; Fan/Alternator Drive, (Sisu) |
| 680B | **A-288-1607** | 14 | Belt; Fan/Alternator Drive |
| 660, 660B, 670, 670B | **A-71148120** | 15 | Belt; A/C Compressor Drive |
| 660 SN <HP87101, 670 SN <HP36101 | **A-71379105** | 17 | Belt; Beater To Header Countershaft Drive, 217.0” |
| 660 SN <HR87101, 670 SN <HR36101 | **A-71388712** | 18 | Belt; Chopper Secondary Drive, 213.8” |

# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# Belt Application Listing



| Part # | Description | Models |
|---|---|---|
| **A-A3289213** | Belt; Fan/Alternator Drive, Cummins, 68.5” | 660 SN <HR87101, 670 SN <HR36101 |
| **A-A71410501** | Belt; Fan/Alternator Drive, (Update Kit), Cummins | 660 SN <HR87101, 670 SN <HR36101 |
| **A-V685121530** | Belt; Fan/Alternator Drive, (Sisu) | 660 Engine SN T11858>, 660B, 670 Engine SN T11858>, 670B |
| **A-101102M1** | Belt; Unloader Drive; 149.3” | 660, 670 |
| **A-288-1607** | Belt; Fan/Alternator Drive | 680B |
| **A-227455M1** | Belt; Grain Elevator Drive | (660, 670 ALL Grain Elevator Drive; SN <HP87101) |
| **A-227455M1** | Belt; Spreader Jackshaft Drive | (660, 670 ALL Spreader Jackshaft Drive) |
| **A-71148120** | Belt; A/C Compressor Drive | 660, 660B, 670, 670B |
| **A-71379105** | Belt; Beater To Header Countershaft Drive, 217.0” | 660 SN <HP87101, 670 SN <HP36101 |
| **A-71385801** | Belt; Return Elevator Drive, 109.6” | 520C, 540C, 560C, 540E, 560E, 660, 660B, 670, 670B, 680B |
| **A-71385837** | Belt; Chopper Primary Drive, 123.8” | 660 SN <HR87101, 670 SN <HR36101 |
| **A-71386352** | Belt; Beater Drive, 3HB, 175.3” | 660 |
| **A-71388216** | Belt; Beater Drive, 4HB, 175.3” | 520C, 660B, 670, 670B, 680B Effective S/N HSC8101 |
| **A-71388712** | Belt; Chopper Secondary Drive, 213.8” | 660 SN <HR87101, 670 SN <HR36101 |
| **A-71390188** | Belt; Main Countershaft Drive, 143.0” | 520C, 660, 660B, 670, 670B |
| **A-71390199** | Belt; Shaker Shoe Pitman Drive, 100.8” | 520C, 540C, 560C, 540E, 560E, 660, 660B, 670, 670B, 680B |
| **A-71398384** | Belt; Beater To Feederhouse Jackshaft Drive, 136.0” | 520C , 660 SN HP87101>, 660B , 670 SN HP36101>, 670B, 680B |
| **A-71399519** | Belt; Jackshaft To Header Countershaft, 160.5” | 520C , 660 SN HP87101>, 660B , 670 SN HP36101>, 670B, 680B |
| **A-71403685** | Belt; Grain Elevator Drive, 130” | (660, 670 ALL SN HP87101>), 680B SN <HUC8101 |
| **A-71403721** | Belt; Main Countershaft Drive, 170.08” | 680B |
| **A-71406285** | Belt; Rotor Pump Drive, 104.13” | 680B |
| **A-71406286** | Belt; Propel Pump Drive, 98.6” | 680B |
| **A-71406338** | Belt; Chopper Drive, Primary, 136.5” | 520C, 660B, 670B, 680B |
| **A-71410765** | Belt; Grain Elevator Drive, 128.85” | 660B, 670B, 680B SN HUC8101> |
| **A-71410767** | Belt; Bin Unloader Drive, 142.04” | 520C, 660B, 670B, 680B |
| **A-71414420** | Belt; Spreader Drive, Primary, 130” | 660B, 670B, 680B |
| **A-71418976** | Belt; Tandem Pump Drive, 90.2” | 660 SN <HR87101, 670 SN <HR36101, 670B |
| **A-71418978** | Belt; Propel Pump Drive, 93.3” | 670B |
| **A-71418984** | Belt; Tandem Pump Drive, 91.1” | 520C , 660 SN HR87101>, 660B , 670 SN HR36101> |
| **A-71427255** | Belt; Feeder Pivot Shaft Drive/Header Countershaft, 195.47” | 520C , 660 SN HP87101>, 660B , 670 SN HP36101>, 670B, 680B |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

# GRAIN HEAD PARTS - FEEDER HOUSE PARTS

## Grain Head Parts

**A-LB217** Forged Guard, 2 Prong 1 Lbs.
***Replaces:*** BC311, FQ311, 71345591, 148199M1



***Dim/Info:***
Hole Size - 7/16"


***For Models:*** (HEAD, CUTTING PLATFORM: FH W/ CLEANCUT SYSTEM)

**A-LB216** Forged Guard, 4 Prong; 7/16" Hole 2 Lbs.
***Replaces:*** FQ310B, 71345590, 71370575, 148198M1



***For Models:*** (HEAD, CUTTING PLATFORM: FH)


**A-676235** Guard, Knife; Double Point 2 Lbs.
***Replaces:*** 676235N



***Dim/Info:***
Length - 5.76" Hole To End
C to C - 3.000" Hole Spacing

***For Models:*** 660, 670

**A-BU225** Forged Guard 1 Lbs.
***Replaces:*** FQ225, Buchanan# BU225; AGCO# 71386962




***Dim/Info:***
Non-Plate
minimum order qty 25

***For Models:*** (HEAD, CUTTING PLATFORM: DHC, FH, FHB, RH, RHB)


**A-66603** Guard, Double 2 Lbs.
***Replaces:*** 113400M1



***Dim/Info:***
minimum order qty 25

***For Models:*** (HEAD, CUTTING PLATFORM: DMV)

**A-515-116** Knife Clip, Bolted or Riveted 0 Lbs.
***Replaces:*** 71189684, 71346158, 206195M1, 143241M1



***Dim/Info:***
Low Clip
For Bolted Or Riveted Sections
minimum order qty 5

***For Models:*** (HEAD, CUTTING PLATFORM: FH, FHB, RH, RHB)

## Corn Head Parts


**A-71369591** Sprocket, Upper Gathering Drive 3 Lbs.
For Hugger & Universal Hugger Heads.
***Replaces:*** 71504586, 71391292, 71432138



***Dim/Info:***
8 tooth
1" bore

***For Models:*** (HEAD, CORN: CH)


**A-71359125** Sprocket, Lower Gathering Idler 2 Lbs.



***Dim/Info:***
8 tooth, 5/8" bore

***For Models:*** (HEAD, CORN: CH)


**A-71505705** Chain, Gathering 10 Lbs.



***Dim/Info:***
CA550 chain
50 endless links
6 Lugs / Tab

***For Models:*** (HEAD, CORN: CH)

**A-71351081** Flute, Snapping Roll 2 Lbs.




***Dim/Info:***
3 used per roll
Heat Treated

***For Models:*** (HEAD, CORN: CH)

## Feeder House Parts

**A-71149964** Chain Assembly; Feeder House 198 Lbs.


Includes (38) A-2570050W2 Non-Serrated Slats.
***Replaces:*** 2623913W91, 71449018



***Dim/Info:***
Type - Chrome Pin
Links - 112
C to C Of Sprocket - 19 1/4"
Quantity-Chain - 3-CA557

***For Models:*** 660 SN HP87101>, 660B


**A-2570050W1** Slat, Feeder House, smooth 3 Lbs.
Used On A-71149964 Feeder House Chain.



***For Models:*** 660 SN HP87101>, 660B

**A-71449017** Chain Assembly; Feeder House, 3 Strand 268 Lbs.

Includes (28) A-71387896 Non-Serrated Slats.



***Dim/Info:***
Type - Chrome Pin
Links - 112
C to C Of Sprocket - 24 7/8"
Quantity-Chain - 3-CA557

***For Models:*** 670 SN HM36101 Thru HS36101

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

*CHALLENGER


Truck icon indicates that the item is shipped via truck freight.

# CONCAVES - STRAW CHOPPER & SPREADER PARTS

*CHALLENGER

## Concaves


**A-104904W91** Concave; Low Wire, Small Grain 66 Lbs.
Wires .500" Down From Top Of Cross Bar



***Dim/Info:***
Quantity - 1 Piece

***For Models:*** 660, 660B, 670, 670B

**A-71390005** Concave; High Wire, Small Grain 59 Lbs.
Wires .250" Down From Top Of Cross Bar
***Replaces:*** (1) 2470701W91



***Dim/Info:***
Quantity - 1 Piece

***For Models:*** 660, 660B, 670, 670B

## Rasp Bars

**A-71371520** Cylinder Bar, Forward 3/4" Spaced (Set Of 2) 12 Lbs.
***Replaces:*** 71362671




***Dim/Info:***
Includes - Includes 1/2" X 1" / 1 1/4" NC Grade 8 Fasteners
Type - Forward Chrome w/ Wide Spaced Teeth - 3/4"

***For Models:*** 660, 660B, 670, 670B, 680B

## Chaffers/ Sieve/ Frames/ Shoes


**A-71397998** Chaffer, Upper; Corn; Long Finger 160 Lbs.



***Dim/Info:***
Length - 78.75"
Spacing - 1 5/8"
Width - 61.06"

***For Models:*** (670, 670B, 680B ALL Manual Adjustment Only)

**A-71395866** Chaffer; Air Foil 114 Lbs.



***For Models:*** 670, 670B, 680B

## Chains, Clean Grain & Return Elevator


**A-71393534** Chain, Clean Grain Elevator 51 Lbs.



***Dim/Info:***
Paddle Size - 8 1/2" x 4" Rubber Paddles
Quantity-Paddle - 38-1364946
Links-Chain - 152-CA550

***For Models:*** 660, 670

**A-2615233W92** Chain, Return Elevator 36 Lbs.




***Dim/Info:***
Paddle Size - 5 5/8" x 3 1/8"
Quantity-Paddle - 32-EPRM-F8560R
Links-Chain - 128-CA550

***For Models:*** 660 SN <-HP87100, 670 SN <-HP36100

## Grain Handling Shafts, Sprockets, Pulley


**A-2412960W1** Sprocket, Clean Grain Elevator, Upper 6 Lbs.



***Dim/Info:***
11 tooth
1.250" bore

***For Models:*** 660, 660B, 670, 670B, 680B


**A-9863030** Sprocket, Clean/ Return Grain Elevator 3 Lbs.



***Dim/Info:***
8 tooth
1.125" bore

***For Models:*** 660, 660B, 670, 670B, 680B

**A-9863040** Sprocket, Clean/ Return Grain Elevator 3 Lbs.



***Dim/Info:***
8 tooth
1.125" bore

***For Models:*** 660, 660B, 670, 670B, 680B

## Straw Chopper & Spreader Parts

**A-71382758** Blade, LH Straw Chopper; Paddle Type 1 Lbs.



***Dim/Info:***
Length - 6.77"
Thickness - .187"
Hole Diameter - .765"

***For Models:*** 660, 660B, 670, 670B, 680B

**A-71382759** Blade, RH Straw Chopper; Paddle Type 1 Lbs.



***Dim/Info:***
Length - 6.77"
Thickness - .187"
Hole Diameter - .765"

***For Models:*** 660, 660B, 670, 670B, 680B

**A-71382257** Bushing, Straw Chopper Blade (4/Pack) 0 Lbs.



***Dim/Info:***
Inside Diameter - .412"
Outside Diameter - 1.250"
minimum order qty 4

***For Models:*** 660, 660B, 670, 670B, 680B


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.










Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Challenger







| Ref. | Description<br>Part No. | Dimensions | | | |
|---|---|---|---|---|---|
| 1 | **Auger; Return Elevator, Lower**<br>A-71389851 | 66.188” | 1.125” | |  |
| | *For Models 660 SN <HP87101* | | | | |
| 3 | **Auger, Grain Bin Loading (Extended Wear)**<br>A-71388940<br>Flighting made of AR400 Abrasion Resistant Steel.<br>Angle Unloading - w/o Bin Extension | 67.750” | 1.250” | |  |
| | *For Models 660, 670* | | | | |
| 3 | **Auger; Clean Grain, Upper (Bin Fill), Extended Wear**<br>A-71407582<br>Flighting made of AR400 Abrasion Resistant Steel. | 75.375” | 1.250” | |  |
| | *For Models 660B, 670B, 680B* | | | | |
| 5 | **Auger; Return Elevator, Upper**<br>A-71385680 | 30.375” | 1.50” | 1.25” |  |
| | *For Models 660* | | | | |
| 5 | **Auger; Return Elevator, Upper**<br>A-71390517 | 34.50” | 1.25” | 1.50” |  |
| | *For Models 670, 670B* | | | | |
| 6 | **Auger; Horizontal Unloading (199.65”)**<br>A-71390929 | 201.0625” | 2.875” | |  |
| | *For Models 660 SN <HN87101, 670 SN <HN36101* | | | | |
| 6 | **Auger; Horizontal Unloading, Outer**<br>A-71396547 | 245.75” | 1.749” | 5” |  |
| | *For Models 660B, 670B, 680B* | | | | |
| 7 | **Auger; Vertical Unloading (Extended Wear)**<br>A-71391336<br>Flighting made of AR400 Abrasion Resistant Steel. | 44.875” | 6.000” | 21 |  |
| | *For Models 660 SN <HN87101, 670 SN <HN36101* | | | | |
| 7 | **Auger; Vertical Unloading (Extended Wear)**<br>A-71399861<br>Flighting made of AR400 abrasion resistant steel. | 44.875” | 6.000” | 21 |  |
| | *For Models 660 SN HN87101>, 670 SN HN36101>* | | | | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

*CHALLENGER

## Challenger





| Ref. | Description<br>Part No. | Dimensions | | | |
|---|---|---|---|---|---|
| 7 | **Auger; Upper Unloading, Inner**<br>A-71420214 | 96.312” | 5.000” | 20 |  |
| *For Models 660, 670* | | | | | |
| 7 | **Auger; Lower Unloading (Extended Wear)**<br>A-71419892<br>Flighting made of AR400 Abrasion Resistant Steel. | 88.5625” | 3.500” | |  |
| *For Models 660B, 670B, 680B* | | | | | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

Belts. . . . . 140-147
Cab Parts. . . . . 165
Cooling Systems . . . . . 148
Discharge Area. . . . . 175-176
Straw Chopper & Spreader Parts . . . . . 175-176
Engine Parts . . . . . 148
Filters. . . . . 149
Grain Handling. . . . . 169-175
Augers . . . . . 171-173
Auger Related Parts . . . . . 174-175
Elevator Chain . . . . . 169
Grain Handling Shafts, Sprockets, Pulleys . . . . . 170
Headers/Platforms/Feeder House . . . . . 155-159
Corn Head Parts. . . . . 157
Grain Head Parts . . . . . 155-156
Feeder House Chain/Slats/Raddle Chain. . . . . 159
Feeder House Parts . . . . . 158
Hydraulic Systems Parts . . . . . 150
Ignition & Electrical Parts. . . . . 149
Power Train/Propulsion . . . . . 164
Rear Axle/Steering Parts . . . . . 176
Separator Area. . . . . 165-168
Chaffers/Sieves/Frames/Shoes Related Parts . . . . . 167-168
Separator Shafts, Gear & Parts. . . . . 165-166
Sickles Sections, Sickle Parts, & Sickle Assemblies . . . . . 151-154
Threshing Area. . . . . 160-163
Concaves . . . . . 160
Rasp Bars . . . . . 161-162
Rotor Cones & Wear Items . . . . . 163





| Application | Part # | Ref. | Description |
|---|---|---|---|
| 1400, 1500 | **A-230164** | 4 | Belt, Clean Grain Elevator Drive |
| 1400, 1500 | **A-247782** | 11 | Belt, Fan Vari-Drive |
| 1400, 1500 | **A-323646** | 18 | Belt, Intermediate to Shaft |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com





| Application | Part # | Ref. | Description |
|---|---|---|---|
| TR70 | **A-785415** | 6 | Belt, Shaker Shoe |
| TR70 | **A-703747** | 10 | Belt, Clean Grain Elevator |
| TR70 gas | **A-266209** | 12 | Belt, Governor |
| TR70 Cat diesel w/ Delco alternator | **A-626654** | 13 | Belt, Fan / Alternator |
| TR70 | **A-717700** | 17 | Belt, Rotor Vari-Drive |
| TR70 gas & Cat diesel | **A-246978** | 18 | Belt, Main Drive |
| TR70 Ford diesel | **A-577240** | 19 | Belt, AC Compressor |
| TR70 SN 299960-> | **A-230143** | 20 | Belt, Chopper Beater / Spreader |
| TR70 | **A-66232** | 20 | Belt, Front Chopper Rotor |
| TR70 | **A-247782** | 21 | Belt, Fan Vari-Drive / Unload Auger Drive |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated

# COMBINE BELTS






New Holland TR75, TR85


| Application | Part # | Ref. | Description |
|---|---|---|---|
| TR75, TR85 | **A-785415** | 6 | Belt, Shaker Shoe |
| TR75, TR85 | **A-717075** | 7 | Belt, Front Chopper |
| (TR75, TR85 ALL 65.75" long) | **A-610767** | 9 | Belt, Rotary Screen |
| (TR75, TR85 ALL w/ Cat) | **A-626654** | 11 | Belt, Alternator |
| TR75, TR85 | **A-716254** | 13 | Belt, Rotary Screen |
| TR75 SN <-304699, TR85 SN <-307999 | **A-717700** | 14 | Belt, Rotor Vari-Drive |
| TR75, TR85 | **A-703747** | 16 | Belt, Clean Grain Elevator |
| TR75 SN 403301>, TR85 SN 404301> | **A-86537318** | 19 | Belt, Drive 193" |
| TR75, TR85 | **A-230143** | 21 | Belt, Chopper Beater / Spreader |
| TR75 SN <-304739, TR85 SN <-308085 | **A-717700** | 14 | Belt, Traction 90.5" STD |
| TR75, TR85 | **A-247782** | 28 | Belt, Unload Auger Drive |
| TR85 SN <-403000 | **A-246978** | 29 | Belt, Main Drive |
| TR75 SN <-403000 | **A-577240** | 30 | Belt, AC Compressor 54.5" |
| TR75 SN 403001->, TR85 SN 310401-> | **A-80259346** | 30 | Belt, AC Compressor 48" |
| TR75 SN <-403276, TR85 SN <-404264 | **A-620944** | 32 | Belt, Feeder Drive |
| TR75, TR85 | **A-632889** | | Belt, Transmission |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com





## New Holland TR86, TR87, TR96

| Application | Part # | Ref. | Description |
|---|---|---|---|
| TR86, TR87 | **A-785415** | 4 | Belt, Shaker Shoe |
| TR96 | **A-774747** | 4 | Belt, Shaker Shoe |
| TR86 SN <-527530 | **A-610767** | 5 | Belt, Rotary Screen |
| TR96 SN <-528155 | **A-624650** | 6 | Belt, Hyd Pump |
| TR96 SN <-528155, TR86 SN <-527530 | **A-626654** | 7 | Belt, Alternator |
| TR87 , TR96 SN 529779-> | **A-626657** | 7 | Belt, Alternator |
| TR96 SN <-528155 | **A-768340** | 8 | Belt, Engine Fan |
| TR86 SN 527531->, TR87 , TR96 SN 528156-> | **A-592711** | 8 | Belt, Water Pump |
| TR86, TR87, TR96 SN <-528155 | **A-716254** | 9 | Belt, Secondry, Rotary Screen |
| TR96 | **A-230164** | 12 | Belt, Clean Grain Elevator Drive |
| TR86, TR87 | **A-703747** | 12 | Belt, Clean Grain Elevator |
| TR86, TR87, TR96 | **A-86537318** | 15 | Belt, Drive 193” |
| TR96, TR86 | **A-618853** | 18 | Belt, Chopper Drive |
| TR86, TR87, TR96 | **A-230143** | 19 | Belt, Chopper Beater / Spreader |
| TR96 | **A-86514256** | 21 | Belt, Unload Auger |
| TR96 SN <-529778, TR86 SN <-527631 | **A-80259346** | 23 | Belt, AC Compressor |
| TR87 , TR96 SN 529779-> | **A-626657** | 23 | Belt, AC Compressor |
| TR86 SN 527631-529659, TR87 | **A-577240** | 23 | Belt, AC Compressor |
| TR86 , TR96 SN 529779-> | **A-9613963** | 25 | Belt, Small Grain Special |
| TR86, TR87, TR96 | **A-230143** | 30 | Belt, Chopper Beater / Spreader |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated

# COMBINE BELTS




## New Holland TR95

| Application | Part # | Ref. | Description |
|---|---|---|---|
| TR95 | **A-620944** | 1 | Belt, Feeder Drive |
| TR95 | **A-774747** | 5 | Belt, Shaker Shoe |
| TR95 | **A-624650** | 7 | Belt, Hyd Pump |
| TR95 | **A-626654** | 8 | Belt, Alternator / Water Pump |
| TR95 | **A-768340** | 9 | Belt, Engine Fan |
| TR95 | **A-716254** | 10 | Belt, Rotary Screen |
| TR95 | **A-230164** | 13 | Belt, Clean Grain Elevator Drive |
| TR95 | **A-230143** | 20 | Belt, Chopper Beater Drive |
| TR95 | **A-618853** | 21 | Belt, Chopper Drive |
| TR95 | **A-86514256** | 22 | Belt, Unload Auger |
| TR95 SN 500201-> | **A-80259346** | 24 | Belt, A/C Compressor |


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## New Holland




| Application | Part # | Ref. | Description |
|---|---|---|---|
| CR920, CR940, CR960, CR970, (CR9040, CR9060, CR9070 ALL Standard) | **A-84072421** | 1 | Belt; Secondary Straw Elevator Drive, LH (6593 MM) |
| CR9060 Optional, CR9070 Standard, CR9080 | **A-87545653** | 1 | Belt; Secondary Feeder Drive, LH (6700 MM) |
| CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070 | **A-87580099** | 2 | Belt; Beater Drive (3010 MM) |
| (CR920, CR940, CR960, CR970 ALL Enhanced Cleaning), CR9040, CR9060, CR9070, CR9080 | **A-87315599** | 3 | Belt; Shaker Shoe Drive, (3365 MM) |
| CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CR9080 | **A-87580100** | 5 | Belt; Chopper Drive (3475 MM) |
| CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070 | **A-87580097** | 6 | Belt; Main Drive, 4V (3200 MM) |
| CR960, CR970, CR980, CR9060, CR9070, CX840, CX860, CX880, CX8070, CX8080, CX8090 | **A-84058339** | 9 | Belt Set; Returns Elevator Drive, RH (1144 MM) |
| (CR9040, CR9060 ALL SN HAJ111001>) | **A-87673681** | 10 | Belt; Rotary Screen Drive, Set Of 2 |
| CR9080 Tier 3 | **A-47506727** | | Belt, Alternator |
| CR9080 Tier 3 | **A-84292639** | | Belt, Alternator |
| CR9080 Tier 3 | **A-84238514** | | Belt, AC Compressor |
| CR9080 Tier 3 | **A-84223612** | | Belt, AC Drive |



*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated

# Belt Application Listing



| Part # | Description | Models |
|---|---|---|
| **A-230143** | Belt, Chopper Beater / Spreader | TR70, TR70 SN 299960->, TR75, TR85, TR86, TR87, TR95, TR96, TR97 |
| **A-230164** | Belt, Clean Grain Elevator Drive | TR95, TR96, TR97, 1400, 1500 |
| **A-246978** | Belt, Main Drive | TR70 gas & Cat diesel, TR85 SN <-403000 |
| **A-247782** | Belt, Fan Vari-Drive / Unload Auger Drive | TR70, TR75, TR85, 1400, 1500 |
| **A-266209** | Belt, Governor | TR70 |
| **A-323646** | Belt, Intermediate to Shaft | 1400, 1500 |
| **A-47506727** | Belt, Alternator | |
| **A-577240** | Belt, AC Compressor | TR70 Ford diesel, TR75 SN <-403000, TR86 SN 527631-529659, TR87, TR97 |
| **A-592711** | Belt, Water Pump | TR86 SN 527531->, TR87, TR96 SN 528156->, TR97 |
| **A-610767** | Belt, Rotary Screen | TR75, TR85, TR86 |
| **A-618853** | Belt, Chopper Drive | TR86, TR95, TR96 |
| **A-620944** | Belt, Feeder Drive | TR75, TR95 |
| **A-624650** | Belt, Hyd Pump | TR96, TR95 |
| **A-626654** | Belt, Alternator / Water Pump / Fan | TR70, TR75, TR85, TR86, TR95, TR96 |
| **A-626657** | Belt, AC Compressor / Alternator | TR87, TR96 SN 529779->, TR97 |
| **A-66232** | Belt, Front Chopper Rotor | TR70 |
| **A-703747** | Belt, Clean Grain Elevator | TR70, TR75, TR85, TR86, TR87 |
| **A-717075** | Belt, Front Chopper | TR75, TR85 |
| **A-717700** | Belt, Rotor Vari-Drive | TR70, TR75, TR85 |
| **A-768340** | Belt, Engine | TR95, TR96 |
| **A-774747** | Belt, Shaker Shoe | TR95, TR96, TR97 |
| **A-785415** | Belt, Shaker Shoe | TR70, TR75, TR85, TR86, TR87 |
| **A-797979** | Belt, Main Shaft/ Hydro | TR96, TR97 |
| **A-80259346** | Belt, A/C Compressor | TR75, TR85, TR86, TR95, TR96 |
| **A-84058339** | Belt Set; Returns Elevator Drive, RH | CR960, CR970, CR980, CR9060, CR9070, CX840, CX860, CX880, CX8070, CX8080, CX8090 |
| **A-84072421** | Belt; Secondary Straw Elevator Drive, LH (6593 MM) | CR920, CR940, CR960, CR970, (CR9040, CR9060, CR9070 ALL Standard) |
| **A-84223612** | Belt, AC Drive | CR9080 Tier 3 |
| **A-84238514** | Belt, AC Compressor | CR9080 Tier 3 |
| **A-84292639** | Belt, Alternator | CR9080 Tier 3 |
| **A-86514256** | Belt, Unload Auger | TR95, TR96, TR97 |
| **A-86537318** | Belt, Drive 193” | TR75 SN 403301>, TR85 SN 404301>, TR86, TR87, TR96 |
| **A-86610859** | Belt, Rotor; High Speed | TR89 W/ High Speed Rotor, TR95 W/ High Speed Rotor; SN 501851>, (TR96, TR97, TR98, TR99 ALL W/ High Speed Rotor) |
| **A-87011585** | Belt, Unloading Auger Drive | CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CR9080 |
| **A-87053803** | Belt; Rotor Variator (2944 MM) | (CR920, CR940, CR960 ALL Standard), (CR970, CR980 ALL High Speed), CR9070 |
| **A-87315599** | Belt; Shaker Shoe Drive, (3365 MM) | (CR920, CR940, CR960, CR970 ALL Enhanced Cleaning), CR9040, CR9060, CR9070, CR9080 |
| **A-87325327** | Belt; Rotary Screen Drive | (CR9040, CR9060 ALL SN <HAJ111001), CR9070, CR920, CR940, CR960, CR970 |
| **A-87545653** | Belt; Secondary Feeder Drive, LH (6700 MM) | CR9060 Optional, CR9070 Standard, CR9080 |
| **A-87580097** | Belt; Main Drive, 4V 125.98” (3200 MM) | CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070 |
| **A-87580099** | Belt; Beater Drive 118.5” (3010 MM) | CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070 |
| **A-87580100** | Belt; Chopper Drive 136.8” (3475 MM) | CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CR9080 |

# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

# Belt Application Listing

| Part # | Description | Models |
|---|---|---|
| **A-922911** | Belt, Engine to Beater Shaft | TX36, TX66, TX68 |
| **A-9613963** | Belt, Small Grain Special | TR86, TR96, TR97 |
| **A-C9NN10C318B** | Belt, Fan | TR87 |
| **A-D8NN10C318AA** | Belt, Fan | (TR88, TR89, TR98, TR99 ALL A/C Compressor) |



*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated

**A-2400E8100A** Radiator Cap (7 Lb.) 0.14 Lbs.
***Replaces:*** E2NN8100AA, 80076896, 81645535, 81747955, 81855444, 83935904



***For Models:*** TR70, TR75, TR85, TR86, TR87, TR95, TR96, TR97

**A-504102491** Water Pump 13.28 Lbs.
***Replaces:*** 504079715



***For Models:*** CR9070

**A-87308650** Water Pump 8.60 Lbs.
***Replaces:*** 87400267, J940052, J804927, 87453208



***For Models:*** (CR9040, CR9060 ALL SN <HAJ111001)


**A-83949153** Flywheel Ring Gear 5.42 Lbs.
Used W/ Flywheels A-E0NN6375HA & A-F1NN6375AA
***Replaces:*** C5NE6384A, E2NN6384AA, 82954183, 9710967, 500791, 1804203, 80873368, 873368, 3949153



***Dim/Info:***
Inside Diameter - 14.628"
Outside Diameter - 16.028"
Teeth - 128
Width - .625"

***For Models:*** TR87 S/N 556481>, TR97 S/N 555853>

**A-81868538** Pump, Engine Oil 7.85 Lbs.
***Replaces:*** E9NN6600BB, E9NN6600BA, 87802585, 83999183



***For Models:*** TR87, TR88, TR89, TR97, TR98, TR99, TX36, TX66

**A-86013886** Tensioner, Belt 3.55 Lbs.
***Replaces:*** 9840673, 89840673



***For Models:*** CR960, CR980, CR9060, CR9070, CS520, CS540, CS640, CS660, CX720, CX740, CX760, CX780, CX840, CX820, CX860, CX880, CX8030, CX8040, CX8050, CX8060, CX8070, CX8080, CX8090, TC52, TC54, TC56, TF42, TF44, TF46, TF76, TF78, TX30, TX32, TX34, TX36, TX62, TX63, TX64, TX65, TX66, TX67, TX68

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-C7NN6714A** Filter, Oil 1.00 Lbs.
Spin on type
***Replaces:*** D9NN6714EA



***For Models:*** (620, 630, 640 ALL 1965>)

**A-F2NN6714AB** Filter, Oil 1.25 Lbs.
***Replaces:*** 81879134, 81878046, 9575317, 83999976



***For Models:*** CR920, CR940, CR960, CR970, TR89, TR98, TR99, (**SWATHER/WIND-ROWER**: 2450, 2550, HW300, HW320, HW340, HW345, HW365)

**A-87840136** Filter, Fuel 1.50 Lbs.



***Dim/Info:***
Length: 4.724"
O.D.: 4.134"

***For Models:*** CR920, CR940, TR87, TR88, TR89, TR97, TR98, TR99, TX66

**A-81863799** Filter, Hydraulic; Spin On 2.90 Lbs.
***Replaces:*** F0NN6714CA, 89821387, 2080409, 9821387, 81863797



***Dim/Info:***
Length: 9.252"
O.D.: 3.819"
Type: Spin On

***For Models:*** CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CR9080, CX840, CX860, CX880, CX8070, CX8080, CX8090, (**FORAGE HARVESTER**: FR9040, FR9050, FR9060, FR9080, FR9090)

**A-641833** Switch, Ignition 0.35 Lbs.
***Replaces:*** 529713, 8641833, 80641833



***For Models:*** TR75, TR85, TR86, TR87, TR88, TR89, TR95, TR96, TR97, TR98, TR99

**A-642628** Key Set (2) 0.01 Lbs.



***For Models:*** TR75, TR85, TR86, TR87, TR88, TR89, TR95, TR96, TR97, TR98, TR99

**A-9601073** Relay, Starter & Preheat 0.50 Lbs.



***Dim/Info:***
Volt/Amperage - 12

***For Models:*** TR70, TR75, TR85, TR86, TR87, TR88, TR89, TR95, TR96, TR97, TR98, TR99


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# HYDRAULIC SYSTEM PARTS

**A-5129483** Pump, Hydraulic (31 Litres/Min.) 7.90 Lbs.

***Replaces:*** 5179719, 1930068, 5120849, 8282339, 1901324, 1930052, 1930057, 5120297, 8280127, 5169772, 5113284





***Dim/Info:***
A - 14.7mm Dia.
B - 30.5mm Bolt Circle
C - 40.5mm Bolt Circle
D - 19.8mm Dia.

***For Models:*** 980 SN 708863>

**A-5129488** Pump, Hydraulic (42 Litres/Min.) 9.00 Lbs.

***Replaces:*** 1909916, 1930226, 5120850, 5169770, 5113283




***Dim/Info:***
A - 15mm Dia.
B - 30.5mm Bolt Circle
C - 41mm Bolt Circle
D - 20mm Dia.

***For Models:*** 980 OPTIONAL - OVERSIZE PUMP

**A-86508168** Seal Kit, Relief Valve 0.01 Lbs.



***Dim/Info:***
Includes - (2) Orings & (1) Backup Washer

***For Models:*** CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CR9080


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Sickle Sections







| Part No. | Description | Dim (A) | Dim (B) | Dim (C) | Pkg Qty | Fastener | Repl. No. |
|---|---|---|---|---|---|---|---|
| **A-211-012** | Black, Heavy Smooth | 3.250” | 2.062” | | 10 | | 683938M1, 26622, 826724C1, 0577HS |
| **A-412-011** | Plated 11ga Top Serrated | 3.250” | 2.062” | 1.5” | 10 | 7/32 x 5/8 | 694723 |
| **A-622-031** | Twin Tooth Plated 11ga Top Serrated | 3.250” | 2.062” | 1.062” | 10 | 7/32 x 5/8 | 848093 |
| **A-632-031** | Twin Tooth Plated 11ga Big Tooth | 3.250” | 2.062” | 1.062” | 10 | 7/32 x 5/8 | 848093 |
| **A-211-261** | Black 11ga Top Serrated | 3” | 2” | .875” | 10 | 7/32 x 5/8 CTSK | 271981 |
| **A-412-021** | Chrome 11ga Top Serrated | 3.250” | 2.062” | 1.375” | 10 | 7/32 x 5/8 | H130478, 134104 |
| **A-432-021** | Chrome 11ga Big Tooth | 3.250” | 2.062” | 1.375” | 10 | 7/32 x 5/8 | H130478, 134104 |
| **A-412-161** | Plated 11ga Top Serrated, Riveted | 3.250” | 2.062” | 1.5” | 10 | 7/32 x 5/8 CTSK | 694722 |



*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

## Sickle Parts




*Pictures may not represent parts as listed.*


| Part No. | Description | Replaces | Application |
|---|---|---|---|
| **A-920-406** | Hub & Bushing Assembly | 701401 | SEVERAL w/ 970, 972 heads |
| **A-903-001** | Overlap Strap, Twin Riveted | 139180 | SEVERAL twin riveted |
| **A-903-105** | Overlap Strap, Twin Bolted | 861711, 86502821 | SEVERAL twin bolted |
| **A-529-016** | Wear Plate, 5.5” | 71116532, 71176537 | SEVERAL |
| **A-529-056** | Wear Plate, 6” | 71116532, 206196M1, 231303M1, 1039627M1 | SEVERAL alternative to 529-016 |
| **A-529-156** | Wear Plate, 3/16 | 7116532, 206196M1, 231303M1, 1039627M1 | SEVERAL alternative to 529-016 |
| **A-920-386** | Shim, .010 | | SEVERAL |
| **A-920-387** | Shim, .024 | | SEVERAL |
| **A-612-140** | (10) RH End Sections, Chrm Top Ser | 148200C1, E63245 | SEVERAL |
| **A-611-130** | (10) RH End Sections, Blk Top Ser | 9622715, 86617760 | SEVERAL |
| **A-612-150** | (10) LH End Sections, Chrm Top Ser | 700705463, E75474 | SEVERAL |
| **A-611-140** | (10) LH End Sections, Blk Top Ser | 86617759 | SEVERAL |
| **A-712-730** | RH End Sections, Chrm Top Ser; Card of 2 w/Rivets | | SEVERAL |
| **A-712-750** | LH End Sections, Chrm Top Ser; Card of 2 w/ Rivets | | SEVERAL |
| **A-712-780** | (2) RH End Sections, Blk Top Ser | | SEVERAL |
| **A-712-810** | RH/LH End Sections, Chrm Top Ser | | SEVERAL |
| **A-712-820** | RH/LH End Sections, Blk Top Ser | | SEVERAL |
| **A-904-003** | (1lb) 7/32 x 5/8” CTSK Rivet | 700000583 | SEVERAL including heavy CTSK sections |
| **A-904-020** | (1lb) 7/32 x 1/2” OH Rivet | | SEVERAL |
| **A-904-021** | (1lb) 7/32 x 9/16” OH Rivet | | SEVERAL regular & heavy sections |
| **A-904-022** | (1lb) 7/32 x 5/8” OH Rivet | 1980897C1, 700000883 | SEVERAL, TR86, TR87, TR88, TR89, TR95, TR96, TR97, TR98, TR99, 975, 985, 995 |
| **A-904-024** | (1lb) 7/32 X 3/4” OH Rivet | | SEVERAL extra heavy sections |
| **A-904-025** | (1lb) 7/32 x 7/8” OH Rivet | | SEVERAL |
| **A-904-027** | (1lb) 7/32 x 1” OH Rivet | | SEVERAL |
| **A-904-029** | (1lb) 7/32 x 1-1/8” OH Rivet | | SEVERAL |
| **A-904-040** | (1lb) 1/4 x 5/8” OH Rivet | | SEVERAL |
| **A-904-041** | (1lb) 1/4 x 7/8” OH Rivet | | SEVERAL |
| **A-904-042** | (1lb) 1/4 x 1” OH Rivet | | SEVERAL |
| **A-904-004** | (1lb) 7/32 x 7/8” CTSK Rivet | | SEVERAL |
| **A-904-005** | (1lb) 7/32 x 15/16” CTSK Rivet | | SEVERAL |
| **A-904-006** | (1lb) 7/32 x 1” CTSK Rivet | | SEVERAL |
| **A-904-008** | (1lb) 7/32 x 1-1/8” CTSK Rivet | | SEVERAL |
| **A-904-500** | (50) 7/32 x 5/8” Bolt & Nut | 700705296, AE57009, 86507777 | SEVERAL standard straight hole sections |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Sickle Parts




*Pictures may not represent parts as listed.*

| Part No. | Description | Replaces | Application |
|---|---|---|---|
| **A-904-524** | (25) 7/32 x 7/8" Bolt & Nut | H125889, AE57010 | SEVERAL |
| **A-904-501** | (25) 7/32 x 1" Bolt & Nut | | SEVERAL |
| **A-904-525** | (50) 7/32 x 5/8" 60° CTSK Bolt & Nut | 700002978 | SEVERAL J.E.Love & Hart Carter |
| **A-904-528** | (25) 7/32 x 1" 60° CTSK Bolt & Nut | | SEVERAL |
| **A-606656** | CRRG BOLT 7/16-14 X 1-1/4 | | TR95, TR96 |



*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


## Sickle Assemblies



| Part No. | Description | # Sect | Head No. | OEM No. | Section No. |
|---|---|---|---|---|---|
| **A-801-517** | 14', Chrome 11ga Under Serrated, Bolt-On | 55 | 824594C91, STUDS | 827725C92, 271980PLBT | 457607R3, 271981PLBT |
| ***For Models:*** 960 flex header | | | | | |

| Part No. | Description | # Sect | Head No. | OEM No. | Section No. |
|---|---|---|---|---|---|
| **A-800-154** | 20', Chrome 11ga Top Serrated, Riveted | 82 | STUDS | 273847 | 271981 |
| ***For Models:*** 960 flex header, SEVERAL J.E. Love floating headers | | | | | |

## Sickle Assemblies




| Part No. | Description | # Sect | Head No. | OEM No. | Section No. |
|---|---|---|---|---|---|
| **A-801-432** | 10' (RH), Chrome 11ga Top Serrated, Bolt-On | 36 | 848094 | 605665, 851668 | 694723 |
| ***For Models:*** 970, 971, 972, 973 | | | | | |

| Part No. | Description | # Sect | Head No. | OEM No. | Section No. |
|---|---|---|---|---|---|
| **A-801-432** | 10' (RH), Chrome 11ga Top Serrated, Bolt-On | 36 | 848094 | 605665, 851668 | 694723 |
| ***For Models:*** (TR75, TR85, TR86, TR95, TR96, TX36, TX66, TX68 ALL w/ 970, 971, 972, 973 headers w/ twin points) | | | | | |

| Part No. | Description | # Sect | Head No. | OEM No. | Section No. |
|---|---|---|---|---|---|
| **A-801-432** | 10' (RH), Chrome 11ga Top Serrated, Bolt-On | 36 | 848094 | 605665, 851668 | 694723 |
| ***For Models:*** TX88 w/ header | | | | | |

## Sickle Assemblies




| Sickle No. | Description | Length | Section No. | Qty) Head | Qty) Center | Qty) Tail | Qty) Splice Kit |
|---|---|---|---|---|---|---|---|
| **A-851667BT** | 15', Black 11ga Big Tooth Headless Assembly | 15 ft. | 694723BLBT | 1) 803-152 | 1) 803-151 | 1) 803-153 | 2) 711-010 |
| **A-851663BT** | 16', Black 11ga Big Tooth Headless Assembly | 16 ft. | 694723BLBT | 1) 803-152 | 1) 803-151 | 1) 803-154 | 2) 711-010 |
| **A-851654BT** | 18', Black 11ga Big Tooth Headless Assembly | 18 ft. | 694723BLBT | 1) 803-152 | 1) 803-151 | 1) 803-155 | 2) 711-010 |
| **A-851655BT** | 20', Black 11ga Big Tooth Headless Assembly | 20 ft. | 694723BLBT | 2) 803-152 | 1) 803-151 | 1) 803-156 | 3) 711-010 |
| ***For Models:*** SEVERAL | | | | | | | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-783597** Tine, Plastic; Full Bat, For Level II Reel, w/ Screws 0.20 Lbs.
For Level II Reels: 1.375" tube w/ .500" hex holes spaced @ 6.000" apart. Tines have a hex nub that fits into a hex hole in the tube. Standard since 1999/2000.



***Dim/Info:***
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: 71C, 72C, 73C, 74C)

**A-9842260** Poly Reel Finger (End) 0.14 Lbs.



***Dim/Info:***
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: 92C, 94C, 971, 973 SERIES HEAD, 994)

**A-9842262** Poly Reel Finger (Wing Right) 0.14 Lbs.



***Dim/Info:***
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: 973 SERIES HEAD), (**TRACTOR**: 900 SERIES SERIES HEAD)

**A-9842261** Poly Reel Finger (Wing Left) 0.14 Lbs.



***Dim/Info:***
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: 973 SERIES HEAD), (**TRACTOR**: 900 SERIES SERIES HEAD)

**A-9842263** Poly Reel Finger (Dbl.Wng) 0.18 Lbs.



***Dim/Info:***
minimum order qty 25

***For Models:*** (**HEAD, CUTTING PLATFORM**: 973 SERIES HEAD), (**TRACTOR**: 900 SERIES SERIES HEAD)

**A-87561020** Finger; Plastic, Heavy Duty 0.22 Lbs.
For 42 MM Pipe



***Dim/Info:***
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: 82C, 83C, 86C)


**A-84130300** Finger; Plastic 0.15 Lbs.
For 42MM Pipe



***Dim/Info:***
minimum order qty 10


***For Models:*** (**HEAD, CUTTING PLATFORM**: 82C, 83C)

**A-481088** Steel Reel Finger (LH) 0.29 Lbs.
For Humes Reel
***Replaces:*** (JD: H33333), (IH: 167652C1)





***Dim/Info:***
A - 11.50"
B - 1.50"
C - 3.00"

**A-71129508** Steel Reel Finger (RH) 0.28 Lbs.




***For Models:*** SEVERAL

**A-167935** Right Hand Finger 0.28 Lbs.




***Dim/Info:***
A - 11.50"
B - 1.50"
C - 3.00"

***For Models:*** 960, 970, 971, 972, 973, 975, 985, 995

**A-786031** Flex Tine, Combine Reel 0.10 Lbs.
Hart Carter Reel. Mounting Screw Enters From Backside Of Bat.



***Dim/Info:***
minimum order qty 50

***For Models:*** (**HEAD, CUTTING PLATFORM**: 971, 973)

**A-91C246** Tine, Combine Reel Flex 0.14 Lbs.



***Dim/Info:***
minimum order qty 50

***For Models:*** SEVERAL with tear-drop style bats

**A-920-366** Flex Reel Tine/ Tear Drop 0.10 Lbs.



***Dim/Info:***
minimum order qty 50

***For Models:*** (**HEAD, CUTTING PLATFORM**: SEVERAL w/ tear drop style bats)

**A-1308425C1** Hub; Auger Finger 0.10 Lbs.




***For Models:*** (**HEAD, CUTTING PLATFORM**: 82C, 83C, 84C, 86C)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# GRAIN HEAD PARTS

**A-87620690** Guide, Finger 0.09 Lbs.
***Replaces:*** 87666079, 87051323, 410718A1, 1307259C1, 1307259C2




***For Models:*** (**HEAD, CUTTING PLATFORM**: (72C, 74C ALL SN PNL017801>), 82C, 83C, 84C, 86C, 760CR)

**A-84469382** Bearing; Reel Arm (1 Half) 0.06 Lbs.
Sold By The Half, 2 Pcs Required.
***Replaces:*** 89842300, 1347084C1, 003791390, 02807384



***For Models:*** (**HEAD, CUTTING PLATFORM**: 18HB, 21HB, 25HB, 30HB, 36HB, 71C, 72C, 73C, 74C, 88C30P, 88C36P, 88C42P, 88C45P, 92C, 94C, 971, 973, 994, 994D)

**A-87035837** Sprocket, Reel Drive 1.20 Lbs.
***Replaces:*** 129967A1



***Dim/Info:***
Bore - 1.125" w/ keyway
Teeth - 17

***For Models:*** (**HEAD, CUTTING PLATFORM**: 72C, 74C)


**A-87036543** Sprocket, Reel Drive 9.25 Lbs.
***Replaces:*** 129973A2, 129973A1



***Dim/Info:***
Chain - 50
Inside Diameter - 1.57"
Teeth - 51

***For Models:*** (**HEAD, CUTTING PLATFORM**: 72C, 74C)

**A-58106** Pulley, Idler 2.15 Lbs.
***Replaces:*** 275376, 86631120



***Dim/Info:***
Belt Width - .995"
Outside Diameter - 7.000"
Width - 1.370"
Hole Diameter - .500"

***For Models:*** 975, 985, 995, 1400, 1500

**A-273846** Forged Guard, 2 Prong 1.30 Lbs.
***Replaces:*** 271971 & BU275



***Dim/Info:***
minimum order qty 25

***For Models:*** 960 W/ Love Floating Cutterbar

**A-134024** Forged Guard, 2 Prong 1.65 Lbs.
***Replaces:*** BU240A



***Dim/Info:***
minimum order qty 25

***For Models:*** 960, 975, 985, 995

**A-86615982H** Forged Guard, 2 Prong, Dbl Heat Treated 1.92 Lbs.
***Replaces:*** 219191H, 695501H, 858778H, 86521587H, 87042356H, 86553340H & BU215H



***Dim/Info:***
minimum order qty 25

***For Models:*** (**HEAD, CUTTING PLATFORM**: 970, 971, 972, 973)

**A-118344** Guard, Double Prong 1.97 Lbs.



***Dim/Info:***
minimum order qty 25

***For Models:*** (**HEAD, CUTTING PLATFORM**: 84C, 86C)

**A-CR7228** Guard, Knife; For Crary Cutting Systems 2.40 Lbs.
***Replaces:*** Crary CR7228, Shoup 417328, MCM# MCM7228



***Dim/Info:***
Uses 7/16" Carriage Bolts
minimum order qty 5

***For Models:*** (**HEAD, CUTTING PLATFORM**: 71C, 73C, 74C SN <PNL017000 & All SN #'s Starting W/ HAJ, 970, 971, 972, 973)

**A-BG424** Guard, Knife; Bottom, Tiger Jaws 1.45 Lbs.



***Dim/Info:***
minimum order qty 5

***For Models:*** (**HEAD, CUTTING PLATFORM**: SEVERAL)

**A-86622662** Shim, 1" 0.37 Lbs.
For Machines W/ Stub Guards
***Replaces:*** 199283, 813



***Dim/Info:***
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: 71C, 72C, 73C, 74C, 970, 971, 972, 973)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-86548970** Bearing, Flange 0.20 Lbs.



***Dim/Info:***
C to C - 3.562" / 90.49mm
Bearing Outside Diameter - 2.441" / 62mm
Shaft Size - 1-1/16", 1-1/8", 1-3/16", 1-1/4"

***For Models:*** (**HEAD, CORN**: 360N3, 360N4, 360N6, 717N2, 717R, 717R2, 741, 742, 743, 770N2, 770R, 770R2, 824, 842, 880N2, 880N3, 880R, 880R2)

**A-86530072** Gear, Bevel; Row Unit Gearbox 4.50 Lbs.



***For Models:*** (**HEAD, CORN**: 96C430, 96C436, 96C536, 96C630, 96C636, 96C820, 96C822, 96C830, 96C836, 96C1220, 98C1220, 96C1222, 98C1222, 96C1230, 98C630, 98C636, 98C822, 98C830, 98C836, 98C1230, 98D0630, 98D0636, 98D0822, 98D0830, 98D0836, 98D1220, 98D1222, 98D1230, 996N4, 996N6, 996N8, 996N8-20, 996N8-22, 996N12, 996N12-20, 996N12-22, 996R12-70CM, 996R8-70CM, 996W4, 996W5, 996W6, 996W8)

**A-610831** Chain, Gathering 9.72 Lbs.



***Dim/Info:***
CA555 endless
48 links
Black Pin
Each Flight Extension Has 2 Predrilled Holes For Applications With Paddles.

***For Models:*** 974


**A-254296** Chain, Gathering 12.00 Lbs.



***Dim/Info:***
CA555 chain
60 endless links

***For Models:*** 962 SN 220345->, 1977->

**A-86979313** Chain, Gathering, Black Pin 9.55 Lbs.



***Dim/Info:***
2.35" Wide Attach Links.
Black Pins

***For Models:*** (**HEAD, CORN**: 96C430, 96C436, 96C536, 96C630, 96C636, 96C820, 96C822, 96C830, 96C836, 96C1220, 96C1222, 96C1230)

**A-86523386** Chain 9.72 Lbs.
***Replaces:*** B93074



Black Pin
Each flight extension has 2 predrilled holes for applications w/ paddles.

***For Models:*** (**HEAD, CORN**: 96C430, 96C436, 96C536, 96C630, 96C636, 96C820, 96C822, 96C830, 96C836, 98C630, 98C636, 98C822, 98C830, 98C836, 96C1220, 96C1222, 96C1230, 98C1220, 98C1222, 98C1230, 98D0830 MY <2010, 974, 996N4, 996N6, 996N8, 996N12, 996R8, 996W4, 996W5, 996W6, 996W8)


**A-84284709** Chain, Gathering 9.48 Lbs.



***Dim/Info:***
6 Paddle
For Corn Heads Model Year 2011 And After.
Chain - CA555

***For Models:*** (**HEAD, CORN**: 96C430, 96C436, 96C536, 96C630, 96C636, 96C820, 96C822, 96C830, 96C836, 96C1220, 96C1222, 96C1230, 98D0830 MY 2011>)

**A-573399** Sprocket, Lower Idler Gathering Chain 1.64 Lbs.



***Dim/Info:***
8 tooth
.625" inside dia.
CA555 chain size

***For Models:*** (**HEAD, CORN**: 962 1977->, 974)


**A-87639816** Clutch, Jaw 1.25 Lbs.



***Dim/Info:***
Inside Diameter - 2.056"
Outside Diameter - 3.728"


***For Models:*** 770E, 962, 98C1220, 98C1222, 98C1230, 98C630, 98C636, 98C822, 98C830, 98C836, 98D0630, 98D0822, 98D0830, 98D0836, 98D1220, 98D1222, 98D1230, 996N12, 996N4, 996N6, 996N8, 996R8, 996W4, 996W5, 996W6, 996W8

**A-86611426** Guide 3.50 Lbs.



***For Models:*** (**HEAD, CORN**: 96C430, 96C436, 96C536, 96C630, 96C636, 96C820, 96C822, 96C830, 96C836, 96C1220, 96C1222, 96C1230, 98C630, 98C636, 98C822, 98C830, 98C836, 98C1220, 98C1222, 98C1230, (974N4, 974N6, 974N8, 974W4, 974W5, 974W6, 974W6-40, 974W8 ALL SN 536454>), 996N4, 996N6, 996N8, 996R8, 996N12, 996N12-20, 996R8-70CM, 996W4, 996W5, 996W6, 996W8)

**A-86620027** Flange 0.78 Lbs.
***Replaces:*** 89837215, 86548973



***Dim/Info:***
Outside Diameter - 3.062"

***For Models:*** (**HEAD, CORN**: 96C436, 96C536, 96C630, 96C636, 96C820, 96C822, 96C830, 96C836, 96C1220, 96C1222, 96C1230, 98C630, 98C636, 98C822, 98C830, 98C836, 98C1220, 98C1230, 98D0630, 98D0636, 98D0822, 98D0830, 98D0836, 98D1220, 98D1222, 98D1230, 974N4, 974N6, 974N8, 974W4, 974W5, 974W6, 974W8, 996N4, 996N6, 996N8, 996N12, 996R8, 996W4, 996W5, 996W6, 996W8)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# FEEDER HOUSE PARTS



**A-766379** Sprocket, Feeder Chain (RH/LH) 7.80 Lbs.



***Dim/Info:***
12 tooth
1.750" Hex Bore

***For Models:*** CR920, CR940, CR960, CR970, (CR9040, CR9060 ALL SN <HAJ111001), CR9070 SN <HAJ111073, TR75 SN 304699->, TR85 SN 307999->, TR86, TR87, TR88, TR89, TR95, TR96, TR97, TR98, TR99

**A-766380** Sprocket, Feeder Chain (Center) 7.35 Lbs.



***Dim/Info:***
12 tooth
1.750" Hex Bore

***For Models:*** CR920, CR940, CR960, CR970, (CR9040, CR9060 ALL SN <HAJ111001), CR9070 SN <HAJ111073, TR75 SN 304699->, TR85 SN 307999->, TR86, TR87, TR88, TR89, TR95, TR96, TR97, TR98, TR99

**A-84038624** Sprocket, Feeder House Chain (Outer) 5.00 Lbs.



***Dim/Info:***
10 Tooth
50 MM Bore
2 Required

***For Models:*** TX36 Straw Elevator Chain, TX66, TX68

**A-87665225** Sprocket, Feeder House Upper Shaft; Outer 9.00 Lbs.
If Needing Sprockets For Early SN's On CR9040, CR9060 & CR9070, Order Part# 766379.



***Dim/Info:***
Qty 2

***For Models:*** (CR9040, CR9060 ALL SN HAJ111001>), CR9070 SN HAJ111073>, CR9080

**A-52443** Bearing, Ball 1.52 Lbs.
***Replaces:*** 80052443, 243030



***Dim/Info:***
Bore - 1.500"
Lube Type - Non-relubable
Outside Diameter - 3.1496"

***For Models:*** CR9080 Tier 3, TR75, TR85, TR86, TR87, TR88, TR89, TR95, TR96, TR97, TR98, TR99

**A-87658946** Bearing; Feederhouse Conveyor (Import) 1.37 Lbs.



***For Models:*** CR6.90, CR7.90, CR8.90, CR9.90, CR6090, CR7090, CR8080, CR8090, CR9040, CR9060, CR9070, CR9080, CR9090

**A-681627** Gear, Feeder Reverser 14.85 Lbs.
***Replaces:*** 80681627



***Dim/Info:***
Hub - 6 spline
Outside Diameter - 8.335"
Teeth - 32

***For Models:*** TR85, TR86, TR87, TR88, TR89, TR96, TR97, TR98, TR99, TX36

**A-167050** Bushing 0.10 Lbs.



***Dim/Info:***
Inside Diameter - 2.0004"
Outside Diameter - 2.127"
Width - .88"

***For Models:*** CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CR9080, TR86, TR87, TR88, TR89, TR96, TR97, TR98, TR99

**A-87639816** Clutch, Jaw 1.25 Lbs.



***Dim/Info:***
Inside Diameter - 2.056"
Outside Diameter - 3.728"

***For Models:*** TR70, TR75, TR85, TR86, TR87, TR88, TR89, TR95, TR96, TR97, TR98, TR99

**A-86514020-PF** Drum, Posifeed Feeder 90.00 Lbs.

Designed to improve feeding, reduce loss and increase speed. Paddle style drum provides more aggressive and smoother feeding in light or heavy crops.



***Dim/Info:***
Length - 36-1/2"
Diameter - 10-3/4"

***For Models:*** TR85 Late, TR86, TR87 SN 557068>, TR88, TR89, TR96 SN 529778>, TR97, TR98, TR99


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Feeder Chain/ Slats/ Raddle Chain




| Part No. | Description | Qty-Chain | Links | C-to-C of Sprockets | Applications | Wt. | |
|---|---|---|---|---|---|---|---|
| **A-772018** | Chain, Feeder House | 3-CA557 | 93 | 17 1/8" | TR75, TR85, TR86, TR87, TR88, TR89, TR96 SN 529779>, TR97, TR98, TR99<br>Note: 37 1/4" Overall Width; Slat Every 2nd Link; Chrome Pins | 180.00 | |
| **A-86523261** | Chain, Feeder House | 3-CA557 | 93 | 17 1/8" | TR75, TR75 SN 304700->, TR85, TR85 SN 308000->, TR86, TR87, TR88, TR89, TR96 SN 529779>, TR96 SN 529799->, TR97, TR98, TR99<br>Note: 37 1/4" Overall Width; Slats Every 2nd & 4th Link; Chrome Pins | 150.00 | |
| **A-95724C** | Chain, Feeder House | 3-CA557 | 93 | 21 1/8" | TR85, TR86, TR95, TR96 SN <529778<br>Note: 45 1/4" Overall Width; Slat Every 2nd & 4th Link; Chrome Pins | 240.00 | |
| **A-87372056** | Chain, Feeder House | 3-CA557 | 112 | | CR920, CR940, CR960, CR9040, CR9060, CR9080 Tier 3<br>Replaces: 86556410 | 209.00 | |
| **A-87372057** | Chain; Feeder House | 3-CA557 | 112 | | CR970, CR980, CR9070, CR9080<br>Note: 36 Slats<br>Replaces: 86556411 | 275.58 | |
| **A-617689** | Slat, Feeder House<br>Length 24.250"<br>Bolt 4 | | 24.250" | 4 | TR95, TR96 SN <-529778<br>Note: Serrated | 3.00 | |

*FORD/NEW HOLLAND

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

## Concaves



| Part No. | Description | Qty | Applications | Wt. | |
|---|---|---|---|---|---|
| **A-V18043** | Concave (11 Cross Bars w/ Removable Wires, Small Grain) | | TR86 SN 526601>, TR87, TR88, TR89, TR96 SN 527821>, TR97, TR98, TR99<br>Replaces: (1) 686668 - RH & (1) 686669 -LH | 168.00 | |
| **A-V18044** | Concave (8 Cross Bars w/ 2 Rows of Removable Wires, Corn & Soybean) | | TR86 SN 526601>, TR87, TR88, TR89, TR96 SN 527821>, TR97, TR98, TR99<br>Replaces: (1) 849717 - LH & (1) 849718 - RH | 150.00 | |
| **A-849718** | Concave; RH, Used W/ Universal, Corn, Rice & Bean | | TR86 SN 526601>, TR87, TR88, TR89, TR96 SN 527821>, TR97, TR98, TR99<br>Replaces: 80849718 | 75.00 | |
| **A-849717** | Concave; LH, Used W/ Universal, Corn, Rice & Bean | | TR86 SN 526601>, TR87, TR88, TR89, TR96 SN 527821>, TR97, TR98, TR99<br>Replaces: 80849717 | 75.00 | |
| **A-87651759** | Concave Kit; Small Grain (Abrasion Resistant) | | CR970, CR980, CR9070, CR9080, CR9090<br>Note: Kit Contains Concave, Concave Extension And Hardware.<br>Replaces: 87532986, 87532985, 87011957, 86587951, 87565749, 87532988, 87532989, 84050524 | 150.00 | |
| **A-86602942** | Bearing, Rotor Front<br>Includes: Relubable | 3.937" | (TR89, TR98, TR99 ALL Beater)<br>Replaces: 193282C91, 1302711C91 | 4.30 | |


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Cylinder Rasp Bars




| Part No. | Description Qty | Type | Applications | Wt. | |
|---|---|---|---|---|---|
| **A-697002** | Rasp Bar (LH) (Set of 2 RH bars) | | (TR75, TR85 ALL S3 Rotor), TR86 SN <529738, TR95 SN 501851>, TR96 SN <529778<br>***Replaces:*** 80697002 | 3.50 | |
| **A-697003** | Rasp Bar (RH) (Set of 2 LH bars) | | (TR75, TR85 ALL S3 Rotor), TR86 SN <529738, TR95 SN 501851>, TR96 SN <529778<br>***Replaces:*** 80697003 | 3.50 | |
| **A-V12077** | Cylinder Bars 12 Flat/ 12 Angle | Hardened, Heavy Duty Cast Bars | 940, 960, CR920, TR86 SN 529739> W/ Style II S3 Rotor, TR96 SN 529779> W/ Style II S3 Rotor, (TR87, TR88, TR89, TR97, TR98, TR99 ALL W/ Style II S3 Rotor)<br>***Replaces:*** (6) 86503255, (6) 86503256, (6) 9800346 & (6) 9800347 (B96206 Kit #)<br>***Includes:*** Mounting Hardware & 14 MM X 35 MM Fasteners | 194.00 | |
| **A-V12077C** | Cylinder Rasp Bars 12 Flat / 12 Angle | Chrome, Heavy Duty Cast Bars | 940, 960, CR920, TR86 SN 529739> W/ Style II S3 Rotor, TR96 SN 529779> W/ Style II S3 Rotor, (TR87, TR88, TR89, TR97, TR98, TR99 ALL W/ Style II S3 Rotor)<br>***Replaces:*** (6) 86503255, (6) 86503256, (6) 9800346 & (6) 9800347<br>***Includes:*** 14MM X 35MM Mounting Hardware | 194.00 | |
| **A-86503255** | Rasp Bar, LH Rotor, (Set of 2) (Leading) | | CR920, CR940, CR960, CR9040, CR9060, CR9080 Tier 3, TR86 SN 529739>, TR87, TR88, TR89, TR96 SN 529779>, TR97, TR98, TR99<br>***Replaces:*** 9800345, 89800345<br>***NOTE:*** 3 Sets Required. | 20.00 | |
| **A-86503256** | Rasp Bar; RH Rotor, (Set of 2) (Leading) | | CR920, CR940, CR960, CR9040, CR9060, CR9080 Tier 3, TR86 SN 529739>, TR87, TR88, TR89, TR96 SN 529779>, TR97, TR98, TR99<br>***Replaces:*** 9800344, 89800344<br>***NOTE:*** 3 Sets Required. | 21.00 | |
| **A-9800347** | Rasp Bar; LH Rotor, (Set of 2) (Trailing) | | CR920, CR940, CR960, CR9040, CR9060, CR9080 Tier 3, TR86 SN 529739>, TR87, TR88, TR89, TR96 SN 529779>, TR97, TR98, TR99<br>***Replaces:*** 89800347<br>***NOTE:*** 3 Sets Required. | 13.00 | |
| **A-9800346** | Rasp Bar; RH Rotor, (Set of 2) (Trailing) | | CR920, CR940, CR960, CR9040, CR9060, CR9080 Tier 3, TR86 SN 529739>, TR87, TR88, TR89, TR96 SN 529779>, TR97, TR98, TR99<br>***Replaces:*** 89800346<br>***NOTE:*** 3 Sets Required. | 13.00 | |
| **A-84050520** | Rasp Bar; RH Rotor, (Set Of 3), (Leading) | | (CR970, CR980, CR9070, CR9080 ALL 3 Sets Of 3 Used Per Rotor)<br>***NOTE:*** Used On RH Rotor.<br>***Includes:*** 3 Sets Required. | 28.97 | |
| **A-84060998** | Rasp Bar; LH Rotor, (Set Of 3), (Trailing) | | (CR970, CR980, CR9070, CR9080 ALL 3 Sets Of 3 Used Per Rotor)<br>***NOTE:*** 3 Sets Required. | 19.14 | |
| **A-84060997** | Rasp Bar; RH Rotor, (Set Of 3), (Trailing) | | (CR970, CR980, CR9070, CR9080 ALL 3 Sets Of 3 Used Per Rotor)<br>***NOTE:*** 3 Sets Required.<br>***Includes:*** 3 Rasp Bars W/ Hardware | 18.60 | |
| **A-84081336** | Rasp Bar Set; 1 RH / 1 LH Bars | | CX820, CX840, CX860, CX880, CX8060, CX8070, CX8080, CX8090<br>***Replaces:*** 84432977<br>***Includes:*** 1 RH & 1 LH Bars | 43.00 | |
| **A-733639** | Rasp Bar Set; 4 LH / 4 RH Bars (w/ Hardware) 61 1/8" Angle Bars | 4 RH / 4 LH | TF46, TX36, TX66, TX68, 8080<br>***Replaces:*** RH Bars: 9838438, 398439, 84097976, 89838438, 84438638; LH Bars: 9838439, 84097975, 89838439, 398438, 84438637<br>***Includes:*** 4 RH & 4 LH Bars W/ Hardware | 125.00 | |
| **A-B96203** | Kit; Rotor Plate & Lug, (LH Rotor) | | CR920, CR940, CR960, CR9040, CR9060, TR70, TR75, TR76, TR85, TR86, TR87, TR88, TR89, TR95, TR96, TR97, TR98, TR99 | 0.00 | |

*FORD/NEW HOLLAND

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

## Cylinder Rasp Bars



| Part No. | Description Qty | Type | Applications | Wt. |
|---|---|---|---|---|
| **A-B96204** | Kit; Rotor Plate & Lug, (RH Rotor) | | CR920, CR940, CR960, CR9040, CR9060, TR70, TR75, TR76, TR85, TR86, TR87, TR88, TR89, TR95, TR96, TR97, TR98, TR99 | 0.00 |
| **A-B96205** | Kit; Plate & Lug, (LH & RH Rotors) | | CR920, CR940, CR960, CR9040, CR9060, TR70, TR75, TR76, TR85, TR86, TR87, TR88, TR89, TR95, TR96, TR97, TR98, TR99 | 22.80 |
| **A-B96658** | Kit; Rotor Lug, (LH Rotor) | | CR920, CR940, CR960, CR9040, CR9060, TR70, TR75, TR76, TR85, TR86, TR87, TR88, TR89, TR95, TR96, TR97, TR98, TR99 | 0.00 |
| **A-B96656** | Kit; Rotor Lug, (RH Rotor) | | CR920, CR940, CR960, CR9040, CR9060, TR70, TR75, TR76, TR85, TR86, TR87, TR88, TR89, TR95, TR96, TR97, TR98, TR99 | 2.90 |
| **A-82797034** | Kit; Rasp Bar, (LH Rotor) | | CR920, CR940, CR960, CR9040, CR9060, TR86 SN 529739>, TR87, TR88, TR89, TR96 SN 529779>, TR97, TR98, TR99 | 0.00 |
| **A-82797035** | Kit; Rasp Bar, (RH Rotor) | | CR920, CR940, CR960, CR9040, CR9060, TR86 SN 529739>, TR87, TR88, TR89, TR96 SN 529779>, TR97, TR98, TR99 | 0.00 |
| **A-82797030** | Kit; Rasp Bar, Leading, (LH Rotor) | | CR920, CR940, CR960, CR9040, CR9060, TR86 SN 529739>, TR87, TR88, TR89, TR96 SN 529779>, TR97, TR98, TR99 | 0.00 |
| **A-82797031** | Kit; Rasp Bar, Leading, (RH Rotor) | | CR920, CR940, CR960, CR9040, CR9060, TR86 SN 529739>, TR87, TR88, TR89, TR96 SN 529779>, TR97, TR98, TR99 | 0.00 |
| **A-82797032** | Kit; Rasp Bar, Tailing, (LH Rotor) | | CR920, CR940, CR960, CR9040, CR9060, TR86 SN 529739>, TR87, TR88, TR89, TR96 SN 529779>, TR97, TR98, TR99 | 0.00 |
| **A-82797033** | Kit; Rasp Bar, Tailing, (RH Rotor) | | CR920, CR940, CR960, CR9040, CR9060, TR86 SN 529739>, TR87, TR88, TR89, TR96 SN 529779>, TR97, TR98, TR99 | 0.00 |
| **A-84050519** | Rasp Bar; LH Rotor, (Set Of 3), (Leading) | 3 Sets Required. | (CR970, CR980, CR9070, CR9080 ALL 3 Sets Of 3 Used Per Rotor) ***NOTE:*** Used On LH Rotor. ***Includes:*** 3 Rasp Bars W/ Hardware. | 30.61 |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-86584740** Wear Plate, Hardened (RH) (Set of 2) 8.50 Lbs.
**A-86584739** Wear Plate, Hardened (LH) (Set of 2) 8.50 Lbs.



***For Models:*** CR920, CR940, CR960, CR9080 Tier 3, TR70, TR75, TR76, TR85, TR86, TR87, TR88, TR89, TR96, TR97, TR98

**A-86584738** Wear Lug (RH) (Set of 2) 2.90 Lbs.
***Replaces:*** 80285918, 285918
**A-86584737** Wear Lug (LH) (Set of 2) 2.90 Lbs.
***Replaces:*** 80285917, 285917



***For Models:*** CR920, CR940, CR960, CR9040, CR9060, CR9080 Tier 3, TR70, TR75, TR85, TR86, TR87, TR88, TR89, TR95, TR96, TR97, TR98, TR99

**A-87700823** Extension; Rotor, RH, Serrated 5.00 Lbs.



***For Models:*** CR9040, CR9060, CR9070, CR9080, CR9090

**A-87700825** Extension; Rotor, LH, Serrated 5.00 Lbs.




***For Models:*** CR9040, CR9060, CR9070, CR9080, CR9090

**A-87496791** Lug; Rotor; RH, Serrated 1.00 Lbs.



***For Models:*** CR9040, CR9060, CR9070, CR9080, CR9090

**A-87496792** Lug; Rotor, LH, Serrated 1.00 Lbs.



***For Models:*** CR9040, CR9060, CR9070, CR9080, CR9090

**A-86981487** Bolt, Rasp Bar, M12 X 35, 10.9, Full Thread 0.10 Lbs.
***Dim/Info:***
minimum order qty 10



***For Models:*** CR9070 , CR9080 Tier 3

**A-86575514** Bearing, Ball 1.65 Lbs.
***Replaces:*** B92630, 66497, 80066497, 609150, 601854, 80045392, 80609150, 80601854, 86533335, 45392



***For Models:*** CR9080 Tier 3, TR70, TR75, TR85, TR86, TR87, TR88, TR89, TR95, TR96, TR97, TR98, TR99

**A-87659928** Bushing, Spherical 0.28 Lbs.
***Replaces:*** 365820, D22200, F0NNS894AA, 83993399



***Dim/Info:***
Length - .875" (22.23mm)
Inside Diameter - 1" (25.4mm)
Outside Diameter - 1.44" (36.5mm)

***For Models:*** TR70, TR75, TR85, TR86, TR87, TR88, TR89, TR95, TR96, TR97, TR98, TR99

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# POWER TRAIN/PROPULSION



**A-84069687** Shaft, Transmission Output 12.38 Lbs.



***Dim/Info:***
Spline Count - 22 / 8
Length - 13.85"

***For Models:*** CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CR9080 Tier 3, CX840, CX860, CX880, CX8070, CX8080, CX8090, (**FORAGE HARVESTER**: FR9040, FR9050, FR9060, FR9080, FR9090)


**A-84069688** Shaft, Differential w/ Lock 14.70 Lbs.



***Dim/Info:***
Spline Count - 22 / 8
Length - 17.09"

***For Models:*** CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CR9080 Tier 3, CX840, CX860, CX880, CX8070, CX8080, CX8090

**A-84438982** Coupling, Splined; Planetary Drive 3.32 Lbs.
Not used w/ axle extensions



***Dim/Info:***
Length - 4.09"
Spline - 22

***For Models:*** CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CX760, CX840 SN D412>, (CX860, CX880 ALL SN D348>), CX8040, CX8050

**A-84440162** Shaft, Drive, Transmission Half (LH) 17.64 Lbs.
663mm; W/O Axle Extensions



***Dim/Info:***
Spline Count - 22
Length - 26.12"

***For Models:*** CR970, CR980, CR9070, CR9080 Tier 3, (CX860, CX880 ALL SN D348>), CX8070, CX8080, CX8090

**A-84440165** Shaft, Drive, Transmission Half (RH) 25.67 Lbs.
923mm; W/O Axle Extensions



***Dim/Info:***
Spline Count - 22
Length - 36.38"

***For Models:*** CR9080 Tier 3, CR970, CR980, CR9070, (CX860, CX880 ALL SN D348>), CX8070, CX8080, CX8090

**A-84440967** Shaft, Drive, Transmission Half (LH) 44.09 Lbs.
***Replaces:*** 84440965 / Notes: For 265mm Axle Extension



***Dim/Info:***
Spline Count - 22
Length - 36.50"

***For Models:*** CR970, CR980, CR9070, CX860, CX880, CX8080, CX8090


**A-84440974** Shaft, Drive, Transmission Half (RH) 33.03 Lbs.
***Replaces:*** 84440972 / Notes: For 265mm Axle Extension



***Dim/Info:***
Spline Count - 22
Length - 46.75"

***For Models:*** CR970, CR980, CR9070, CX860, CX880, CX8080, CX8090


**A-272808** Shaft, Hydraulic Transmission Input 6.80 Lbs.
Serial number is approximate, check shaft size.



***Dim/Info:***
Spline Count - 19 / 26
Length - 11.66"
Diameter - 1.125"

***For Models:*** TR70 SN <-293511


**A-274311** Shaft, Hydraulic Transmission Input 6.80 Lbs.
Serial No.'s are approximate, check shaft size.



***Dim/Info:***
Spline Count - 26 / 23
Length - 12.00"
Diameter - 1.375"

***For Models:*** TR70 SN 293512->, TR75 SN <-304739, TR85 SN <-308085


**A-272672** Pinion Shaft, Final Drive 5.50 Lbs.



***Dim/Info:***
Spline Count - 23
Length - 8.32"
Teeth - 11

***For Models:*** TR70, (TR75, TR85 ALL w/ 26" tires)

**A-272674** Brake Shaft (Out of Differential) 7.74 Lbs.



***Dim/Info:***
Spline Count - 23 / 15 / 25
Length - 12.964"

***For Models:*** TR70, TR75 SN <-304739, TR85 SN <-308085

**A-633483** Coupler, Drive Shaft 1.66 Lbs.
***Replaces:*** 272675



***Dim/Info:***
Spline Count - 23
Length - 4.00"

***For Models:*** TR70, TR75 SN <-304739, TR85 SN <-308085


**A-287902** Bearing, Cone 0.61 Lbs.
***Replaces:*** 83961748, 80287902, 70929742, H364463C91, BU64441, LF829104, 364463C91, D63653



***Dim/Info:***
Bore - 2.000"
Radius - .14"
Width - .875"

***For Models:*** (**FORAGE HARVESTER**: FP240, 900, 1900, 1915, 2100, 2115)

**A-272680** Brake Drum 30.88 Lbs.



***For Models:*** TR70, TR75 SN <-304739, TR85 SN <-308085

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-84320293** Gas Strut, See Application For Usage 0.45 Lbs.



***For Models:*** (CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CX840, CX860, CX880, CX8070, CX8080, CX8090 ALL LH Cab Door)

**A-E7NN94231N00BB** Strut, Gas Rear Window 0.38 Lbs.



***For Models:*** TX66, TX68

**A-81866169** Latch, 1/4 Turn 0.50 Lbs.
***Replaces:*** 89705390, 9705390, E9NN16N738AB




***For Models:*** CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CR9080, CX840, CX860, CX880, CX8070, CX8080, CX8090

**A-320033** Housing, Shaker Shoe Bearing Half 0.44 Lbs.
***Replaces:*** 80320033




***For Models:*** CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CX840, CX860, CX880, CX8070, CX8080, CX8090, TX36, TX66, TX68, 975, 985, 995, 1400, 1500

**A-84320470** Support, Upper Shoe Drive (LH) 7.00 Lbs.




***For Models:*** CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CX840, CX860, CX880, CX8070, CX8080, CX8090

**A-84320472** Support, Upper Shoe Drive (RH) 6.80 Lbs.




***For Models:*** CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CX840, CX860, CX880, CX8070, CX8080, CX8090

**A-87314041** Arm, Shaker Shoe, Upper 4.05 Lbs.



***For Models:*** CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070

**A-87562561** Arm, Shaker Shoe, Lower 3.35 Lbs.



***For Models:*** CR9040, CR9060, CR9070

**A-87317702** Arm, Shaker Shoe Drive 9.50 Lbs.



***For Models:*** CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070



*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# SEPARATOR SHAFTS, GEARS, & PARTS

**A-9811082** Bushing, Shoe Arm, Upper 1.48 Lbs.
***Replaces:*** 89811082, 84097509, 84320630



***For Models:*** CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CX840, CX860, CX880, CX8070, CX8080, CX8090, TX66, TX68


**A-338222** Bushing, Shaker Shoe, Upper 0.18 Lbs.
***Replaces:*** 80338222



***Dim/Info:***
minimum order qty 2

***For Models:*** CR9080 Tier 3, 1400, 1500, CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CX840, CX860, CX880, CX8070, CX8080, CX8090, TX36, TX66, TX68

**A-84052651** Bushing, Shaker Shoe, Upper 0.28 Lbs.



***Dim/Info:***
Length - 2.05"
Inside Diameter - .640"
minimum order qty 4

***For Models:*** CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CX840, CX860, CX880, CX8070, CX8080, CX8090

**A-84459072** Bushing, Rubber; Upper Shoe Drive 0.68 Lbs.
***Replaces:*** 442446, 80442446, 89811662, 9838354, 89838354



***For Models:*** CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CR9080 Tier 3, CX840, CX860, CX880, CX8070, CX8080, CX8090, TX36, TX66, TX68

**A-84000052** Bushing, Rubber; Shaker Shoe 0.11 Lbs.
***Replaces:*** 398810, 190068



***Dim/Info:***
minimum order qty 4


***For Models:*** CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CR9080 Tier 3, CX840, CX860, CX880, CX8070, CX8080, CX8090, TR70, TR75, TR85, TR86, TR87, TR88, TR89, TR95, TR96, TR97, TR98, TR99, TX36, TX66, TX68, 975, 1400

**A-429232** Bushing, Cleaning Shoe Pivot Frame 0.07 Lbs.
***Replaces:*** 80429232, 87689278



***For Models:*** CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CR9080 Tier 3, CX840, CX860, CX880, CX8070, CX8080, CX8090, TX36, TX66, TX68


**A-9831928** Shaft, Cleaning Shoe Pivot Frame 2.21 Lbs.
***Replaces:*** 89831928, 428648



***Dim/Info:***
8.280" Long

***For Models:*** CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CR9080 Tier 3, CX840, CX860, CX880, CX8070, CX8080, CX8090, TX36, TX66, TX68

**A-84446877** Housing, Bearing; Shoe Drive, Upper 0.72 Lbs.
***Replaces:*** 84097461, 84032313, 442901, 80442901



***Dim/Info:***
minimum order qty 2

***For Models:*** CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CX840, CX860, CX880, CX8070, CX8080, CX8090, TX36, TX66, TX68

**A-84320474** Housing, Bearing; Shaker Shoe Drive 2.39 Lbs.




***For Models:*** CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CR9080, CX840, CX860, CX880, CX8070, CX8080, CX8090

**A-434817** Roller, Cleaning Shoe Pivot Frame 0.31 Lbs.
***Replaces:*** 80434817



***For Models:*** CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CR9080 Tier 3, CX840, CX860, CX880, CX8070, CX8080, CX8090, TX36, TX66, TX68

**A-WLV4** Square Adjustable Chaffer Wire, 64" 0.28 Lbs.



***For Models:*** SEVERAL

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Chaffers




| Part No. | Description | Type | Spacing | Width | Length | Applications | Wt. | |
|---|---|---|---|---|---|---|---|---|
| **A-802398** | Chaffer, Upper | Short Finger, | 1 1/8" | 53.91" | 47.88" | TR89, TR95 SN 501851>, TR96, TR97, TR98, TR99 | 95.00 | |
| **A-804235** | Chaffer, Top | Long Finger, Dual Adjust | 1 5/8" | 53.91" | 47.88" | TR89, TR95 SN 501851>, TR96, TR97, TR98, TR99 | 75.00 | |
| **A-801236** | Chaffer, Top | Adjustable Air Foil | | 53.91" | 47.88" | TR89, TR95 SN 501851>, TR96, TR97, TR98, TR99 | 84.00 | |
| **A-804233** | Chaffer, Top | Long Finger Dual Adjust | 1 5/8" | 38.91" | 47.88" | TR70, TR75, TR76, TR85, TR86, TR87, TR88 | 68.00 | |
| **A-87109842-R** | Chaffer, Air Foil, Rigid minimum order qty 2 | Rigid- Non Adjustable | | 30.94" | 56.81" | CR970, CR980, CR9070, CX8070, CX8080, CX8090 | 46.00 | |
| **A-87109842** | Chaffer, Adjustable Air Foil, Top Quantity Requited 2 | Peterson, Galvanized | 1 1/8" | 30.94" | 56.813" | CR970, CR980, CR9070, (CX8070, CX8080, CX8090 ALL SN D600>), CR9090 ***Note:*** Double handle, manual adjust | 64.00 | |
| **A-87109815** | Presieve | | 1 1/8" | 51.75" | 29.878" | CR920, CR940, CR960, CR9040, CR9060 ***Replaces:*** 84084941 | 49.00 | |
| **A-87109824** | Presieve; Closz Slat | Galvanized | 1 5/8" | 51.75" | 29.878" | CR920, CR940, CR960, CR9040, CR9060 ***Replaces:*** 87105822 | 53.00 | |
| **A-87109832** | Sieve, Upper; Corn | Long Finger | 1 5/8" | 51.75" | 59.125" | CR920, CR940, CR960, CR9040, CR9060 | 90.00 | |
| **A-87109844** | Sieve, Closz Slat, Lower | Blunt Finger, Galvanized | 1 1/8" | 51.750" | 59.125" | CR920, CR940, CR960, CR9040, CR9060 | 95.00 | |
| **A-87109836** | Sieve, Closz Slat, Upper | Short Finger | 1 5/8" | 51.75" | 59.125" | CR920, CR940, CR960, CR9040, CR9060, CR9080 Tier 3, CX720, CX740, CX760, CX780, CX8030, CX8040, CX8050 | 100 | |
| **A-87109817** | PreSieve, Grain; Closz Slat | Galvanized | 1 1/8" | 61.938" | 29.878" | CR970, CR980, CR9070, CR9080 Tier 3, CX820, CX840, CX860, CX880, CX8060, CX8070, CX8080, CX8090 ***Replaces:*** 84084942 | 60.00 | |
| **A-87109846** | Sieve, Closz Slat, Lower | Blunt Finger, Galvanized | 1 1/8" | 30.938" | 56.813" | CR970, CR980, CR9070, CR9080 Tier 3, CX820, CX840, CX860, CX880, CX8060, CX8070, CX8080, CX8090 | 55.00 | |
| **A-87109834** | Sieve, Upper; 1-5/8", Corn | Long Finger, Galvanized | 1 5/8" | 30.938" | 56.813" | CR970, CR980, CR9070, (CX8070, CX8080, CX8090 ALL SN D600>) ***Replaces:*** 84084664 ***Note:*** Single handle, manual adjust | 60.00 | |
| **A-87109830** | Sieve, Closz Slat, Upper | Short Finger, Galvanized | 1 1/8" | 30.938" | 56.813" | CR970, CR980, CR9070, (CX8070, CX8080, CX8090 ALL SN D600>) ***Note:*** Double handle, manual adjust | 64.00 | |
| **A-87109826** | PreSieve, Closz Slat | Galvanized | 1 5/8" | 61.938" | 29.878" | CR970, CR980, CR9070 ***Replaces:*** 87042470, 84083981 | 55.00 | |
| **A-87109850** | Sieve, Closz Slat, Lower; | Short Finger, Galvanized | 1 5/8" | 30.938" | 56.813" | CR970, CR980, CR9070, CR9080 Tier 3 | 49.00 | |
| **A-771089** | Sieve, Blunt Finger, Bottom | | 1 1/8" | 53.91" | 47.88" | TR89, TR95 SN 501851>, TR96, TR97, TR98, TR99 ***Replaces:*** 800986 | 80.00 | |



*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


Truck icon indicates that the item is shipped via truck freight.

## Chaffer Frames & Shoes



| Part No. | Description | Qty | Type | Applications | Wt. |
|---|---|---|---|---|---|
| **A-87491650** | Shoe, Shaker, Upper, Wide | | | CR970, CR980, CR9070, CR9080<br>***Replaces***: 84462369 | 390.00 |

| | |
|---|---|
| Adjustment Arm Clip | A-CLP7 |
| Nylon Adjustment Arm | A-ALV6 |
| Nylon Bushing | A-CLV5 |
| Chaffer Wire | A-WLV4 |
| Adjustable Air Foil Louver | A-PLV12 |
| Blunt Finger Louver | A-BFLV12 |
| Short Finger Louver | A-SFLV12 |
| Long Finger Louver | A-LFLV12 |



Replacement parts are for A&I replacement chaffers and sieves only.

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.




P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Chain, Clean Grain Elevator



| Part No. | Links-Chain | Paddle Size | Qty-Paddle | Applications |
|---|---|---|---|---|
| **A-87373433** | 148 - CA550 | 7 3/4" x 3 13/16" | 37 | CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CR9080, (CX840, CX860, CX880 ALL S/N D238>), (CX8070, CX8080, CX8090 ALL S/N D560>) |
| **A-782440** | 78-CA550 | 7" x 3 5/16" | 20-288833 | TR70, TR75, TR85, TR86, TR87, TR88, TR89, TR95, TR96, TR97, TR98 |
| **A-86570955** | 82-CA550 | 6 3/16" x 3 1/4" Paddle Every 4th Link | 20-EPGNH96R | TR99 |
| **A-429215** | 105-CA550 | 6" x 3 3/8" Paddles Every 4th Link | 26-EPGNH36R | TX36, TX66, TX68 |

## Chain, Return Elevator



| Part No. | Links-Chain | Paddle Size | Qty-Paddle | Applications |
|---|---|---|---|---|
| **A-248044** | 129-CA550 | 4 1/4" x 3 3/8" | 21-246553 | TR70, TR75, TR85, TR86, TR87, TR88 |
| **A-704250** | 116-CA550 | 4 1/4" x 3 3/8" | 19-246553 | TR95, TR96, TR97, TR98, TR99 |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# GRAIN HANDLING SHAFTS, SPROCKETS, PULLEYS

**A-84401598** Sprocket, Idler, 13T 2.00 Lbs.
***Replaces:*** 87011880, 87362667, 80066614, 87362667, 66614



***Dim/Info:***
Includes - Bearing
Bore - 0.64"
Chain Size - 80
Teeth - 13

***For Models:*** CR9080 Tier 3, TR89, TR97, TR98


**A-86512666** Sprocket, Lower Grain Elevator 3.90 Lbs.
Used on TR86, TR87, TR88 When Replacing Old Style 1 1/8" Auger Shaft W/ New 1 3/8" Auger # 86512656.



***Dim/Info:***
9 Tooth
1 3/8" Bore

***For Models:*** TR86, TR87, TR88, TR89, TR96, TR97, TR98, TR99

**A-784744** Sprocket, Clean/Tailing Auger 2.64 Lbs.



***Dim/Info:***
9 tooth
1.000" Bore

***For Models:*** TR70, TR75, TR85, TR86, TR87, TR88, (TR89, TR95, TR96, TR97, TR98, TR99 ALL Tailing Auger Only)

**A-773824** Sprocket, Clean/Tailing Auger 2.46 Lbs.



***Dim/Info:***
9 Tooth
1.125" Bore

***For Models:*** (TR95, TR96, TR97 ALL Clean Grain & Tailing Auger), TR98 Clean Grain Auger, (TR75, TR85, TR86, TR87 ALL Lower Clean Grain Auger)


**A-84437648** Sprocket, Driven; Clean Grain Elevator 5.40 Lbs.
***Replaces:*** 84437715, 86523531



***Dim/Info:***
Bore - 1.382"
Teeth - 11

***For Models:*** CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CR9080, CX840, CX860, CX880, CX8070, CX8080, CX8090

**A-86627639** Sprocket, Idler; Unloading Drive 1.16 Lbs.



***Dim/Info:***
Bore - .640"
Teeth - 15

***For Models:*** CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CR9080 Tier 3, CX840, CX860, CX880, CX8070, CX8080, CX8090


**A-84069777** Sprocket, Unloading Drive 10.35 Lbs.



***Dim/Info:***
Bore - 1.379"
Teeth - 38

***For Models:*** CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CR9080 Tier 3, CX840, CX860, CX880, CX8070, CX8080, CX8090


**A-86623219** Shaft, Lower Unloading Auger Gearbox 4.52 Lbs.



***Dim/Info:***
7.81" Long
8/ 21 Spline

***For Models:*** CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CX840, CX860, CX880, CX8070, CX8080, CX8090


**A-87331114** Shaft, Upper Unloading Auger Gearbox 6.05 Lbs.



***Dim/Info:***
15 Bevel Teeth
21 Spline
6.340" Long

***For Models:*** CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CX840, CX860, CX880, CX8070, CX8080, CX8090

**A-247762** Shaft & Bevel Gear, Gear Box 2.10 Lbs.



***Dim/Info:***
13 teeth
15 spline

***For Models:*** TR70, TR75, TR85, TR86, TR87, TR88

**A-86548970** Bearing, Flange 0.20 Lbs.



***Dim/Info:***
C to C - 3.562" / 90.49mm
Bearing Outside Diameter - 2.441" / 62mm
Shaft Size - 1-1/16", 1-1/8", 1-3/16", 1-1/4"

***For Models:*** CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, TR70, TR75, TR85, TR86, TR87, TR88, TR89, TR95, TR96, TR97, TR98, TR99, TX36, TX66, TX68, 975, 985, 995, 1400, 1500, (**HEAD, CORN**: 3PN, 360W5), 890EN2, (**FORAGE HARVESTER**: FX25, FX28, FX30, FX38, FX40, FX45, FX50, FX58, FX60, SP818, 707, 770, 880, 890, 892, 900, 1890, 1895, 1900)

**A-86620026** Flange, Triangular 0.33 Lbs.
***Replaces:*** 84814939, 80036403, 80410434, 86574241, 80578139, 3101585R1, 180955C1, 578189



***Dim/Info:***
C to C - 3.937" / 100.01mm
Bearing Outside Diameter - 2.835" / 72mm


***For Models:*** CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CR9080 Tier 3, CX840, CX860, CX880, CX8070, CX8080, CX8090, TR70, TR75, TR85, TR86, TR87, TR88, TR89, TR95, TR96, TR97, TR98, TR99, TX36, TX66, TX68, 1400, 1500

**A-853116** Bearing Assembly, Unloading Auger Gearbox 1.30 Lbs.
***Replaces:*** 5187264, 80853116, 338700A1, 100720



***For Models:*** CX840, CX860, CX880, CR9040, CR9060, CR9070, CR9080 Tier 3, CR920, CR940, CR960, CR970, CX8070, CX8080, CX8090

**A-76288** Pulley, Idler 3.31 Lbs.
***Replaces:*** 156221C91



***Dim/Info:***
Inside Diameter - .649"
Outside Diameter - 8.89"


***For Models:*** TR70, TR75, TR85, TR86, TR87, TR88, TR95, TR96, TR97, TR98

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.











P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com














*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

| Ref. | Description<br>Part No. | Dimensions | | | | | |
|---|---|---|---|---|---|---|---|
| 1 | **Auger; Tailing Elevator, LH, Extended Wear**<br>A-84182961 | A- 64.125" | B- 1.187" | C- .983" | D- 1.770" | |  |
| *For Models CR920, CR940, CR960, CR970, CR980, CR8080, CR9040, CR9060, CR9070, CR9080* | | | | | | | |
| 1 | **Auger; Tailing Elevator, RH, Extended Wear**<br>A-84182959 | A- 64.125" | B- 0.983" | C- 1.187" | D- 5.75" | |  |
| *For Models CR960, CR970, CR980, CR8080, CR9060, CR9070, CR9080* | | | | | | | |
| 1 | **Auger; Bottom Tailing Elevator, Extended Wear**<br>A-84400769 | A- 89.375" | B- 1.377" | C- 1.875" | | |  |
| *For Models CR960, CR7090, CR8080, CR9060* | | | | | | | |
| 1 | **Auger; Bottom Tailing Elevator, Extended Wear**<br>A-84078345 | A- 79.125" | B- 1.184" | C- 1.875" | D- 1.378" | E- 4.75" |  |
| *For Models CR920, CR940, CR9040* | | | | | | | |
| 1 | **Auger, Tailings**<br>A-86531534 | A- 83.563" | B- 0.998" | 15 Spline Count | | |  |
| | If Replacing 578883 With 1" Shaft You Must Also Use 86512666 Sprocket. | | | | | | |
| *For Models TR70, TR75, TR76, TR85, TR86, TR86 SN 215983>, TR87, TR88* | | | | | | | |
| 2 | **Auger; Bubble Up, Extended Wear, 26.968"**<br>A-87283765 | A- 27.50" | B- 1.875" | C- 0.984" | | |  |
| *For Models (CR920, CR940, CR960, CR970, CR980 ALL SN HAJ101877>; W/ Grain Tank Covers), (CR920, CR940, CR960, CR970, CR980 ALL SN HAJ102035>; W/ Grain Tank Covers), CR9040, CR9060, CR9080 Tier 3, (CX720, CX740 ALL SN D238>), (CX820, CX840 ALL Low Version; SN D238>), CX8070 Low Version; SN <C615* | | | | | | | |
| 2 | **Auger; Bubble Up, Extended Wear, 42.283"**<br>A-84447518 | A- 42.812" | B- 1.875" | | | |  |
| *For Models (CR940, CR960, CR970, CR980 ALL SN <HAJ101876)* | | | | | | | |
| 2 | **Auger; Upper Bubble Up, Extended Wear, 42.283"**<br>A-87283757 | A- 42.50" | B- 1.875" | C- 0.984" | | |  |
| *For Models (CR940, CR960, CR970, CR980 ALL SN HAJ101877>), CR9040, CR9060, CR9070, CR9080, CX760, CX780, CX820, CX840, CX860, CX880, CX8040, CX8050, CX8060, CX8070, CX8080, CX8090* | | | | | | | |
| 2 | **Auger; Lower Bubble Up, Extended Wear**<br>A-87283749 | A- 38.625" | B- 1.875" | C- 1.375" | | |  |
| *For Models CR920, CR940, CR960, CR970, CR980, CR8080, CR9040, CR9060, CR9070, CR9080, (CX840, CX860, CX880 ALL SN <F238479), (CX8040, CX8050 ALL SN D660>), (CX8070, CX8080 ALL SN D616>)* | | | | | | | |
| 2 | **Auger, Bubble Up**<br>A-86566341<br>Double Flighting Length: 20" | A- 67.375" | B- 2.25" | C- 66.625" | | |  |
| *For Models TR99 SN <565897* | | | | | | | |

# AUGER RELATED PARTS







| Ref. | Description<br>Part No. | Dimensions | | | | | |
|---|---|---|---|---|---|---|---|
| 2 | **Auger, Bin Loading**<br>A-786011 | A- 80.625" | B- 1.000" | C- 2.375" | Flighting Diameter - 8.75" LH | 15 (Female End) |  |
| | *For Models TR70 SN 215983->, TR75, TR76, TR85, TR86, TR87, TR88* | | | | | | |
| 2 | **Auger, Bin Loading, RH Flighting, 15 Spline**<br>A-86550393 | A- 88.187" | B- 1.000" | C- 1.875" | 1-13/16" Deep Cup On Drive Hub End. | |  |
| | When replacing old style auger # 766787 with 3/4" deep cup on drive hub , you must also order 86537959 spacer & 86537960 cover not available from A & I Products. | | | | | | |
| | *For Models TR95, TR96, TR97, TR98 S/N <563258* | | | | | | |
| 2 | **Auger, Bin Loading, LH Flighting, 10 Spline Hub**<br>A-86537976 | A- 87.50" | B- 0.999" | C- 2.25" | | |  |
| | STD on TR89 & TR 98 S/N 563258>. Part of gearbox improvement kit on TR95, TR96, TR97 & TR98 S/N <563258 if equipped. | | | | | | |
| | *For Models TR89, TR95, TR96, TR97, TR98* | | | | | | |
| 3 | **Auger; Bottom Grain Elevator, Extended Wear**<br>A-87011549 | A- 94.75" | B- 1.875" | C- 1.382" | D- 1.182" | Balanced |  |
| | *For Models CR920, CR940, CR960, CR6090, CR7090, CR8080, CR9040, CR9060* | | | | | | |
| 3 | **Auger; Bottom Grain Elevator, Extended Wear**<br>A-87011551 | A- 99.87" | B- 1.875" | C- 1.382" | D- 1.182" | Balanced |  |
| | *For Models CR970, CR980, CR8090, CR9070, CR9080, CR9090, (CX820, CX840, CX860, CX880 ALL SN D238>), CX8080, CX8090* | | | | | | |
| 3 | **Auger, Grain Tank Bottom; Front, Std Unload, Ext. Wear**<br>A-87280345 | A-120.812" | B- 1.18" | C- 2.375" | D- 1.377" | Auger Is Balanced |  |
| | Replaces standard wear auger part# 84075319 which has .25" thick flighting. This auger is extended wear auger w/ .312" thick flighting. | | | | | | |
| | *For Models (CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CX820, CX840, CX860, CX880, CX8080, CX8090 ALL Front), CX8070 Front; SN <C615, (CR9040, CR9060, CR9070 ALL Rear)* | | | | | | |
| 3 | **Auger, Grain Tank Bottom; Rear, Std Unload, Ext. Wear, RH**<br>A-87280343 | A-120.812" | B- 1.18" | C- 2.375" | D- 1.377" | Balanced |  |
| | Replaces Standard Wear Auger Part# 84075320 Which Has .250" Thick Flighting. This Auger Is Extended Wear Auger With .312" Thick Flighting | | | | | | |
| | *For Models (CR920, CR940, CR960, CR970, CR980 ALL Rear), CR9040 Front, CR9040 Rear, CR9060 Front, CR9060 Rear, CR9070 Front, (CR9070, CX820, CX840, CX860, CX880, CX8070 ALL Rear), (CX8080, CX8090 ALL Rear; SN <C615)* | | | | | | |
| 4 | **Auger, Unloading**<br>A-9802769 | A-190.875" | B- 1.250" | C- 21 spline | | |  |
| | *For Models TR86, TR87, TR88, TR97, TR98, TR96 SN 527821->* | | | | | | |
| 4 | **Auger Extension, Unloading; 3 Ft., Extended Wear**<br>A-87657822 | A- 38.00" | B- 4.50" | C- 1.365" | 21 Teeth | |  |
| | *For Models CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CR9080* | | | | | | |






*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com







| Ref. | Description<br>Part No. | Dimensions | | | | |
|---|---|---|---|---|---|---|
| 4 | **Auger Extension, Unloading, 3 Ft., Standard Wear**<br>A-87575223 | A- 38.00" | B- 4.50" | 21 Teeth | |  |
| *For Models (CR920, CR940, CR960, CR970 ALL SN HAJ110001>), CR9040, CR9060, CR9070, CR9080* | | | | | | |
| 4 | **Auger; Horizontal Unloading, 18 Ft., Ext. Wear**<br>A-87280339 | A-212.625" | B- 4.50" | C- 12.50" | Balanced |  |
| *For Models CR920, CR940, CR960, CR970, CR8080, (CR9040, CR9060, CR9070 ALL SN Y8G112001>), CR9080, CX840, CX860, CX880, CX8070, CX8080, CX8090* | | | | | | |
| 5 | **Auger, Clean Grain, Lower**<br>A-86512656 | A- 69.500" | B- 0.998" | C- 1.375" | |  |
| | When replacing old style auger# 620509, you must also replace old sprocket with part# 86512666. | | | | | |
| *For Models TR70 SN 215983->, TR75, TR85, TR86, TR87, TR88* | | | | | | |
| 5 | **Auger, Clean Grain, Lower**<br>A-86501034 | A- 85.00" | B- 1.125" | C- 1.375" | |  |
| | When replacing old style auger# 703734, you must also replace old sprocket with part# 86512666. | | | | | |
| *For Models TR89, TR95, TR96, TR97, TR98, TR99* | | | | | | |
| 6 | **Auger, Vertical Unloading**<br>A-84447940 | A- 47.25" | B- 4.50" | | |  |
| *For Models CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CR9090 SN <C679, (CX840, CX860, CX880 ALL SN D316>), (CX8070, CX8080, CX8090 ALL SN <C679)* | | | | | | |
| 6 | **Auger, Vertical Unloading; Ext. Wear**<br>A-87733266 | A- 47.25" | B- 4.50" | Flighting Diameter<br>14.5" LH | |  |
| *For Models CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070* | | | | | | |
| | **Auger; Bottom Tailing, Extended Wear**<br>A-84078346 | A- 99.625" | B- 1.377" | C- 1.875" | Balanced |  |
| *For Models CR970, CR980, CR8090, CR9070, CR9080, CR9090, CX840, CX860, CX880, CX8070, CX8080, CX8090* | | | | | | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# AUGER RELATED PARTS

**A-86620027** Flange, Bearing 0.78 Lbs.
***Replaces:*** 89837215, 86548973



***Dim/Info:***
Outside Diameter - 3.062"

***For Models:*** CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CR9080, CX840, CX860, CX880, CX8070, CX8080, CX8090, TR85, TR86, TR87, TR88, TR89, TR95, TR96, TR97, TR98, TR99, TX36

**A-210043** Bearing; Tailing Elevator Bottom Auger 0.45 Lbs.
***Replaces:*** 80210043, V360106V1, SBA040146206, 84062627, V49347, V21211, 81870201



***Dim/Info:***
Bore - 1.181"
Outside Diameter - 2.441"

***For Models:*** CR920, CR940, CR9040, CR9080 Tier 3

**A-325103** Bearing; Tailing Auger 0.45 Lbs.
***Replaces:*** 89813580, 80326925, 80321804, 80325103, 84434989, 309084, V84141



***Dim/Info:***
Bore - .984"
Outside Diameter - 2.047"

***For Models:*** CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CR9080, CX840, CX860, CX880, CX8070, CX8080, CX8090

**A-364908** Bearing; Bottom Tailing Auger 0.34 Lbs.
***Replaces:*** 920095082, 340400335, 80364908, 278792, 24905110, 24905290



***Dim/Info:***
Bore - 1.378"
Outside Diameter - 2.441"

***For Models:*** CR920, CR940, CR960, CR970, CR980, CR9040, CR9060, CR9070, CR9080, CX840, CX860, CX880, CX8070, CX8080, CX8090

**A-87044350** Bearing, Ball; Grain Tank Bottom Auger / Horizontal Unloading Auger 0.79 Lbs.
***Replaces:*** 87598793, 80325110, 84069440, 325110



***Dim/Info:***
Bore - 1.181"
Outside Diameter - 2.441"

***For Models:*** (CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CR9080, CX840, CX860, CX880, CX8080, CX8090 ALL Horizontal Unloading Auger/ Bottom Grain Elevator Auger), CX8070 Horizontal Unloading Auger, (CR980, CX820 ALL Bottom Grain Elevator Auger)

**A-87605590** Bearing; Elevator Head / Bubble Up Auger 1.38 Lbs.
***Replaces:*** 80212606, 84814912, 212606, 212607, 80212607




***Dim/Info:***
Bore - 1.378"
Outside Diameter - 2.838"

***For Models:*** CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CR9080 Tier 3, CX840, CX860, CX880, CX8070, CX8080, CX8090, TX36, TX66, TX68

**A-577947** Housing, Grain Tank Loading Auger 140.00 Lbs.

***Replaces:*** 80577947



***For Models:*** TR70 SN 215983>, TR75, TR85, TR86, TR87, TR88

**A-87011622** Tube; Bubble Up Auger, 34.016", Extended Wear 90.00 Lbs.



***For Models:*** CR940, CR960, CR970, CR980, CR9040, CR9060, CR9070, CR9080, CX8040, CX8050, CX8060, CX8070, CX8080, CX8090

**A-84330302** Base; Bubble Up Auger, Extended Wear 124.98 Lbs.


***Replaces:*** 87011619



***For Models:*** CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CR9080, CX8040, CX8050, CX8060, CX8070, CX8080, CX8090

**A-87470158** Tube; Horizontal Unloading Auger, 18 Ft., Extended Wear 400.00 Lbs.

***Replaces:*** 87284775



***Dim/Info:***
Length - 198"
Color - Black

***For Models:*** CR920, CR940, CR960, CR970, (CR9040, CR9060, CR9070 ALL SN Y8G112001>), CR9080

**A-84072623** Support, Unloading Auger Extension Bearing 2.57 Lbs.
Used With 3 Ft. Unloading Auger Extension.



***For Models:*** CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CR9080, CX840, CX860, CX880, CX8070, CX8080, CX8090

*FORD/NEW HOLLAND

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.




P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-87662984** Kit, Cross Auger Liner (Weld In), Stainless Steel 28.00 Lbs.

Welding Required

***Replaces:*** 87662994, 87315123




***Dim/Info:***
101.459" Long
13.160" Wide
Hole Size - .876"

***For Models:*** CR940, CR960, CR970, CR9040, CR9060, CR9070, CR9080, CX840, CX860, CX880

**A-277056** Knife Kit, Straw Chopper 2.50 Lbs.

Kit contains: (3) knives, (3) hardened bushings, and hardware.


***Replaces:*** 271906, SCK-100



***For Models:*** 975, 980, 985, 990, 995, 1400, 1500, TR70, TR75, TR85, TR95 SN <-501600

**A-688331** Knife Kit, Straw Chopper 1.92 Lbs.

Kit contains: (3) knives, (3) hardened bushings, and hardware.



***Dim/Info:***
Width - 2.250"
Center Of Hole To End Len - 6.143"
Hole Size - .876"

***For Models:*** TR86, TR87, TR88, TR95 SN 501601->, TR96, TR97, TR98

**A-86562752** Blade, Straw Chopper, Hardened, Set of 4 2.10 Lbs.

***Replaces:*** 86525556, 86562752, 86517963, 9815911, 9510635, 89510635



***Dim/Info:***
Double Bevel
Hardened

***For Models:*** TR89 , TR97 SN 555803>, TR98, TR99, TX36

**A-84437624** Blade, Straw Chopper 0.65 Lbs.

***Replaces:*** 31344807



***For Models:*** CR920, CR940, CR960, CR970, CX840, CX860, CX880

**A-84437624-KIT** Kit, Straw Chopper Blade 1.25 Lbs.

Kit Contains: (1) A-84437624 Blade, (1) A-31344815 Bushing, (1) A-84437627 Bolt, (1) A-84437625 Washer & (1) A-86512554 Nut.

***Replaces:*** 31344807



***For Models:*** CR920, CR940, CR960, CR970, CX840, CX860, CX880

**A-31344815** Bushing, Straw Chopper Blade 0.17 Lbs.

***Replaces:*** 84437622



***For Models:*** CR920, CR940, CR960, CR970, CX840, CX860, CX880

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# STRAW CHOPPER & SPREADER PARTS - REAR AXLE/STEERING

**A-87378123** Bushing, Straw Chopper Blade 0.16 Lbs.



***Dim/Info:***
Length - 15.2MM
Inside Diameter - 12.4MM
Outside Diameter - 42MM

***For Models:*** CR9040, CR9060, CR9070, CR9080, CX8070, CX8080, CX8090

**A-271580** Tooth Kit, Straw Chopper 0.60 Lbs.
***Replaces:*** SCT-100



***Dim/Info:***
Includes - (1) Double Tooth & Mounting Hardware
Type - Heat Treated

***For Models:*** TR70, TR75, TR85, TR95 SN <501600, 975, 980, 990, 995, 1400, 1500, SEVERAL w/ swinging knife chopper


**A-287902** Bearing, Cone 0.61 Lbs.
***Replaces:*** 83961748, 80287902, 70929742, H364463C91, BU64441, LF829104, 364463C91, D63653



***Dim/Info:***
Bore - 2.000"
Radius - .14"
Width - .875"

***For Models:*** TR70, TR75, TR85, TR86, TR87, TR88, TR99


**A-84442906** Tie Rod; Short Threaded 4.10 Lbs.
***Replaces:*** 84073399




***Dim/Info:***
A- 4.75"
B- M30 X 1.5 RH Thrd.

***For Models:*** CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CR9080 Tier 3, CX840, CX860, CX880, CX8070, CX8080, CX8090

**A-84814042** Cylinder End; Steering 3.86 Lbs.
***Replaces:*** 84073454




***Dim/Info:***
A- 3.75"
B- M26 X 1.5 RH Thrd.

***For Models:*** CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CR9080 Tier 3, CX840, CX860, CX880, CX8070, CX8080, CX8090

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

Belts. . . . . 178-193
Cooling Systems . . . . . 194
Discharge Area. . . . . 227
Straw Chopper & Spreader Parts . . . . . 227
Engine Parts . . . . . 195
Filters. . . . . 196
Grain Handling. . . . . 218-226
Augers . . . . . 221-226
Auger Related Parts . . . . . 220
Clean Grain & Return Elevator Parts . . . . . 219
Elevator Chain . . . . . 218
Grain Handling Shafts, Sprockets, Pulleys . . . . . 220
Headers/Platforms/Feeder House . . . . . 203-208
Corn Head Parts. . . . . 205-206
Grain Head Parts . . . . . 203-204
Feeder House Chain/Slats/Raddle Chain. . . . . 208
Feeder House Parts . . . . . 207
Ignition & Electrical Parts. . . . . 197
Power Train/Propulsion . . . . . 213
Separator Area. . . . . 214-217
Chaffers/Sieves/Frames/Shoes Related Parts . . . . . 217
Separator Shafts, Gear & Parts. . . . . 214
Separator Sprockets & Sheaves . . . . . 215-216
Sickles Sections, Sickle Parts, & Sickle Assemblies . . . . . 198-202
Threshing Area. . . . . 209-213
Channels/Discharge Bars. . . . . 209
Concaves . . . . . 210
Rasp Bars . . . . . 211
Threshing Area Shafts. . . . . 212
Threshing: Sprockets, Sheaves & Hubs. . . . . 212-213

# COMBINE BELTS





| Application | Part # | Ref. | Description |
|---|---|---|---|
| K2 diesel | **A-71139187** | 1 | Belt, Alternator |
| E3 | **A-71141744** | 1 | Belt, Alternator & Fan |
| K SN <-12201 | **A-71146713** | 2 | Belt, Hydraulic Pump w/ Power Steering |
| K2 SN <-25201 | **A-71146714** | 2 | Belt, Hydraulic Pump |
| K, K2 | **A-71339772** | 3 | Belt, Bin Unloader |
| K | **A-71177548** | 4 | Belt, Countershaft, Separator Fan |
| K2 | **A-71188075** | 4 | Belt, Countershaft, Separator Fan |
| K, K2 | **A-71147546** | 5 | Belt, Cylinder 387-590 RPM |
| K SN 5001->, K2 | **A-71147547** | 5 | Belt, Cylinder, 917-1383 RPM |
| E3, K, K2 | **A-71139966** | 6 | Belt, Pivot RH |
| K2 Traction Drive | **A-79034573** | 8 | Belt, Traction Drive |
| E3 | **A-71139964** | 9 | Belt, Separator Fan |
| K2 gas | **A-71153532** | 10 | Belt, Main Drive |
| K2 diesel | **A-71189170** | 10 | Belt, Main Drive (2 Band) |
| (K, K2 ALL SN 8201->, w/o VSHD) | **A-71132108** | 11 | Belt, Drive |
| E3, K, K2 | **A-71139622** | 11 | Belt, Conveyor Drive |
| (K, K2 ALL gas) | **A-71146702** | 18 | Belt, Governor |
| E3 SN 5001-8200, Comfort Cab, K SN 5001-12201, Comfort cab | **A-71152788** | 19 | Belt, AC Compressor |
| K | **A-71193749** | 19 | Belt, AC Compressor |
| K, K2 gas | **A-71146660** | 20 | Belt, Alternator & Fan |
| K SN <-12201 | **A-71148119** | 21 | Belt, Countershaft, PTO |
| K gas 12201>, K2 S/N 25201-> | **A-71170283** | 21 | Belt, Countershaft, Set |
| K2 gas, SN <-25201 | **A-71300399** | 21 | Belt, Countershaft PTO |
| E3, K | **A-71142831** | 23 | Belt, Chopper Drive |
| K2 SN 25201-> | **A-71302279** | 23 | Belt, Chopper |
| K2 gas | **A-71190749** | 25 | Belt, Grain Saver, Air Flow |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com





| Application | Part # | Ref. | Description |
|---|---|---|---|
| F gas, SN 12201->, F2 gas | **A-71148120** | 1 | Belt, Governor |
| (F2, F3 ALL SN 48201->) | **A-71141744** | 2 | Belt, Hydraulic Pump |
| F2 gas, SN <-39201 | **A-71146714** | 2 | Belt, Hydraulic Pump |
| F diesel, SN <-25801, rice | **A-71152608** | 2 | Belt, Hydraulic Pump |
| F diesel, SN 25801-> | **A-71152609** | 2 | Belt, Hydraulic Pump |
| F gas, SN 12201->, F2 gas, (diesel SN 39201->), F3 gas, SN 12201-> | **A-71339772** | 3 | Belt, Bin Unloader |
| (F2, F3 ALL diesel, SN 39201->) | **A-71139187** | 4 | Belt, Alternator |
| F diesel, SN 12201-> | **A-71154358** | 4 | Belt, Generator |
| (F2, F3 ALL GAS) | **A-71148119** | 4 | Belt, Alternator |
| F2 diesel, SN 39201-> | **A-71300399** | 5 | Belt, Countershaft PTO |
| F SN 12201-> | **A-71147546** | 7 | Belt, Cylinder 387-590 RPM |
| F std SN 9001->, 907-1383 RPM SN12201-> | **A-71147547** | 7 | Belt, Cylinder, 907-1383 RPM |
| F2, F3 | **A-71147547** | 7 | Belt, Cylinder, 803-1343 RPM |
| F2, F3 | **A-71151777** | 7 | Belt, Cylinder 412-688 RPM |
| F2, F3 | **A-71175575** | 7 | Belt, Cylinder 499-834 RPM |
| F | **A-71139966** | 8 | Belt, Pivot Drive, RH, Rice |
| (F2, F3 ALL Pivot (RH)) | **A-79034564** | 8 | Belt, Pivot (RH) |
| F SN 5001->, rice | **A-71177548** | 9 | Belt, Countershaft |
| F2, F3 | **A-71188075** | 9 | Belt, Separator & Fan, RH |
| F SN <-5001 | **A-71139964** | 10 | Belt, Separator Fan |
| F | **A-71132108** | 11 | Belt, Drive w/o Var-Speed, Rice |
| F2, F3 | **A-71132108** | 11 | Belt, Drive, STD |
| F | **A-71139622** | 11 | Belt, Conveyor Drive |
| F SN 9001-> | **A-71147546** | 13 | Belt, Hydrostatic Drive |
| F2 SN <-48201 | **A-71147546** | 13 | Belt, Traction, Hydro |
| F2, F3 | **A-79034573** | 13 | Belt, Traction, STD |
| (F2, F3 ALL Traction Drive) | **A-79034573** | 13 | Belt, Traction Drive |
| F2 gas, SN <-39201 | **A-71153532** | 14 | Belt, Main Drive |
| (F2, F3 ALL diesel, SN 39101->) | **A-71189170** | 14 | Belt, Main Drive (2 Band) |
| (F2, F3 ALL diesel, SN 39201->) | **A-71193749** | 15 | Belt, AC Compressor |
| F | **A-71142831** | 16 | Belt, Chopper Drive |
| (F2, F3 ALL SN 39201->) | **A-71302279** | 16 | Belt, Chopper |
| (F2, F3 ALL gas, (diesel SN 39201->)) | **A-71190749** | 17 | Belt, Grain Saver, Air Flow |

# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

## Gleaner M, M2, M3, MH, MH2, MH3




| Application | Part # | Ref. | Description |
|---|---|---|---|
| (M, M2, M3 ALL var-speed HD) | **A-79034572** | 1 | Belt, Countershaft, Thresher |
| M, M2, M3, MH, MH2, MH3 | **A-71164177** | 3 | Belt, Pivot, LH |
| (M, M2 ALL SN <-18401) | **A-71177548** | 4 | Belt, Hydrostatic |
| MH SN <-11401 (2V) | **A-71177548** | 4 | Belt, Traction Drive |
| (M2, M3 ALL SN 18401-26300) | **A-71188635** | 4 | Belt, Hydrostatic |
| MH, MH2, MH3 | **A-71188635** | 4 | Belt, Hydrostatic D2900/649T |
| (MH, MH2, MH3 ALL SN 11401->) | **A-71188636** | 4 | Belt, Hydrostatic D3500/670T |
| M2, M3, MH2, MH3 | **A-71193749** | 5 | Belt, AC Compressor |
| (MH, MH2, MH3 ALL D2900/649T) | **A-71153532** | 6 | Belt, Main Drive |
| (MH, MH2, MH3 ALL D3500/670T) | **A-71173998** | 6 | Belt, Main Drive, 3 Band |
| (M, MH, MH2, MH3 ALL SN 11401->) | **A-71187728** | 9 | Belt, Bin Unloader |
| (M, M2, MH, MH2, MH3 ALL SN <19901) | **A-71164350** | 10 | Belt, Pivot, RH |
| (M3, MH2, MH3 ALL Pivot (RH) SN19901>) | **A-79034570** | 10 | Belt, Pivot (RH) |
| M, M2, MH, MH2, MH3 | **A-71147546** | 11 | Belt, Cylinder 804-1343 RPM |
| M2 | **A-71188635** | 11 | Belt, Cylinder 804-1318 RPM |
| M3, MH2, MH3 | **A-71337795** | 11 | Belt, Cylinder 804-1318 RPM |
| M, M2, M3 | **A-71153532** | 12 | Belt, Hyd Pump Drive |
| M 2 1/2" hyd. lift cyl., gas | **A-71172977** | 12 | Belt, Hyd Pump Drive |
| M, M2, M3 | **A-71173232** | 12 | Belt, Hyd Pump Drive |
| M2, MH2 | **A-71193733** | 13 | Belt, Alternator D2900/649T |
| M, M2, M3, MH, MH2, MH3 | **A-71184327** | 15 | Belt, Alternator, Dual, Lower |
| M3 | **A-71300867** | 16 | Belt, Grain Saver, Air Flow, Lower |
| M3, MH, MH2, MH3 | **A-71300867** | 17 | Belt, Chopper, Straw |
| (M, M2 ALL SN 19901->), (MH, MH2, MH3 ALL SN <-19901) | **A-71173472** | 18 | Belt, Chopper, Straw |


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Gleaner L, L2, L3





| Application | Part # | Ref. | Description |
|---|---|---|---|
| (L, L2, L3 ALL sn 4201-9183) | **A-79034572** | 1 | Belt, Countershaft, Thresher |
| L, L2, L3 | **A-71164177** | 3 | Belt, Pivot, LH |
| L2 SN 15501-28349(D3500/670T), L3 | **A-71188636** | 4 | Belt, Hydrostatic (3V) |
| L3 SN 28350-> | **A-71342142** | 4 | Belt, Hydrostatic |
| L2, L3 | **A-71193749** | 5 | Belt, AC Compressor |
| L SN <-2601, diesel | **A-71153532** | 6 | Belt, Main Drive |
| L SN 2601->, diesel, (L2, L3 ALL SN 2601->) | **A-71173998** | 6 | Belt, Main Drive, 3 Band |
| (L, L2, L3 ALL SN 9001->) | **A-71187728** | 9 | Belt, Bin Unloader |
| (L, L2 ALL SN <-17501) | **A-71164350** | 10 | Belt, Pivot, RH |
| L2 Pivot (RH) SN17501>, L3 Pivot (RH) | **A-79034570** | 10 | Belt, Pivot (RH) |
| (L2, L3 ALL SN <-17501) | **A-71147546** | 11 | Belt, Cylinder 804-1318 RPM |
| L2 | **A-71188635** | 11 | Belt, Cylinder Drive 804-1318 RPM |
| L3 | **A-71337795** | 11 | Belt, Cylinder 804-1318 RPM |
| (L, L2, L3 ALL gas) | **A-71172977** | 12 | Belt, Hyd Pump Drive w/2-1/2" Hdr. Lift Cyl |
| L | **A-71173232** | 12 | Belt, Hyd Pump Drive w/2-1/2" Hdr. Lift Cyl |
| L2 | **A-71193733** | 13 | Belt, Alternator, D2900/649 (set) |
| L2, L3 | **A-71303453** | 13 | Belt, Alternator, D2900/649 HD (set) |
| L, L2, L3 | **A-71184327** | 15 | Belt, Alternator, D2900/649-Lower, Dual |
| L2, L3 | **A-71300867** | 17 | Belt, Grain Saver, Air Flow, Lower |
| (L, L2, L3 ALL SN <-17501) | **A-71173472** | 18 | Belt, Chopper, Straw |
| L, L3 | **A-71300867** | 18 | Belt, Chopper, Straw |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available NI = Not illustrated

# COMBINE BELTS

## Gleaner
## N5, N6, N7, R5, R6, R7





| Application | Part # | Ref. | Description |
|---|---|---|---|
| N5 SN <-4501, N6 SN <-5101, N7 SN <-2501 | **A-71309150** | 2 | Belt, Pivot Shaft Drive |
| N5 SN 4501->, N6 SN 5101->, N7 SN 2501->, R5, R6, R7 | **A-71316263** | 2 | Belt, Pivot Shaft Drive (RH) (Set/2) |
| N6 SN <-1501 | **A-71301877** | 12 | Belt, Cage Sweep |
| N5 SN 6101>, N6 SN 7301>, N7, R5, R6, R7 | **A-71346200** | 15 | Belt, Tailings Drive |
| N5 SN <6101, N6 SN <7301, N7 SN <4501 | **A-71340653** | 17 | Belt, Fan Drive |
| R5, R6, R7 | **A-71339886** | 17 | Belt, Fan Drive |
| N5 SN 6101>, N6 SN 7301>, N7 SN 4501> | **A-71339886** | 19 | Belt, Separator Fan |
| N5, N6, N7, R5, R6, R7 | **A-71319657** | 21 | Belt, Cylinder Auger Drive |
| N7, R7 | **A-71315910** | 22 | Belt, Compressor Drive |
| R5, R6, R7 | **A-71347561** | 32 | Belt, Spreader |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com





Gleaner R40, R50

| Application | Part # | Ref. | Description |
|---|---|---|---|
| R40 SN <-2001, R50 SN <-3501 | **A-71316263** | 2 | Belt, Pivot Shaft Drive (RH) (Set/2) |
| R40, R50 | **A-71335475** | 3 | Belt, Rear Feed Conveyor |
| R40, R50 | **A-71355232** | 4 | Belt, Pivot Jackshaft Drive |
| R40, R50 | **A-71364922** | 5 | Belt, Bin Unloader Drive (LH) |
| R40, R50 | **A-71364912** | 6 | Belt, Hydro Drive |
| R40, R50 | **A-71335788** | 7 | Belt, Variable Speed Cylinder Drive |
| R40, R50 | **A-71358255** | 8 | Belt, Separator Drive |
| (R40, R50 ALL Main Drive) | **A-71351260** | 9 | Belt, Main Drive, (3 Band) |
| R40, R50 | **A-71355170** | 14 | Belt, Straw Spreader Drive |
| R40, R50 | **A-71352139** | 15 | Belt, Alternator |
| R40, R50 | **A-71352729** | 17 | Belt, Compressor Drive |
| R40, R50 | **A-71333673** | 18 | Belt, Jackshaft Drive |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated




| Application | Part # | Ref. | Description |
|---|---|---|---|
| R60 SN <-16501, R70 SN <-12501 | **A-71316263** | 2 | Belt, Pivot Shaft Drive (RH) (Set/2) |
| R60, R70 | **A-71352142** | 13 | Belt, Alternator |
| R60, R70 | **A-71339886** | 15 | Belt, Fan Drive |
| R60 SN <-16501, R70 SN <-12501 | **A-71319657** | 18 | Belt, Cylinder Auger Drive |
| R60, R70 | **A-71347561** | 29 | Belt, Spreader |


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Gleaner R42, R52





| Application | Part # | Ref. | Description |
|---|---|---|---|
| R42 SN 43001>, R52 SN 53001> | **A-71374306** | 2 | Belt; RH Pivot Shaft Drive |
| R42, R52 | **A-71335475** | 3 | Belt, Rear Feed Conveyor |
| R42, R52 | **A-71355232** | 4 | Belt, Pivot Jackshaft Drive |
| R42, R52 | **A-71364922** | 5 | Belt, Bin Unloader Drive (LH) |
| R42 SN <46001, R52 SN <56001 | **A-71364912** | 6 | Belt, Hydro Drive |
| R42, R52 | **A-71335788** | 7 | Belt, Variable Speed Cylinder Drive |
| R42, R52 | **A-71358255** | 8 | Belt, Separator Drive |
| R42, R52 | **A-71355170** | 14 | Belt, Straw Spreader Drive |
| R52 | **A-71352139** | 15 | Belt, Alternator |
| R42, R52 | **A-71448483** | 16 | Belt; Impeller/Chopper Drive |
| R42 SN <48001, R52 SN <58001 | **A-71352729** | 17 | Belt, Compressor Drive |
| R42 SN 46001>, R52 SN 56001> | **A-71374305** | 18 | Belt; Shoe Drive |
| R42 SN 48001>, R52 SN 58001> | **A-71367459** | 19 | Belt; Tailings Drive |
| R42 SN 43001>, R52 SN 53001> | **A-71368809** | 20 | Belt, Clean Grain Elevator |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated

# COMBINE BELTS

## Gleaner R62, R72




| Application | Part # | Ref. | Description |
|---|---|---|---|
| R62 SN 63001>, R72 SN 73001> | **A-71374306** | 2 | Belt; RH Pivot Shaft Drive |
| R62, R72 | **A-71335475** | 3 | Belt, Rear Feed Conveyor |
| R62 SN 68001>, R72 SN 78001> | **A-71377787** | 4 | Belt, Pivot Jackshaft Drive |
| R62 SN <-68259, R72 SN <-78103 | **A-71355232** | 4 | Belt, Pivot Drive (LH) |
| R62, R72 | **A-71364922** | 5 | Belt, Unloader Drive, Power Engage |
| R62, R72 | **A-71363802** | 8 | Belt, Separator Drive |
| R62 SN 64001-HL62999 W/ Liquid Cooled Cummins Eng. | **A-71368135** | 9 | Belt, Main Drive |
| R72 SN 73001-HL72999 W/ Liquid Cooled Cummins Eng. | **A-71370279** | 9 | Belt, Main Clutch Shaft Drive |
| R62, R72 | **A-71368809** | 10 | Belt, Clean Grain Elevator |
| R62, R72 | **A-71352142** | 11,13 | Belt, Alternator |
| R72 SN 79001> | **A-71148120** | 12 | Belt, A/C Compressor Drive |
| R72 SN 78001> | **A-3028521V** | 12 | Belt; Alternator/Fan Drive, (Cummins) |
| R72 SN 78001> | **A-A3288623** | 12 | Belt; Fan Drive, 48.5", Option, (Cummins) |
| R62, R72 | **A-71355170** | 14 | Belt, Straw Spreader Drive |
| R62 SN 63001>, R72 SN 73001> | **A-71367469** | 15 | Belt; RH Jackshaft Drive |
| R62 SN 66001>, R72 SN 76001> | **A-71374305** | 16 | Belt; Shoe Drive |
| R62 Belt; Impeller/Chopper Drive SN 68001>, R72 Belt; Impeller/Chopper Drive SN 78001> | **A-71448483** | 18 | Belt; Impeller/Chopper Drive |
| R62 SN 68001>, R72 SN 78001> | **A-71367459** | 20 | Belt; Tailings Drive |
| R62 SN 68001>, R72 SN 78001> | **A-71379787** | 20 | Belt; Spreader Pump Drive |


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Gleaner R55, R65, R75





| Application | Part # | Ref. | Description |
|---|---|---|---|
| R65, R75 | **A-71377787** | 2 | Belt, Pivot Jackshaft Drive |
| R55, R75 | **A-71448483** | 4 | Belt; Impeller/Chopper Drive |
| R55, R65, R75 | **A-71355170** | 6 | Belt, Straw Spreader Drive |
| R65 | **A-71368135** | 7 | Belt, Main Drive |
| R75 | **A-71370279** | 7 | Belt, Main Clutch Shaft Drive |
| R55, R65, R75 | **A-71374305** | 8 | Belt; Shoe Drive |
| R55, R65 SN <HS62101, R75 SN <HS72101 | **A-71374306** | 9 | Belt; RH Pivot Shaft Drive |
| R55, R65 SN HS62101>, R75 SN HS72101> | **A-71368809** | 9 | Belt, Clean Grain Elevator |
| R55, R65, R75 | **A-71335475** | 10 | Belt, Rear Feed Conveyor |
| R65 SN HS62101>, R75 SN HS72101> | **A-71368809** | 11 | Belt, RH Pivot Shaft Drive |
| R65 SN <HR62101 | **A-A3289503** | 12 | Belt; Alternator/Fan, (Cummins) |
| R75 SN <HR72101 | **A-3028521V** | 12 | Belt; Alternator/Fan Drive, (Cummins) |
| R75 SN <HR72101 | **A-A3288623** | 12 | Belt; Fan Drive, 48.5", Option, (Cummins) |
| (R65, R75 ALL Engine SN T11858>) | **A-V685121530** | 12 | Belt; Fan/Alternator Drive, (Sisu) |
| R65, R75 | **A-71363802** | 13 | Belt, Separator Drive |
| R65 SN HR62101>, R75 | **A-71148120** | 14 | Belt, A/C Compressor Drive |
| R55, R65, R75 | **A-71367459** | 15 | Belt; Tailings Drive |
| R65, R75 | **A-71379787** | 17 | Belt; Spreader Pump Drive |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated

# COMBINE BELTS

## Gleaner R66, R76




| Application | Part # | Ref. | Description |
|---|---|---|---|
| R66, R76 | **A-71377787** | 2 | Belt, Pivot Jackshaft Drive |
| R66, R76 | **A-71448483** | 4 | Belt; Impeller/Chopper Drive |
| R66, R76 | **A-71390561** | 5 | Belt; Propel Pump Drive |
| R66, R76 | **A-71355170** | 6 | Belt, Straw Spreader Drive |
| R66, R76 | **A-71370279** | 7 | Belt, Main Clutch Shaft Drive |
| R66, R76 | **A-71374305** | 8 | Belt; Shoe Drive |
| R66, R76 | **A-71335475** | 10 | Belt, Rear Feed Conveyor |
| R66, R76 | **A-71368809** | 11 | Belt, Clean Grain Elevator |
| R66, R76 | **A-V685121530** | 12 | Belt; Fan/Alternator Drive, (Sisu) |
| R66, R76 | **A-71363802** | 13 | Belt, Separator Drive |
| R66, R76 | **A-71148120** | 14 | Belt, A/C Compressor Drive |
| R66, R76 | **A-71367459** | 15 | Belt; Tailings Drive |
| R66, R76 | **A-71367469** | 16 | Belt; RH Jackshaft Drive |
| R66, R76 | **A-71379787** | 17 | Belt; Spreader Pump Drive |
| R66, R76 | **A-71395108** | NI | Belt; Inner Slowdown |


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Gleaner A Series





| Application | Part # | Ref. | Description |
|---|---|---|---|
| A65, A66, A75, A76, A85, A86 | **A-71427255** | 1 | Belt; Feeder Pivot Shaft Drive/Header Countershaft, 195.47” |
| A65, A66, A75, A76, A85, A86 | **A-71390199** | 2 | Belt; Shaker Shoe Pitman Drive, 100.8” |
| A65, A75, A85 | **A-71403685** | 3 | Belt; Grain Elevator Drive, 130” |
| A66, A76, A86 | **A-71410765** | 3 | Belt; Grain Elevator Drive, 128.85” |
| A65 | **A-71386352** | 4 | Belt; Beater Drive, 3HB, 175.3” |
| A66, A75, A76, A85, A86 | **A-71388216** | 4 | Belt; Beater Drive, 4HB, 175.3” |
| A65, A75 | **A-101102M1** | 5 | Belt; Unloader Drive; 149.3” |
| A66, A76, A85, A86 | **A-71410767** | 5 | Belt; Bin Unloader Drive, 142.04” |
| A65, A66, A75, A76 | **A-71390188** | 6 | Belt; Main Countershaft Drive, 143.0” |
| A85, A86 | **A-71403721** | 6 | Belt; Main Countershaft Drive, 170.08” |
| A65, A66 | **A-71418984** | 7 | Belt; Tandem Pump Drive, 91.1” |
| A75, A76 | **A-71418976** | 7 | Belt; Tandem Pump Drive, 90.2” |
| A85, A86 | **A-71406285** | 7 | Belt; Rotor Pump Drive, 104.13” |
| A75, A76 | **A-71418978** | 8 | Belt; Propel Pump Drive, 93.3” |
| A85, A86 | **A-71406286** | 8 | Belt; Propel Pump Drive, 98.6” |
| A65, A66, A75, A76, A85, A86 | **A-71399519** | 9 | Belt; Jackshaft To Header Countershaft, 160.5” |
| A65, A66, A75, A76, A85, A86 | **A-71398384** | 10 | Belt; Beater To Feederhouse Jackshaft Drive, 136.0” |
| A65, A66, A75, A76, A85, A86 | **A-71385801** | 12 | Belt; Return Elevator Drive, 109.6” |
| A65 | **A-227455M1** | 13 | Belt, Spreader Jackshaft |
| A66, A75, A76, A85, A86 | **A-71414420** | 13 | Belt; Spreader Drive, Primary, 130” |
| A66, A76, A85, A86 | **A-71406338** | 13 | Belt; Chopper Drive, Primary, 136.5” |
| A65 Engine SN T11858>, A66, A75 Engine SN T11858>, A76 | **A-V685121530** | 14 | Belt; Fan/Alternator Drive, (Sisu) |
| A65, A75 | **A-71148120** | 15 | Belt, A/C Compressor Drive |
| A85, A86 | **A-288-1607** | 16 | Belt; Fan/Alternator Drive |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated

# COMBINE BELTS

## Gleaner S67, S77




| Application | Part # | Ref. | Description |
|---|---|---|---|
| (S67, S77 ALL SN BHTV6101-BHTV7999) | **A-71377787** | 2 | Belt, Pivot Jackshaft Drive |
| S67, S77 | **A-71432802** | 5 | Belt; Fine Cut Chopper Drive |
| (S67, S68, S77, S78, S88 ALL Left Side Main Drive) | **A-71370279** | 6 | Belt, Main Clutch Shaft Drive |
| S67, S77 | **A-71390561** | 7 | Belt; Propel Pump Drive |
| (S67, S77 ALL SN BHTV61001-CHTV7999) | **A-71335475** | 9 | Belt, Rear Feed Conveyor |
| (S67, S77 ALL SN BHTV6101 - BHTV7999) | **A-71432846** | 10 | Belt; Seperator Drive |
| S67, S68, S77, S78, S88 | **A-71367469** | 11 | Belt; RH Jackshaft Drive |
| S67, S68, S77, S78, S88 | **A-71368809** | 12 | Belt, Clean Grain Elevator |
| S67, S77 | **A-71444986** | 14 | Belt; Alt/Fan Drive |
| (S67, S77 ALL SN CHTV6101 - EHTV7999) | **A-71148120** | 15 | Belt, A/C Compressor Drive |
| S67, S77 | **A-71438552** | 17 | Belt; Aspirator Fan Drive |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

# Belt Application Listing

| Part # | Description | Models |
|---|---|---|
| **A-A3288623** | Belt; Fan Drive, 48.5", Option, (Cummins) | R72 SN 78001>, R75 SN <HR72101 |
| **A-A3289503** | Belt; Alternator/Fan, (Cummins) | R65 SN <HR62101 |
| **A-V685121530** | Belt; Fan/Alternator Drive, (Sisu) | A65 Engine SN T11858>, A66, A75 Engine SN T11858>, A76, R66, R75 Engine SN T11858>, R76 |
| **A-288-1607** | Belt; Fan/Alternator Drive | A85, A86 |
| **A-101102M1** | Belt; Unloader Drive; 149.3" | A65, A75 |
| **A-227455M1** | Belt, Spreader Jackshaft | A65 |
| **A-3028521V** | Belt; Alternator/Fan Drive, (Cummins) | R72 SN 78001>, R75 SN <HR72101 |
| **A-71132108** | Belt, Drive | F, F2, F3, K, K2 |
| **A-71135618** | Belt, Reel Drive | E3, F, F2, F3, K, K2, (L2, L3, M2, M3 ALL SN <-48000), (L, M, MH ALL var-speed), MH2 SN <-51501 |
| **A-71139187** | Belt, Alternator | F2, F3, K2 |
| **A-71139622** | Belt, Conveyor Drive | E3, F, F2, F3, K, K2 |
| **A-71139966** | Belt, Pivot (RH) | E3, F, K, K2 |
| **A-71141744** | Belt, Hydraulic Pump/Alt & Fan | E3, F2, F3 |
| **A-71142831** | Belt, Chopper Drive | E3, F, K |
| **A-71146660** | Belt, Alternator & Fan | K, K2 |
| **A-71146702** | Belt, Governor | K, K2 |
| **A-71146713** | Belt, Hydraulic Pump | K , K SN <-12201 |
| **A-71146714** | Belt, Hydraulic Pump | F2 gas, SN <-39201, K, K2, K2 SN <-25201 |
| **A-71147546** | Belt, Cylinder/Hydro Drive | F, F2, K, K2, L2, L3, M, M2, MH, MH2, MH3 |
| **A-71147547** | Belt, Cylinder, 917-1383 RPM | F, F2, F3, K, K2 |
| **A-71148119** | Belt, Hydraulic Pump | F GAS S/N 25801>, (F2, F3 ALL GAS), K SN <-12201 |
| **A-71148120** | Belt, Governor | F gas, SN 12201->, F2 gas |
| **A-71148120** | Belt, A/C Compressor Drive | A65, A75, R65 SN HR62101>, R66, R72 SN 79001>, R75, R76 |
| **A-71151777** | Belt, Cylinder 412-688 RPM | F2, F3 |
| **A-71152608** | Belt, Hydraulic Pump | F |
| **A-71152609** | Belt, Hydraulic Pump | F |
| **A-71152788** | Belt, AC Compressor | E3, K |
| **A-71153532** | Belt, Hyd Pump/Main Drive | F2, K2, L, M, M2, M3, MH, MH2, MH3 |
| **A-71154358** | Belt, Generator | F , F diesel, SN 12201-> |
| **A-71164177** | Belt, Pivot (LH) | L, L2, L3, M, M2, M3, MH, MH2, MH3 |
| **A-71164350** | Belt, Pivot (RH) | L, L2, M, M2, MH, MH2, MH3 |
| **A-71165927** | Belt, Pivot (LH) | F, F2, K, K2, (K, K2 ALL w/ hdr clutch SN<-12201, std SN 12201->) |
| **A-71170283** | Belt, Countershaft, Set | K gas 12201>, K2 S/N 25201-> |
| **A-71172977** | Belt, Hyd Pump Drive | L, L2, L3, M |
| **A-71173232** | Belt, Hyd Pump Drive | L, M, M2, M3 |
| **A-71173472** | Belt, Chopper, Straw | L, L2, L3, M2, MH, MH2, MH3 |
| **A-71173998** | Belt, Main Drive, 3 band | L, L2, L3, MH, MH2, MH3 |
| **A-71175575** | Belt, Cylinder 499-834 RPM | F2, F3 |
| **A-71177548** | Belt, Countershaft | F, K, M, M2, MH |
| **A-71184327** | Belt, Alternator | L, L2, L3, M, M2, M3, MH, MH2, MH3 |
| **A-71187728** | Belt, Bin Unloader | M, MH, MH2, MH3, L, L2, L3 |
| **A-71188075** | Belt, Countershaft / Separator Fan | F2, F3, K2 |

# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# Belt Application Listing



| Part # | Description | Models |
|---|---|---|
| **A-71188635** | Belt, Cylinder/Hydro | M2, M3, MH, MH2, MH3, L2 |
| **A-71188636** | Belt, Hydrostatic | MH, MH2, MH3, L2, L3 |
| **A-71189170** | Belt, Main Drive (2 Band) | K2, F2, F3 |
| **A-71190749** | Belt, Grain Saver, Air Flow | K2, F2, F3 |
| **A-71193733** | Belt, Alternator D2900/649T | M2, MH2, L2 |
| **A-71193749** | Belt, AC Compressor | K, F2, F3, M2, M3, MH2, MH3, L2, L3 |
| **A-71300399** | Belt, Countershaft PTO | K2, F2 |
| **A-71300867** | Belt, Chopper, Grain Saver | M3, MH, MH2, MH3, L, L2, L3 |
| **A-71301877** | Belt, Cage Sweep | N6 |
| **A-71302279** | Belt, Chopper | K2, F2, F3 |
| **A-71303453** | Belt, Alternator, D2900/649 HD | L2, L3 |
| **A-71311275** | Belt, Pick-up Drum & Draper | (M2, M3, L2, L3 ALL var-speed, SN <-48000) |
| **A-71346200** | Belt, Tailings Drive | N5 SN 6101>, N6 SN 7301>, N7, R5, R6, R7 |
| **A-71315910** | Belt, Compressor Drive | N7, R7 |
| **A-71316263** | Belt, Pivot Shaft Drive (RH) (Set/2) | N5, N6, N7, R5, R6, R7, R40, R50, R60, R70 |
| **A-79034573** | Belt, Traction Drive | K2, F2, F3 |
| **A-71319657** | Belt, Cylinder Auger Drive | N5, N6, N7, R5, R6, R7, R60, R70 |
| **A-71322828** | Belt, Flex Cutter Bar | (M2, M3, L2, L3 ALL ser 3, 20', 22', 24', std) |
| **A-71322834** | Belt, Flex Cutter Bar Drive | F2 Ser 3, SN 65001-66500 |
| **A-71329608** | Belt, Wobble Box Drive | R rigid , rice |
| **A-71333673** | Belt, Jackshaft Drive | R40, R50 |
| **A-71335475** | Belt, Rear Feed Conveyor | R40, R42, R50, R52, R55, R62, R65, R66, R72, R75, R76, (S67, S77 ALL SN BHTV61001-CHTV7999) |
| **A-71335788** | Belt, Variable Speed Cylinder Drive | R40, R50, R42, R52 |
| **A-71337795** | Belt, Cylinder 804-1318 RPM | M3, MH2, MH3, L3 |
| **A-71339772** | Belt, Bin Unloader | F gas, SN 12201->, F2 gas, (diesel SN 39201->), F3, K, K2 |
| **A-71339886** | Belt, Fan Drive | R5, R6, R7, R60, R70 |
| **A-71340653** | Belt, Fan Drive | N5 SN <6101, N6 SN <7301, N7 SN <4501 |
| **A-71342142** | Belt, Hydrostatic | L3 |
| **A-71347561** | Belt, Spreader | R5, R6, R7, R60, R70 |
| **A-71351260** | Belt, Main Drive | (R40, R50 ALL Main Drive) |
| **A-71352139** | Belt, Alternator | R40, R50, R52, R42 SN <48001; Air Cooled, R52 SN <58000; Air Cooled |
| **A-71352142** | Belt, Alternator | R42 SN 43001-48001; Liquid Cooled, R52 SN 53001-58001; Liquid Cooled, R60, R62, R70, R72 |
| **A-71352729** | Belt, Compressor Drive | R40, R50, R42 SN <48001, R52 SN <58001 |
| **A-71355170** | Belt, Straw Spreader Drive | R40, R42, R50, R52, R55, R62, R65, R66, R72, R75, R76 |
| **A-71355232** | Belt, Pivot Drive (LH) | R40, R42, R50, R52, R62 SN <-68259, R72 SN <-78103 |
| **A-71358255** | Belt, Separator Drive | R40, R50, R42, R52, R55 |
| **A-71359598** | Belt, Wobble Box Drive | R flex |
| **A-71363802** | Belt, Seperator Drive | R62, R65, R66, R72, R75, R76 |
| **A-71364912** | Belt, Hydro Drive | R40, R42 SN <46001, R50, R52 SN <56001 |
| **A-71364922** | Belt, Bin Unloader Drive (LH) | R40, R50, R42, R52, R62, R72 |
| **A-71367459** | Belt; Tailings Drive | R42 SN 48001>, R52 SN 58001>, R55, R62 SN 68001>, R65, R66, R72 SN 78001>, R75, R76 |

# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

# Belt Application Listing


| Part # | Description | Models |
|---|---|---|
| **A-71367469** | Belt; RH Jackshaft Drive | R62 SN 63001>, R72 SN 73001>, R66, R76 |
| **A-71368135** | Belt, Main Drive | R62 SN 64001-HL62999 W/ Liquid Cooled Cummins Eng., R65 |
| **A-71368809** | Belt, Clean Grain Elevator | R42 SN 43001>, R52 SN 53001>, R55, R62, R65 SN HS62101>, R66, R72, R75 SN HS72101>, R76 |
| **A-71368809** | Belt, RH Pivot Shaft Drive | R65 SN HS62101>, R75 SN HS72101> |
| **A-71370279** | Belt, Main Clutch Shaft Drive | R66, R72 SN 73001-HL72999 W/ Liquid Cooled Cummins Eng., R75, R76 |
| **A-71374276** | Belt, Hydro Drive | R42 SN 46001-48000, R52 SN 56001-58000, R62 SN 66001->, R72 SN 76001-> |
| **A-71374305** | Belt; Shoe Drive | R42 SN 46001>, R52 SN 56001>, R55, R62 SN 66001>, R65, R66, R72 SN 76001>, R75, R76 |
| **A-71374306** | Belt; RH Pivot Shaft Drive | R42 SN 43001>, R52 SN 53001>, R55, R62 SN 63001>, R65 SN <HS62101, R72 SN 73001>, R75 SN <HS72101 |
| **A-71377787** | Belt, Pivot Jackshaft Drive | R62 SN 68001>, R65, R66, R72 SN 78001>, R75, R76 |
| **A-71379787** | Belt; Spreader Pump Drive | R62 SN 68001>, R65, R66, R72 SN 78001>, R75, R76 |
| **A-71385801** | Belt; Return Elevator Drive, 109.6” | A65, A66, A75, A76, A85, A86 |
| **A-71386352** | Belt; Beater Drive, 3HB, 175.3” | A65 |
| **A-71388216** | Belt; Beater Drive, 4HB, 175.3” | A66, A75, A76, A85, A86 |
| **A-71390188** | Belt; Main Countershaft Drive, 143.0” | A65, A66, A75, A76 |
| **A-71390199** | Belt; Shaker Shoe Pitman Drive, 100.8” | A65, A66, A75, A76, A85, A86 |
| **A-71390561** | Belt; Propel Pump Drive | R66, R76, S67, S77 |
| **A-71398384** | Belt; Beater To Feederhouse Jackshaft Drive, 136.0” | A65, A66, A75, A76, A85, A86 |
| **A-71399519** | Belt; Jackshaft To Header Countershaft, 160.5” | A65, A66, A75, A76, A85, A86 |
| **A-71403685** | Belt; Grain Elevator Drive, 130” | A65, A75, A85 |
| **A-71403721** | Belt; Main Countershaft Drive, 170.08” | A85, A86 |
| **A-71406285** | Belt; Rotor Pump Drive, 104.13” | A85, A86 |
| **A-71406286** | Belt; Propel Pump Drive, 98.6” | A85, A86 |
| **A-71406338** | Belt; Chopper Drive, Primary, 136.5” | A66, A76, A85, A86 |
| **A-71410765** | Belt; Grain Elevator Drive, 128.85” | A66, A76, A86 |
| **A-71410767** | Belt; Bin Unloader Drive, 142.04” | A66, A76, A85, A86 |
| **A-71414420** | Belt; Spreader Drive, Primary, 130” | A66, A75, A76, A85, A86 |
| **A-71418976** | Belt; Tandem Pump Drive, 90.2” | A75, A76 |
| **A-71418978** | Belt; Propel Pump Drive, 93.3” | A75, A76 |
| **A-71418984** | Belt; Tandem Pump Drive, 91.1” | A65, A66 |
| **A-71427255** | Belt; Feeder Pivot Shaft Drive/Header Countershaft, 195.47” | A65, A66, A75, A76, A85, A86 |
| **A-71432802** | Belt; Fine Cut Chopper Drive | S67, S77 |
| **A-71432846** | Belt; Seperator Drive | (S67, S77 ALL SN BHTV6101 - BHTV7999) |
| **A-71438552** | Belt; Aspirator Fan Drive | S67, S77 |
| **A-71444986** | Belt; Alt/Fan Drive | S67, S77 |
| **A-71448483** | Belt; Impeller/Chopper Drive | R42, R52, R55, R62, R66, R72, R75, R76 |
| **A-79034564** | Belt, Pivot (RH) | (F2, F3 ALL Pivot (RH)) |
| **A-79034570** | Belt, Pivot (RH) | L2 Pivot (RH) SN17501>, L3 Pivot (RH), (M3, MH2, MH3 ALL Pivot (RH) SN19901>) |
| **A-79034572** | Belt, Countershaft, Thresher | (L, L2, L3 ALL sn 4201-9183), (M, M2, M3 ALL var-speed HD) |
| **A-79034573** | Belt, Traction Drive | (F2, F3, K2 ALL Traction Drive) |

# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

*GLEANER

**A-71109623** Radiator Cap 0.25 Lbs.
***Replaces:*** 10A2233, 10A5007, 207001488, 303348881,




***For Models:*** A, C, C2, E, E3 SN 25001->, F SN <-32201, F2, F3, G, K2 SN 24201-27200, R SN 14053-30000

**A-74062321** Pump, Water 14.26 Lbs.
***Replaces:*** (4007683 & 4008611-02 casting #'s), 4062321



***For Models:*** L2 649T diesel, SN 19501-26000, L3 SN 26001->, 1984, M2 649T diesel, SN 25901->, 1984

**A-74517363** Pump, Water w/o Pulley 9.70 Lbs.
Casting# L126627
***Replaces:*** 74516962, 74512213



***For Models:*** A Gas, (C, C2 ALL Gas SN <401426), CH, CR, F Gas SN <12201

**A-74007666** Pump, Water w/o Pulley 13.65 Lbs.
***Replaces:*** Cstg # 4007621, 4007666



***For Models:*** (L, M ALL SN 2D-96660), L2, L3, MH, MH2

**A-74036573** Pump, Water 12.10 Lbs.
***Replaces:*** (4036544 casting #), 4036573



***For Models:*** L D3500 DSL. SN <-13001, L2 D3500 DSL. SN 13001-15500, 670T DSL, 15501-26000

**A-74007551** Pump, Water w/o Pulley 11.45 Lbs.
Casting# 4021898 Or 4007551



***For Models:*** F2, G gas 2800, SN <-17001, K2 D2800, SN <-25201, M, M2, M3

**A-303436748** Pump, Water 8.25 Lbs.
***Replaces:*** 72525482, 3913430, 3806180, 72515525



***For Models:*** R42, R52, R62

**A-79003710** Pump, Water w/ Single Pulley 14.22 Lbs.
***Replaces:*** 129433 casting #, 229465



***For Models:*** E, E3

**A-74009278** Pump, Water 20.50 Lbs.
Casting # 4007925



***For Models:*** F2 SN 39201-49600, F3 SN 49601>, K2 SN 25201-27200, K3

**A-74025103** Thermostat, 180 Degree 0.15 Lbs.
Gasket not included - available from A&I as A-VPE3904.



***For Models:*** F W/ GAS ENG. SN <12200, (F2, K2 ALL W/ 433 DIESEL ENG.), L W/ D3500 ENG., L2 W/ 120 HP DIESEL ENG., M, M2

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com


**A-74037126** Pulley, Crankshaft (3 Groove) 19.04 Lbs.
***Replaces:*** 74028472



***Dim/Info:***
Outside Diameter - 7.562"
Pulley Grooves - 3

***For Models:*** L, (L2, L3 ALL SN <70-07546), MH2, MH3

**A-71367878** Pulley, Damper 16.98 Lbs.
***Replaces:*** 30-3467708



***For Models:*** (R42, R52, R62 ALL W/ 6T-830 or 6TA-830 Eng.)

**A-3923478** Camshaft 29.00 Lbs.
***Replaces:*** 303484807, 72511903



***For Models:*** (R42, R52, R62 ALL W/ 6T-830 or 6TA-830 Eng.)

**A-303436926** Gasket, Head Cover 0.20 Lbs.
***Replaces:*** 3905449



***For Models:*** (R42, R52, R62 ALL W/ 6T-830 or 6TA-830 Eng.)

**A-72511904** Pump, Engine Oil 5.44 Lbs.
***Replaces:*** 30-3436721, 72500258, 72500254, 72516471, 3930338



***For Models:*** (R42, R52, R62 ALL W/ 6T-830 or 6TA-830 Eng.)

**A-17C52** Bowl & Gasket, Fuel Sediment 0.14 Lbs.



***Dim/Info:***
Diameter - 2.00"
Height - 1.25"

**A-17C51** Bowl, Fuel 0.10 Lbs.



***For Models:*** G

**A-13194D** Screen, Sediment Bowl 0.01 Lbs.
Used w/ tall bowl.



***Dim/Info:***
7/16" Center Hole

***For Models:*** F2, K2, L2 W/ D2900 OR D3500 ENGINE

**A-71367887** Line, Fuel Supply, Lift Pump to Injection Pump 0.50 Lbs.
***Replaces:*** 3918873



***For Models:*** (R42, R52, R62 ALL W/ 6T-830 or 6TA-830 Eng.)

**A-72511908** Pump, Fuel Lift 1.84 Lbs.
***Replaces:*** 30-3437485, 72501526, 3936318, 72515601



***Dim/Info:***
Includes - Primer Lever

***For Models:*** (R42, R52, R62 ALL W/ 6T-830 or 6TA-830 Eng.)

**A-74009171** Turbocharger 16.70 Lbs.
TO4B80 turbo model
***Replaces:*** 311452, 4009171, 4062749, 4024238, 4008894, 409040-0010, 409040-0014, 74024238, 74008894, 409040-N010, 409040-RP10



***Dim/Info:***
Includes - Mounting Gaskets

***For Models:*** L, L2, L3, M2, M3

**A-30-3437728** Turbocharger 27.80 Lbs.



***Dim/Info:***
Includes - Mounting Gaskets

***For Models:*** (R42, R52 ALL W/O Wastegate)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# FILTERS



**A-74027979** Filter, Engine Oil 1.67 Lbs.
Spin On Type





***For Models:*** A, A2, C, C2, CH, CR, F SN 12201>, F2, F3, G

**A-70237000** Filter, Engine/ Hydraulic Oil 1.00 Lbs.
Spin On Type



***For Models:*** (E, F3 ALL W/ GAS ENGINE/OIL FILTER)

**A-01174420** Filter, Oil 2.83 Lbs.
***Replaces:*** 01173765



***For Models:*** R42 W/ Deutz Engine; SN 43001>, (R40, R50, R52 ALL W/ Deutz Engine)

**A-01174421** Filter, Oil 1.50 Lbs.
***Replaces:*** 01173430, 01160025




***For Models:*** (R60, R70 ALL W/ Deutz Engine), (R62, R72 ALL W/ Deutz Engine; SN <MJ62101)

**A-72501530** Filter, Fuel 0.83 Lbs.



***For Models:*** C62, R42 SN 43001>; Primary, (R52, R55 ALL Primary), R62 SN <MJ62101; Primary, R65 SN <HR62101 Cummins; Primary, R75 SN <HR72101 Cummins; Primary

**A-71367687** Filter, Diesel Fuel Element 1.60 Lbs.




***For Models:*** L W/ 2900, 3500 OR 670T ENGINE, M W/ 2900 OR 670T ENGINE

**A-71367686** Filter, Water Separator 1.50 Lbs.



***For Models:*** L2 SN 15501>, M, M2, MH2, N5 SN <4501, N6 SN <5101, N7 SN <2501

**A-01174423** Filter, Fuel 0.90 Lbs.
***Replaces:*** 01160243



***For Models:*** R42 SN 43001> W/ Deutz Engine; Primary, (R40, R50, R52 ALL W/ Deutz Engine; Primary)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com


**A-1755245M1** Starter Drive 1.40 Lbs.
Used w/ starters- A-1113402 , 1113672, & 1113391.

***Dim/Info:***
Heavy Duty




***For Models:*** (F, G, L ALL W/ DIESEL ENGINE)

**A-9001128** Tune Up Kit 0.15 Lbs.




***For Models:*** F 12201 >, G < 17001, K

**A-70243507** Tune Up Kit 0.08 Lbs.
Includes Point Set & Condensor



***For Models:*** (A, C, E, F ALL < 12201)

**A-21A2R** Tune Up Kit 0.11 Lbs.
Kit contains point, condenser & rotor



***For Models:*** A, C, E, G, F <12201

**A-71308106** Voltage Regulator, Alternator Internal (Heavy Duty) 0.08 Lbs.
Used w/ Delco Systems



***For Models:*** F2, F3, K2, L, L2, L3, M, M2, M3, MH2, MH3, N5, N7, R40, R42, R5, R7, R50, R52, R60, R62, R70, R72

**A-1118790** Voltage Regulator (6 Volt) 1.18 Lbs.



***For Models:*** G

**A-70269209** Solenoid, Delco 2.50 Lbs.

***Dim/Info:***
Horizontal Studs



***For Models:*** (R5, R6 ALL W/ 1113419 Delco Starter)

**A-70271857** Solenoid, Starter (12 Volt) 4.19 Lbs.
For Nippendenso # 0280004930



***For Models:*** L2, L3, M2, M3, MH2, MH3, N5, N6, R5, R6

**A-70237136** Solenoid, Starter (12 Volt) 0.80 Lbs.
Used w/ Delco Starter #'s 1107702, 1108650, 1107227, 1107265, 1107758

***Replaces:*** 74042622, 71127992



***For Models:*** A, B, C, F

**A-21A3R** Tune Up Kit 0.10 Lbs.
Kit contains heavy duty 1 pc. points, condenser & rotor for Delco distributors w/ clip held cap.



***For Models:*** A, B, C, F

**A-VLC2527** Battery Cut-Off, Heavy Duty 1.26 Lbs.

***Dim/Info:***
Heavy Duty
12 / 24 Volt, 250 Amp.
Max. Current: 2500 Amp. For 5 Seconds
Removable Key





***For Models:*** *ALL

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

## Sickle Sections




| Part No. | Description | Dim (A) | Dim (B) | Dim (C) | Pkg Qty | Fastener | Repl. No. |
|---|---|---|---|---|---|---|---|
| **A-422-003** | Section, Chrome 14ga Top Serrated | 2.875” | 2.000” | 1.125” | 10 | 7/32 X 5/8” | 71122784 |
| **A-432-051** | Plated 11 ga Big Tooth | 2.875” | 2.000” | 1.125” | 10 | 7/32 X 5/8” | 71135135 |
| **A-411-051** | Black 11 ga Top Serrated | 2.875” | 2.000” | 1.125” | 10 | 7/32 X 5/8” | 71351135 |
| **A-431-051** | Black 11 ga Big Tooth | 2.875” | 2.000” | 1.125” | 25 | 7/32 X 5/8” ctsk | 71351135 |
| **A-412-061** | Plated 11 ga Top Serrated | 2.875” | 2.000” | 1.125” | 10 | 7/32 X 5/8” ctsk | 71348175 |
| **A-432-061** | Plated 11 ga Big Tooth | | | | 10 | 7/32” x 5/8 | 71348175 |
| **A-111-001** | Black 11 ga Top Serrated | 2.500” | 2.000” | .875” | 10 | 7/32 X 5/8” ctsk | 71176531 |
| **A-112-001** | Plated 11ga Top Serrated | 2.5” | 2” | .875” | 10 | 7/32 x 5/8 | 179736C3, 71176531, 1053209M1 |
| **A-132-001** | Plated 11ga Big Tooth | 2.5” | 2” | .875” | 10 | 7/32 x 5/8 | 179736C3, 71176531, 1053209M1 |
| **A-612-173** | Plated Half 14 ga Smooth | | | | 10 | 7/32 X 5/8” | 71122802 |
| **A-622-041** | Black Twin pt 11 ga Top Serrated | 3.250” | 2.000” | | 10 | 7/32 X 5/8” ctsk | 71353125 |
| **A-632-041** | Section, Twin Point Black 11ga Big Tooth (CTSK) | 3.250” | 2.000” | | 10 | 7/32 X 5/8” ctsk | 71353125 |
| **A-612-140** | (10) RH End Sections, Chrm Top Ser | | | | 10 | 7/32 x 5/8 | 148200C1, E63245 |
| **A-611-130** | (10) RH End Sections, Blk Top Ser | | | | 10 | 7/32 x 5/8 | 9622715, 86617760 |
| **A-612-150** | (10) LH End Sections, Chrm Top Ser | | | | 10 | 7/32 x 5/8 | 700705463, E75474 |
| **A-611-140** | (10) LH End Sections, Blk Top Ser | | | | 10 | 7/32 x 5/8 | 86617759 |
| **A-712-730** | RH End Sections, Chrm Top Ser; Card of 2 w/Rivets | | | | | | |
| **A-712-730** | RH End Sections, Chrm Top Ser; Card of 2 w/Rivets | | | | | | |
| **A-712-750** | LH End Sections, Chrm Top Ser; Card of 2 w/ Rivets | | | | | | |
| **A-712-780** | (2) RH End Sections, Blk Top Ser | | | | | | |
| **A-712-810** | RH/LH End Sections, Chrm Top Ser | | | | | | |
| **A-712-820** | RH/LH End Sections, Blk Top Ser | | | | | | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Sickle Parts





*Pictures may not represent parts as listed.*

| Part No. | Description | Replaces | Application |
|---|---|---|---|
| **A-901-025** | Sickle Head | 71351136 | A, C, E, F, F2, G, K, K2, L, L2, M, M2, (N5, N6, N7 ALL double sickles) |
| **A-901-118** | Sickle Head | 71342809 | SEVERAL Newer Series 3 Headers |
| **A-529-016** | Wear Plate, 5.5" | 71116532, 71176537 | SEVERAL |
| **A-711-056** | 6" Wear Plate, Pack of 2 | | SEVERAL |
| **A-529-056** | Wear Plate, 6" | 71116532, 206196M1, 231303M1, 1039627M1 | SEVERAL Alternative to 529-016 |
| **A-529-156** | Wear Plate, 3/16 | 7116532, 206196M1, 231303M1, 1039627M1 | SEVERAL Alternative to 529-016 |
| **A-515-116** | Knife Clip, Bolted or Riveted | 71189684, 71346158, 206195M1, 143241M1 | SEVERAL Except Hart-Carter floating headers |
| **A-920-386** | Shim, .010 | | SEVERAL |
| **A-920-387** | Shim, .024 | | SEVERAL |
| **A-904-003** | (1lb) 7/32 x 5/8" CTSK Rivet | 700000583 | SEVERAL including heavy CTSK sections |
| **A-904-020** | (1lb) 7/32 x 1/2" OH Rivet | | SEVERAL |
| **A-904-021** | (1lb) 7/32 x 9/16" OH Rivet | | SEVERAL regular & heavy sections |
| **A-904-022** | (1lb) 7/32 x 5/8" OH Rivet | 1980897C1, 700000883 | SEVERAL extra heavy sections |
| **A-904-024** | (1lb) 7/32 X 3/4" OH Rivet | | SEVERAL extra heavy sections |
| **A-904-025** | (1lb) 7/32 x 7/8" OH Rivet | | SEVERAL |
| **A-904-027** | (1lb) 7/32 x 1" OH Rivet | | SEVERAL |
| **A-904-029** | (1lb) 7/32 x 1-1/8" OH Rivet | | SEVERAL |
| **A-904-040** | (1lb) 1/4 x 5/8" OH Rivet | | SEVERAL |
| **A-904-041** | (1lb) 1/4 x 7/8" OH Rivet | | SEVERAL |
| **A-904-042** | (1lb) 1/4 x 1" OH Rivet | | SEVERAL |
| **A-904-004** | (1lb) 7/32 x 7/8" CTSK Rivet | | SEVERAL |
| **A-904-005** | (1lb) 7/32 x 15/16" CTSK Rivet | | SEVERAL |
| **A-904-006** | (1lb) 7/32 x 1" CTSK Rivet | | SEVERAL |
| **A-904-008** | (1lb) 7/32 x 1-1/8" CTSK Rivet | | SEVERAL |
| **A-904-500** | (50) 7/32 x 5/8" Bolt & Nut | 700705296, AE57009, 86507777 | SEVERAL standard straight hole sections |
| **A-904-524** | (25) 7/32 x 7/8" Bolt & Nut | H125889, AE57010 | SEVERAL |
| **A-904-501** | (25) 7/32 x 1" Bolt & Nut | | SEVERAL |
| **A-904-525** | (50) 7/32 x 5/8" 60° CTSK Bolt & Nut | 700002978 | SEVERAL Headers w/ Floating cutter bars or Hart-Carter Generation II |
| **A-904-528** | (25) 7/32 x 1" 60° CTSK Bolt & Nut | | SEVERAL |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


## Sickle Assemblies



| Part No. | Description | # Sect | Head No. | OEM No. | Section No. |
|---|---|---|---|---|---|
| **A-801-219** | 13', Chrome 14ga Top Serrated, Bolt-On | 51 | 71351136 | 71188413 | 71122784 |
| **A-801-221** | 15', Chrome 14ga Top Serrated, Bolt-On | 59 | 71351136 | 71188415 | 71122784 |
| **A-801-236** | 24', Plated 11ga Top Serrated, Bolt-On | 95 | 71351136 | 71188324 | 71135135 |
| **A-901-025** | Sickle Head | | | 71351136 | |
| **A-904-500** | (50) 7/32 x 5/8" Bolt & Nut | | | | |
| **A-422-003** | Section, Chrome 14ga Top Serrated minimum order qty 10 | | | | 71122784 |

***For Models:*** A, C, E, F, G, K, L, M, F2, K2, L2, M2


## Sickle Assemblies




| Sickle No. | Description | Length | Section No. | Qty) Head | Qty) Center | Qty) Tail | Qty) Splice Kit |
|---|---|---|---|---|---|---|---|
| **A-71188415R** | 15', Black 14ga Big Tooth Assembly | 15 ft. | 71116939BT | 1) 803-173 | 1) 803-174 | 1) 803-176 | 2) 711-012 |
| **A-71188418R** | 18', Black 14ga Big Tooth Assembly | 18 ft. | 71116939BT | 1) 803-173 | 1) 803-174 | 1) 803-177 | 2) 711-012 |
| **A-71188424R** | 24', Black 14ga Big Tooth Assembly | 24 ft. | 71116939BT | 1) 803-173 | 2) 803-174 | 1) 803-177 | 3) 711-012 |

***For Models:*** A, C, E, F, G, K, L, M, F2, K2, L2, M2

## Sickle Assemblies



| Part No. | Description | # Sect | Head No. | OEM No. | Section No. |
|---|---|---|---|---|---|
| **A-901-025** | Sickle Head | | | 71351136 | |
| **A-904-500** | (50) 7/32 x 5/8" Bolt & Nut | | | | |
| **A-422-003** | Section, Chrome 14ga Top Serrated minimum order qty 10 | | | | 71122784 |

***For Models:*** (N5, N6, N7 ALL double sickles)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com


## Sickle Assemblies



| Part No. | Description | # Sect | Head No. | OEM No. | Section No. |
|---|---|---|---|---|---|
| **A-801-094** | 13', Chrome 11ga Top Serrated, Bolt-On | 52 | CIH-180497C1; GLN-71189917 | CIH-180467C91; GLN-71189901 | CIH-179736C3; GLN-71176531 |
| **A-830-500** | 15', Chrome 11ga Big Tooth, Riveted | 60 | CIH-180497C1; GLN-71189917 | CIH-180468C91; GLN-71189903 | CIH-179736C3; GLN-71176531 |
| **A-904-525** | (50) 7/32 x 5/8" 60° CTSK Bolt & Nut | | | | |

***For Models:***


## Sickle Assemblies



| Part No. | Description | # Sect | Head No. | OEM No. | Section No. |
|---|---|---|---|---|---|
| **A-800-134** | 13', Chrome 11ga Top Serrated, Riveted | 53 | 71307323 | 71307333 | 71176531 |
| **A-861-378** | 13', Chrome 11ga Big Tooth, Bolt-On | 53 | 71307323 | 71307333 | 71176531 |
| **A-800-135** | 15', Chrome 11ga Top Serrated, Riveted | 61 | 71307323 | 71307334 | 71176531 |

***For Models:*** SEVERAL Headers w/ Floating cutter bars, Hart-Carter Generation III,


## Sickle Assemblies




| Sickle No. | Description | Length | Section No. | Qty) Head | Qty) Center | Qty) Tail | Qty) Splice Kit |
|---|---|---|---|---|---|---|---|
| **A-71342524R** | Black 14ga Big Tooth Assembly | 24' | 71116939BT | 1) 803-188 | 2) 803-174 | 1) 803-177 | 3) 711-012 |
| **A-71342527R** | Black 14ga Big Tooth Assembly | 27' | 71116939BT | 1) 803-188 | 3) 803-174 | 1) 803-176 | 4) 711-012 |

***For Models:*** N Headers w/ Series 3, SN 19301->, F Headers w/ Series 3, SN 70001->, L, M Headers w/ Series 3, SN 61001->, R Headers w/ Series 3, 1985->

## Sickle Assemblies




| Part No. | Description | # Sect | Head No. | OEM No. | Section No. |
|---|---|---|---|---|---|
| **A-801-871** | 13', Black 11ga Top Serrated, Bolt-On | 51 | headless | 71348713 | 71351135 |
| **A-801-874** | 18', Black 11ga Top Serrated, Bolt-On | 71 | headless | 71348718 | 71351135 |

***For Models:*** (R, F, L, M, MH, R40, R50, R52, R62, R70, R72 ALL Series 3 Flex, and Rigid Cutterbars, 1986->)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

## Sickle Assemblies





| Sickle No. | Description | Length | Section No. | Qty) Head | Qty) Center | Qty) Tail | Qty) Splice Kit |
|---|---|---|---|---|---|---|---|
| **A-71348515R** | Black 14ga Big Tooth Headless Sickle Assembly | 15 ft. | 71116939BT | 1) 803-197 | 1) 803-174 | 1) 803-176 | 2) 711-012 |
| **A-71348518R** | Black 14ga Big Tooth Headless Sickle Assembly | 18 ft. | 71116939BT | 1) 803-197 | 1) 803-174 | 1) 803-177 | 2) 711-012 |
| **A-71356121R** | Black 14ga Big Tooth Headless Sickle Assembly | 20 ft. | 71116939BT | 1) 803-197 | 2) 803-174 | 1) 803-178 | 3) 711-012 |
| **A-71356124R** | Black 14ga Big Tooth Headless Sickle Assembly | 24 ft. | 71116939BT | 1) 803-197 | 2) 803-174 | 1) 803-177 | 3) 711-012 |
| **A-71356127R** | Black 14ga Big Tooth Headless Sickle Assembly | 27 ft. | 71116939BT | 1) 803-197 | 3) 803-174 | 1) 803-176 | 4) 711-012 |
| **A-71356130R** | Black 14ga Big Tooth Headless Sickle Assembly | 30 ft. | 71116939BT | 1) 803-197 | 3) 803-174 | 1) 803-178 | 4) 711-012 |

***For Models:*** (R, F, L, M, MH, R40, R50, R52, R62, R70, R72 ALL Series 3 Flex, and Rigid Cutterbars, 1986->)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


**A-71116504** Sickle Guard 1.08 Lbs.
Used on all models W/ NON FLOATING cutter bars.
***Replaces:*** Buchanan# BU225, W48843




***Dim/Info:***
forged
non-plate type
minimum order qty 25

***For Models:*** A, B, C, E, F, G, K, L, M, R

**A-71320143** Sickle Guard 1.45 Lbs.
Used on all models W/ FLOATING cutter bars.
***Replaces:*** 1176532, 1320143, 232155, 234006, BU231




***Dim/Info:***
1.875" X .187" (knife slot)
Two Prong
Bolt Diameter - .500" Square
Bolt Hole
minimum order qty 25

***For Models:*** ALL MODELS W/ Floating Cutter Bar

**A-CR7222** Guard, Knife 1.70 Lbs.
***Replaces:*** Crary # CR7222, Shoup # 417222, MCM # MCM7222



***For Models:*** ALL MODELS Except Using Hart Carter & Love


**A-BG424** Guard, Knife; Bottom, Tiger Jaws 1.45 Lbs.



***Dim/Info:***
minimum order qty 5

***For Models:*** (**HEAD, CUTTING PLATFORM**: 400, 500, 800)


**A-BU225** Forged Guard 1.08 Lbs.
***Replaces:*** FQ225, Buchanan# BU225; AGCO# 71386962




***Dim/Info:***
Type - Non-Plate
Material - Forged
Used For - All models W/ NON FLOATING cutter bars.
minimum order qty 25


***For Models:*** (**HEAD, CUTTING PLATFORM**: 700, 800, 7000, 7200, 8000, 8200, ALL MODELS 1984 -1989 1/2 For All Non-Floating Platforms)

**A-71341601** Guard, Knife; Double (Heavy Duty) 1.90 Lbs.




***For Models:*** (**HEAD, CUTTING PLATFORM**: ALL MODELS 1984 -1989 1/2 Flex Heads / Heavy Duty Non-Floating <1989, STD. On 1989>, 700, 800)

**A-529-016** Wear Plate, 5.5" 0.19 Lbs.
Fits all Gleaner combines w/ 3" spacing.
***Replaces:*** 71116532, 71176537



***Dim/Info:***
minimum order qty 25

***For Models:*** F2 65001>, (L, M ALL 48000>), MH 51001>, N 81001>

**A-71146965** Finger Guide (Poly) 0.05 Lbs.



***Dim/Info:***
minimum order qty 10

***For Models:*** F3, F, F2, F3, K, K2, L, L2, L3, M, M2, M3, MH2, MH3

**A-71188840** Finger Guide (Forged) 0.35 Lbs.
For Use With Corn Or Beans



***Dim/Info:***
Steel Finger Guides

***For Models:*** F3, F, F2, F3, K, K2, L, L2, L3, M, M2, M3, MH2, MH3

**A-71195242** Finger, 7 3/8" X 5/8" Diameter 0.60 Lbs.
Non-Floating



***Dim/Info:***
Length - 7-3/8"
Diameter - 5/8"

***For Models:*** F2, F3, K2, L2, L3, M2, M3, MH2, MH3

**A-71453629** Finger; Header Auger 1.30 Lbs.



***Dim/Info:***
Outside Diameter - .750"
Overall Length - 10.94"
Thread - 3/4-10 UNC RH Thrd
Thread Length - 1.62"

***For Models:*** (**HEAD, CUTTING PLATFORM**: 7200, 8200)

**A-71367264** Poly Reel Finger (End) 0.14 Lbs.



***Dim/Info:***
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: (400, 500, 700, 800 ALL SERIES HEAD))

**A-71367262** Poly Reel Finger (Wing Right) 0.14 Lbs.



***Dim/Info:***
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: (400, 700 ALL SERIES HEAD), (500, 800 ALL SERIES))

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# GRAIN HEAD PARTS

**A-71367263** Poly Reel Finger (Wing Left) 0.14 Lbs.



***Dim/Info:***
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: (400, 500, 700, 800 ALL SERIES HEAD))

**A-71367261** Poly Reel Finger (Double Wing) 0.18 Lbs.



***Dim/Info:***
minimum order qty 25

***For Models:*** (**HEAD, CUTTING PLATFORM**: (400, 500, 700, 800 ALL SERIES HEAD))

**A-71389107** Finger; LH Bat, Plastic (10/Pack) 0.14 Lbs.
Package of 10, Priced per piece



***Dim/Info:***
Includes - (10) Fingers & (10) Screws
Hardware Included
Spacing - 4.000"
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: 700, 800, 7000, 7200, 8000, 8200, 9250)

**A-783597** Tine, Plastic; Full Bat, For Level II Reel, w/ Screws 0.20 Lbs.
For Level II Reels: 1.375" tube w/ .500" hex holes spaced @ 6.000" apart. Tines have a hex nub that fits into a hex hole in the tube. Standard since 1999/2000.



***Dim/Info:***
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: 700, 800, 7000, 8000, 8200)


**A-71345318** Flex Tine, Combine Reel 0.10 Lbs.
***Replaces:*** 2763156M1



***Dim/Info:***
minimum order qty 50

***For Models:*** SEVERAL 3 Series SN 35001->, Headers 1984-1989 1/2, R SN 29501->, (**HEAD, CORN**: SEVERAL w/ tear drop style bats)

**A-91C246** Flex Tine, Combine Reel 0.14 Lbs.



***Dim/Info:***
minimum order qty 50

***For Models:*** SEVERAL with tear-drop style bats


**A-71127204** Reel Tooth 0.21 Lbs.



***Dim/Info:***
Length - 11.250"
Diameter - .187"


***For Models:*** A S/N 14053-30000, B RICE S/N 14053>, C, C2, E3 S/N 25001>, F, G S/N 17001>, K S/N <24200, L S/N <13000, M HILLSIDE S/N <15401, M SERIES, R S/N 14053-30000

**A-71129508** Steel Reel Finger (RH) 0.28 Lbs.
For Humes Reel




***Dim/Info:***
A - 11.50"
B - 1.50"
C - 3.00"

**A-481088** Steel Reel Finger (LH) 0.29 Lbs.



***Dim/Info:***
A - 11.50"
B - 1.50"
C - 3.00"

***For Models:*** A S/N 14053-30000, B S/N 14053>, C, C2, E, E3 S/N 25001>, F, F2, G, K S/N 24200>, K2 S/N <38501, L , L SERIES S/N <13000, L2, M SERIES, M2, MH2, N, (N5, N6, N7 ALL S/N <8101), R S/N 14053-30000, SEVERAL

**A-71195388** Shaft, Rear Drive 20.92 Lbs.
***Replaces:*** 71138629



***Dim/Info:***
58.125" long

***For Models:*** F w/ 13' grain head

**A-71195390** Shaft, Rear Drive 25.20 Lbs.
***Replaces:*** 71138630



***Dim/Info:***
70.187" long

***For Models:*** F w/ 15' grain head

**A-71138621** Shaft, Rear Drive 18.68 Lbs.



***Dim/Info:***
63.875" long

***For Models:*** K w/ 13' grain head

**A-71368702** Bearing; Reel Cam Follower Roller 0.60 Lbs.
For Hart Carter Level 1 & 2 MY 1990>
***Replaces:*** 66904



***Dim/Info:***
Outside Diameter - 1.500"
Overall Length - 1.738"
Thread Length - .739"
Thread Size - .394" (10MM)
Width - .875"

***For Models:*** (**HEAD, CUTTING PLATFORM**: (400, 500, 700, 800, 7000, 7200, 8000, 8200, 9250 ALL W/ Pipe Reel))


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-71369591** Sprocket, Upper Gathering Drive 2.55 Lbs.
For Hugger & Universal Hugger Heads.
***Replaces:*** 71504586, 71391292, 71432138



***Dim/Info:***
8 tooth
1" bore

***For Models:*** (**HEAD, CORN**: 3000, 3000 HUGGER, HUGGER, UNIVERSAL HUGGER)

**A-71359125** Sprocket, Lower Gathering Idler 1.50 Lbs.



***Dim/Info:***
8 tooth, 5/8" bore

***For Models:*** (**HEAD, CORN**: HUGGER, 3000)


**A-70595084** Sprocket, Lower Gathering Idler 1.60 Lbs.



***Dim/Info:***
8 tooth, 5/8" bore

***For Models:*** (**HEAD, CORN**: SEVERAL Black Frame Adjustable (1977-89))


**A-70577247** Sprocket, Gathering Chain Drive 3.12 Lbs.
Fits quick switch head 1975> & orange & black corn heads 1973-1989



***Dim/Info:***
9 tooth sprocket
.938" bore

***For Models:*** (**HEAD, CORN**: 330F, 330K, 335F, 335K, 430F, 430G, 435F, 435G, 438F, 438G, 440F, 440G, 537F, 537G, 537L, 537M, 630F, 630G, 630L, 630M, 635L, 635M, K238, L638, L640, L830)


**A-70574793** Chain, Gathering 11.00 Lbs.
Fits all adjustable row corn heads 1977-1987



***Dim/Info:***
CA550
57 links
7 Lugs / Tab

***For Models:*** SEVERAL


**A-71505705** Chain, Gathering 10.35 Lbs.



***Dim/Info:***
CA550 chain
50 endless links
6 Lugs / Tab

***For Models:*** (**HEAD, CORN**: 3000 HUGGER, 3000)


**A-71504124** Shaft, Snapping Roll (RH) 11.00 Lbs.
***Replaces:*** 70577489



***Dim/Info:***
30.625" long

***For Models:*** (**HEAD, CORN**: C430, C435, C440, C620, C630, C820, F430, F440, F620, G430, G435, G440, G630, G820, 3 SERIES 1985)


**A-71504125** Shaft, Snapping Roll (LH) 10.00 Lbs.
***Replaces:*** 70577490



***Dim/Info:***
29.375" long

***For Models:*** (**HEAD, CORN**: C430, C435, C440, C620, C630, C820, F430, F440, F620, G430, G435, G440, G630, G820, 3 SERIES 1985)


**A-70569418** Shaft, Snapping Roll 13.16 Lbs.
For double sprocket drive, use w/ short snapping roll point.
***Replaces:*** 70567481



***Dim/Info:***
34.812" long

***For Models:*** (**HEAD, CORN**: (238, 330, 335, 430, 435, 438, 440, 630, 638, 830 ALL orange frame))


**A-70569422** Shaft, Snapping Roll 13.40 Lbs.
For double sprocket drive, use w/ long snapping roll point.
***Replaces:*** 70567482



***Dim/Info:***
36.062" long

***For Models:*** (**HEAD, CORN**: (238, 330, 335, 430, 435, 438, 440, 630, 638, 830 ALL orange frame))

**A-71357371** Deflector, Snapping Roll 0.71 Lbs.
Fits all Hugger & Universal Hugger corn heads



***For Models:*** SEVERAL

**A-71360404** Counter Shaft, Feeder House 40.74 Lbs.
***Replaces:*** 71197444



***Dim/Info:***
62.250" long

***For Models:*** (N5, N6, N7, R60, R62 SN 63001-68000, R70, R72 SN 73001-78000)


**A-71360193** Shaft, Constant Speed 35.00 Lbs.



***Dim/Info:***
69.750" Long
21 & 21 Spline

***For Models:*** N5, N6, N7, R5 S/N 8001>, R6 S/N 10301>, R7 S/N 7001-8700, R40, R42, R50, R60, R62, R70

**A-71351081** Flute, Snapping Roll 2.14 Lbs.



***Dim/Info:***
3 used per roll
Heat Treated

***For Models:*** (**HEAD, CORN**: HUGGER 1998->, 3000)


**A-70586591** Blade Kit, Snapping Roll, Cornhead 12.30 Lbs.
Priced and shipped 4 blades per assembly.
***Replaces:*** 70562755



***Dim/Info:***
Heat Treated

***For Models:*** (**HEAD, CORN**: SEVERAL orange and black frame)


**A-70593131** Shaft, Row Unit Drive, Inner, Upper 7.32 Lbs.
Gear 70593112 (not included) is used with this shaft.



***Dim/Info:***
20.500" long

***For Models:*** (**HEAD, CORN**: (240, 328, 340, 428, 440, 536, 540, 628, 640, 828, 830, A236 ALL black frame))


**A-70593132** Shaft, Row Unit Drive, Outer, Upper 6.60 Lbs.



***Dim/Info:***
17.203" long

***For Models:*** (**HEAD, CORN**: (240, 328, 340, 428, 440, 536, 540, 628, 640, 828, 830, A236 ALL black frame))

**A-71358740** Shaft, Drive 2.72 Lbs.
***Replaces:*** 582145, 504075



***Dim/Info:***
10.500" long

***For Models:*** (**HEAD, CORN**: (240, 328, 340, 428, 440, 536, 540, 628, 640, 828, 830, A236 ALL black frame w/ 28"-30" row spacings))

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# CORN HEAD PARTS


**A-71358714** Shaft, Drive 3.34 Lbs.
*Replaces:* 70595632



***Dim/Info:***
12.687" long

***For Models:*** (**HEAD, CORN**: (240, 328, 340, 428, 440, 536, 540, 628, 640, 828, 830, A236 ALL black frame w/ 38"-40" row spacings))


**A-70577631** Shaft, Drive Sprocket 2.00 Lbs.



***Dim/Info:***
9.000" long

***For Models:*** (**HEAD, CORN**: C430, C435, C440, C620, C630, C820, F430, F440, F620, G430, G435, G440, G630, G820, 3 SERIES 1985)


**A-70581869** Extension, Countershaft (LH) 6.00 Lbs.



***Dim/Info:***
15.250" long
21 spline

***For Models:*** (**HEAD, CORN**: C430, C435, C440, C620, C630, C820, F430, F440, F620, G430, G435, G440, G630, G820)

**A-71502537** Extension, Countershaft (RH) 8.00 Lbs.
*Replaces:* 70581952, 70589321



***Dim/Info:***
19.750" long
21 spline

***For Models:*** (**HEAD, CORN**: C430, C435, C440, C620, C630, C820, F430, F440, F620, G430, G435, G440, G630, G820, 3 SERIES 1985)


**A-70595640** Sprocket, Coupler 0.98 Lbs.
*Replaces:* 70595632



***Dim/Info:***
Bore - 1.180"
Teeth - 12

***For Models:*** (**HEAD, CORN**: (240, 328, 340, 428, 440, 536, 540, 628, 640, 828, 830, A236 ALL black frame w/ 38"-40" row spacings))


**A-71354897** Coupler Sprocket, Drive 0.86 Lbs.



***Dim/Info:***
1.375" ID
21 spline
Teeth: 12

***For Models:*** (**HEAD, CORN**: SEVERAL)


**A-70595641** Coupler Sprocket, Drive 2.00 Lbs.



***Dim/Info:***
1.125" ID
6 spline

***For Models:*** (**HEAD, CORN**: SEVERAL black frame)


**A-70598059** Coupler 1.30 Lbs.



***Dim/Info:***
1.125" ID
6 spline

***For Models:*** (**HEAD, CORN**: SEVERAL black frame)


**A-70595622** Coupler, Upper Unit Drive 1.20 Lbs.
Other length couplers are available upon request.
*Replaces:* 70581129



***Dim/Info:***
1.960" long


***For Models:*** (**HEAD, CORN**: (328F, 328K ALL 77-79), (436F, 436G, 536F, 536G, 536L, 536M ALL 1977), (628F, 628G, 628L, 628M, 632F, 632G, 632L, 632M, L636, L828 ALL 77-87), (432F, 432G, 432K2, 432L, 432M, 436F, 436G, 436K2, 436L, 436M, 536F, 536G, 536L, 536M, 538F, 538G, 538L, 538M, 540F, 540G, 540L, 540M ALL 78-87), 628N, 628R, 828N, 828R)

**A-71359120** Bracket, Gathering Chain Idler 5.80 Lbs.
Fits all Hugger & Universal Hugger corn heads.



***For Models:*** (**HEAD, CORN**: SEVERAL)

**A-70584530** Sprocket, Upper Unit Drive 1.70 Lbs.



***Dim/Info:***
17 tooth
50 chain

***For Models:*** (**HEAD, CORN**: C430, C435, C440, C620, C630, C820, F430, F435, F440, F620, G430, G435, G440, G630, G820, 3 SERIES)

**A-70595642** Sprocket, Upper Unit Drive 2.08 Lbs.
*Replaces:* 70586190



***Dim/Info:***
12 & 17 tooth
60 & 50 chain

***For Models:*** (**HEAD, CORN**: C430, C435, C440, C620, C630, C820, F430, F435, F440, F620, G430, G435, G440, G630, G820, 3 SERIES)


**A-70582143** Sprocket, Unit Drive 3.02 Lbs.
*Replaces:* 70597864



***Dim/Info:***
20 tooth
60 chain

***For Models:*** (**HEAD, CORN**: C430, C435, C440, C620, C630, C820, F430, F435, F440, F620, G430, G435, G440, G630, G820, 3 SERIES)

**A-ACSPROCKET1** Sprocket w/ 1" Hole 0.30 Lbs.



***Dim/Info:***
3.000" dia
12 tooth

***For Models:*** (**HEAD, CORN**: SEVERAL)

**A-ACSPROCKET158** Sprocket w/ 1 5/8" Hole 0.22 Lbs.



***Dim/Info:***
3.000" dia
12 tooth

***For Models:*** (**HEAD, CORN**: SEVERAL)


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-71368092** Shaft, Feeder Pivot 25.28 Lbs.
*Replaces:* 71360829



***Dim/Info:***
46.625" long

***For Models:*** R60 SN 16501->, R70 SN 12501->

**A-71394659** Shaft, Feederhouse Pivot 41.50 Lbs.



***For Models:*** R65, R66, R75, R76, S67, S68


**A-71366039** Shaft; Pivot 15.25 Lbs.



***Dim/Info:***
Long - 25.50"

***For Models:*** R62, R65, R72, R75, S77

**A-71394665** Sprocket, Feeder Chain 8.40 Lbs.



***Dim/Info:***
2.000" Hex Bore
Teeth - 13

***For Models:*** C62 SN HL26101>, R55, R65 SN HM62101>, R66 SN HUT6101>, R75 SN HM72101>, R76 SN HUT7101>

**A-71336311** Pivot Shaft, Var. Speed Drive 28.80 Lbs.
*Replaces:* 71324277



***Dim/Info:***
56.250" long

***For Models:*** N5, N6, N7 SN 1201->

**A-71196050** Conveyor Shaft 24.33 Lbs.



***Dim/Info:***
41.810" long

***For Models:*** N5, N6, N7, R5 S/N 8001>, R6 S/N 10301>, R7 S/N 7001-8700, R60, R70


**A-71358435** Shaft, Rear Conveyor 20.04 Lbs.



***Dim/Info:***
37.560" long
21 spline

***For Models:*** R40, R50

**A-71184789** Drum, Feeder Beater; Non-Floating 95.00 Lbs.



***For Models:*** L, L2, L3


**A-71385636** Drum, PosiFeed Feeder 48.00 Lbs.
PosiFeed rollers are designed to improve feeding, reduce losses and increase speed. Unique paddle-style drum provides more aggressive and smoother feeding in light or heavy crops.



***Dim/Info:***
Length - 37-1/4"
Diameter - 7"

***For Models:*** R72

**A-71154157** False Bottom, Raddle Chain 160.00 Lbs.



***Dim/Info:***
67.750"
52.625"

***For Models:*** L, L2, L3

**A-71362345** Cover, Feeder House Bottom 40.00 Lbs.
Made of 3/16" (.187") abrasive resistant steel and will last 2 to 4 times longer than OEM 12 gauge (.1046") stainless steel material.

***For Models:*** (R60, R62, R70, R72 ALL 1992>)


*GLEANER

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# RADDLE CHAIN/FEEDER HOUSE CHAIN

## Feeder Chain/ Slats/ Raddle Chain



| Part No. | Description | Qty-Chain | Links | C-to-C of Sprockets | Applications | Wt. |
|---|---|---|---|---|---|---|
| **A-71309696** | Raddle Chain (Seperator) | 2-CA550 | 81 | 40 3/8 | F, (F2, F3 ALL SN 36201>) | 92.00 |
| **A-71309699** | Raddle Chain (Thresher) | 2-CA550 | 51 | 37 1/8 | M, M2, M3, MH2, MH3 | 46.00 |
| **A-71309698** | Raddle Chain (Seperator) | 2-CA550 | 89 | 42 3/8 | M, M2, M3, MH2, MH3 | 89.00 |
| **A-71309700** | Raddle Chain (Thresher) | 2-CA550 | 51 | 45 1/8 | L, L2, L3<br>Note: Front Thresher - Under Concave | 51.00 |
| **A-71309697** | Raddle Chain (Seperator) | 2-CA550 | 89 | 50 7/16 | L, L2, L3 | 102.00 |
| **A-71149964** | Chain Assembly, Feeder House | 3-CA557 | 112 | 19 1/4" | A65 SN HR87101>, A66 SN HUC6101>, A75 SN <HS36101<br>Note: Includes (38) A-2570050W2 Non-Serrated Slats.<br>Replaces: 2623913W91, 71449018 | 198.00 |
| **A-71449017** | Chain Assembly, Feeder House, 3 Strand | 3-CA557 | 112 | 24 7/8" | A75 SN <HS36101<br>Note: Includes (28) A-71387896 Non-Serrated Slats. | 268.00 |
| **A-71149911** | Chain, Feeder House; Rear | 3-CA557 | 76 | 15 3/4" | N5, N6, N7, R5, R6, R7, R60, R70<br>Note: Slat Every 2nd & 4th Link<br>Replaces: 71149833, 71149734, 71149921 | 145.00 |
| **A-71149915** | Chain, Feeder House; Front | 3- CA557 | 84 | 15 3/4" | N5 SN 4501>, N6 SN 5101>, N7 SN 2501>, R5, R6, R7, R60, R70<br>Note: Slat Every 2nd & 4th Link | 150.00 |
| **A-71149917** | Chain, Feeder House; Front | 2- CA550 | 85 | 15 3/4" | R40, R42 SN 43001 Thru 45001, R50, R52 SN 53001 Thru 55001<br>Note: Slat Every 6th Link | 94.00 |
| **A-71149940** | Chain Assembly, Rear Feeder House | 2-CA550 | 86 | 15 3/4" | R40, R42, R50, R52, R55<br>Note: Slat Every 6th Link | 85.00 |
| **A-71149938** | Chain, Feeder House; Front | 2-CA557 | 97 | 15 3/4" | R42 SN's <43001 & 45001>, R52 SN's <53001 & 55001>, R55<br>Note: Slat Every 6th Link | 115.00 |
| **A-71149958** | Chain Assembly, Front Feeder House, 3 Strand, Serrated Slats | 3-CA557 | 97 | 15 5/8" | R62, R65 SN <HS62101, R72, R75 SN <HS72101<br>Note: Slat Every 2nd & 4th Link | 175.00 |
| **A-71412327** | Chain Assembly; Front Feeder House, 4 Strand, Serrated Slats | | | | R65 SN HS62101>, R66 SN HUT6101>, R75 SN HS72101>, R76 SN HUT7101>, S67, S77 | 200.00 |
| **A-71149960** | Chain Assembly, Rear Feeder House | 3-CA557 | 89 | 15 5/8" | R62, R65 SN <HS62101, R72, R75 SN <HS72101<br>Note: Slat Every 2nd & 4th Link | 160.00 |
| **A-71149960-S** | Chain, Feeder House; Rear | 3-CA557 | 89 | 15 5/8" | R62, R72<br>Note: Slat Every 2nd & 4th Link; Serrated Deep Channel Slats For Corn | 160.00 |
| **A-71335675** | Slat, Feeder House Chain, 3/8" Holes | | | | N5, N6, N7, R5, R6, R7, R60, R62 SN <63001, R70, R72 SN <73001 | 3.00 |
| **A-71375336** | Slat, Feeder House Chain, Serrated | | | | R62, R65 SN <HS62101, R72, R75 SN <HS72101 | 3.00 |
| **A-71344422** | Slat, Feeder House Chain, 3/8" Holes | | | | R40, R42 SN <45001, R50, R52 SN <55001 | 4.00 |
| **A-71373687** | Slat, Feeder House Chain, Serrated | | | | R42 SN 46001>, R52 SN 56001>, R55 | 4.00 |
| **A-71381694** | Slat, Feeder House | | | | C62 | 4.00 |


Truck icon indicates that the item is shipped via truck freight.

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Channels / Discharge Bars




| Part No. | Description Qty | Type | Applications | Wt. |
|---|---|---|---|---|
| **A-71363610** | Channel, Helical; 1st - 5th Thresher, P3 Processor | | R42, R52, R62, R72 | 3.30 |
| **A-71363611** | Channel, Helical; 6th & 7th Seperator, P3 Processor | Black | R42, R52, R62, R72 | 4.00 |
| **A-71363612** | Channel, Helical; Seperator Cage (Black) | | R42, R52, R62, R72 | 3.00 |
| **A-71357953** | Blade, Impeller (processor-1 side serrated), Combine | | N5 S/N 6101>, N6 S/N 7301>, N7, R5 S/N 8001>, R6 S/N 10301>, R7 S/N 7001-8700, R40, R42, R50, R52 S/N <53001, R60, R62, R70, R72 S/N <73001 | 3.46 |
| **A-71359337** | Paddle, Cylinder Discharge; Long, Chrome 16.000" Long | Chrome | (R60, R70 ALL P3 Processor), R62 SN <69003, R72 SN <79001 ***Note:*** 8 Required | 8.00 |

*GLEANER

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

## Concaves



| Part No. | Description | Qty | Applications | Wt. |
|---|---|---|---|---|
| **A-71390005** | Concave; High Wire, Small Grain | 1 Piece | A65, A66, A75, A76<br>Note: Wires .250" Down From Top Of Cross Bar<br>Replaces: (1) 2470701W91 | 59.00 |
| **A-104904W91** | Concave; Low Wire, Small Grain | 1 Piece | A65, A66, A75, A76<br>Note: Wires .500" Down From Top Of Cross Bar | 66.00 |
| **A-71185216** | Concave (7 Bar) | | L, L2, L3 | 200.00 |
| **A-71185115** | Concave Bar Channel<br>Includes: Hardware | 2 Required | L, L2, L3 | 4.00 |
| **A-71185113** | Concave Bar Channel<br>Includes: Hardware | 5 Required | C, C2, M, M2, M3 | 8.00 |
| **A-71370963** | Concave Frame Assembly (Lo-Wire, Black, Small Grain) | | R62 SN 64001 Thru 65000, R72 SN 74001 Thru 75000 | 160.00 |
| **A-71377145** | Concave Grate (Lo-Wire, Narrow Spaced), Black | | R62 SN 68001 Thru HL62999, R72 SN 78001 Thru HL72999 | 107.00 |
| **A-71139306** | Bar Channel, Concave<br>Includes: Hardware | | F, F2, F3 | 7.00 |
| **A-71371356** | Concave, Frame/Weldment (Hi-Wire, Wide Spaced), Black | | R62 SN 65001>, R72 SN 75001>, R65, R75 | 160.00 |
| **A-71346928** | Strip, Concave Wear (Chrome)<br>37.44" Length | 1.00" | R62, R65, R66, R72, R75, R76 | 2.72 |


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Cylinder Rasp Bars



| Part No. | Description Qty | Type | Applications | Wt. |
|---|---|---|---|---|
| **A-71355265** | Cylinder Bars, P1 Processor 8 LH | Chrome, Long, Thresher Cylinder, Angle Bars | N5, N6, N7, R5, R6, R7, R60 P1 Processor; SN 12701-16500, R70 P1 Processor; SN 8701-12500<br>***Replaces:*** 71355265<br>***Includes:*** Mounting Hardware | 93.00 |
| **A-71367933** | Cylinder Bar, P3 Processor, Set of 2 | Forward, Hardened, Narrow Spaced Teeth, 1/2" | R40, R42, R50, R52, R60 SN 16501>, R62, R70 SN 12501>, R72<br>***Includes:*** 1/2" X 1" / 1 1/4" NC Grade 8 Fasteners | 12.00 |
| **A-71371511** | Cylinder Bar, P3 Processor. Forward 1/2" Spaced (Set Of 2) | Forward, Chrome, Narrow Space Teeth, 1/2" | R40, R42, R50, R52, R55, R60 P3 Processor; SN 16501>, R62, R65, R70 P3 Processor; SN 12501>, R72, R75, R76<br>***Replaces:*** 71359343<br>***Includes:*** 1/2" X 1" / 1 1/4" NC Grade 8 Fasteners | 12.00 |
| **A-71371520** | Cylinder Bar, Forward 3/4" Spaced (Set Of 2) | Forward Chrome w/ Wide Spaced Teeth - 3/4" | A65, A66, A75, A76, A85, A86, R40, R42, R50, R52, R55, R60 P3 Processor; SN 16501>, R62, R65, R66, R70 P3 Processor; SN 12501>, R72, R75, R76, (S67, S77 ALL SN BHTV6101-CHTV7999)<br>***Replaces:*** 71362671<br>***Includes:*** 1/2" X 1" / 1 1/4" NC Grade 8 Fasteners | 12.00 |
| **A-71371520H** | Cylinder Rasp Bar - | Forward Hardened w/ Wide Spaced Teeth (3/4") | R40, R42, R50, R52, R60 SN 16501>, R62, R70 SN 12501>, R72<br>***Includes:*** Mounting Hardware | 12.00 |
| **A-71371526** | Cylinder Bars, Reverse, 3/4" Spaced (Set Of 2) | Reverse, Chrome Bars w/ Wide Spaced Teeth - 3/4" | A65, A66, A75, A76, A85, A86, R40, R42, R50, R52, R60 P3 Processor; SN 16501>, R62 SN 63001>, R65, R66, R70 P3 Processor; SN 12501>, R72 SN 73001>, R75, R76, (S67, S77 ALL SN BHTV6101-CHTV7999)<br>***Replaces:*** 71362672<br>***Includes:*** 1/2" X 1" / 1 1/4" NC Grade 8 Fasteners | 12.00 |
| **A-71371526H** | Cylinder Rasp Bar - | Reverse Hardware w/ Wide Spaced Teeth (3/4") | R40, R42, R50, R52, R60 SN 16501>, R62, R70 SN 12501>, R72<br>***Includes:*** Mounting Hardware | 12.00 |
| **A-71327790** | Bar, Helical; Seperator | | N5, N6, N7, R5, R6, R7, R60 SN <15801, R70 SN <11801 | 1.00 |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



Truck icon indicates that the item is shipped via truck freight.

# THRESHING AREA SHAFTS - SPROCKETS, SHEAVES & HUBS

**A-71302369** Gudgeon, Feeder Beater 4.30 Lbs.



***Dim/Info:***
8.962" long

***For Models:*** L2, L3, M2, M3

**A-71375718** Shaft, Feeder Pivot (1 3/4" Hex) 32.90 Lbs.
If Replacing 71368573 Shaft (1 1/2") For R62 SN <63000 & R72 SN <73000, You Must Also Order Sprockets Part# 71368861 And Spacer Part# 71386854.
***Replaces:*** 71369208



***Dim/Info:***
48.75" long
21 Spline

***For Models:*** R62, R72

**A-71158707** Shaft, Beater 21.00 Lbs.



***Dim/Info:***
50" long

***For Models:*** M2, M3, MH2, MH3

**A-71173814** Countershaft, Thresher 30.14 Lbs.



***Dim/Info:***
57.562" long

***For Models:*** (F, F2, F3 ALL used w/ variable speed drive)


**A-71164667** Countershaft, Thresher 18.54 Lbs.



***Dim/Info:***
52.625" long

***For Models:*** (F, F2, F3 ALL used w/ fixed belt drive)

**A-71318877** Countershaft, Thresher 41.50 Lbs.
***Replaces:*** 195580, 302459



***Dim/Info:***
67.953" long

***For Models:*** L2, L2 RICE, L3

**A-71318878** Countershaft, Thresher 38.62 Lbs.
***Replaces:*** 302460



***Dim/Info:***
63.953" long

***For Models:*** M, M2 RICE, M3

**A-71360412** Countershaft, Variable Speed 37.90 Lbs.



***Dim/Info:***
62.25" long

***For Models:*** R40, R42, R50, R52

**A-71182723** Sprocket, Feeder Beater & Raddle RH Drive 2.44 Lbs.



***Dim/Info:***
18 & 16 tooth
50 chain
3.517" & 3.919" OD
1.377" ID

***For Models:*** L, L2, L3, M, M2, M3, MH


**A-71113826** Chain Idler Block 0.16 Lbs.



***Dim/Info:***
Length - 3-13/16"
Width - 1-1/4"

***For Models:*** A, E, E3, F, F2, F3, G, K, K2, (**HEAD, CORN**: SEVERAL)

**A-71191273** Bushing, Sprocket 0.10 Lbs.



***For Models:*** L2, L2 RICE, L3, M2, M2 RICE, M3

**A-71182337** Sprocket, Beater Drive 1.36 Lbs.



***Dim/Info:***
18 tooth
50 chain
3.919 OD, 1.000" ID

***For Models:*** L, L2, L3, M, M2, MH

**A-71194576** Sprocket, Feeder Beater Drive 5.79 Lbs.



***Dim/Info:***
44 tooth
50 chain

***For Models:*** (L2, L3, M2, M3 ALL use w/ floating beater)

**A-71195201** Sprocket, Separator Raddle 7.00 Lbs.
includes 2 bushings,



***Dim/Info:***
38 & 26 tooth
50 chain
7.918" & 5.523" OD
1.250" ID

***For Models:*** L2, L2 RICE, L3, M2, M2 RICE, MH2, M3, MH3

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-71166372** Sprocket, Thresher Raddle Drive 1.68 Lbs.
includes 2 bronze bearings



***Dim/Info:***
22 tooth
50 chain
4.722" OD, 1.000" ID

***For Models:*** L, L2, L2 RICE, L3, M, M2, M2 RICE, MH, MH2, M3, MH3

**A-71135986** Bushing, Raddle Sprocket 0.07 Lbs.



***For Models:*** C, C2, E3 S/N 25001>, F, F2, F3, G, K S/N <24200, K2 S/N 24201-27200, L SERIES S/N <13000, L2 S/N 13001-28000, L3 S/N 13001>, M Hillside S/N <15401, M SERIES, M2 S/N 15401- 25901, M3 S/N 15401>, MH2, MH3, MH3 S/N 25901>


**A-71194503** Sprocket, Idler (Thresher Area) 4.30 Lbs.



***Dim/Info:***
30 tooth & 12 tooth
both 50 chain
6.320" & 2.700" OD
1.190" ID

***For Models:*** (L2, L3 ALL SN 13001->), (M2, M3 ALL SN 15401->)

**A-71128926** Sprocket, Tightener 1.18 Lbs.



***Dim/Info:***
21 tooth
50 chain
4.520" OD, .638" ID

**A-71126056** Bearing 0.03 Lbs.

***For Models:*** C2, E, L, L2, M2, N5, N6, N7, R40, R50

**A-71131901** Sprocket, Cylinder Drive 1.84 Lbs.



***Dim/Info:***
18 tooth
50 chain
3.919" OD, 1.250" ID

***For Models:*** E, E3, F, F2, F3, G, K, L, L2, L3, M, M2, M3

**A-71301962** Hub for w/ Var. Speed Threasher Countershaft 9.00 Lbs.



***Dim/Info:***
Length - 6.16"
Teeth - 37

***For Models:*** (L, L2, L3, M, M2, M3 ALL w/ variable speed countershaft), N5, N6, N7, R40, R42, R52, R60, R62, R70, R72

**A-71301767** Shaft, Power Output 12.00 Lbs.



***Dim/Info:***
Spline Count - 10
Length - 19.750"

***For Models:*** F2 w/ 4 cyl diesel 4-331 eng, F3


**A-71131910** Bearing, PTO Output Shaft 1.30 Lbs.
***Replaces:*** 72161731, 158363A



***Dim/Info:***
Inside Diameter - 1-17/32"
Outside Diameter - 3-9/64"

***For Models:*** E SN 13501>; Threshing Cylinder, (E3, F, F2, F3, G, K2, L, L2, L3, M, M2, M3, MH2, MH3 ALL Threshing Cylinder)


**A-71131341** Input Shaft, Main Drive Clutch 10.08 Lbs.



***Dim/Info:***
Length - 19.375"

***For Models:*** E, E3, F, F2, K, K2

**A-71347791** Input Shaft, Main Drive Clutch 14.40 Lbs.
***Replaces:*** 71191279



***Dim/Info:***
Length - 18.35"

***For Models:*** (F2, F3 ALL SN 36201-48200)


**A-71341457** Shaft, Engine Power 24.76 Lbs.



***Dim/Info:***
Length - 32"

***For Models:*** N5, N6, R5, R6


**A-71192723** Shaft, Engine Rear PTO 10.50 Lbs.



***Dim/Info:***
Spline Count - 10
Length - 18.687"

***For Models:*** (L3, M2, M3 ALL 2900 & 649T engines)


**A-71144500** Shaft, Front PTO Unloading Auger Countershaft 2.06 Lbs.



***Dim/Info:***
Length - 10.600"

***For Models:*** (E, F2, F3 ALL diesel engines, SN 36201-39200)

**A-71348451** Shaft, Main Clutch 60.25 Lbs.



***Dim/Info:***
Length - 73.940"

***For Models:*** L3 hydro


**A-71333340** Shaft, Main Clutch 71.50 Lbs.
***Replaces:*** 71318892



***Dim/Info:***
Length - 66"

***For Models:*** (M2, M3 ALL hydro only, SN 19901-25900)

**A-71154856** Hydro Shaft For DynaPower Brand Hydro 6.55 Lbs.



***Dim/Info:***
Spline Count - 17 / 34

***For Models:*** E, F2, F3, G, L, L2, L3, M, M2, M3, N5, N6

**A-71184195** Disc, Wheel Brake 12.08 Lbs.
***Replaces:*** 71884195



***For Models:*** L SN 2601->, (L2, L3 ALL SN 13001-28000), (M2, M3 ALL SN 15401-25900), N5, N6, N7

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

*GLEANER

Truck icon indicates that the item is shipped via truck freight.

# SEPARATOR SHAFTS, GEARS, & PARTS


**A-71152871** Driveshaft, Shoe 21.40 Lbs.



***Dim/Info:***
59.125" long
1.250" dia.

***For Models:*** L SN <-13000, L2, L3 SN 13001-24000, L3 SN 28001->


**A-71137725** Shaft, Eccentric 11.26 Lbs.



***Dim/Info:***
47.940" long

***For Models:*** F, F2, F3

**A-71130745** Shaft, Eccentric 8.90 Lbs.



***Dim/Info:***
37.370" long

***For Models:*** F, F3, K, K2


**A-71371841** Shaft, Shaker Shoe Eccentric 45.00 Lbs.



***Dim/Info:***
Length - 70.06"

***For Models:*** R62 SN 66001>, R65, R66, R72 SN 76001>, R75, R76, S67, S77


**A-71132247** Shaft, Raddle Drive 6.00 Lbs.



***Dim/Info:***
39.620" long

***For Models:*** F, F3, K, K2


**A-71138146** Shaft, Raddle Drive 8.00 Lbs.



***Dim/Info:***
50.120" long

***For Models:*** F, F2, F3

**A-71194231** Shaft, Raddle Drive 21.00 Lbs.



***Dim/Info:***
62.500" long

***For Models:*** L, L2, L3


**A-71389614** Shaft, Separator Main Clutch 88.00 Lbs.
***Replaces:*** 71353355



***Dim/Info:***
68.560" long
30 spline

***For Models:*** R40 S/N 2001>, R42, R50 S/N 3501>, R52

**A-71356017** Shaft, Separator Clutch (RH) 70.00 Lbs.
***Replaces:*** 71341482



***Dim/Info:***
58.750" long
2.500" OD

***For Models:*** N5 SN 6101->, N6 SN 7301->, N7 SN 4501->, R5, R6, R7, R60 SN 16501>, R70 SN 12501>

**A-71350808** Shaft, Separator Clutch (LH) 21.16 Lbs.
***Replaces:*** 71327297



***Dim/Info:***
24.06" long

***For Models:*** N5, N6, N7 SN 1768->, R60, R70

**A-71353355** Shaft, Main Clutch 88.00 Lbs.



***Dim/Info:***
68.560" long
30 spline

***For Models:*** R40, R42 S/N <48001, R50, R52 S/N <58000


**A-71130258** Bearing, Flange 0.55 Lbs.



***Dim/Info:***
Bore - 85 mm
Bolt Circle - 4.750"

***For Models:*** C62, F, R40, R42, R50, R52, R62, R72

**A-71197852** Tie Rod, Shoe Shaker 6.56 Lbs.



***Dim/Info:***
75.87" long

***For Models:*** N5 S/N <6101, N5 S/N 6101>, N6 S/N <7301, N6 S/N 7301>, N7, R5 S/N 8001>, R6 S/N 10301>, R7 S/N 7001-8700, R60, R62 S/N 63001-68000, R70, R72 S/N 73001-78000


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-71193821** Sprocket w/ Threaded Bore, Fan Shaft 1.96 Lbs.



***Dim/Info:***
12 & 15 tooth
50 chain

***For Models:*** L2, L3, M2, M2 RICE, M3


**A-71158534** Sprocket, Fan Shaft 1.22 Lbs.



***Dim/Info:***
15 tooth
50 chain
1.000" ID thread

***For Models:*** F2, F3, K2, L, L2, L2 RICE, M, M2, M2 RICE


**A-71181238** Sprocket, Walker Crank (RH) 2.30 Lbs.
located on slip clutch side



***Dim/Info:***
15 tooth
2050 chain
6.320" OD, 2.305" ID

***For Models:*** L, L2, L2 RICE, L3, M, M2, M2 RICE, M3, MH, MH2, MH3


**A-71320621** Sprocket, Walker Drive 3.46 Lbs.



***Dim/Info:***
38 tooth
50 or 2050 chain
7.918" OD, 2.304" ID

***For Models:*** F2, F3, K2


**A-71158564** Sprocket, Cleaning Shoe Drive (LH) 8.00 Lbs.



***Dim/Info:***
56 tooth
50 or 2050 chain
11.500" OD, 3.506" ID

***For Models:*** F2, F3, K2, L, L2, L3, L2 RICE, M, M2, M2 RICE, M3, MH, MH2, MH3


**A-71318349** Sprocket, Clean Grain Auger Drive w/ Bushings 6.24 Lbs.



***Dim/Info:***
44 tooth
50 or 2050 chain
9.114" OD

***For Models:*** F2, F3, K2

**A-71157144** Bushing, Sprocket 0.11 Lbs.



***Dim/Info:***
1.75" OD
1.00" ID

***For Models:*** F2, F3, K2, L2, L2 RICE, L3, M2, M2 RICE, M3, MH2, MH3


**A-71177592** Sprocket, Clean Grain or Tailings Auger Drive 1.62 Lbs.
***Replaces:*** 71147880



***Dim/Info:***
22 tooth
50 or 2050 chain
4.722" OD, 1.000" ID

***For Models:*** F Clean Grain, (F2, F3 ALL Clean Grain SN 36201-46200), G Clean Grain SN 7401->, K Clean Grain SN <-24200, K2 Clean Grain, L2 Tailings SN 19501-28000, L3 Tailings SN 19501->, M2 Tailings SN 21901-25900, M3, MH2 Tailings SN 19901-25900, MH3


**A-71130746** Sprocket Crank Assy., Shoe Drive (RH) 3.25 Lbs.



***Dim/Info:***
26 tooth
50 or 2050 chain
5.523" OD, 1.000" ID

***For Models:*** A, A2, B, C, E, E3, F, F2, F3, K, K2, R


**A-71189701** Sprocket Crank Assy., Shoe Drive (LH) 11.82 Lbs.



***Dim/Info:***
56 tooth
50 or 2050 chain
11.500" OD

***For Models:*** F2, K2


**A-71137876** Sprocket Crank Assy., Shoe Drive (RH) 3.32 Lbs.



***Dim/Info:***
13 tooth
2050 chain
5.555" OD, 1.250" ID

***For Models:*** G, L, L2, L3, L2 RICE, M, M2, M2 RICE, M3, MH, MH2, MH3

**A-71137714** Sprocket Assy., Walker Crank (LH Side) 2.94 Lbs.



***Dim/Info:***
28 tooth
50 or 2050 chain
5.922" OD, 1.250" ID


***For Models:*** E, E3, F, F2, F3, K, K2, L, L2, L2 RICE, L3, M2, M2 RICE, M3, MH2, MH3

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# SEPARATOR SPROCKETS & SHEAVES


**A-71137877** Sprocket, Separator Drive 2.00 Lbs.



***Dim/Info:***
19 tooth
50 or 2050 chain
4.121" OD, 1.250" ID

***For Models:*** F2, F3, G, L, L2, M, M2

**A-71185479** Sprocket, Seperator Beater 2.84 Lbs.
Used On Models With Slip Clutch



***Dim/Info:***
14 Tooth
2050 chain

***For Models:*** F2, F3, K2 SN 24201-27200, L, L2 SN 15501-28000, L3, M2 SN 15401-25900, M3, MH2 SN 19901-25900, MH3


**A-71311148** Sprocket, Raddle 2.00 Lbs.



***Dim/Info:***
7 Tooth
.875" Bore

***For Models:*** F SN 12201-32201, (F2, F3 ALL SN 36201-48200), G, K SN 8201->, K2 SN 24201-27200, N6 SN <-1501


**A-71311147** Sprocket, Raddle (Thresher & Seperator) 1.44 Lbs.



***Dim/Info:***
7 tooth
1.250" bore

***For Models:*** L SERIES S/N <13000, L2, L3, M S/N <15401, (M2, M3 ALL SN 15401>), MH2, MH3


**A-71160426** Sprocket, Raddle Idler 1.05 Lbs.



***Dim/Info:***
.500" Bore

***For Models:*** F, G, L, M


**A-71155014** Straw Walker 78.00 Lbs.



***Dim/Info:***
Type - Lip Type Louvers

***For Models:*** M, M2, M3, MH2, MH3


**A-71308646** Walker Wood Block 1.00 Lbs.



***Dim/Info:***
Includes - Hardware
Quantity - Set Of 2

***For Models:*** E, E2, E3, F, F2, F3, G, K, K2, K3, L, L2, L3, M, M2, M3

**A-WLV4** Square Adjustable Chaffer Wire, 64" 0.28 Lbs.



***For Models:*** SEVERAL

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.




P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Chaffers




| Part No. | Description | Type | Spacing | Width | Length | Applications | Wt. | |
|---|---|---|---|---|---|---|---|---|
| **A-71308755** | Chaffer, Top; Short Finger | Long Shoe | 1 1/8" | 52.69" | 56.60" | L2 SN 19501>, L3 | 73 | |
| **A-71373460** | Chaffer, Top; Short Finger | Long Shoe | 1 1/8" | 62.25" | 63.94" | R62 SN 65001>, R72 SN 76001> | 120 | |
| **A-71320090** | Chaffer, Top; Long Finger | Long Shoe | 1 5/8" | 52.69" | 56.60" | L2 SN 19501>, L3 | 73 | |
| **A-71373461** | Chaffer, Top; Long Finger | Long Shoe | 1 5/8" | 62.250" | 63.940" | R62 SN 65001>, R72 SN 76001> | 105 | |
| **A-71330723** | Sieve, Bottom; Blunt Finger | Short Shoe | 1 1/8" | 40.000" | 42.630" | R40, R42 SN <46000, R50, R52 SN <56000 | 70 | |
| **A-71369796** | Sieve, Bottom; Blunt Finger | Long Shoe | 1 1/8" | 60.750" | 57.250" | R62 SN 65001>, R72 SN 76001> | 105 | |
| **A-71194972** | Bushing, Shoe | | | 2.218" OD | 1.25" long | L2, L3, M2, M3, MH2, MH3, N5, N6, N7, R5, R6, R7, R40, R42, R50, R52, R60, R62, R70, R72 | 0.18 | |
| **A-71118097** | Bushing, Shoe Hanger minimum order qty 4 | | | 1.168" OD | 1.45" long | A SN 28777-30000, B SN 19101>, C, C2, E, E3, F, F2, F3, G, K, K2, L, L2, L3, M, M2, M3, MH2, MH3, N5, N6, N7, R SN 28777-30000, R5, R6, R7, R40, R42, R50, R52, R60, R62, R70, R72 | 0.13 | |




Replacement parts are for A&I replacement chaffers and sieves only.


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

*GLEANER

Truck icon indicates that the item is shipped via truck freight.


# CHAINS, CLEAN GRAIN & RETURN ELEVATOR

## Chain, Clean Grain Elevator



| Part No. | Links-Chain | Paddle Size | Qty-Paddle | Applications |
|---|---|---|---|---|
| **A-71149384** | 165-CA550 | 4 3/4" x 3" | 41-1148237 | F, F2, F3, G, K2 |
| **A-71149517** | 160-CA550 | 5 1/2" x 3 7/8" | 40-EPGGLLR | (L, L2, L3, M, M2, M3 ALL w/ 5.750" std housing) |
| **A-71149583** | 160-CA550 | 7" x 3 3/4" | 40-1186220 | (L, L2, L3, M, M2, M3 ALL w/ 7.250" hi-cap housing) |
| **A-71149844** | 148-CA550 | 7" x 3 3/4" | 37- 1364944 | R40, R42 sn <-43000, R50, R52 sn <-53000 |
| **A-71149578** | 136-CA550 | 8 1/2" x 4 1/4" | 34-1197156 | N5, N6, N7, R5, R6, R7, R60, R70 |
| **A-71393534** | 152-CA550 | 8 1/2" x 4" Rubber Paddles | 38-1364946 | A65, A75, C62, R42 SN 43001>, R52 SN 53001>, R55 SN HN52101->, R62, R66, R72, R76 |

## Chain, Return Elevator




| Part No. | Links-Chain | Paddle Size | Qty-Paddle | Applications |
|---|---|---|---|---|
| **A-71149475** | 165-CA550 | 3 3/4" x 1 1/2" | 21- EPRGLGR | F, F2, F3, G, K2 |
| **A-71149503** | 168-CA550 | 4 3/4" x 1 3/8" | 22- EPRGLLGR | L, L2, L3, M, M2, M3 |
| **A-71149843** | 123-CA550 | 4 11/16" x 3" | 30-1364943 | R40, R42, R50, R52, R62, R72, R76 |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-71196601** Door, Clean Grain Elevator; Solid 10.00 Lbs.




***For Models:*** C62, N5, N6, N7, R5, R6, R7, R42 SN 43001>, R52 SN 53001>, R60, R62, R65 SN <HP62101, R70, R72, R75 SN <HP72101

**A-71327266** Door, Clean Grain Elevator; Perforated 3.75 Lbs.



***For Models:*** C62, N5, N6, N7, R5, R6, R7, R42 SN 43001>, R52, R52 SN 53001>, R60, R62, R65 SN <HP62101, R70, R72, R75 SN <HP72101

**A-71367407** Door, Tailings Elevator; Solid 5.30 Lbs.



***For Models:*** C62, N5, N6, N7, R5, R6, R7, R40, R42, R50, R52, R60, R62, R65 SN <HP62101, R70, R72, R75 SN <HP72101

**A-71352963** Door, Tailings Elevator; Perforated 1.85 Lbs.



***For Models:*** C62, N5, N6, N7, R5, R6, R7, R40, R42, R50, R52, R60, R62, R70, R72

**A-71302867** Door, Clean Grain Elevator; Solid 6.10 Lbs.



***For Models:*** (L, L2, L3, M, M2, M3, MH2, MH3 ALL W/ 7 1/4" Wide Elevator), R40, R42 SN <43001, R50, R52 SN <53001


**A-71307662** Door, Clean Grain Elevator; Perforated 1.85 Lbs.



***For Models:*** (L, L2, L3, M, M2, M3, MH2, MH3 ALL W/ 7 1/4" Wide Elevator), R40, R42 SN <43001, R50, R52 SN <53001

**A-71132829** Sprocket 2.22 Lbs.

Used on upper grain elev, lower tailings, or cage sweep drive. Used w/ grain elevator upper headshaft 71126985



***Dim/Info:***
8 tooth
.875" Bore

***For Models:*** E3 upper elev, lower tailings, cage sweep, (F, F2, F3, K, K2 ALL upper grain elev & lower tailings), L lower tailings, (N5, N6, N7, R60, R70 ALL cage sweep drive)

**A-71147756** Sprocket 2.16 Lbs.

Used w/ upper grain elev headshaft 71195983 on N5, N6, N7. Used w/ upper tailings elev headshaft 71195983 on N5, N6, N7



***Dim/Info:***
8 tooth
Bore: 1.0005"/1.0020"

***For Models:*** (E3, F, F2, F3, G, K, K2 ALL lower grain conveyor), L upper/lower grain elev & tailings conv SN 2601>, L2 upper/lower grain elev SN 13001-28000 & lower tail conv, L3 upper grain SN 28000> & lower grain SN <30501 & lower tail, (M, M2, M3 ALL upper/lower grain elev & lower tailings conv), (N5, N6, N7 ALL upper tailings elev), R5 SN 8001> Upper Tailing Elevator, R6 SN 10301> Upper Tailing Elevator, R7 SN 7001 - 8700 > Upper Tailing Elevator, R60 SN 15801 > Upper Tailing Elevator, R70 SN 11801 > Upper Tailing Elevator

**A-71196628** Sprocket, Grain Conveyor, Lower 2.34 Lbs.



***Dim/Info:***
Bore - 1.250"
Pilot Hole - 5/16"
Teeth - 8

***For Models:*** L3 SN 30510->, M3 SN 27401->, N5, N6, N7, R5, R6, R7

**A-71373688** Sprocket, Clean/ Return Grain Elevator 2.34 Lbs.

Hardened




***Dim/Info:***
W/O Hub
Bolt Circle - 2.250"
Teeth - 8
Hole Size - (3) .281" Non-Threaded / (3) 1/4"-20 UNC RH Thread

***For Models:*** (C62, R42, R52, R62, R72, S67, S68, S77, S78, S88 ALL Upper/Lower Clean Grain & Return Elevators)

**A-71361974** Sprocket, Upper & Lower Conveyor 2.14 Lbs.

Used w/ tailings elev headshaft 71345778

***Replaces:*** 71300199



***Dim/Info:***
8 tooth
1.000" Bore

***For Models:*** (N5, N6, N7 ALL lower tailings conveyor), (R40, R50 ALL Upper Clean Grain & Upper/Lower Tailings Elevator), (R60, R70 ALL upper/lower tailings conveyor)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# GRAIN HANDLING SHAFTS, SPROCKETS, PULLEY - AUGER RELATED PARTS


**A-71368933** Shaft, Rear Feed Conveyor 19.60 Lbs.
*Replaces:* 71361192



***Dim/Info:***
21 tooth
36.50" long

***For Models:*** R40 SN 2001->, R42, R50 SN 3501->, R52

**A-71126055** Sprocket, Cage Sweep Drive 1.64 Lbs.



***Dim/Info:***
8 tooth
1.840" Bore

***For Models:*** F2 upper tailings elev SN 36201-39200, K2 upper tailings elev SN <-25201, (E3, F, G, K, L, L2, M, M2 ALL upper tailings elev), (N5, N6, N7, R60, R70 ALL cage sweep drive)

**A-71357768** Sprocket, Feed Conveyor 8.54 Lbs.



***Dim/Info:***
13 teeth
1.500" Hex Bore

***For Models:*** N5, N6, N7, R5, R6, R7, R40 SN 2001>, R42 SN <44001, R50 SN 3501>, R52 SN <54001, R60, R62 SN <64001, R70, R72 SN <74001

**A-71368861** Sprocket, Feed Conveyor 7.86 Lbs.



***Dim/Info:***
13 teeth
1.750" Hex Bore

***For Models:*** C62, R42 SN 44001>, R52 SN 54001>, R62 SN 64001>, R65 SN <HM62101, R72 SN 74001>, R75 SN <HM72101


**A-71327413** Sprocket, Grain Bin Conveyor 10.37 Lbs.



***Dim/Info:***
42 Teeth
1.250" I.D.

***For Models:*** N5 SN 3001>, N6 SN 3501>, N7 SN 1701>, R5, R6, R7, R40, R42, R50, R52, R60, R62, R70, R72

**A-71333439** Auger, Unloading, Collar Assembly 57.00 Lbs.
Unloading auger is mounted to the collar assy. Features nylon rotating plates instead of ball bearing to eliminate clogging and make rotation smooth. May work on some earlier models w/ some modifications and change of chain size.



***Dim/Info:***
Includes - Clamp 71127991 & Cover Assy. 71173651

***For Models:*** L SN 26001>, (L2, M2, M3 ALL SN 24701>), N5 SN 4501>, N6 SN 5101>, N7, R40, R50, R60, R70

**A-71339770** Auger, Unloading, Collar Assembly 55.00 Lbs.
Unloading auger is mounted to the collar assy. Features nylon rotating plates instead of ball bearing to eliminate clogging and make rotation smooth. May work on some earlier models w/ some modifications and change of chain size.




***Dim/Info:***
Includes - Clamp 71127991 & Cover Assy. 71128088

***For Models:*** F2 SN 36201>, F3 SN 49601>, K2 SN 25201>

**A-71383428** Tube, Unload Auger Long, Galv 190.00 Lbs.





***Dim/Info:***
12' 2" long


***For Models:*** L2, L2 SN 15501->, L2 RICE, L3, M2, M2 SN 18401->, M2 RICE, M3, MH2, MH2 SN 19901->, MH3, N5, N6, N7, R40, R42, R50, R52





*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com











| Ref. | Description<br>Part No. | Dimensions | | | |
|---|---|---|---|---|---|
| 2 | **Auger, Lower, Clean Grain**<br>A-71148734 | A - 69.250" | B - 1.00" | |  |
| *For Models F* | | | | | |
| 2 | **Auger, Lower Clean Grain**<br>A-71319407 | A - 67.31" | B - 1.00" | |  |
| *For Models (F2, F3 ALL SN 46201>)* | | | | | |
| 2 | **Auger, Clean Grain**<br>A-71147888 | A - 65.75" | B - 1.00" | |  |
| *For Models F SN 5001>, (F2, F3 ALL SN 36201 Thru 46200)* | | | | | |
| 6 | **Auger, Unloading (Power Fold)**<br>A-71316963 | A - 147.125" | B - 2.875" | C - 1.375" |  |
| *For Models (F2, F3 ALL W/ Powerfold Unloading Auger), K2 SN 24201-27200 W/ Powerfold Unloading Auger* | | | | | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

*GLEANER

# AUGER RELATED PARTS





| Ref. | Description<br>Part No. | Dimensions | |
|---|---|---|---|
| 1 | **Auger, Lower, Tailings Return**<br>A-71300129 | A - 73.125" B - 1.00" |  |
| | *For Models M SN 18401->* | | |
| 2 | **Auger, Lower, Clean Grain**<br>A-71189602 | A - 91.560" B - 1.00" |  |
| | *For Models (L2, L3 ALL w/ SN 15501-30501)* | | |
| 2 | **Auger, Lower, Clean Grain**<br>A-71189603 | A - 83.500" B - 1.00" |  |
| | *For Models (M2, M3 ALL SN 18401-27401)* | | |
| 3 | **Auger, Grain Bin Loading**<br>A-71315194 | A - 61.130" B - 1.250" |  |
| | *For Models L, (L2, L3 ALL SN 15501->), M, (M2, M3 ALL SN 18401->)* | | |
| 4 | **Auger, Grain Bin Conveyor**<br>A-71344639 | A - 83.250" B - 1.875" |  |
| | *For Models (L2, L3 ALL SN 15501->)* | | |
| 6 | **Auger; Horizontal Unloading**<br>A-71340156 | A - 164.062" B - 2.875" |  |
| | *For Models (L, L2, L3, M, M2, M3 ALL w/ long auger)* | | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.












P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com










*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



| Ref. | Description<br>Part No. | Dimensions | | | |
|---|---|---|---|---|---|
| 1 | **Auger, Lower Tailings Return**<br>A-71364643 | 70.385" | | |  |
| | *For Models R62, R65, R66, R72, R75, R76* | | | | |
| 2 | **Auger, Grain Conveyor**<br>A-71363476 | A - 91.125" | B - 1.25" | |  |
| | *For Models R62, R65, R66, R72, R75, R76* | | | | |
| 3 | **Auger, Bin Loading**<br>A-71388935 | A - 55.870" | B - 1.250" | |  |
| | *For Models R40, R42, R50, R52 SN <53001* | | | | |
| 3 | **Auger, Grain Bin Loading (Extended Wear)**<br>A-71388940<br>Flighting Made Of AR400 Abrasion Resistant Steel. | A - 67.750" | B - 1.250" | Angle Unloading - w/o Bin Extension |  |
| | *For Models R52 SN 53001>, R55* | | | | |
| 3 | **Auger, Grain Bin Loading (Extended Wear)**<br>A-71388939<br>Flighting Made Of AR400 Abrasion Resistant Steel. | A - 73.687" | B - 1.250" | Angle Unloading - w/ Bin Extension |  |
| | *For Models R62 SN 63001>, R65, R72 SN 73001>, R75* | | | | |
| 3 | **Auger; Bin Loading (Extended Wear)**<br>A-71426614<br>Flighting Made Of AR400 Abrasion Resistant Steel. | A - 73.312" | B - 2.375" | C - 1.249" |  |
| | *For Models R66, R76* | | | | |
| 4 | **Auger, Grain Bin Conveyor**<br>A-71356351 | A - 100.250" | B - 2.375" | |  |
| | *For Models R40, R42, R50, R52, R55* | | | | |
| 4 | **Auger; Grain Bin Conveyor, Swivel**<br>A-71363379 | A - 120.50" | B - 2.375" | Balanced |  |
| | *For Models R62, R72* | | | | |
| 5 | **Auger, Front Cylinder Distribution**<br>A-71365776 | A - 96.375" | B - 1.250" | |  |
| | *For Models R62, R72* | | | | |
| 6 | **Auger, Unloading**<br>A-71374184 | A - 193.47" | B - 2.875" | |  |
| | *For Models R5, R6, R7, R60, R62 SN 63001-68000, R70, R72 SN 73001-78000* | | | | |

# AUGER RELATED PARTS





| Ref. | Description<br>Part No. | Dimensions | |
|---|---|---|---|
| 6 | **Auger; Bin Unloading, Turret**<br>A-71382948 | A - 127.875" B - 2.375" |  |
| | *For Models R62 SN 68001>, R65, R66, R72 SN 78001>, R75, R76* | | |
| 6 | **Auger; Unloading, Turret**<br>A-71382957 | A - 197.75" B - 1.373" C - 2.875" |  |
| | *For Models R62 SN 68001>, R65, R66, R72 SN 78001>, R75, R76* | | |
| 6 | **Auger; Bin Unloading, 12"/14" Swivel**<br>A-71397114 | A - 120.50" B - 2.375" |  |
| | *For Models R65, R75* | | |
| 6 | **Auger; Bin Unloading, 14" Swivel/ Extended**<br>A-71426587 | A - 121.875" B - 2.375" |  |
| | *For Models R66, R76* | | |
| 6 | **Auger; Horizontal Unloading**<br>A-71340156 | A - 164.062" B - 2.875" |  |
| | *For Models N5 SN 6101-> w/ long auger, N6 SN 7301-> w/ long auger, (N7, R40, R42, R50, R52 ALL w/ long auger)* | | |
| 8 | **Auger; Vertical Unloading**<br>A-71382972 | A - 60.375" B - 5.000" C - 1.374" |  |
| | *For Models R62 SN 68001>, R65, R66, R72 SN 78001>, R75, R76* | | |









*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Gleaner A Series







| Ref. | Description<br>Part No. | Dimensions | | | | |
|---|---|---|---|---|---|---|
| 3 | **Auger; Clean Grain, Upper (Bin Fill), Extended Wear**<br>A-71407582<br>Flighting Made Of AR400 Abrasion Resistant Steel. | A - 75.375" | B - 1.250" | | |  |
| *For Models A85* | | | | | | |
| 3 | **Auger; Clean Grain, Upper (Bin Fill), Extended Wear**<br>A-71413017<br>Flighting Made Of AR400 Abrasion Resistant Steel. | A - 74.625" | B - 1.249" | C - 1.249" | D - 2.375" |  |
| *For Models A66, A76, A86* | | | | | | |
| 3 | **Auger, Grain Bin Loading (Extended Wear)**<br>A-71388940<br>Flighting Made Of AR400 Abrasion Resistant Steel. | A - 67.750" | B - 1.250" | Angle Unloading - w/o Bin Extension | |  |
| *For Models A65, A75* | | | | | | |
| 4 | **Auger; Lower Unloading (Extended Wear)**<br>A-71419892<br>Flighting Made Of AR400 Abrasion Resistant Steel. | A - 88.5625" | B - 3.500" | | |  |
| *For Models A66, A76, A85, A86* | | | | | | |
| 5 | **Auger; Return Elevator, Upper**<br>A-71385680 | A - 30.375" | B - 1.50" | C - 1.25" | |  |
| *For Models A65* | | | | | | |
| 5 | **Auger; Return Elevator, Upper**<br>A-71390517 | A - 34.50" | B - 1.25" | C - 1.50" | |  |
| *For Models A75, A76* | | | | | | |
| 6 | **Auger; Horizontal Unloading, Outer**<br>A-71396547 | A - 245.75" | B - 5" | C - 1.749"/2.250" | |  |
| *For Models A66, A76, A85, A86* | | | | | | |
| 7 | **Auger; Vertical Unloading (Extended Wear)**<br>A-71399861<br>Flighting made of AR400 abrasion resistant steel. | A - 44.875" | B - 6.000" | 21 Teeth | |  |
| *For Models A65, A75* | | | | | | |
| 7 | **Auger; Upper Unloading, Inner**<br>A-71420214 | A - 96.312" | B - 5.000" | 20 Teeth | |  |
| *For Models A66, A76, A85, A86* | | | | | | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# AUGER RELATED PARTS

## Gleaner S Series




| Ref. | Description<br>Part No. | Dimensions | |
|---|---|---|---|
| 1 | **Auger, Lower Tailings Return**<br>A-71364643 | 70.385” |  |
| *For Models S67, S77* | | | |
| 3 | **Auger; Bin Loading (Extended Wear)**<br>A-71426614<br>Flighting Made Of AR400 Abrasion Resistant Steel. | A - 73.312” B - 2.375” C - 1.249” |  |
| *For Models S67, S77, S68, S78, S88* | | | |
| 6 | **Auger; Bin Unloading, 14” Swivel/ Extended**<br>A-71426587 | A - 121.875” B - 2.375” |  |
| *For Models S67, S77, S68, S78, S88* | | | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

# STRAW CHOPPER & SPREADER PARTS


**A-71310274** Straw Chopper Knife Kit 2.34 Lbs.
Contains (3) knives & hardware



***Dim/Info:***
3.500" X 7.125"

***For Models:*** E3, F, G, K


**A-71355851** Straw Chopper Knife Kit 4.00 Lbs.
Contains (2) knives & hardware



***Dim/Info:***
4.750" X 8.500"

***For Models:*** N5, N6, N7, R5, R6, R7, R40, R42, R50, R52, R60, R62, R70

**A-71310275** Straw Chopper Knife Kit 2.50 Lbs.
Contains (3) knives & hardware
***Replaces:*** SCK100



***Dim/Info:***
4.625" X 6.437"

***For Models:*** (F2, F3, K2, L, L2, L3, M, M2, M3 ALL Hesston made Straw chopper)

**A-71382758** Blade, LH Straw Chopper; Paddle Type 0.65 Lbs.



***Dim/Info:***
Length - 6.77"
Thickness - .187"
Hole Diameter - .765"

***For Models:*** A65, A66, A75, A76, A85, A86

**A-71382759** Blade, RH Straw Chopper; Paddle Type 0.65 Lbs.



***Dim/Info:***
Length - 6.77"
Thickness - .187"
Hole Diameter - .765"

***For Models:*** A65, A66, A75, A76, A85, A86

**A-71376992** Blade Set, Straw Chopper, Set of 2 4.00 Lbs.
Includes: (2) Blades, (2) Long Bolts, (2) Short Bolts, (2) Nuts & (2) Bushings.



***Dim/Info:***
4.750" X 8.500"

***For Models:*** R42 SN 47006>, R52 SN 57037>, R62 SN 67256>, R66, R72 SN 77130>, R75, R76

**A-71382257** Bushing, Straw Chopper Blade (4/Pack) 0.13 Lbs.



***Dim/Info:***
Inside Diameter - .412"
Outside Diameter - 1.250"
PKG QTY - minimum order qty 4

***For Models:*** A65, A66, A75, A76, A85, A86

**A-71174897** Stationary Knife Kit 0.60 Lbs.



***Dim/Info:***
Includes - (1) Double Teeth & Mounting Hardware
Type - Heat Treated

***For Models:*** F2, F3, K2, L, L2, L3, M, M2, M3, N5, N6, N7, R5, R6, R7, R40, R42, R52, R50, R60, R62, R70, R72

*GLEANER

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

Belts. . . . . 229-277
Cab Parts . . . . . 388-389
Cooling Systems . . . . . 278-283
Discharge Area . . . . . 450-459
- Straw Chopper & Spreader Parts . . . . . 450-459

Engine Parts . . . . . 284-293
Filters. . . . . 302-305
Grain Handling. . . . . 409-449
- Augers . . . . . 430-449
- Auger Related Parts . . . . . 424-429
- Clean Grain & Return Elevator Parts . . . . . 411-415
- Elevator Chain . . . . . 409-410
- Grain Handling Shafts, Sprockets, Pulleys . . . . . 416-423


Headers/Platforms/Feeder House . . . . . 322-368
- Corn Head Parts. . . . . 335-346
- Grain Head Parts . . . . . 322-334
- Feeder House Chain/Slats/Raddle Chain. . . . . 348-351
- Feeder House Parts . . . . . 352-368
- Row Crop Head Parts . . . . . 347

Hydraulic Systems Parts . . . . . 310-313
Ignition & Electrical Parts. . . . . 306-309
Miscellaneous . . . . . 294-301
Power Train/Propulsion . . . . . 384-388
Rear Axle/Steering Parts . . . . . 459-462
Separator Area . . . . . 390-408
- Chaffer Frames & Shoes . . . . . 406
- Chaffers/Sieves. . . . . 401-405
- Chaffers/Sieves/Frames/Shoes Related Parts . . . . . 407-408

Sickles Sections, Sickle Parts, & Sickle Assemblies . . . . . 314-321
Threshing Area. . . . . 369-383
- Concaves . . . . . 369-372
- Concaves Parts . . . . . 373-376
- Rasp Bars . . . . . 377-378
- Threshing Area Parts . . . . . 379-383




P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com





| Application | Part # | Ref. | Description |
|---|---|---|---|
| 3300 SN <-101300 | **A-E60212** | 1 | Belt, Clean Grain Elevator |
| 3300 SN 150001-> | **A-H87648** | | Belt, Clean Grain Elevator |
| 3300 SN <-100000 | **A-H79236** | 2 | Belt, Alternator & Water Pump / Engine Fan |
| 3300 Gas SN <100000 | **A-H80896** | 3 | Belt, AC Compressor |
| 3300 diesel SN <100000 | **A-H81742** | 3 | Belt, AC Compressor |
| 3300 SN <-100000 | **A-H79235** | 4 | Belt, Engine Fan Countershaft |
| 3300 | **A-H80897** | 5 | Belt, Alternator & Water Pump |
| 3300 SN 854-100000 | **A-H86060** | 7 | Belt, Rotary Deflector |
| 3300 Cylinder Intermediate Shaft | **A-H75816** | 8 | Belt, Cylinder, Intermediate Shaft |
| 3300 | **A-AH80500** | 9 | Belt, Cylinder (Matched Set of 3) |
| 3300 | **A-H79285** | 10 | Belt, Shoe Grain Supply Augers |
| 3300 | **A-H138762** | 11 | Belt, Secondary Countershaft |
| 3300 | **A-H20407** | 12 | Belt, Straw Chopper, Front |
| 3300 | **A-H23817** | 13 | Belt, Clean Grain Elevator Countershaft |
| 3300 | **A-H79787** | 14 | Belt, Straw Chopper, Rear |
| 3300 | **A-E63031** | 15 | Belt, Tailings, Lower Auger |
| 3300 | **A-H76136** | 16 | Belt, Unloading Auger Countershaft |
| 3300 | **A-AH98052** | 17 | Belt, Primary Countershaft (Matched Pair) |
| 3300 | **A-H77683** | 18 | Belt, Hydrostatic Reel Pump |
| 3300 | **A-H75911** | | Belt, Propulsion |
| 3300 | **A-H80159** | 20 | Belt, Straw Spreader |
| 3300 | **A-H76028** | 22 | Belt, Platform & Feeder House Upper |
| 3300 | **A-H80897** | 23 | Belt, Alternator & Water Pump |
| 3300 | **A-H86271** | 24 | Belt, Engine Fan |
| 3300 SN 150001-> | **A-H86273** | 25 | Belt, Engine Fan & Rotary Screen Drive Shaft |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated

# COMBINE BELTS







| Application | Part # | Ref. | Description |
|---|---|---|---|
| 4400 SN <-151500) | **A-E60212** | 1 | Belt, Clean Grain Elevator, U-Joint Loading Auger |
| 4400 SN 151501-> | **A-H87648** | | Belt, Clean Grain Elevator |
| 4400 329 dsl SN 6501-101300 | **A-H80897** | 2 | Belt, Alternator & Water Pump |
| 4400 | **A-H82479** | 3 | Belt, Governor |
| 4400 SN <-101300 | **A-H79236** | 4 | Belt, Engine Fan |
| 4400 A/C 292 gas SN <151500, 4400 A/C 329 dsl SN <101300 | **A-H80896** | 5 | Belt, AC Compressor |
| 4400 A/C 329 Diesel SN 101301-151500 | **A-H77683** | 5 | Belt, Compressor |
| 4400 A/C 329 Diesel SN 151501-> | **A-H86275** | 5 | Belt, Compressor |
| 4400 SN<-101300 | **A-H79235** | 6 | Belt, Engine Fan Countershaft |
| 4400 SN <-101300 | **A-H86060** | 8 | Belt, Rotary Deflector |
| 4400 | **A-AH80500** | 9 | Belt, Cylinder (Matched Set of 3) |
| 4400 Cylinder Intermediate Shaft | **A-H75816** | 10 | Belt, Cylinder, Intermediate Shaft |
| 4400 | **A-H79285** | 11 | Belt, Shoe Grain Supply Augers |
| 4400 | **A-H138762** | 12 | Belt, Secondary Countershaft |
| 4400 | **A-H20407** | 13 | Belt, Straw Chopper, Front |
| 4400 | **A-H23817** | 14 | Belt, Clean Grain Elevator Countershaft |
| 4400 | **A-H79787** | 15 | Belt, Straw Chopper, Rear |
| 4400 | **A-E63031** | 16 | Belt, Tailings, Lower Auger |
| 4400 Regular Feeder House | **A-AH87197** | | Belt, Platform & Corn Head Lower Variable, (set/3) |
| 4400 Long Feeder House | **A-AH76154** | 17 | Belt, Platform Feeder House, Lower (set/3) |
| 4400 | **A-P46553** | 18 | Belt, Platform & Corn Head Middle Variable |
| 4400 | **A-H76136** | 19 | Belt, Unloading Auger Countershaft |
| 4400 | **A-AH98052** | 20 | Belt, Primary Countershaft (Matched Pair) |
| 4400 | **A-H77683** | 21 | Belt, Hydrostatic Reel Pump |
| 4400 | **A-H76028** | 22 | Belt, Platform & Feeder House, Upper |
| 4400 | **A-H75847** | 23 | Belt, Propulsion |
| 4400 | **A-H80159** | 24 | Belt, Straw Spreader |
| 4400 329DH-02, SN <202603 | **A-H80896** | 26 | Belt, Alternator & Water Pump |
| 4400 329DH-02 & 3, SN 202604-> | **A-H82724** | 26 | Belt, Alternator & Water Pump |

# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com





| Application | Part # | Ref. | Description |
|---|---|---|---|
| 4400 cab w/o AC or w/o cab, 4400 cab w/ AC, SN <-250500 | **A-H86271** | 27 | Belt, Engine Fan |
| 4400 cab w/ AC, SN 250501-> | **A-H94373** | 27 | Belt, Engine Fan |
| 4400 SN 101301-> | **A-H86275** | 28 | Belt, Engine Fan & Rotary Screen Drive Shaft |
| 4400 SN 151501-> | **A-H81222** | 32 | Belt, Clean Grain Elevator |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated

# COMBINE BELTS







| Application | Part # | Ref. | Description |
|---|---|---|---|
| 4420 | **A-AH98052** | 1 | Belt, Primary Countershaft (Matched Pair) |
| 4420 | **A-H75847** | 2 | Belt, Propulsion |
| 4420 | **A-H76136** | 3 | Belt, Unloading Auger Countershaft |
| 4420 | **A-H80159** | 5 | Belt, Straw Spreader |
| 4420 | **A-H77683** | 6 | Belt, Hydrostatic Reel Pump |
| 4420 | **A-H76028** | 7 | Belt, Platform & Feeder House, Upper |
| 4420 | **A-P46553** | 8 | Belt, Platform & Corn Head Middle Variable |
| 4420 Regular Feeder House | **A-AH87197** | 9 | Belt, Platform & Corn Head Lower Variable (set/3) |
| 4420 Long Feeder House | **A-AH76154** | 9 | Belt, Platform Feeder House, Lower (set/3) |
| 4420 | **A-H81222** | 10 | Belt, Clean Grain Elevator |
| 4420 | **A-H23817** | 11 | Belt, Clean Grain Elevator Countershaft |
| 4420 Cylinder Intermediate Shaft | **A-H75816** | 12 | Belt, Cylinder, Intermediate Shaft |
| 4420 | **A-AH80500** | 13 | Belt, Cylinder (Matched Set of 3) |
| 4420 | **A-E63031** | 14 | Belt, Tailings, Lower Auger |
| 4420 | **A-H79285** | 16 | Belt, Shoe Grain Supply Augers |
| 4420 | **A-H20407** | 17 | Belt, Straw Chopper, Front |
| 4420 | **A-H138762** | 18 | Belt, Secondary Countershaft |
| 4420 | **A-H79787** | 19 | Belt, Straw Chopper, Rear |
| 4420 SN <-550000 | **A-H82724** | 20 | Belt, Alternator & Water Pump |
| 4420 SN 550001-> | **A-H101813** | 20 | Belt, Alternator / Water Pump |
| 4420 | **A-H86275** | 21 | Belt, Compressor |
| 4420 cab w/o AC | **A-H86271** | 22 | Belt, Engine Fan |
| 4420 cab w/ AC | **A-H94373** | 22 | Belt, Engine Fan |
| 4420 | **A-H86275** | 23 | Belt, Engine Fan & Rotary Screen Drive Shaft |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com





| Application | Part # | Ref. | Description |
|---|---|---|---|
| 6600 Standard | **A-AH76154** | 1 | Belt, Platform Feeder House, Lower (set/3) |
| 6600 SN <-254350 | **A-P46553** | 2 | Belt, Platform & Corn Head Middle Variable |
| 6600 SN 11501-> | **A-H84462** | 3 | Belt, Primary Countershaft |
| 6600 sidehill, SN<-305672 | **A-H84462** | 3 | Belt, Primary Countershaft |
| 6600 sidehill, SN 305673-> | **A-H108175** | 3 | Belt, Primary Countershaft |
| 6600 | **A-H77683** | 5 | Belt, Hydrostatic Reel Pump |
| 6600 SN <-254050, 6600 (except corn Var. sp feedr hse) SN 254051-> | **A-H76030** | 6 | Belt, Platform & Feeder House Upper |
| 6600 | **A-H75847** | 7 | Belt, Propulsion |
| 6600 SN 156501-> | **A-AH84633** | 7 | Belt, Hydro Lower Ground Drive, Matched Set |
| 6600, 6600 sidehill, SN <305672 | **A-AH21301** | 7 | Belt, Propulsion, Upper (Matched Set) |
| 6600 sidehill, SN 305673-> | **A-AH87127** | 7 | Belt, Posi-torq Upper Ground Drive, Matched Set |
| 6600 | **A-H75846** | 7 | Belt, Lower Propulsion |
| 6600 | **A-H26858** | 8 | Belt, Straw Spreader |
| 6600 | **A-H108668** | 9 | Belt, Cleaning Fan |
| 6600 SN 9583-> | **A-T199T** | 10 | Belt, Charge Pump (Hydrostatic / Power Rear Drive) |
| 6600 | **A-H77765** | 11 | Belt, Platform & Feeder House, Lower (Regular) |
| 6600 SN 156501> | **A-H77766** | 12 | Belt, Feeder Conveyor (Regular Feeder House) |
| 6600 | **A-H23950** | 13 | Belt, U-Joint Loading Auger |
| 6600 SN <-105800 | **A-H80897** | 14 | Belt, Alternator & Water Pump |
| 6600 SN <-105800 | **A-H86271** | 15 | Belt, Engine Fan |
| 6600 SN <105800 | **A-H80896** | 16 | Belt, AC Compressor |
| 6600 329 diesel, SN 105801-156500 | **A-H77683** | 16 | Belt, Compressor |
| 6600 SN 156501-> | **A-H86275** | 16 | Belt, Compressor 6329DH-01 |
| 6600 sidehill, SN 305673-> | **A-R71603** | 16 | Belt, Compressor 6404TH |
| 6600 6329GH-02 & 6404DH-01, SN <-105800 | **A-H79235** | 17 | Belt, Engine Fan Countershaft |
| 6600 SN 2252-105800 | **A-H86061** | 19 | Belt, Rotary Deflector |
| 6600 | **A-AH80505** | 20 | Belt, Cylinder (280-845 RPM) (Matched Set of 3) |
| 6600 | **A-H96423** | 20 | Belt, Cylinder, (289-873 PRM) Slow Speed Intermed. Shaft |
| 6600 | **A-H113749** | | Belt, Cylinder, Intermediate Shaft |
| 6600 | **A-H77010** | 22 | Belt, Shoe Grain Supply Augers |
| 6600 | **A-H77019** | 23 | Belt, Secondary Countershaft |

# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# COMBINE BELTS




| Application | Part # | Ref. | Description |
|---|---|---|---|
| 6600 | **A-H138762** | 24 | Belt, Straw Chopper, Front |
| 6600 | **A-H27433** | 25 | Belt, Clean Grain Elevator Countershaft |
| 6600 | **A-H79789** | 26 | Belt, Straw Chopper |
| 6600 | **A-N110085** | 27 | Belt, Tailings, Lower Auger, (Use w/ AH75988) |
| 6600 SN <156500 | **A-H80896** | 29 | Belt, Alternator & Water Pump, 6329GH-02 |
| 6600 SN <208510 | **A-H80896** | 29 | Belt, Alternator & Water Pump, 6329DH-01 |
| 6600 SN 208511-> | **A-H82724** | 29 | Belt, Alternator & Water Pump, 329DH-01 |
| 6600 sidehill, SN 305673-> | **A-H79236** | 29 | Belt, Alternator & Water Pump 6404TH |
| 6600 | **A-H86272** | 30 | Belt, Engine Fan (6329GH-02 and 6329DH-01) |
| 6600 | **A-H86271** | 30 | Belt, Engine Fan (6404DH) |
| 6600 | **A-H137207** | 31 | Belt, Engine Fan & Rotary Screen Drive Shaft, 6404DH |
| 6600 sidehill, SN <-305672 | **A-H137207** | 31 | Belt, Engine Fan & Rotary Screen Drive Shaft |
| 6600 6404TH, sidehill SN 305673-> | **A-H86273** | 31 | Belt, Engine Fan & Rotary Screen Drive Shaft |
| 6600 SN 156501> | **A-H77766** | 35 | Belt, Clean Grain Elevator |


*JOHN DEERE

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com





| Application | Part # | Ref. | Description |
|---|---|---|---|
| 7700 | **A-AH76154** | 1 | Belt, Platform Feeder House, Lower (set/3) |
| 7700 SN <-8000 | **A-P46553** | 2 | Belt, Platform & Corn Head Middle Variable |
| 7700 404DH-01 & 404DH-04, SN 5001-> | **A-H84462** | 3 | Belt, Primary Countershaft 362GH-01 |
| 7700 SN 8001-> | **A-H108175** | 3 | Belt, Primary Countershaft (404TH-01) |
| 7700 | **A-H77683** | 5 | Belt, Hydrostatic Reel Pump |
| 7700 SN <-8000 | **A-H76030** | 6 | Belt, Platform & Feeder House, Upper |
| 7700 SN 8001-> | **A-H76030** | 6 | Belt, Platform & Feeder House, Upper w/o Corn Var. Spd Feeder House |
| 7700 SN <-115000 | **A-H75846** | 7 | Belt, Lower Propulsion (Belt Drive) |
| 7700 SN 111901-> | **A-H75846** | 7 | Belt, Propulsion, Lower (Posi-Torq Drive) |
| 7700 SN 111901-> | **A-AH87127** | 7 | Belt, Propulsion, Upper (PT DR) (Matched) (404T) |
| 7700 SN 111901-> | **A-AH21301** | 7 | Belt, Propulsion, Upper (PT DR) (Matched) (404D) |
| 7700 | **A-AH84633** | 7 | Belt, Propulsion (Hydro Drive) (Matched Set of 2) |
| 7700 | **A-AH87127** | 7 | Belt, Propulsion, Upper (Matched Set) (404TH-01) |
| 7700 | **A-AH21301** | 7 | Belt, Propulsion, Upper (Matched Set) (404DH-04) |
| 7700 | **A-H75846** | 7 | Belt, Lower Propulsion |
| 7700 | **A-H26858** | 8 | Belt, Straw Spreader |
| 7700 | **A-H108668** | 9 | Belt, Cleaning Fan |
| 7700 SN <-6207 | **A-T199T** | 10 | Belt, Charge Pump (Power Rear Wheel Drive) |
| 7700 SN 6208-> | **A-T199T** | 10 | Belt, Charge Pump (Hydrostatic Drive) |
| 7700 | **A-H77765** | 11 | Belt, Platform & Feeder House, Lower (Regular) |
| 7700 | **A-H77766** | 12 | Belt, Feeder Conveyor (Regular Feeder House) |
| 7700 | **A-H23950** | 13 | Belt, Clean Grain Elevator (U-Joint Loading Auger) |
| 7700 gas, SN <-2800 | **A-AR41628** | 14 | Belt, Alternator & Water Pump |
| 7700 gas, SN 2801> | **A-H80896** | 14 | Belt, Alternator & Water Pump |
| 7700 diesel, SN 2801-8000 | **A-H82724** | 14 | Belt, Alternator & Water Pump |
| 7700 SN 8001-163900 | **A-R70871** | 14 | Belt, Alternator & Water Pump (404TH-01) |
| 7700 SN 163901-> | **A-H79236** | 14 | Belt, Alternator & Water Pump (404TH-01) |
| 7700 gas | **A-H86271** | 15 | Belt, Engine Fan |
| 7700 SN <-2800 | **A-H86271** | 15 | Belt, Engine Fan (404DH-01) |
| 7700 gas, SN <-111900 | **A-H79235** | 16 | Belt, Engine Fan Countershaft |

# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# COMBINE BELTS







| Application | Part # | Ref. | Description |
|---|---|---|---|
| 7700 SN <8000 | **A-H79235** | 16 | Belt, Engine Fan Countershaft (404DH-01) |
| 7700 gas, SN <-111900 | **A-H80897** | 17 | Belt, Compressor |
| 7700 SN <-8000 | **A-H80897** | 17 | Belt, Compressor (404DH-01) |
| 7700 SN 8001-111900 | **A-H81742** | 17 | Belt, AC Compressor (404DH-04) |
| 7700 SN 8001-163900 | **A-H80896** | 17 | Belt, Compressor (404TH-01) |
| 7700 SN 163901-316301-> | **A-R71603** | 17 | Belt, Compressor (404TH-01) |
| 7700 SN 1278-111900 | **A-H86061** | 19 | Belt, Rotary Deflector |
| 7700 SN <-8000 | **A-AH80505** | 20 | Belt, Cylinder (280-845 RPM) (Matched Set of 3) |
| 7700 SN 8001-> | **A-H96423** | 20 | Belt, Cylinder (289-873 RPM) |
| 7700 SN 8001-> | **A-H96408** | 20 | Belt, Cylinder (414-1250 RPM) |
| 6600 | **A-H113749** | 21 | Belt, Cylinder, Intermediate Shaft |
| 7700 | **A-H77010** | 22 | Belt, Shoe Grain Supply Augers |
| 7700 | **A-H77019** | 23 | Belt, Secondary Countershaft |
| 7700 | **A-H138762** | 24 | Belt, Straw Chopper, Front |
| 7700 | **A-H27433** | 25 | Belt, Clean Grain Elevator Countershaft |
| 7700 | **A-H79789** | 26 | Belt, Straw Chopper, Rear |
| 7700 SN 5001> | **A-N110085** | 27 | Belt, Tailings, Lower Auger |
| 7700 | **A-R70871** | 29 | Belt, Alternator & Water Pump (404TH-01) |
| 7700 SN 163901-> | **A-H79236** | 29 | Belt, Alternator & Water Pump (404TH-01) |
| 7700 | **A-H86271** | 30 | Belt, Engine Fan |
| 7700 404TH-01 | **A-H86273** | 31 | Belt, Engine Fan & Rotary Screen Drive Shaft |
| 7700 404DH-04 | **A-H137207** | 31 | Belt, Engine Fan & Rotary Screen Drive Shaft |
| 7700 | **A-H77766** | 35 | Belt, Clean Grain Elevator |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com




JD 6620, 7720, 8820


| Application | Part # | Ref. | Description |
|---|---|---|---|
| 6620, 7720, 8820 | **A-H103344** | 1 | Belt, Straw Chopper Rear |
| 6620, 7720, 8820 | **A-H101436** | 2 | Belt, Straw Chopper Drive |
| 6620, 7720, 8820 | **A-H113749** | 3 | Belt, Torq-Sensing Countershaft |
| 6620 SN 551900->, 7720 SN 556300->, 8820 SN 564100-> | **A-H110375** | 4 | Belt, Cylinder 4-Banded (Std) 350-700 & 620-1240 RPM |
| 6620 SN <-551900, 7720 SN <-556300 | **A-H96408** | 4 | Belt, Cylinder 3-Banded 390-1030 or 450-1200 RPM |
| 6620 SN 600832>, 7720 SN 601301>, 8820 SN <-564100 | **A-H96421** | 4 | Belt, Cylinder 4-Banded (315 to 830 RPM) |
| 6620 SN 551900->, 7720 SN 556300->, 8820 SN 564100-> | **A-H96422** | 4 | Belt, Cylinder 4-Banded (Opt) 280-560 & 500-1000 RPM |
| 8820 | **A-H96422** | 4 | Belt, Cylinder 4-Banded 390-1030 or 450-1200 RPM |
| 6620 SN <-551900, 7720 SN <-556300 | **A-H96423** | 4 | Belt, Cylinder 3-Banded (315 to 830 RPM) |
| 6620, 7720, 8820 | **A-H77766** | 6 | Belt, Clean Grain Elevator & Loading Auger Drive |
| 6620, 7720, 8820 | **A-H27433** | 7 | Belt, Clean Grain Elevator Countershaft |
| 6620 SN 551900->, 7720 SN 556301->, 8820 SN 556101-> | **A-H110300** | 8 | Belt, Secondary Countershaft Drive |
| 6620 SN <-551900, 7720 SN <-556300, 8820 SN <-556900 | **A-H81222** | 8 | Belt, Secondary Countershaft Drive |
| 6620, 7720, 8820 | **A-H77010** | 9 | Belt, Shoe Grain Supply Augers |
| 6620 SN 610301>, 7720 SN 619501>, 8820 SN 610701> | **A-H118730** | 10 | Belt, Tailings Auger Drive |
| 6620 SN <610300, 7720 SN <610500, 8820 SN <610700 | **A-N110085** | 10 | Belt, Tailings, Lower Auger |
| 6620, 7720, 8820 | **A-H101469** | 11 | Belt, Beater (150% Beater Speed) Grain & Rice |
| 6620, 7720, 8820 | **A-H96414** | 11 | Belt, Beater (100% Beater Speed) Corn & Bean |
| 6620 | **A-H79236** | 13 | Belt, Alternator & Water Pump (6466DH-01 & 6466TH-01) |
| 7720 | **A-H79236** | 13 | Belt, Alternator & Water Pump (6466TH & 6466TH-02) |
| (6620, 7720 ALL SN 600001->) | **A-H113565** | 14 | Belt, Compressor |
| (6620, 7720 ALL SN <-600000), 8820 SN <-615400 | **A-R71603** | 14 | Belt, Compressor |
| 7720 , 8820 SN 464351> | **A-H86271** | 15 | Belt, Engine Fan |
| 6620, 7720 | **A-H86272** | 15 | Belt, Engine Fan |
| 6620, 7720, 8820 | **A-H86273** | 16 | Belt, Rotary Screen Drive Shaft |
| 8820 | **A-AH96333** | 17 | Belt, Fan & Hydraulic Pump (Matched Set) |
| 6620, 7720, 8820 | **A-H86273** | 19 | Belt, Rotary Screen Drive Shaft |
| 6620, 7720, 8820 SN <-464350 | **A-H79236** | 20 | Belt, Alternator & Water Pump |
| 7720 , 8820 SN 464351> | **A-H86271** | 20 | Belt, Alternator & Water Pump |
| 6620, 7720, 8820 | **A-AH96300** | 21 | Belt, Unloading Auger Drive (set/2) |

# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# COMBINE BELTS






JD 6620, 7720, 8820


| Application | Part # | Ref. | Description |
|---|---|---|---|
| 6620, 7720, 8820 | **A-H112421** | 22 | Belt, Straw Spreader Drive |
| 6620, 7720, 8820 | **A-H108175** | 23 | Belt, Multi-Groove Separator Drive |
| 6620, 7720 | **A-AH87127** | 24 | Belt, Posi-torq Upper Ground Drive, Matched Set |
| 6620, 7720, 8820 | **A-AH84633** | 25 | Belt, Hydro Lower Ground Drive, Matched Set |
| 6620, 7720 | **A-H75846** | 25 | Belt, Posi-torq Lower Ground Drive |
| 6620 SN <-610300, 7720 SN <-556300 | **A-T199T** | 26 | Belt, Charge Pump (Hydrostatic Drive) |
| 6620 SN 610301->, 7720 SN 556301->, 8820 | **A-T32517** | 26 | Belt, Charge Pump (Hydrostatic Drive) |
| 6620 SN 625101->, 7720 SN 625201->, 8820 SN 625401-> | **A-H137207** | 27 | Belt, Hyd Reel Pump Drive |
| 6620 SN <-625100, 7720 SN <-625200, 8820 SN <-625400 | **A-H86275** | 27 | Belt, Hyd Reel Pump Drive |
| 6620 | **A-H108668** | 28 | Belt, Cleaning Fan |
| 7720, 8820 | **A-H108669** | 28 | Belt, Cleaning Fan |
| 6620 SN 615101->, 7720 SN 615201->, 8820 SN <-414850 | **A-H76030** | 29 | Belt, Feeder House Drive w/o Reverser |
| 6620 SN 502551-615100, 7720 SN 507351-> | **A-H111519** | 30 | Belt, Feeder House Drive, Reg. Lower |
| 6620 SN 403301->, 7720 SN 409101->, 8820 SN 414851-> | **A-H97929** | 30 | Belt, Long Lower Feeder House Drive |
| 6620 SN 502550->, 7720 SN 507350->, 8820 | **A-H77766** | 33 | Belt, Feeder Conveyor (Regular) |
| 6620 SN 502550->, 7720 SN 507350-> | **A-H77765** | 34 | Belt, Platform & Feeder House, Lower (Regular) |
| 6620 LONG SN <-403300, 6620 REGULAR SN<502550, 7720 LONG SN <-409100, 7720 REGULAR SN<507350 | **A-H125380** | 35 | Belt, Feeder Conveyor (Long Feeder House) |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com





| Application | Part # | Ref. | Description |
|---|---|---|---|
| 9400 High Power SN 640101>, 9500 LOW POWER, 9600 SN <-641716 | **A-H132808** | 1 | Belt, Cooling Fan |
| (9500, 9500SH ALL HIGH POWER FAN), 9600 SN 641717-> | **A-H153297** | 1 | Belt, Cooling Fan |
| 9400 SN 640506->, (9500, 9500SH ALL SN 642579->), 9600 SN 645301-> | **A-H146636** | 3 | Belt, Rotary Screen Drive |
| 9600 SN 641922-645300 | **A-H146637** | 3 | Belt, Rotary Screen Drive |
| 9400 SN 640101-670100 | **A-H101813** | 4 | Belt, AC Compressor |
| 9400 SN <650100 (MOTOROLA) | **A-H101813** | 4 | Belt, Alternator (2 used, sold individualy) |
| 9500 SN <-645200, 9500SH <645200, 9600 SN < 635300 | **A-H134437** | 4 | Belt, AC Compressor |
| 9400 SN 650301>, (9500, 9500SH ALL SN 650201>), 9600 SN 650301> | **A-H80896** | 4 | Belt, AC Compressor |
| (9500, 9500SH ALL SN 635201-650200), 9600 SN 635301-650300 | **A-H81742** | 4 | Belt, AC Compressor |
| (9500, 9500SH ALL SN 645201>), 9600 SN 635301> | **A-H81742** | 4 | Belt, AC Compressor |
| 9400 MAXIMIZER SN 670101> | **A-R123522** | 4 | Belt, A/C Compressor |
| 9600 SN <640300 | **A-H135458** | 5 | Belt, Clean Grain Elevator |
| 9400 SN <-640100, (9500, 9500SH ALL SN <-640200) | **A-H137830** | 5 | Belt, Clean Grain Elevator |
| 9600 SN 640301-> | **A-H141166** | 5 | Belt, Clean Grain Elevator |
| 9400 SN 640101->, (9500, 9500SH ALL SN 640201->) | **A-H141167** | 5 | Belt, Clean Grain Elevator |
| 9400, 9500, 9500SH, 9600 | **A-HXE51101** | 6 | Belt, Cylinder Intermediate |
| 9400, 9500, 9500SH, 9600 | **A-H115881** | 7 | Belt, Cylinder Drive Reg. Dual & Single Range |
| 9400 MAXIMIZER, 9500, 9600 MAXIMIZER | **A-HXE94488** | 7 | Belt, Cylinder Drive |
| 9400, 9500, 9500SH, 9600 | **A-H118618** | 7 | Belt, Cylinder Drive Slow Speed |
| 9400, 9500, 9500SH, 9600 | **A-N110085** | 8 | Belt, Tailings, Lower Auger & Elevator |
| (9500, 9500SH ALL low power, SN 645201> (BOSCH)), 9600 SN 645301-> | **A-H101813** | 9 | Belt, Alternator |
| (9500, 9500SH ALL SN <665200) | **A-H134344** | 9 | Belt, Alternator |
| 9600 BOSCH <645300, 9600 MOTOROLA SN 631201>, 9600 SN 635301-643000 | **A-R73189** | 9 | Belt, Alternator |
| 9400, 9500, 9500SH, 9600 | **A-H128010** | 10 | Belt, Secondary Countershaft |
| 9400, 9500, 9500SH, 9600 | **A-H131169** | 11 | Belt, Shoe, Straw Walker & Conveyor Augers |
| 9400, 9500, 9500SH, 9600 | **A-AH127866** | 12 | Belt, Unloading System, Set/2 |

# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# COMBINE BELTS




*JOHN DEERE


| Application | Part # | Ref. | Description |
|---|---|---|---|
| 9400, 9500SH, 9600 | **A-AH158880** | 12 | Unloading Belt |
| 9400 SN <640100 | **A-E46113** | 13 | Belt, Chopper in Windrow or Forward Position |
| 9400 S/N 640101-> | **A-H27433** | 13 | Belt, Chopper in Windrow or Fwd Position |
| 9400 | **A-H101436** | 13 | Belt, Straw Chopper Drive in Rear Operating Position |
| 9400, 9500, 9500SH, 9600 | **A-H125380** | 13 | Belt, Chopper Drive, Front |
| 9400, 9500, 9500SH, 9600 | **A-H125381** | 13 | Belt, Chopper in Rear (Operating) Position |
| (9500, 9500SH ALL SN 640201->), 9600 SN 640301> | **A-H23950** | 13 | Belt, Chopper in Windrow or Forward Position |
| 9500, 9500SH, 9600 | **A-H157726** | 13 | Belt, Straw Chopper, Front |
| 9400 SN <670100 (490-980 RPM), (9500, 9500SH ALL SN <670200), 9600 SN< 670300 (490-980 RPM) | **A-H137264** | 14 | Belt, Separator Fan, Slow Speed |
| 9400 SN 670101> (490-980 RPM) | **A-H152180** | 14 | Belt, Separator Fan |
| 9400 SN <670100, (9500, 9500SH ALL SN <670200), 9600 SN <670300 | **A-H140404** | 14 | Belt, Separator Fan, Regular Speed (750-1350 RPM) |
| 9400 SN 670101> (750-1350 RPM), (9500, 9500SH ALL SN 670201> (750-1350 RPM)), 9600 SN 670301> (750-1600 RPM) | **A-H152146** | 14 | Belt, Separator Fan |
| 9400 SN <635100 | **A-H125565** | 15 | Belt, Header & Reel Pump |
| (9500, 9500SH ALL SN <635200), 9600 SN <635300 | **A-H125565** | 15 | Belt, Powershaft & Reel Pump |
| 9400 SN 635101> | **A-H140160** | 15 | Belt, Header & Reel Pump |
| 9600 SN 635301> | **A-H140160** | 15 | Belt, Powershaft & Reel Pump |
| 9400 SN 635101>, (9500, 9500SH ALL SN 635201>) | **A-H151952** | 15 | Belt, Header & Reel |
| 9400, 9500, 9500SH, 9600 | **A-H161648** | 16 | Belt, Variable Speed Feeder House |
| 9400, 9500, 9500SH, 9600 | **A-AH163931** | 17 | Belt, Beater Drive at 75% |
| 9400, 9500, 9500SH, 9600 | **A-AH139436** | 17 | Belt, Beater Drive at 100% (set/2) |
| 9400, 9500, 9600 | **A-H126345** | 18 | Belt, Fixed Speed Feeder House w/ Reverser |
| 9500, 9500SH, 9600 | **A-H128234** | 19 | Belt, Straw Spreader |
| 9500, 9500SH, 9600 | **A-H22529** | 19 | Belt, Straw Spreader (Fine Cut) |
| 9400 MAXIMIZER SN: <650100, 9500 SIDEHILL SN: <650200, 9501 , 9600 MAXIMIZER SN: <650300 | **A-M95728** | 19 | Belt, Straw Spreader Deck |
| 9400, 9500, 9600 | **A-H164452** | 20 | Belt, Feeder House Air Flow Drive |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated




P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com




| Application | Part # | Ref. | Description |
|---|---|---|---|
| 9410 | **A-H132808** | 1 | Belt, Cooling Fan |
| 9610 | **A-H153297** | 1 | Belt, Cooling Fan |
| 9510, 9510SH | **A-H160405** | 1 | Belt, Cooling Fan (High Power) |
| 9410, 9610 | **A-H146636** | 3 | Belt, Rotary Screen Drive |
| 9610 | **A-H141167** | 5 | Belt, Clean Grain Elevator |
| 9410, 9510, 9510SH | **A-H160171** | 5 | Belt, Clean Grain Elevator |
| 9410, 9510, 9610 | **A-HXE51101** | 6 | Belt, Cylinder Intermediate |
| 9410, 9510, 9510SH, 9610 | **A-H115881** | 7 | Belt, Cylinder Drive Reg. Dual & Single Range |
| 9410 MAXIMIZER, 9510, 9610 MAXIMIZER | **A-HXE94488** | 7 | Belt, Cylinder Drive |
| 9410, 9510, 9510SH, 9610 | **A-H118618** | 7 | Belt, Cylinder Drive Slow Speed |
| 9410, 9510, 9510SH, 9610 | **A-N110085** | 8 | Belt, Tailings, Lower Auger, (Use w/ AH75988) |
| 9410, 9510, 9510SH, 9610 | **A-H128010** | 10 | Belt, Secondary Countershaft |
| 9410, 9510, 9510SH, 9610 | **A-H131169** | 11 | Belt, Shoe, Straw Walker & Conveyor Augers |
| 9410, 9510, 9510SH, 9610 | **A-AH127866** | 12 | Belt, Unloading System, Set/2 |
| 9410, 9510, 9510 SIDEHILL, 9610 | **A-AH158880** | 12 | Unloading Belt |
| 9410 | **A-E46113** | 13 | Belt, Chopper in Windrow or Forward Position |
| 9410 | **A-H101436** | 13 | Belt, Straw Chopper Drive in Rear Operating Position |
| 9510, 9510SH, 9610 | **A-H157726** | 13 | Belt, Straw Chopper, Front |
| 9410, 9510, 9510SH, 9610 | **A-H125380** | 13 | Belt, Chopper Drive, Front |
| 9510, 9510SH, 9610 | **A-H125381** | 13 | Belt, Chopper in Rear (Operating) Position |
| 9610 | **A-P47885** | 13 | Belt, Chopper in Windrow or Forward Position |
| 9510, 9510SH, 9610 | **A-H23950** | 13 | Belt, Chopper in Windrow or Forward Position |
| 9410 | **A-H137264** | 14 | Belt, Separator Fan, Slow Speed (490-980 RPM) |
| 9410 (490-980 RPM), 9610 Slow Speed | **A-H152180** | 14 | Belt, Separator Fan |
| 9410 | **A-H140404** | 14 | Belt, Separator Fan, Regular Speed (750-1350 RPM) |
| (9410, 9510, 9510SH, 9610 ALL 750-1350 RPM) | **A-H152146** | 14 | Belt, Separator Fan |
| 9410, 9510, 9510SH, 9610 | **A-H151952** | 15 | Belt, Header & Reel Pump (STD Capacity) |
| 9410, 9510, 9510SH, 9610 | **A-H161648** | 16 | Belt, Variable Speed Feeder House w/Reverser |
| 9410, 9510, 9510SH, 9610 | **A-AH139436** | 17 | Belt, Beater Drive at 100% (set/2) |
| 9410, 9510, 9510SH, 9610 | **A-AH163931** | 17 | Belt, Beater Drive at 75% |

# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.





| Application | Part # | Ref. | Description |
|---|---|---|---|
| 9410, 9510, 9610 | **A-H126345** | 18 | Belt, Fixed Speed Feeder House w/ Reverser |
| 9510, 9510SH, 9610 | **A-H128234** | 19 | Belt, Straw Spreader |
| 9510, 9510SH, 9610 | **A-H22529** | 19 | Belt, Straw Spreader (Fine Cut) |
| 9410 | **A-H27433** | 19 | Belt, Clean Grain Elevator Countershaft |
| 9410, 9510, 9510SH, 9610 | **A-H164452** | 20 | Belt, Feeder House Air Flow Drive |
| 9410 MAXIMIZER | **A-R123522** | 21 | Belt, Alternator |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com




JD
9450, 9550,
9550 Side Hill, 9650


| Application | Part # | Ref. | Description |
|---|---|---|---|
| 9450 | **A-H132808** | 1 | Belt, Cooling Fan |
| 9550, 9550SH | **A-H175467** | 1 | Belt, Cooling Fan |
| 9650 SN<695300 | **A-H153297** | 1 | Belt, Cooling Fan |
| 9550, 9550SH | **A-H160405** | 1 | Belt, Cooling Fan (High Power) |
| 9450 SN 690111>, 9550 SN 690711>, 9550SH, 9650 SN 690338> | **A-H175632** | 2 | Belt, Rotary Screen |
| 9450, 9650 | **A-H146636** | 3 | Belt, Rotary Screen Drive |
| 9450, 9550, 9550SH, 9650 | **A-H141166** | 5 | Belt, Clean Grain Elevator |
| 9450, 9550, 9550SH, 9650 | **A-HXE51101** | 6 | Belt, Cylinder Intermediate |
| (9450, 9550, 9550SH, 9650 ALL 240-960 RPM) | **A-H115881** | 7 | Belt, Cylinder Drive Reg. Dual & Single Range |
| 9450, 9550, 9550SH | **A-HXE94488** | 7 | Belt, Cylinder Drive |
| (9550, 9550SH, 9650 ALL 150-500 RPM) | **A-H118618** | 7 | Belt, Cylinder Drive Slow Speed |
| 9450, 9550, 9550SH, 9650 | **A-N110085** | 8 | Belt, Tailings, Lower Auger, (Use w/ AH75988) |
| 9550 SN 700201-> With 185 Amp Alt., 9550SH SN 700701-> With 185 Amp Alt. | **A-H205240** | | Belt, Alternator |
| 9450 | **A-H101813** | 9 | Belt, Alternator, Water Pump, AC |
| 9450, 9550, 9550SH, 9650 | **A-H128010** | 10 | Belt, Secondary Countershaft |
| 9450, 9550, 9550SH, 9650 | **A-H131169** | 11 | Belt, Shoe, Straw Walker & Conveyor Augers |
| 9450, 9550, 9550SH, 9650 | **A-AH127866** | 12 | Belt, Unloading System, Set/2 |
| 9450, 9550, 9550SH, 9650 | **A-AH158880** | 12 | Unloading Belt |
| 9450, 9550, 9550SH, 9650 | **A-H157726** | 13a | Belt, Straw Chopper, Front |
| 9450 | **A-H101436** | 13b | Belt, Straw Chopper Drive, Long, Rear |
| (9550, 9550SH, 9650 ALL STANDARD) | **A-H160654** | 13b | Belt, Straw Chopper (Rear) |
| 9550, 9550SH, 9650 | **A-H23950** | 13b | Belt, Chopper (STD Baling) |
| 9450 | **A-H27433** | 13b | Belt, Clean Grain Elevator Countershaft, Short, Rear |
| (9450, 9550, 9550SH, 9650 ALL 750-1350 RPM) | **A-H152146** | 14 | Belt, Separator Fan (750 - 1350 RPM) |
| (9450, 9550, 9550 SIDEHILL, 9650 ALL (490-980 RPM)) | **A-H152180** | 14 | Belt, Separator Fan (490-980 RPM) |
| 9550, 9550SH, 9650 | **A-H155998** | 15 | Belt, Header & Reel (High Capacity) |
| 9450, 9550, 9550SH, 9650 | **A-H151952** | 15 | Belt, Header & Reel |
| 9450 STANDARD CAPACITY, 9550 S/N <700200 STANDARD CAPACITY, 9550SH S/N <700700 STANDARD CAPACITY, 9650 S/N <700300 STANDARD CAPACITY | **A-H161648** | 16 | Belt, Variable Speed Feeder House w/Reverser |

# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# COMBINE BELTS







| Application | Part # | Ref. | Description |
|---|---|---|---|
| 9450, 9550, 9550SH, 9650 | **A-AH163931** | 17 | Belt, Beater Drive at 75% |
| 9450, 9550, 9550SH, 9650 | **A-AH139436** | 17 | Belt, Beater Drive at 100% (set/2) |
| 9450, 9550 SN <-700200, 9550SH SN <-700700, 9650 SN <-700300 | **A-H126345** | 18 | Belt, Fixed Speed Feeder House w/ Reverser |
| 9450 HIGH CAPACITY, 9550 SN 700201> FIXED SPEED FEEDER-HOUSE W/REVERSER, 9550SH SN 700701> FIXED SPEED FEEDER-HOUSE W/REVERSER, 9650 HIGH CAPACITY SN 700301> | **A-H156796** | 18 | Belt, Header & Reel Pump |
| 9550, 9550SH, 9650 | **A-H128234** | 19 | Belt, Straw Spreader |
| 9550, 9550SH, 9650 | **A-H22529** | 19 | Belt, Straw Spreader (Fine Cut) |
| 9550, 9550SH, 9650 | **A-H128234** | 19 | Belt, Straw Spreader |
| 9450, 9550, 9650 | **A-H171386** | 20 | Belt, Feeder House Air Flow Drive |
| 9550, 9550SH, 9650 | **A-H166870** | 21 | Belt, Alternator (185 Amp.) |
| 9450 | **A-R502417** | 21 | Belt, Alternator Drive (185 Amp) |
| 9650 With 185 Amp Alt., SN 695301> | **A-R164820** | 21 | Belt, Fan / Alternator |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com





JD 9560, 9560SH

| Application | Part # | Ref. | Description |
|---|---|---|---|
| 9560, 9560SH, 9660 | **A-H155998** | 1 | Belt, Header & Reel (High Capacity) |
| 9560, 9560SH, 9660 | **A-H151952** | 1 | Belt, Header & Reel Pump (STD Capacity) |
| (9560, 9560SH, 9660 ALL 100 PERCENT BEATER DRIVE) | **A-AH139436** | 3 | Belt, Beater Drive set/2 |
| (9560, 9560SH, 9660 ALL 75 PERCENT BEATER DRIVE) | **A-AH163931** | 3 | Belt, Beater Drive set2 |
| (9560, 9560SH, 9660 ALL 750-1350 RPM) | **A-H152146** | 4 | Belt, Separator Fan |
| 9560, 9560SH, 9660 | **A-AH127866** | 5 | Belt, Unloading System, Set/2 |
| 9560, 9560SH | **A-AH158880** | 5 | Unloading Belt |
| 9560, 9560SH, 9660 | **A-H157726** | 6 | Belt, Straw Chopper, Front |
| (9560, 9560SH, 9660 ALL STANDARD) | **A-H160654** | 7 | Belt, Straw Chopper (Rear) |
| 9560, 9560SH, 9660 | **A-H23950** | 7 | Belt, Chopper (STD Baling) |
| 9560SH STANDARD CAPACITY | **A-H161648** | 8 | Belt, Variable Speed Feeder House w/Reverser |
| 9560, 9660 | **A-H171386** | 9 | Belt, Feeder House Airflow Drive |
| 9560, 9660 | **A-H203473** | 10 | Belt; Fixed Speed Feeder House w/ Reverser |
| 9560, 9560 SIDEHILL, 9660 | **A-H174885** | 10 | Belt; Fixed Speed Feeder House, Extra Heavy Duty |
| 9560, 9560SH, 9660 | **A-H126345** | 10 | Belt, Fixed Speed Feeder House w/ Reverser |
| 9560, 9660 STANDARD CAPACITY AND FIXED SPEED DRIVE | **A-H156796** | 10 | Belt, Fixed Feeder House |
| 9560, 9560SH, 9660 | **A-H22529** | 11 | Belt, Straw Spreader (Fine Cut) |
| 9560, 9560SH | **A-H175467** | 12 | Belt, Cooling Fan |
| 9560, 9560SH, 9660 | **A-H175632** | 13 | Belt, Rotary Screen |
| 9660 | **A-H146636** | 14 | Belt, Rotary Screen Drive |
| 9560, 9560SH, 9660 | **A-H141166** | 15 | Belt, Clean Grain Elevator |
| 9560, 9560SH, 9660 | **A-H115881** | 17 | Belt, Cylinder Drive (240-960 RPM) |
| 9560, 9560SH | **A-HXE94488** | 17 | Belt, Cylinder Drive (240-960 RPM) |
| 9560, 9560SH, 9660 | **A-H118618** | 17 | Belt, Cylinder Drive Slow Speed (150-500 RPM) |
| 9560, 9560SH, 9660 | **A-N110085** | 18 | Belt, Tailings, Lower Auger |
| (9560, 9560SH ALL With 185 Amp Alt.) | **A-H205240** | | Belt, Alternator |
| 9660 With 185 Amp Alt. | **A-R164820** | 19 | Belt, Fan / Alternator |
| 9560, 9560SH, 9660 | **A-H128010** | 20 | Belt, Secondary Countershaft |
| 9560, 9560SH, 9660 | **A-H131169** | 21 | Belt, Shoe, Straw Walker & Conveyor Augers |

# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# COMBINE BELTS




| Application | Part # | Ref. | Description |
|---|---|---|---|
| 9660STS, 9760STS, 9860STS | **A-HXE95935** | 1 | Belt, Header & Reel Pump |
| 9560STS, 9660STS, 9760STS | **A-H126345** | 1 | Belt, Fixed Speed Feeder House w/ Reverser |
| 9560STS | **A-H209507** | 1 | Belt; Header/Reel Pump, High Capacity |
| (9660STS, 9760STS, 9860STS ALL STANDARD CAPACITY) | **A-H156796** | 1 | Belt, Header & Reel Pump |
| 9560 STS, 9660STS, 9760STS, 9860STS | **A-AH160080** | 2 | Belt, Unloading Auger Set2 |
| 9660STS, 9760STS | **A-HXE46027** | 3 | Belt, Variable Rotor Drive |
| 9860STS | **A-H208431** | 3 | Belt, Variable Rotor Drive |
| 9560STS, 9660STS, 9760STS, 9860STS | **A-H219182** | 4 | Belt, Discharge Beater |
| 9560I STS European, 9860STS SN 715634-, Heavy Duty | **A-H201596** | 5 | Belt, Countershaft, Discharge Beater & Chopper |
| 9560I STS European Edition, 9560STS, 9660STS, 9760STS, 9860STS SN <- 715633 | **A-HXE15671** | 5 | Belt, Straw Chopper Countershaft |
| 9860STS PREMIUM GRAIN) | **A-H217352** | 6 | Belt, Straw Chopper |
| 9560STS, 9660STS, 9760STS | **A-H235564** | 6 | Belt, Straw Chopper |
| 9560 STS, 9660STS, 9760STS | **A-H201334** | 7 | Belt, Feeder House Variable Speed (STD) |
| 9660STS, 9760STS | **A-HXE45928** | 7 | Belt, Variable Drive Feeder House, High Torque |
| 9560STS, 9660STS, 9760STS, 9860STS | **A-H218726** | 7 | Belt, Feeder House Variable Speed (Heavy Duty) |
| 9560STS, 9660STS, 9760STS, 9860STS | **A-H174885** | 8 | Belt; Fixed Speed Feeder House, Extra Heavy Duty |
| 9560STS, 9660STS, 9760STS, 9860STS | **A-H203474** | 8 | Belt, Feeder House Fixed Speed |
| 9560STS, 9660STS, 9760STS | **A-H126345** | 8 | Belt, Fixed Speed Feeder House w/ Reverser |
| 9560STS, 9660STS, 9760STS, 9860STS | **A-H218645** | 9 | Belt, Clean Grain Elevator |
| 9560STS, 9560I STS, 9660STS, 9760STS, 9860STS | **A-H154723** | 10 | Belt, Jackshaft Rear RH |
| 9660STS, 9760STS, 9860STS | **A-AH150678** | 11 | Belt, Jackshaft, Front (RH) set2 |
| 9560STS | **A-AH202773** | 11 | Belt Set; Front Secondary Jackshaft |
| 9560 STS | **A-AXE13650** | 11 | Belt, Separator Jackshaft Drive |
| 9560STS, 9660STS, 9760STS, 9860STS | **A-H221732** | 12 | Belt, Feed Accelerator (Slow Speed or Rice) |
| 9560 STS SN 71530 >, 9660STS, 9760STS, 9860STS | **A-HXE95511** | 12 | Belt, Feed Beater Drive, Standard Speed |
| 9560STS, 9660STS, 9760STS, 9860STS | **A-H236472** | 12 | Belt, Feed Accelerator (STD) |
| 9560STS SN <-715300 STD. Speed, 9660STS SN <-715410 STD. Speed, 9760STS SN <-715514 STD. Speed, 9860STS SN <-715600 STD. Speed | **A-H221731** | 12 | Belt, Feed Accelerator (STD) |
| 9660STS, 9760STS, 9860STS | **A-H221733** | 12 | Belt, Feed Accelerator Drive; High-Speed |
| 9860STS | **A-H230230** | 12 | Belt, Feed Accelerator; High Speed |
| 9560STS, 9660STS, 9760STS, 9860STS | **A-H175587** | 13 | Belt, Shoe Fan |
| 9560STS, 9660STS, 9760STS, 9860STS | **A-H206048** | 14 | Belt, Cleaning Fan |
| 9560STS, 9660STS, 9760STS, 9860STS | **A-H154731** | 15 | Belt, Tailings Auger & Elevator |
| 9660STS SN<715400, 9760STS SN<715600, 9860STS SN 695500> | **A-H175628** | 16 | Belt, Rotary Screen (Screen Side) |


# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.





P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com




| Application | Part # | Ref. | Description |
|---|---|---|---|
| 9560STS | **A-H175632** | 16 | Belt, Rotary Screen |
| 9560STS SN 720101>, (9660STS, 9760STS ALL SN: >715401), 9860STS SN: >715601 | **A-H213353** | 17 | Belt, Rotary Screen (Engine Side) |
| (9660STS, 9760STS ALL SN 695500>), 9860STS SN<715600 | **A-H206807** | 17 | Belt, Rotary Screen (Engine Side) |
| 9560STS, 9660STS, 9760STS | **A-HXE32806** | 18 | Belt, Alternator, 8.1 L Engine |
| 9560STS, 9660STS, 9760STS | **A-R135606** | 18 | Belt, Alternator (95 Amp.) |
| 9560STS, 9660STS, 9760STS | **A-R135609** | 18 | Belt, Alternator (185 Amp.) |
| 9560STS | **A-R521053** | 18 | Belt, Alternator (200 Amp.) |
| 9860STS | **A-R503505** | 18 | Belt; Alternator/Fan |
| 9860STS | **A-R503312** | 19 | Belt, Engine Fan Drive |




*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated

# COMBINE BELTS



**9470STS**
**9570STS**
**9670STS**
**9770STS**
**9870STS**




| Application | Part # | Ref. | Description |
|---|---|---|---|
| 9670STS, 9770STS, 9870STS | **A-HXE95935** | 1 | Belt, Feeder House Front End Drive, High Capacity |
| 9570STS SN 740201 > | **A-HXE16928** | 1 | E-Clutch to Feeder House (Std Duty) |
| 9570STS | **A-H209507** | 1 | Belt; Header/Reel Pump, High Capacity |
| (9770STS, 9870STS ALL w/ Multi-Speed) | **A-H229018** | 1 | Belt, Feeder House Front End Drive, w/ Multi-Speed |
| 9570STS, 9670STS, 9770STS | **A-AH160080** | 2 | Belt, Unloading Auger Set2 |
| 9670STS | **A-HXE46027** | 3 | Belt, Variable Rotor Drive |
| 9770STS, 9870STS | **A-H208431** | 3 | Belt, Variable Rotor Drive |
| 9770STS | **A-HXE63990** | 4 | Belt, Rotor Drive |
| 9570STS, 9670STS, 9770STS, 9870STS | **A-H219182** | 4 | Belt, Discharge Beater |
| 9670STS, 9770STS, 9870STS | **A-HXE24210** | 4 | Belt, Discharge Beater Drive |
| 9570STS, 9670STS, 9770STS, 9870STS | **A-HXE15671** | 5 | Belt, Straw Chopper Countershaft |
| 9670STS, 9770STS, 9870STS | **A-HXE10556** | 5 | Belt, Straw Chopper, Regular Duty |
| 9770STS, 9870STS | **A-HXE10501** | 5 | Belt, Straw Chopper Countershaft, Heavy Duty |
| 9470STS South American Edition, 9570STS, 9870STS | **A-H235564** | 6 | Belt, Straw Chopper |
| 9670STS | **A-H232997** | 6 | Belt; Lower Straw Chopper |
| 9770STS, 9870STS | **A-H223212** | 6 | Belt, Chopper Drive, Lower |
| 9570STS | **A-H201334** | 7 | Belt, Feeder House Variable Speed (STD) |
| 9670STS, 9770STS | **A-HXE45928** | 7 | Belt, Variable Drive Feeder House, High Torque |
| 9570STS, 9770STS | **A-H218726** | 7 | Belt, Feeder House Variable Speed (Heavy Duty) |
| 9570STS, 9670STS, 9770STS | **A-H203474** | 8 | Belt, Feeder House Fixed Speed, Standard Duty |
| 9570STS, 9670STS, 9770STS, 9870STS | **A-H126345** | 8 | Belt, Fixed Speed Feeder House w/ Reverser |
| 9770STS, 9870STS | **A-H174885** | 8 | Belt; Fixed Speed Feeder House, Extra Heavy Duty |
| 9770STS, 9870STS | **A-H229019** | 8 | Belt, Feeder House Drive, 5 Speed w/o Fore/Aft Tilt |
| 9570STS, 9670STS | **A-H218645** | 9 | Belt, Clean Grain Elevator |
| 9770STS, 9870STS | **A-H223230** | 9 | Belt, Clean Grain Elevator |
| 9470STS, 9570STS, 9670STS, 9770STS, 9870STS | **A-H154723** | 10 | Belt, Jackshaft Rear RH |
| 9670STS, 9770STS, 9870STS | **A-AH150678** | 11 | Belt, Jackshaft, Front (RH) set2 |
| 9570STS SN <740200 | **A-AH202773** | 11 | Belt Set; Front Secondary Jackshaft |
| 9570STS | **A-AXE13650** | 11 | Belt, Separator Jackshaft Drive |
| 9570STS, 9670STS, 9770STS, 9870STS | **A-H221732** | 12 | Belt, Feed Accelerator (Slow Speed or Rice) |
| 9570STS, 9670STS, 9770STS, 9870STS | **A-HXE95511** | 12 | Belt, Feed Beater Drive, Standard Speed |
| 9570STS, 9670STS, 9770STS, 9870STS | **A-H236472** | 12 | Belt, Feed Accelerator (STD) |
| (9670STS, 9770STS, 9870STS ALL SN 730101 >) | **A-HXE54503** | 12 | Belt, Feed Accelerator Stone Trap Drive (High Capacity) 520/1000 rev/min |


# = Part Currently Not Available  NI = Not illustrated


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.





P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**9470STS**
**9570STS**
**9670STS**
**9770STS**
**9870STS**








| Application | Part # | Ref. | Description |
|---|---|---|---|
| (9670STS, 9770STS, 9870STS ALL SN <730100) | **A-H221733** | 12 | Belt, Feed Accelerator Drive; High-Speed |
| 9670STS | **A-H230230** | 12 | Belt, Feed Accelerator; High Speed |
| 9570STS, 9670STS, 9770STS, 9870STS | **A-H175587** | 13 | Belt, Shoe Fan |
| 9570STS, 9670STS, 9770STS, 9870STS | **A-H215389** | 14 | Belt, Clean Fan, Slow-speed |
| 9570STS, 9870STS | **A-H230909** | 14 | Belt; Cleaning Fan |
| 9570STS, 9670STS, 9770STS, 9870STS | **A-H154731** | 15 | Belt, Tailings Auger & Elevator |
| 9570STS, 9670STS, 9770STS, 9870STS | **A-H221273** | 16 | Belt, Rotary Screen |
| 9570STS, 9670STS, 9770STS, 9870STS | **A-H213353** | 17 | Belt, Rotary Screen |
| 9870STS | **A-R503312** | 18 | Belt, Rotary Screen Drive, Tier 2 |
| 9870STS | **A-R503505** | 19 | Belt; Alternator/Fan |
| 9670STS, 9770STS | **A-HXE32806** | 18 | Belt, Alternator (200 Amp) |
| 9570STS | **A-R521053** | 19 | Belt, Alternator |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated

# COMBINE BELTS




**JD**
**9650CTS, 9660CTS,**
**9780CTS**

| Application | Part # | Ref. | Description |
|---|---|---|---|
| 9650CTS, 9660CTS | **A-H151952** | 1 | Belt, Header & Reel Pump (STD Capacity) |
| 9650CTS, 9660CTS | **A-H155998** | 1 | Belt, Header & Reel (High Capacity) |
| 9660 CTS | **A-HXE95935** | 1 | Belt, Header & Reel Pump |
| (9650CTS, 9660CTS ALL 750-1350 RPM) | **A-H152146** | 3 | Belt, Separator Fan (750-1350 RPM) |
| 9650CTS (490-980 RPM) | **A-H152180** | 3 | Belt, Separator Fan (490-980 RPM) |
| 9650CTS, 9660CTS | **A-H126345** | 4 | Belt, Fixed Speed Feeder House w/ Reverser |
| 9650CTS HIGH CAPACITY | **A-H156796** | 4 | Belt, Fixed Speed Feeder House w/ Reverser |
| 9650CTS STANDARD CAPACITY | **A-H161648** | 5 | Belt, Variable Speed Feeder House (STD Capacity) |
| (9650CTS, 9660CTS ALL STRAW SPREADER (LOWER)) | **A-P49604** | 6 | Belt, Straw Spreader Drive |
| 9650 CTS, 9660 CTS | **A-H139963** | 8 | Belt; Stripper Beater Drive |
| 9650 CTS, 9660 CTS | **A-E16774** | 8 | Belt, Dual-Speed Beater Drive (770/400 RPM) |
| 9650CTS, 9660CTS | **A-H171386** | 9 | Belt, Feeder House Air Flow Drive |
| 9650CTS S/N <-695400 | **A-H160405** | 10 | Belt, Cooling Fan (High Power) |
| 9650CTS SN 690401>, 9660CTS | **A-H175632** | 11 | Belt, Rotary Screen |
| 9780CTS | **A-H175628** | 11 | Belt, Rotary Screen (Screen Side) |
| 9650CTS SN 695401>, 9660CTS | **A-H146636** | 12 | Belt, Rotary Screen Drive |
| 9650CTS, 9660CTS | **A-H141166** | 13 | Belt, Clean Grain Elevator |
| 9650CTS | **A-HXE51101** | 14 | Belt, Cylinder Intermediate |
| 9650CTS, 9660CTS | **A-H118618** | 15 | Belt, Cylinder Drive Slow Speed |
| 9650CTS, 9660CTS | **A-H115881** | 15 | Belt, Cylinder Drive |
| 9650 CTS, 9660 CTS | **A-HXE94488** | 15 | Belt, Cylinder Drive |
| 9650CTS, 9660CTS | **A-N110085** | 16 | Belt, Tailings Auger & Elevator, Lower |
| 9650CTS S/N 695401>, 9660CTS | **A-R164820** | 17 | Belt, Fan / Alternator |
| 9650CTS SN <695400 | **A-H166870** | 17 | Belt, Alternator (185 Amp.) |
| 9650CTS, 9660CTS | **A-H128010** | 18 | Belt, Secondary Countershaft |
| 9650CTS, 9660CTS | **A-H131169** | 19 | Belt, Conveyor Auger, Sieve, & Chaffer |
| 9650CTS, 9660CTS | **A-H165708** | 20 | Belt, Stripper Beater |
| 9650CTS, 9660CTS | **A-AH158880** | 22 | Unloading Belt |


# = Part Currently Not Available  NI = Not illustrated



*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com





| Application | Part # | Ref. | Description |
|---|---|---|---|
| 9650STS STANDARD CAPACITY AND FIXED SPEED DRIVE, 9750STS HIGH CAPACITY | **A-H156796** | 1 | Belt, Header & Reel Pump |
| 9650STS , 9750STS SN: 700602-700631 | **A-HXE95935** | 1 | Belt, Header & Reel Pump |
| 9650STS, 9750STS | **A-AH160080** | 2 | Belt, Unloading Auger Set2 |
| 9650STS, 9750STS | **A-H219182** | 4 | Belt, Discharge Beater |
| 9650STS, 9750STS | **A-HXE15671** | 5 | Belt, Straw Chopper Countershaft |
| 9750STS | **A-H201596** | 5 | Belt, Countershaft, Discharge Beater & Chopper |
| 9650STS, 9750STS | **A-H235564** | 6 | Belt, Straw Chopper |
| 9650STS, 9750STS | **A-H218726** | 7 | Belt, Feeder House Variable Speed (Heavy Duty) |
| (9650STS, 9750STS ALL SN <700500) | **A-H111519** | 8 | Belt, Fixed Speed Feeder House |
| 9650STS SN 700501>, 9750STS SN 700601> | **A-H125565** | 8 | Belt, Fixed Speed Feeder House |
| 9650STS, 9750STS | **A-H218645** | 9 | Belt, Clean Grain Elevator |
| 9650STS, 9750STS | **A-H154723** | 10 | Belt, Jackshaft Rear RH |
| 9650STS, 9750STS | **A-AH150678** | 11 | Belt, Jackshaft, Front (RH) |
| 9650STS, 9750STS | **A-H221731** | 12 | Belt, Feed Accelerator (STD) |
| 9650STS, 9750STS | **A-H221732** | 12 | Belt, Feed Accelerator (Slow Speed Or Rice) |
| 9750STS | **A-H221733** | 12 | Belt, Feed Accelerator Drive; High-Speed |
| 9650STS, 9750STS | **A-H175587** | 13 | Belt, Shoe Fan |
| 9650STS, 9750STS | **A-H154731** | 15 | Belt, Tailings Auger & Elevator |
| 9650STS, 9750STS | **A-H155998** | 15 | Belt, Header & Reel (High Capacity) |
| (9650STS, 9750STS ALL SN 695501>) | **A-H175628** | 16 | Belt, Rotary Screen (Screen Side) |
| 9650STS, 9750STS | **A-H206807** | 17 | Belt, Rotary Screen (Engine Side) |
| 9650STS SN <695500, 9750STS SN <695600 | **A-H157104** | 17 | Belt, Rotary Screen (Engine Side) |
| 9650STS, 9750STS | **A-R135606** | 18 | Belt, Alternator (95 Amp.) |
| 9650STS, 9750STS | **A-R135609** | 18 | Belt, Alternator (185 Amp.) |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated

# COMBINE BELTS







| Application | Part # | Ref. | Description |
|---|---|---|---|
| (9880 STS, 9880I STS ALL Europe Edition) | **A-HXE95935** | 1 | Belt, Header & Reel Pump |
| 9880 STS | **A-AH160080** | 2 | Belt, Unloading Auger Set2 |
| 9880STS | **A-H219182** | 4 | Belt, Discharge Beater |
| 9880STS SN <705800 | **A-H217352** | 6 | Belt, Straw Chopper |
| 9880STS | **A-H174885** | 8 | Belt; Fixed Speed Feeder House, Extra Heavy Duty |
| 9880STS | **A-H218645** | 9 | Belt, Clean Grain Elevator |
| 9880 STS, 9880I STS | **A-H154723** | 10 | Belt, Jackshaft Rear RH |
| 9880STS | **A-AH150678** | 11 | Belt, Jackshaft, Front (RH) |
| 9880 STS Europe Edition (SN: <700800) | **A-H221732** | 12 | Belt, Feed Accelerator (Slow Speed Or Rice) |
| 9880 STS Europe Edition (SN: >700801), (9880I STS, 9880I STS HILLMASTER ALL Europe Edition) | **A-H221733** | | Belt, Feed Accelerator Drive; High-Speed |
| 9880STS | **A-H175587** | 13 | Belt, Shoe Fan |
| 9880STS | **A-H154731** | 15 | Belt, Tailings Auger & Elevator |
| 9880STS | **A-H175628** | 16 | Belt, Rotary Screen (Screen Side) |
| 9880STS SN 700801> | **A-H206807** | 17 | Belt, Rotary Screen (Engine Side) |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com





## CTS, CTS II

| Application | Part # | Ref. | Description |
|---|---|---|---|
| CTS, CTS II | **A-H151952** | 1 | Belt, Front End Equipment Drive |
| CTS | **A-H140160** | 1 | Belt, Powershaft & Reel Pump |
| CTS, CTS II | **A-H219182** | 2 | Belt, Discharge Beater |
| CTS <-670400 | **A-H140404** | 3 | Belt, Fan Drive, Reg. Speed (700-1350 RPM) |
| CTS S/N <-670400 | **A-H137264** | 3 | Belt, Separator Fan, Slow Speed (490-980 RPM) |
| CTS SN 670401> (750-1350 RPM) | **A-H152146** | 3 | Belt, Separator Fan |
| CTS STANDARD CAPACITY | **A-H161648** | 4 | Belt, Variable Speed Feeder House |
| CTS, CTS II | **A-H141429** | 5 | Belt; Seperator Fan Drive |
| CTS, CTS II | **A-H143700** | 6 | Belt; Beater Drive |
| CTS, CTSII | **A-E16774** | 6 | Belt, Dual-Speed Beater Drive, (770/400 RPM) |
| CTS II | **A-H139963** | 6 | Belt; Stripper Beater Drive |
| CTS, CTS II | **A-H126345** | 7 | Belt, Fixed Speed Feeder House w/ Reverser |
| CTS, CTSII | **A-E61326** | 8 | Belt, Straw Spreader Drive |
| CTS SN: <650100 | **A-M95728** | 9 | Belt, Straw Spreader Deck |
| CTS, CTS II | **A-P49604** | 8 | Belt, Straw Spreader Drive |
| CTS, CTS II | **A-AH127866** | 10 | Belt, Unloading System (set/2) |
| CTS | **A-AH158880** | 10 | Unloading Belt |
| CTS, CTS II | **A-H164452** | 11 | Belt, Feeder House Airflow Drive |
| CTS II | **A-H160405** | 12 | Belt, Cooling Fan |
| CTS | **A-H153297** | 12 | Belt, Cooling Fan |
| CTS SN 645511> | **A-H146636** | 14 | Belt, Rotary Screen Drive |
| CTS II | **A-H160406** | 14 | Belt, Rotary Screen Drive |
| CTS SN <650400 | **A-H81742** | 15 | Belt, AC Compressor |
| CTS S/N 650401> | **A-H80896** | 15 | Belt, AC Compressor |
| CTS | **A-H134437** | 15 | Belt, AC Compressor |
| CTS | **A-H141167** | 16 | Belt, Clean Grain Elevator |
| CTS II | **A-H160171** | 16 | Belt, Clean Grain Elevator |
| CTS, CTS II | **A-HXE94485** | 17 | Belt, Cylinder Intermediate Drive |
| CTS, CTS II | **A-H118618** | 18 | Belt, Cylinder Drive Slow Speed |
| CTS, CTS II | **A-H115881** | 18 | Belt, Cylinder Drive, Reg. Dual/Single Range |

# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# COMBINE BELTS




**CTS, CTS II**

| Application | Part # | Ref. | Description |
|---|---|---|---|
| CTS, CTSII | **A-HXE94488** | 18 | Belt, Cylinder Drive |
| CTS, CTS II | **A-N110085** | 19 | Belt, Tailings, Lower Auger |
| CTS S/N 645510-> | **A-H101813** | 20 | Belt, Alternator |
| CTS, CTS II | **A-H128010** | 21 | Belt, Secondary Countershaft |
| CTS, CTS II | **A-H131169** | 22 | Belt, Shoe, Straw Walker & Conveyor Augers |


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


# = Part Currently Not Available  NI = Not illustrated



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

# JD
# S550




| Application | Part # | Ref. | Description |
|---|---|---|---|
| S550 | **A-H203474** | 1 | Belt, Feeder House Fixed Speed, Standard Duty |
| S550 | **A-H218726** | 1 | Belt, Feeder House Variable Speed (Heavy Duty) |
| S550 | **A-HXE16928** | 2 | E-Clutch to Feeder House (Std Duty) |
| S550 | **A-AH160080** | 3 | Belt, Unloading Auger Set2 |
| S550 | **A-HXE46027** | 4 | Belt, Variable Rotor Drive |
| S550 | **A-HXE15671** | 5 | Belt, Straw Chopper Countershaft |
| S550 | **A-H235564** | 6 | Belt, Straw Chopper |
| S550 | **A-H219182** | 7 | Belt, Discharge Beater |
| S550 | **A-H218645** | 8 | Belt, Clean Grain Elevator |
| S550 | **A-H154723** | 9 | Belt, Jackshaft Rear RH |
| S550 | **A-AXE13650** | 10 | Belt, Separator Jackshaft Drive |
| S550 | **A-HXE95511** | 11 | Belt, Feed Beater Drive, Standard Speed |
| S550 | **A-H236472** | 11 | Belt, Feed Accelerator (STD) |
| S550 | **A-H221732** | 11 | Belt, Feed Accelerator (Slow Speed or Rice) |
| S550 | **A-HXE82335** | 12 | Belt, Conveyor Auger, Shoe Fan Drive |
| S550 | **A-H175587** | 12 | Belt, Shoe Fan |
| S550 | **A-HXE15594** | 13 | Belt; Cleaning Fan Drive, Standard Speed |
| S550 | **A-H154731** | 14 | Belt, Tailings Auger & Elevator |
| S550 | **A-H221273** | 15 | Belt, Rotary Screen |
| S550 | **A-H213353** | 16 | Belt, Rotary Screen |
| S550 | **A-R521053** | 17 | Belt, Alternator |


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



# = Part Currently Not Available  NI = Not illustrated

# COMBINE BELTS






| Application | Part # | Ref. | Description |
|---|---|---|---|
| S660 Std Duty | **A-H203474** | 1 | Belt, Feeder House Fixed Speed, Std |
| S650, S660 | **A-H218726** | 1 | Belt, Feeder House Variable Speed (Heavy Duty) |
| S660 | **A-HXE50398** | 1 | Belt, Feeder House Drive, Fixed Speed High Torque |
| S660 | **A-HXE45928** | 1 | Belt, Variable Drive Feeder House, High Torque |
| S650, S660 | **A-H174885** | 1 | Belt; Fixed Speed Feeder House, Extra Heavy Duty |
| S650 SN: >765000, S660 | **A-HXE95935** | 2 | Belt, Header & Reel Pump, High Capacity |
| S650, S660 | **A-AH160080** | 3 | Belt, Unloading Auger Set2 |
| S650, S660 | **A-HXE46027** | 4 | Belt, Variable Rotor Drive |
| S650, S660 | **A-H241230** | 5 | Belt, Upper Chopper Drive, Fine 3HC |
| S650 SN 765000>, S660 | **A-HXE124868** | 5 | Belt, Upper Chopper Drive |
| S650, S660 | **A-H241212** | 6 | Belt; Dual Chopper Drive, Fine Cut |
| S650 SN 76500>, S660 SN 745100> | **A-HXE124869** | 6 | Belt, Lower Chopper Drive |
| S650, S660 | **A-H240974** | 6 | Belt, Lower Chopper Drive, Extra Fine Cut |
| S650 (SN: 765000-785000), S660 (SN: 745100-765171) | **A-H240972** | 6 | Belt, Lower Dual Chopper Drive, Extra Fine Cut |
| S650 S/N 765000-78500, S660 | **A-HXE15556** | 7 | Belt, Discharge Beater Drive |
| S660 SN: 765172-785000 | **A-HXE69321** | 7 | Belt, Discharge Beater Drive, Fine Cut |
| S650, S660 | **A-H218645** | 8 | Belt, Clean Grain Elevator |
| S650, S660 | **A-H154723** | 9 | Belt, Jackshaft Rear RH |
| S650, S660 | **A-AH150678** | 10 | Belt, Jackshaft, Front (RH) |
| S650, S660 | **A-HXE88564** | 10 | Belt, Separator Jackshaft Drives, High Capacity, Front, RH |
| S650, S660 | **A-HXE95511** | 11 | Belt, Feed Beater Drive, Standard Speed |
| S650, S660 | **A-HXE54503** | 11 | Belt, Feed Accelerator Stone Trap Drive (High Capacity) 520/1000 rev/min |
| S650, S660 | **A-H221732** | 11 | Belt, Feed Accelerator (Slow Speed or Rice) |
| S660 | **A-H230230** | 11 | Belt, Feed Accelerator; High Speed |
| S650, S660 | **A-HXE82335** | 12 | Belt, Conveyor Auger, Shoe Fan Drive |
| S650 | **A-H175587** | 12 | Belt, Shoe Fan |
| S650, S660 | **A-HXE102288** | 12 | Belt, Conv Auger, Shoe, Fan Drive |
| 9670STS, 9770STS, 9570STS | **A-H215389** | | Belt, Clean Fan, Slow-speed |
| S650, S660 | **A-HXE15594** | 13 | Belt; Cleaning Fan Drive, Standard Speed |
| S650, S660 | **A-HXE99294** | 13 | Belt, Cleaning Fan Drive |
| S650, S660 | **A-H154731** | 14 | Belt, Tailings Auger & Elevator |


# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com


## JD
## S650, S660





| Application | Part # | Ref. | Description |
|---|---|---|---|
| S660, S650 | **A-H221273** | 15 | Belt, Rotary Screen |
| S650 SN 765001->, S660 | **A-H238867** | 16 | Belt, Air Screen Drive |
| S650, S660 | **A-HXE68016** | 17 | Belt, Cleaning Fan, Lower |
| S660 | **A-HXE68015** | 17 | Belt, Vacuum Fan, Upper |
| S650 S/N 765000>, S660 | **A-HXE22617** | 18 | Belt, Variable Speed Fan |
| S650 SN 765000-785000, S660 | **A-H238822** | 19 | Belt, Alternator, Front Drive, Tier 4 9.0L |
| S660 | **A-HXE32806** | 19 | Belt, Alternator, Front Drive, Tier 2 9.0L |
| S650 SN: >76500 | **A-HXE68015** | 20 | Belt, Vacuum Fan, Upper |
| S660 SN 785001 > | **A-R307304** | 22 | Belt, Air Compressor Drive, Tier 2 |


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated




## JD S670




| Application | Part # | Ref. | Description |
|---|---|---|---|
| S670 | **A-HXE45928** | 1 | Belt, Variable Speed Feeder House Drive, High Torque w/o Fore/ Aft Tilt |
| S670, S670 HILLMASTER | **A-H229019** | 1 | Belt, Feeder House Drive, 5 Speed w/o Fore/Aft Tilt |
| S670, S670 HILLMASTER | **A-H174885** | 1 | Belt; Fixed Speed Feeder House, Extra Heavy Duty |
| S670 | **A-HXE47152** | 1 | Belt, Feeder House Drive, 5 Speed w/ Fore/Aft Tilt |
| S670 | **A-HXE50398** | 1 | Belt, Feeder House Drive, Fixed Speed High Torque |
| S670 , S670 HILLMASTER SN: <765000 | **A-HXE95935** | 2 | Belt, Feeder House Front End Drive, Heavy Duty |
| S670, S670 HILLMASTER | **A-H229018** | 2 | Belt, Feeder House Front End Drive w/ 5 Speed |
| S670, S670 HILLMASTER | **A-AH160080** | 3 | Belt, Grain Tank Auger Drive, Set2 |
| S670 SN: 745100-765252, S670 HILLMASTER SN: <765000 | **A-HXE63990** | 4 | Belt, Rotor Drive |
| S670 , S670 HILLMASTER SN: <765000 | **A-H208431** | 4 | Belt, Variable Rotor Drive |
| S670, S670 HILLMASTER | **A-H241230** | 5 | Belt, Straw Spreader Drive Dual Chopper, Fine Cut |
| S670 SN 745100>, S670 HILLMASTER SN <765000 | **A-HXE124868** | 5 | Belt, Upper Chopper Drive |
| S670, S670 HILLMASTER | **A-H241212** | 6 | Belt; Dual Chopper Drive, Fine Cut |
| S670 SN 745100>, S670 HILLMASTER SN <765000 | **A-HXE124869** | 6 | Belt, Lower Chopper Drive |
| S670, S670 HILLMASTER | **A-H240974** | 6 | Belt, Lower Chopper Drive, Extra Fine Cut |
| S670 (SN: 745100-785000), S670 HILLMASTER (SN: <765000) | **A-H240972** | 6 | Belt, Lower Dual Chopper Drive, Extra Fine Cut |
| S670, S670 HILLMASTER | **A-AH236689** | 7 | Belt, Discharge Beater Drive, Extra Fine Cut Set2 |
| S670 | **A-HXE69321** | 7 | Belt, Discharge Beater Drive, Fine Cut |
| S670, S670 HILLMASTER | **A-H223230** | 8 | Belt, Clean Grain Elevator |
| S670, S670 HILLMASTER | **A-H154723** | 9 | Belt, Jackshaft Rear RH |
| S670, S670 HILLMASTER | **A-AH150678** | 10 | Belt, Jackshaft, Front (RH) |
| S670 Separator Jackshaft Dr., Worldwide Edition, S/N 785001> | **A-HXE88564** | 10 | Belt, Separator Jackshaft Drives, High Capacity, Front, RH |
| S670, S670 HILLMASTER | **A-HXE95511** | 11 | Belt, Feed Beater Drive, Standard Speed |
| S670, S670 HILLMASTER | **A-H236472** | 11 | Belt, Feed Accelerator (STD) |
| S670, S670 HILLMASTER | **A-H221732** | 11 | Belt, Feed Accelerator (Slow Speed or Rice) |
| S670, S670 HILLMASTER | **A-HXE54503** | 11 | Belt, Feed Accelerator Stone Trap Drive (High Capacity) 520/1000 rev/min |
| S670, S670 HILLMASTER | **A-H230230** | 11 | Belt, Feed Accelerator; High Speed |


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated



P. 800-657-4343
F. 800-511-0516
aiproducts
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## JD S670






| Application | Part # | Ref. | Description |
|---|---|---|---|
| S670, S670 HILLMASTER | **A-HXE82335** | 12 | Belt, Conveyor Auger, Shoe Fan Drive |
| S670, S670 HILLMASTER | **A-H175587** | 12 | Belt, Conveyor Auger Drive |
| S670 CONV AUGER, SHOE, FAN, Worldwide S/N 785001> | **A-HXE102288** | 12 | Belt, Conv Auger, Shoe, Fan Drive |
| S670, S670 HILLMASTER | **A-HXE15594** | 13 | Belt; Cleaning Fan Drive, Standard Speed |
| S670 Belt, Cleaning Fan Drive, Worldwide S/N 785001> | **A-HXE99294** | 13 | Belt, Cleaning Fan Drive |
| S670, S670 HILLMASTER | **A-H154731** | 14 | Belt, Tailings Auger & Elevator |
| S670, S670 HILLMASTER | **A-H238822** | 15 | Belt, Alternator, Front Drive, Tier 4 9.0L |
| S670, S670 HILLMASTER | **A-HXE32806** | 15 | Belt, Alternator, Front Drive, Tier 2 9.0L |
| S670, S670 HILLMASTER | **A-HXE22617** | 16 | Belt, Variable Speed Fan |
| S670, S670 HILLMASTER | **A-H221273** | 17 | Belt, Rotary Screen |
| S670, S670 HILLMASTER | **A-H238867** | 18 | Belt, Air Screen Drive |
| S670 SN: >745100, S670 HILLMASTER SN: <765000 | **A-HXE68015** | 19 | Belt, Vacuum Fan, Upper |
| S670, S670 HILLMASTER | **A-HXE68016** | 20 | Belt, Cleaning Fan, Lower |
| S670 SN: >745100, S670 HILLMASTER SN: <765000 | **A-H240895** | 21 | Belt, Overshot Beater Drive |
| S670 SN 785001 > | **A-R307304** | 22 | Belt, Air Compressor Drive, Tier 2 |


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated

## JD S680




| Application | Part # | Ref. | Description |
|---|---|---|---|
| S680 | **A-HXE45928** | 1 | Belt, Variable Speed Feeder House Drive, High Torque w/o Fore/ Aft Tilt |
| S680, S680 HILLMASTER | **A-H229019** | 1 | Belt, Feeder House Drive, 5 Speed w/o Fore/Aft Tilt |
| S680, S680 HILLMASTER | **A-H174885** | 1 | Belt; Fixed Speed Feeder House, Extra Heavy Duty |
| S680, S680 HILLMASTER | **A-HXE47152** | 1 | Belt, Feeder House Drive, 5 Speed w/ Fore/Aft Tilt |
| S680, S680 HILLMASTER | **A-HXE50398** | 1 | Belt, Feeder House Drive, Fixed Speed High Torque |
| S680, S680 HILLMASTER | **A-HXE95935** | 2 | Belt, Feeder House Front End Drive, Heavy Duty |
| S680, S680 HILLMASTER | **A-H229018** | 2 | Belt, Feeder House Front End Drive w/ 5 Speed |
| S680, S680 HILLMASTER | **A-AH233198** | 3 | Belt, Unloading Auger Drive Set/2 |
| S680, S680 HILLMASTER | **A-H208431** | 4 | Belt, Variable Rotor Drive |
| S680 SN 785001> | **A-HXE63990** | 4 | Belt, Rotor Drive |
| S680, S680 HILLMASTER | **A-H241230** | 5 | Belt, Straw Spreader Drive Dual Chopper, Fine Cut |
| S680 SN 766007>, S680 HILLMASTER SN 785001> | **A-HXE124868** | 5 | Belt, Upper Chopper Drive |
| S680, S680 HILLMASTER | **A-H241212** | 6 | Belt; Dual Chopper Drive, Fine Cut |
| S680 SN 745100>, S680 HILLMASTER SN <765000 | **A-HXE124869** | 6 | Belt, Lower Chopper Drive, Dual Fine Cut |
| S680, S680 HILLMASTER | **A-H240974** | 6 | Belt, Lower Chopper Drive, Extra Fine Cut |
| S680, S680 HILLMASTER | **A-H240972** | 6 | Belt, Lower Dual Chopper Drive, Extra Fine Cut |
| S680 , S680 HILLMASTER SN: <765000 | **A-AH236689** | 7 | Belt, Discharge Beater Drive, Extra Fine Cut Set2 |
| S680 | **A-HXE69321** | 7 | Belt, Discharge Beater Drive, Fine Cut |
| S680 SN 766007> | **A-HXE69281** | 8 | Belt, After Treatment Blower Drive |
| S680, S680 HILLMASTER | **A-H223230** | 9 | Belt, Clean Grain Elevator, Heavy Duty |
| S680, S680 HILLMASTER | **A-HXE20763** | 9 | Belt, Clean Grain Elevator Drive, Extra High Capacity |
| S680, S680 HILLMASTER | **A-H154723** | 10 | Belt, Jackshaft Rear RH |
| S680, S680 HILLMASTER | **A-AH150678** | 11 | Belt, Jackshaft, Front (RH) |
| S680 | **A-HXE88564** | 11 | Belt, Separator Jackshaft Drives, High Capacity, Front, RH |
| S680, S680 HILLMASTER | **A-HXE95511** | 12 | Belt, Feed Beater Drive, Standard Speed |
| S680 | **A-H236472** | 12 | Belt, Feed Accelerator (STD) |
| S680, S680 HILLMASTER | **A-H221732** | 12 | Belt, Feed Accelerator (Slow Speed or Rice) |
| S680 SN 745100-785000, S680 HILLMASTER SN <765000 | **A-H230230** | 12 | Belt, Feed Accelerator; High Speed |
| S680, S680 HILLMASTER | **A-HXE54503** | 12 | Belt, Feed Accelerator Stone Trap Drive (High Capacity) 520/1000 rev/min |


# = Part Currently Not Available  NI = Not illustrated


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.




P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## JD S680





| Application | Part # | Ref. | Description |
|---|---|---|---|
| S680 , S680 HILLMASTER SN: <765000 | **A-HXE82335** | 13 | Belt, Conveyor Auger, Shoe Fan Drive |
| S680, S680 HILLMASTER | **A-H175587** | 13 | Belt, Conveyor Auger Drive |
| S680 CONV AUGER, SHOE, FAN, Worldwide S/N 785001> | **A-HXE102288** | 13 | Belt, Conv Auger, Shoe, Fan Drive |
| S680, S680 HILLMASTER | **A-HXE15594** | 14 | Belt; Cleaning Fan Drive, Standard Speed |
| S680 Belt, Cleaning Fan Drive, Worldwide S/N 785001> | **A-HXE99294** | 14 | Belt, Cleaning Fan Drive |
| S680 SN 745100 >, S680 HILLMASTER SN < 765000 | **A-H240895** | 15 | Belt, Tailings Rethresher Drive/Air Screen Drive |
| S680, S680 HILLMASTER | **A-H221273** | 16 | Belt, Rotary Screen |
| S680, S680 HILLMASTER | **A-H238867** | 17 | Belt, Air Screen Drive |
| S680, S680 HILLMASTER | **A-HXE38073** | 18 | Belt, Vacuum Fan Drive |
| S680 HILLMASTER | **A-HXE32548** | 19 | Belt, Engine Cooling Fan, 13.5L |
| S680, S680 HILLMASTER | **A-R503312** | 20 | Belt, Rotary Screen Drive |
| S680, S680 HILLMASTER | **A-H238831** | 21 | Belt, Front Engine Drive |
| S680 SN 745100>, S680 HILLMASTER SN <765000 | **A-R503505** | 21 | Belt; Alternator/Fan |
| S680 SN 785001> | **A-HXE71061** | 22 | Belt, Engine Front Drive, Final Tier |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


# = Part Currently Not Available  NI = Not illustrated


# COMBINE BELTS







**JD S690**





| Application | Part # | Ref. | Description |
|---|---|---|---|
| S690, S690 HILLMASTER | **A-H229019** | 1 | Belt, Feeder House Drive, 5 Speed w/o Fore/Aft Tilt |
| S690, S690 HILLMASTER | **A-H174885** | 1 | Belt; Fixed Speed Feeder House, Extra Heavy Duty w/o Fore/Aft Tilt |
| S690, S690 HILLMASTER | **A-HXE50398** | 1 | Belt, Feeder House Drive, Fixed Speed High Torque |
| S690 , S690 HILLMASTER SN: 745101-765000 | **A-HXE47152** | 1 | Belt, Feeder House Drive, 5 Speed w/ Fore/Aft Tilt |
| S690, S690 HILLMASTER | **A-HXE95935** | 2 | Belt, Feeder House Front End Drive, Heavy Duty |
| S690, S690 HILLMASTER | **A-H156541** | 2 | Belt, Header & Reel Pump |
| S690, S690 HILLMASTER | **A-H229018** | 2 | Belt, Feeder House Front End Drive w/ 5 Speed |
| S690, S690 HILLMASTER | **A-AH233198** | 3 | Belt, Unloading Auger Drive Set/2 |
| S690, S690 HILLMASTER | **A-H208431** | 4 | Belt, Variable Rotor Drive |
| S690 | **A-HXE63990** | 4 | Belt, Rotor Drive |
| S690, S690 HILLMASTER | **A-H241230** | 5 | Belt, Straw Spreader Drive Dual Chopper, Fine Cut |
| S690 SN 765250> | **A-HXE124868** | 5 | Belt, Upper Chopper Drive |
| S690, S690 HILLMASTER | **A-H241212** | 6 | Belt; Dual Chopper Drive, Fine Cut |
| S690 SN 745100>, S690 HILLMASTER SN 745101-765000 | **A-HXE124869** | 6 | Belt, Lower Chopper Drive, Dual Fine Cut |
| S690, S690 HILLMASTER | **A-H240974** | 6 | Belt, Lower Chopper Drive, Extra Fine Cut |
| S690, S690 HILLMASTER | **A-H240972** | 6 | Belt, Lower Dual Chopper Drive, Extra Fine Cut |
| S690 , S690 HILLMASTER SN 745101-765000 | **A-AH236689** | 7 | Belt, Discharge Beater Drive (Fine Cut) |
| S690 | **A-HXE69321** | 7 | Belt, Discharge Beater Drive, Fine Cut |
| S690 SN 765250> | **A-HXE69281** | 8 | Belt, After Treatment Blower Drive |
| S690, S690 HILLMASTER | **A-HXE20763** | 9 | Belt, Clean Grain Elevator Drive, Extra High Capacity |
| S690 HILLMASTER | **A-H223230** | 9 | Belt, Clean Grain Elevator, Heavy Duty |
| S690, S690 HILLMASTER | **A-H154723** | 10 | Belt, Jackshaft Rear RH |
| S690, S690 HILLMASTER | **A-AH150678** | 11 | Belt, Jackshaft, Front (RH) |
| S690 SN 785001> | **A-HXE88564** | 11 | Belt, Separator Jackshaft Drives, High Capacity, Front, RH |
| S690, S690 HILLMASTER | **A-HXE95511** | 12 | Belt, Feed Beater Drive, Standard Speed |
| S690 | **A-H236472** | 12 | Belt, Feed Accelerator (STD) |
| S690, S690 HILLMASTER | **A-H221732** | 12 | Belt, Feed Accelerator (Slow Speed or Rice) |
| S690 , S690 HILLMASTER SN 745101-765000 | **A-H230230** | 12 | Belt, Feed Accelerator; High Speed |
| S690, S690 HILLMASTER | **A-HXE54503** | 12 | Belt, Feed Accelerator Stone Trap Drive (High Capacity) 520/1000 rev/min |

# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com






| Application | Part # | Ref. | Description |
|---|---|---|---|
| S690 , S690 HILLMASTER SN: 745101-765000 | **A-HXE82335** | 13 | Belt, Conveyor Auger, Shoe Fan Drive |
| S690, S690 HILLMASTER | **A-H175587** | 13 | Belt, Conveyor Auger Drive |
| S690 | **A-HXE102288** | 13 | Belt, Conv Auger, Shoe, Fan Drive |
| S690, S690 HILLMASTER | **A-HXE15594** | 14 | Belt; Cleaning Fan Drive, Standard Speed |
| S690 SN 785001> | **A-HXE99294** | 14 | Belt, Cleaning Fan Drive |
| S690, S690 HILLMASTER | **A-H240895** | 15 | Belt, Tailings Rethresher Drive/Overshot Beater Drive |
| S690, S690 HILLMASTER | **A-H221273** | 16 | Belt, Rotary Screen |
| S690 SN 745100>, S690 HILLMASTER SN 745101-765000 | **A-H238867** | 17 | Belt, Air Screen Drive |
| S690, S690 HILLMASTER | **A-HXE38073** | 18 | Belt, Vacuum Fan Drive |
| S690, S690 HILLMASTER | **A-HXE32548** | 19 | Belt, Engine Cooling Fan, 13.5L Final Tier 4 |
| S690, S690 HILLMASTER | **A-R503312** | 20 | Belt, Rotary Screen Drive, Tier 2 |
| S690, S690 HILLMASTER | **A-H238831** | 21 | Belt, Front Engine Drive |
| S690, S690 HILLMASTER | **A-R503505** | 21 | Belt; Alternator/Fan |
| S690 | **A-HXE71061** | 22 | Belt, Engine Front Drive, Final Tier |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated

## JD
## S760, S770




| Application | Part # | Ref. | Description |
|---|---|---|---|
| S760, S770 | **A-HXE45928** | 1 | Belt, Variable Speed Feeder House Drive, High Torque w/o Fore/ Aft Tilt |
| S760, S770 | **A-H174885** | 1 | Belt; Fixed Speed Feeder House, Extra Heavy Duty w/o Fore/Aft Tilt |
| S760 | **A-H218726** | 1 | Belt, Feeder House Variable Speed (Heavy Duty) |
| S760, S770 | **A-HXE50398** | 1 | Belt, Feeder House Drive, Fixed Speed High Torque |
| S770 | **A-H229019** | 1 | Belt, Feeder House Drive, 5 Speed w/o Fore/Aft Tilt |
| S770 | **A-HXE47152** | 1 | Belt, Feeder House Drive, 5 Speed w/ Fore/Aft Tilt |
| S760, S770 | **A-HXE95935** | 2 | Belt, Feeder House Front End Drive, Heavy Duty |
| S770 | **A-H229018** | 2 | Belt, Feeder House Front End Drive w/ 5 Speed |
| S760, S770 | **A-AH160080** | 3 | Belt, Grain Tank Auger Drive, Set2 |
| S760 | **A-HXE46027** | 4 | Belt, Variable Rotor Drive |
| S770 | **A-HXE63990** | 4 | Belt, Rotor Drive |
| S760, S770 | **A-H241230** | 5 | Belt, Straw Spreader Drive Dual Chopper, Fine Cut |
| S760, S770 | **A-HXE124868** | 5 | Belt, Upper Chopper Drive |
| S760, S770 | **A-H241212** | 6 | Belt; Dual Chopper Drive, Fine Cut |
| S760, S770 | **A-HXE124869** | 6 | Belt, Lower Chopper Drive, Dual Fine Cut |
| S770 | **A-H240974** | 6 | Belt, Lower Chopper Drive, Extra Fine Cut |
| S770 | **A-H240972** | 6 | Belt, Lower Dual Chopper Drive, Extra Fine Cut |
| S760, S770 | **A-HXE15556** | 7 | Belt, Discharge Beater Drive |
| S760, S770 | **A-HXE69321** | 7 | Belt, Discharge Beater Drive, Fine Cut |
| S760, S770 | **A-H218645** | 9 | Belt, Clean Grain Elevator |
| S770 | **A-H223230** | 9 | Belt, Clean Grain Elevator, Heavy Duty |
| S760, S770 | **A-H154723** | 10 | Belt, Jackshaft Rear RH |
| S760, S770 | **A-HXE88564** | 11 | Belt, Separator Jackshaft Drives, High Capacity, Front, RH |
| S760, S770 | **A-HXE95511** | 12 | Belt, Feed Beater Drive, Standard Speed |
| S760, S770 | **A-H236472** | 12 | Belt, Feed Accelerator (STD) |
| S760, S770 | **A-HXE54503** | 12 | Belt, Feed Accelerator Stone Trap Drive (High Capacity) 520/1000 rev/min |
| S760, S770 | **A-H230230** | 12 | Belt, Feed Accelerator; High Speed |
| S760, S770 | **A-H221732** | 12 | Belt, Feed Accelerator (Slow Speed or Rice) |
| S760, S770 | **A-HXE102288** | 13 | Belt, Conv Auger, Shoe, Fan Drive |
| S760, S770 | **A-HXE99294** | 14 | Belt, Cleaning Fan Drive |
| S760, S770 | **A-H154731** | 15 | Belt, Tailings Auger & Elevator |


# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

# JD
# S760, S770





| Application | Part # | Ref. | Description |
|---|---|---|---|
| S760, S770 | **A-HXE32806** | 16 | Belt, Alternator, Front Drive, Tier 2 |
| S760, S770 | **A-H238822** | 16 | Belt, Alternator, Front Drive, Tier 4 |
| S760, S770 | **A-HXE22617** | 17 | Belt, Variable Speed Fan, Final Tier 4 |
| S760, S770 | **A-H221273** | 18 | Belt, Rotary Screen |
| S760, S770 | **A-H238867** | 19 | Belt, Air Screen Drive |
| S760, S770 | **A-HXE68015** | 20 | Belt, Vacuum Fan, Upper |
| S760, S770 | **A-HXE68016** | 21 | Belt, Cleaning Fan, Lower |
| S760, S770 | **A-R307304** | 23 | Belt, Air Compressor Drive, Tier 2 |
| S770 | **A-H240895** | 24 | Belt, Tailings Rethresher Drive/Overshot Beater Drive |




*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated

## JD
## S780, S785, S790




| Application | Part # | Ref. | Description |
|---|---|---|---|
| S780, S785, S790 | **A-HXE50398** | 1 | Belt, Feeder House Drive, Fixed Speed High Torque |
| S780, S785, S790 | **A-H174885** | 1 | Belt; Fixed Speed Feeder House, Extra Heavy Duty w/o Fore/Aft Tilt |
| S780, S785, S790 | **A-H229019** | 1 | Belt, Feeder House Drive, 5 Speed w/o Fore/Aft Tilt |
| S780, S785, S790 | **A-HXE47152** | 1 | Belt, Feeder House Drive, 5 Speed w/ Fore/Aft Tilt |
| S780, S785, S790 | **A-HXE95935** | 2 | Belt, Feeder House Front End Drive, Heavy Duty |
| S780, S785, S790 | **A-H229018** | 2 | Belt, Feeder House Front End Drive w/ 5 Speed |
| S780, S785, S790 | **A-AH233198** | 3 | Belt, Unloading Auger Drive Set/2 |
| S780, S785, S790 | **A-HXE63990** | 4 | Belt, Rotor Drive |
| S780, S790 | **A-H241230** | 5 | Belt, Straw Spreader Drive Dual Chopper, Fine Cut |
| S780, S790 | **A-HXE124868** | 5 | Belt, Upper Chopper Drive |
| S780 | **A-H241212** | 6 | Belt; Dual Chopper Drive, Fine Cut |
| S780, S785, S790 | **A-HXE124869** | 6 | Belt, Lower Chopper Drive, Dual Fine Cut |
| S780, S785, S790 | **A-H240974** | 6 | Belt, Dual Chopper Drive, Extra Fine Cut |
| S780, S785, S790 | **A-H240972** | 6 | Belt, Lower Dual Chopper Drive, Extra Fine Cut |
| S780 | **A-HXE69321** | 7 | Belt, Discharge Beater Drive, Fine Cut |
| S780, S785, S790 | **A-HXE69281** | 8 | Belt, After Treatment Blower Drive |
| S790 | **A-HXE20763** | 9 | Belt, Clean Grain Elevator Drive |
| S780, S785, S790 | **A-H223230** | 9 | Belt, Clean Grain Elevator, Heavy Duty |
| S780 | **A-H154723** | 10 | Belt, Jackshaft Rear RH |
| S780 | **A-HXE88564** | 11 | Belt, Separator Jackshaft Drives, High Capacity, Front, RH |
| S780, S785, S790 | **A-HXE95511** | 12 | Belt, Feed Beater Drive, Standard Speed |
| S780 | **A-H236472** | 12 | Belt, Feed Accelerator (STD) |
| S780 | **A-H221732** | 12 | Belt, Feed Accelerator (Slow Speed or Rice) |
| S780, S785, S790 | **A-HXE54503** | 12 | Belt, Feed Accelerator Stone Trap Drive (High Capacity) 520/1000 rev/min |
| S780 | **A-H230230** | 12 | Belt, Feed Accelerator; High Speed |
| S780 | **A-HXE102288** | 13 | Belt, Conv Auger, Shoe, Fan Drive |
| S780 | **A-HXE99294** | 14 | Belt, Cleaning Fan Drive |
| S780, S785, S790 | **A-H240895** | 15 | Belt, Tailings Rethresher Drive |
| S780, S785, S790 | **A-H221273** | 16 | Belt, Rotary Screen |
| S780, S790 | **A-H238867** | 17 | Belt, Air Screen Drive |
| S780, S785, S790 | **A-HXE38073** | 18 | Belt, Vacuum Fan Drive |
| S780, S785, S790 | **A-H240895** | 19 | Belt, Overshot Beater Drive |


# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

# JD
# S780, S785, S790




| Application | Part # | Ref. | Description |
|---|---|---|---|
| S780, S790 | **A-R503312** | 20 | Belt, Engine Fan Drive |
| S780, S785, S790 | **A-HXE32548** | 20 | Belt, Fixed Fan Drive, Final Tier 4 |
| S780, S790 | **A-R503505** | 21 | Belt; Alternator/Fan, Tier 2 |
| S780, S785, S790 | **A-H238831** | 21 | Belt, Engine Front Drive, Final Tier 4 |
| S780, S785, S790 | **A-HXE71061** | 22 | Belt, Engine Front Drive, Final Tier 4 |

*JOHN DEERE

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated

# Belt Application Listing



| Part # | Description | Models |
|---|---|---|
| **A-AH127866** | Belt, Unloading System (set/2) | 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9660, CTS, CTS II |
| **A-AH139436** | Belt, Beater Drive at 100% (set/2) | 9400, 9410, 9450, 9500, 9500SH, 9501 |
| **A-AH150678** | Belt, Jackshaft, Front (RH) | S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S690, S690 HILLMASTER, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880 STS |
| **A-AH158880** | Unloading Belt | (9400, 9410, 9450, 9500SH, 9510, 9510 SIDEHILL, 9540I WTS, 9540WTS, 9550, 9550SH, 9560, 9560I WTS, 9560SH, 9580I WTS, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS, 9660I WTS, 9680I WTS, 9680WTS, 9780CTS, C670, CTS, T550, T560, T660, T670, W540, W550, W650, W660 ALL UNLOADING SYSTEM) |
| **A-AH160080** | Belt, Unloading Auger (Set/2) | S540 South American Edition, S550 , S560 European, S650, S660, S670, S670 HILLMASTER, S690, S690 HILLMASTER, S760, S770, 9470 STS South American Edition, 9560 STS , 9560I STS European Edition, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9880 STS, 9880I STS European Edition |
| **A-AH163931** | Belt, Beater Drive at 75% | 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9660 |
| **A-AH21301** | Belt, Propulsion, Upper (Matched Set) | 6600, 6600 sidehill, SN <305672, 7700 |
| **A-AH202773** | Belt Set; Front Secondary Jackshaft | 9560STS, 9570STS SN <740200 |
| **A-AH233198** | Belt, Unloading Auger Drive Set/2 | S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S780, S785, S790 |
| **A-AH236689** | Belt, Discharge Beater Drive (Extra Fine Cut) | S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER SN: <765000, (S685, S685 HILLMASTER ALL Europe Edition), S690 SN 745100-785000, S690 HILLMASTER SN 745101-765000 |
| **A-AH76154** | Belt, Platform & Corn Head (set/3) | 7700 |
| **A-AH80500** | Belt, Cylinder (Matched Set/3) | 3300, 4400, 4420 |
| **A-AH80505** | Belt, Cylinder (280-845 RPM) (Matched Set/3) | 6600, 7700 |
| **A-AH84633** | Belt, Propulsion (Hydro Drive) (Matched Set/2) | 7700, 6620, 7720, 8820 |
| **A-AH87127** | Belt, Propulsion, Upper (Matched Set) | 6600, 7700, 6620, 7720 |
| **A-AH87197** | Belt, Platform & Corn Head Lower Variable (set/3) | (4400, 4420 ALL Regular Feeder House) |
| **A-AH96300** | Belt, Unloading Auger Drive (set/2) | 6620, 7720, 8820 |
| **A-AH96333** | Belt, Fan & Hydraulic Pump (Matched Set) | 8820 |
| **A-AH98052** | Belt, Primary Countershaft (Matched Pair) | 3300, 4400, 4420 |
| **A-AKK17996** | Belt, Header Drive | (COTTON STRIPPER: CS690), (COTTON STRIPPER HEAD: 606SH) |
| **A-AR41628** | Belt, Alternator & Water Pump | 7700 |
| **A-AXE13650** | Belt, Separator Jackshaft Drive | S540 South America Edition, S550 , S560 Europe Edition, 9470 STS South American Edition, 9560 STS , 9560I STS European Edition, 9570STS |
| **A-CQ03457** | Belt, Cutterbar Drive | (HEAD, CUTTING PLATFORM: 630F SN: 745101>) |
| **A-CQ13837** | Belt, Clean Grain Elevator Drive | 1165 SN: <060006, 1165A, 1170, 1175, 1175 HYDRO WALKER, 1175A, 1175AH, 1175H4, 1185, 6200, 6300, 7100, 7200, 7300, 7500 TURBO, 7700, 7700H4, 8500H, 8700 |
| **A-CQ17755** | Belt; Hydraulic Pump | 1165, 1165A, 1170, 1175, 1175A, 1175AH, 1175H, 1175H4, 1185, 1450, 1450CWS, 1450WTS, 1550, 1550CWS, 1550S, 1550WTS, 6300, 7300, 7500, 7700, 7700H4, W70 |
| **A-CQ31965** | Belt, Clean Grain Elevator Drive | 1170, 1175, 1550, 1470, 1450, 1450CWS, 1450WTS, 1550CWS, 1550WTS, 1165, 1570, 1175H, W330, 1185, 1175 HYDRO WALKER |
| **A-CQ37755** | Belt, Radiator Screen Drive | 1165, 1175, 1175 HYDRO WALKER, 1450, 1450CWS, 1450WTS, 1470, 1550, 1550CWS, 1550WTS, 1570 |
| **A-CQ40222** | Belt, Fan Drive | 1165, 1175, 1175H, 1450, 1450CWS, 1450WTS, 1470, 1550, 1550CWS, 1550WTS, (FORAGE HARVESTER: 8700, 8800) |
| **A-CQ45617** | Belt, Alternator Drive | 1165, 1175, 1175 HYDRO WALKER, 1175H, 1450, 1450CWS, 1470, 1550, 1550CWS |

# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

# Belt Application Listing



| Part # | Description | Models |
|---|---|---|
| **A-E16774** | Belt, Dual-Speed Beater Drive | (CTS, CTSII, 9650 CTS, 9660 CTS, 9780 CTS ALL Dual-Speed Beater Drive) |
| **A-E36784** | Belt, Reverse Knife Sharpener Drive | (**FORAGE HARVESTER**: 5720, 5730, 5820, 5830, 5440, 5200, 5400, 5420) |
| **A-E46113** | Belt, Chopper | 9400 SN <640100, 9410 |
| **A-E60212** | Belt, Clean Grain Elevator | 3300 SN <-101300, 4400 SN <-151500) |
| **A-E63031** | Belt, Tailings, Lower Auger | 3300, 4400, 4420 |
| **A-HXE102288** | Belt, Conv Auger, Shoe, Fan Drive | (S650, S660, S670, S680 ALL CONV AUGER, SHOE, FAN, Worldwide S/N 785001>), S690 SN 785001>, (S660, S670, S680, S685, S690 ALL CONV AUGER, SHOE, FAN, Europe Edition S/N 105000>), S760, S770, S780 |
| **A-HXE10501** | Belt, Straw Chopper Countershaft, Heavy Duty | 9770STS, 9870STS |
| **A-HXE10556** | Belt, Straw Chopper, Regular Duty | 9670STS, 9770STS, 9870STS |
| **A-HXE124868** | Belt, Upper Chopper Drive | S650 SN 765000>, S660 , S670 SN 745100>, S670 HILLMASTER SN <765000, S680 SN 766007>, S680 HILLMASTER SN 785001>, S685 Europe Edition, S690 SN 765250>, S690 HILLMASTER Europe Edition, S760, S770, S780, S790 |
| **A-HXE124869** | Belt, Lower Chopper Drive | S650 SN 76500>, (S660, S670 ALL SN 745100>), S670 HILLMASTER SN <765000, S680 SN 745100>, S680 HILLMASTER SN <765000, (S685, S685 HILLMASTER ALL Europe Edition), S690 SN 745100>, S690 HILLMASTER SN 745101-765000, S760, S770, S780, S785, S790 |
| **A-HXE15556** | Belt, Discharge Beater Drive | S650 S/N 765000-78500, S660, S670, S760, S770 |
| **A-HXE15594** | Belt; Cleaning Fan Drive, Standard Speed | (S430, S540 ALL South American Edition), S550, S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685 Europe Edition, S685 HILLMASTER Europe Editon, S690, S690 HILLMASTER |
| **A-HXE15671** | Belt, Straw Chopper Countershaft | S550 , 9560I STS European Edition, 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS SN <- 715633, 9870STS |
| **A-HXE16928** | E-Clutch to Feeder House (Std Duty) | S540 South America, S550 , (S560, 9470 STS ALL South America), (9560 STS, 9560I STS ALL European), 9570STS SN 740201 > |
| **A-HXE20763** | Belt, Clean Grain Elevator Drive | S680 SN <766006, S680 HILLMASTER SN <765000, (S685, S685 HILLMASTER ALL Europe Edition), S690 745100>, S690 HILLMASTER SN 745101-765000, S790 |
| **A-HXE22617** | Belt, Variable Speed Fan | S650 S/N 765000>, S660, S670, S670 HILLMASTER, S760, S770 |
| **A-HXE32548** | Belt, Engine Cooling Fan, 13.5L | S680, S680 HILLMASTER, (S685, S685 HILLMASTER ALL Europe Edition), S690, S690 HILLMASTER, S780, S785, S790 |
| **A-HXE32806** | Belt, Alternator | S660 w/ front drive, S670, S670 HILLMASTER, S760, 9560I STS European Edition, 9560STS, 9660STS, 9670STS, 9760STS, 9770STS |
| **A-HXE38073** | Belt, Vacuum Fan Drive | S690, S680, S685 Europe Edition, S680 HILLMASTER , S685 HILLMASTER Europe Edition, S690 HILLMASTER, S780, S790, S785 |
| **A-HXE45928** | Belt, Variable Drive Feeder House, Heavy Duty | (S660, S670, S680, S760, S770, 9660STS, 9670STS, 9760STS, 9770STS ALL High Torque) |
| **A-HXE46027** | Belt, Variable Rotor Drive | S540 South America Edition, S550, S650, S660, S670 South America Edition, S760 , (9470STS, 9570STS ALL South America Edition), 9660STS, 9670STS, 9760STS |
| **A-HXE47152** | Belt, Feeder House Drive, 5 Speed w/ Fore/Aft Tilt | S670, S680, S680 HILLMASTER, (S685, S685 HILLMASTER ALL Europe Edition), S690, S690 HILLMASTER, S770, S780, S785, S790 |
| **A-HXE50398** | Belt, Feeder House Drive, Fixed Speed High Torque | S660, S670, S680, S680 HILLMASTER, (S685, S685 HILLMASTER ALL Europe Edition), S690, S690 HILLMASTER, S760, S770, S780, S785, S790 |
| **A-HXE51101** | BELT, CYLINDER | 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9550, 9550SH, 9600, 9610, 9650, 9650CTS, CTS, CTS II |
| **A-HXE54503** | Belt, Feed Accelerator Stone Trap Drive (High Capacity) | (S540, S550 ALL South America Edition), S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, (S685, S685 HILLMASTER ALL Europe Edition), S690, S690 HILLMASTER, S760, S770, S780, S785, S790, (9670STS, 9770STS, 9870STS ALL SN 730101 >) |
| **A-HXE63990** | Belt, Rotor Drive | S670 SN 745100-765252, S670 HILLMASTER SN <765000, (S680, S690 ALL SN 785001>), S770, S780, S785, S790, 9770STS |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated

# Belt Application Listing



| Part # | Description | Models |
|---|---|---|
| **A-HXE68015** | Belt, Vacuum Fan Drive | S650 SN: >76500, S660 , S670 SN: >745100, S670 HILLMASTER SN: <765000, S760, S770 |
| **A-HXE68016** | Belt, Cleaning Fan | S650, S660, S670, S670 HILLMASTER, S760, S770 |
| **A-HXE69281** | Belt, After Treatment Blower Drive | S680 HILLMASTER Europe Edition (MY 2014-094131), S685 HILLMASTER Europe Edition (MY2014-094131), S690 HILLMASTER Europe Edition (MY 2014-094131), S680 SN 766007>, S685 Europe Edition (SN 100000-109999), S690 SN 765250>, S780, S785, S790 |
| **A-HXE69321** | Belt, Discharge Beater Drive | S660 SN: 765172-785000, (S670, S680 ALL Argentina Edition), S690, S760, S770, S780 |
| **A-HXE71061** | Belt, Air Compressor Drive | S680 SN 785001>, S685 Europe Edition, S690 SN 785001>, S780, S785, S790 |
| **A-HXE82335** | V-Belt, Conveyor Auger, Shoe Fan Drive | S540 South American Edition, S550, S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER SN: <765000, (S685, S685 HILLMASTER ALL Europe Edition), S690 , S690 HILLMASTER SN: 745101-765000, (9470 STS, 9570STS, 9650STS, 9670STS, 9750STS, 9770STS ALL South American Edition) |
| **A-HXE88564** | Belt, Separator Jackshaft Drives, High Capacity, Front, RH | (S650, S660, S670, S680 ALL Separator Jackshaft Dr., Worldwide Edition, S/N 785001>), S690 SN 785001>, (S660, S670, S680, S685, S690 ALL Separator Jackshaft Dr., Europe Edition, S/N 105000>), S760, S770, S780 |
| **A-HXE94485** | Belt, Cylinder Intermediate Drive | CTS, CTS II, T660, T670, W540, W550, W650, W660, 9400 MAXIMIZER, 9410 MAXIMIZER, 9450, 9500, 9510, 9510 SIDEHILL, 9550, 9550 SIDEHILL, 9560, 9560 SIDEHILL, 9610 MAXIMIZER, 9650, 9650 CTS, 9660 CTS |
| **A-HXE94488** | Belt, Cylinder Drive | (CTS, CTSII, SH9510, 9400 MAXIMIZER, 9410 MAXIMIZER, 9450, 9500, 9501, 9510, 9550, 9550SH, 9560, 9560SH, 9600 MAXIMIZER, 9610 MAXIMIZER, 9650 CTS, 9660 CTS ALL Cylinder Drive), (T550, T560, T660, T670, W540, W550, W650, W660, 9540I WTS, 9560I WTS, 9580I WTS ALL Main Variator Drive) |
| **A-HXE95511** | Belt, Feed Beater Drive | S540 South America Edition, S550, S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, (S685, S685 HILLMASTER ALL Europe Edition), S690, S690 HILLMASTER, S760, S770, S780, S785, S790, 9470STS South American Edition, 9560 STS SN 71530 >, 9570STS, 9660STS, 9670STS, 9760STS, 9770STS, 9860STS SN 715601 >, 9870STS |
| **A-HXE95935** | Belt, Header & Reel Pump | S650 SN: >765000, S660, S670, S670 HILLMASTER SN: <765000, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S760, S770, S780, S785, S790, 9650STS, 9660, 9660 CTS, 9660STS, 9670STS, 9750STS SN: 700602-700631, 9760STS, 9770STS, 9860STS, 9870STS, (9880 STS, 9880I STS ALL Europe Edition) |
| **A-HXE99294** | Belt, Cleaning Fan Drive | (S650, S660, S670, S680 ALL Belt, Cleaning Fan Drive, Worldwide S/N 785001>), S690 SN 785001>, (S660, S670, S680, S685, S690 ALL Belt, Cleaning Fan Drive, Europe S/N 10500>), S760, S770, S780 |
| **A-H101436** | Belt, Straw Chopper Drive | 6620, 6622, 7720, 7721, 8820, 9400, 9410, 9450 |
| **A-H101469** | Belt, Beater Drive at 150% | 6620, 7720, 8820 |
| **A-H101813** | Belt, Alternator, Water Pump, AC | 4420 SN 550001->, 9400 SN <650100 (MOTOROLA), 9400 SN 640101-670100, 9450, (9500, 9500SH ALL low power, SN 645201> (BOSCH)), 9600 SN 645301->, CTS S/N 645510-> |
| **A-H103344** | Belt, Straw Chopper Rear | 6620, 7720, 8820 |
| **A-H108175** | Belt, Primary Countershaft | 6600, 7700, 6620, 7720, 8820 |
| **A-H108668** | Belt, Cleaning Fan | 6600, 7700, 6620 |
| **A-H108669** | Belt, Cleaning Fan | 7720, 8820 |
| **A-H110300** | Belt, Secondary Countershaft Drive | 6620, 7720, 8820 |
| **A-H110375** | Belt, Cylinder 4-Banded (Std) 350-700 & 620-1240 RPM | 6620, 7720, 8820 |
| **A-H111519** | Belt, Feeder House Drive, Reg. Lower | 6620 SN 502551-615100, 7720 SN 507351->, 7722 HILLSIDE , (9650STS, 9750STS ALL SN <700500) |
| **A-H112421** | Belt, Straw Spreader Drive | 6620, 7720, 8820 |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated



P. 800-657-4343
F. 800-511-0516
aiproducts
e-mail: sales@aiproducts.com
web: www.aiproducts.com

# Belt Application Listing



| Part # | Description | Models |
|---|---|---|
| **A-H113565** | Belt, Compressor | 6620, 7720 |
| **A-H115881** | Belt, Cylinder Drive | CTS, CTS II, 9400, 9410, 9500, 9500SH, 9501, 9510, 9510SH, 9560, 9560SH, 9600, 9610, 9650CTS, 9660, 9660CTS, (9450, 9550, 9550SH, 9650 ALL 240-960 RPM) |
| **A-H118618** | Belt, Cylinder Drive Slow Speed | CTS, CTS II, 9400, 9410, 9500, 9500SH, 9510, 9510SH, 9560, 9560SH, 9600, 9610, 9650CTS, 9660, 9660CTS, (9550, 9550SH, 9650 ALL 150-500 RPM) |
| **A-H118730** | Belt, Tailings Auger Drive | 6620 SN 610301>, 7720 SN 619501>, 8820 SN 610701> |
| **A-H125380** | Belt, Feeder Conveyor | 6620 LONG SN <-403300, 6620 REGULAR SN<502550, 7720 LONG SN <-409100, 7720 REGULAR SN<507350, 9400, 9410, 9500, 9500SH, 9501, 9510, 9510SH, 9600, 9610 |
| **A-H125381** | Belt, Chopper | 9400, 9500, 9500SH, 9501, 9510, 9510SH, 9600, 9610 |
| **A-H125565** | Belt, Powershaft & Reel Pump | 9400 SN <635100, (9500, 9500SH ALL SN <635200), 9600 SN <635300, 9650STS SN 700501>, 9750STS SN 700601> |
| **A-H126345** | Belt, Fixed Speed Feeder House w/ Reverser | 9400, 9410, 9450, 9500, 9501, 9510, 9550 SN <-700200, 9550SH SN <-700700, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650 SN <-700300, 9650CTS, 9660, 9660CTS, 9660STS, 9670STS, 9760STS, 9770STS, 9870STS, CTS, CTS II |
| **A-H128010** | Belt, Secondary Countershaft | CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS |
| **A-H128234** | Belt, Straw Spreader | 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9660 |
| **A-H131169** | Belt, Shoe, Straw Walker & Conveyor Augers | CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS |
| **A-H132808** | Belt, Cooling Fan | 9400 High Power SN 640101>, 9410, 9450, 9500 LOW POWER, 9600 |
| **A-H134344** | Belt, Alternator | (9500, 9500SH ALL SN <665200) |
| **A-H134437** | Belt, AC Compressor | 9500 SN <-645200, 9500SH <645200, 9600 SN < 635300, CTS |
| **A-H135458** | Belt, Clean Grain Elevator | 9600 SN <640300 |
| **A-H137207** | Belt, Engine Fan & Rotary Screen | 6600, 7700, 6620, 7720, 8820 |
| **A-H137264** | Belt, Separator Fan, Slow Speed | CTS S/N <-670400, 9400 SN <670100 (490-980 RPM), 9410, (9500, 9500SH ALL SN <670200), 9501, 9600 SN< 670300 (490-980 RPM) |
| **A-H137830** | Belt, Clean Grain Elevator | 9400 SN <-640100, (9500, 9500SH ALL SN <-640200), 9501 SN<640400 |
| **A-H138762** | Belt, Secondary Countershaft | 3300, 4400, 4420, 6600, 7700 |
| **A-H139963** | Belt; Stripper Beater Drive | C670 , CTS Europe Edition, CTS II, T550, T560, T660, T670, 9650 CTS, 9660 CTS, 9780 CTS Europe, 9780I CTS |
| **A-H140160** | Belt, Powershaft & Reel Pump | 9400 SN 635101>, 9501, 9600 SN 635301>, CTS |
| **A-H140404** | Belt, Separator Fan, Regular Speed | CTS <-670400, 9400 SN <670100, 9410, (9500, 9500SH ALL SN <670200), 9501 SN 631211>, 9600 SN <670300 |
| **A-H141166** | Belt, Clean Grain Elevator | 9450, 9550, 9550SH, 9560, 9560SH, 9600, 9650, 9650CTS, 9660, 9660CTS |
| **A-H141167** | Belt, Clean Grain Elevator | CTS, 9400 SN 640101->, (9500, 9500SH ALL SN 640201->), 9501 SN 640401>, 9610 |
| **A-H141429** | Belt; Seperator Fan Drive | CTS, CTS II |
| **A-H143700** | Belt; Beater Drive | CTS, CTS II |
| **A-H146636** | Belt, Rotary Screen Drive | 9400 SN 640506->, 9410, 9450, (9500, 9500SH ALL SN 642579->), 9600 SN 645301->, 9610, 9650, 9650CTS SN 695401>, 9660, 9660CTS, CTS SN 645511> |
| **A-H151952** | Belt, Header & Reel | 9400 SN 635101>, 9410, 9450, (9500, 9500SH ALL SN 635201>), 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9610, 9650, 9650CTS, 9660, 9660CTS, CTS, CTS II |
| **A-H152146** | Belt, Separator Fan | 9400 SN 670101> (750-1350 RPM), (9410, 9450 ALL 750-1350 RPM), (9500, 9500SH ALL SN 670201> (750-1350 RPM)), (9510, 9510SH, 9550, 9550SH, 9560, 9560SH ALL 750-1350 RPM), 9600 SN 670301> (750-1600 RPM), (9610, 9650, 9650CTS, 9660, 9660CTS ALL 750-1350 RPM), CTS SN 670401> (750-1350 RPM) |
| **A-H152180** | Belt, Separator Fan | 9400 SN 670101> (490-980 RPM), (9410, 9450, 9550, 9550 SIDEHILL, 9650, 9650CTS ALL (490-980 RPM)), 9610 Slow Speed |

# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# Belt Application Listing



| Part # | Description | Models |
|---|---|---|
| **A-H153297** | Belt, Cooling Fan | (9500, 9500SH ALL HIGH POWER FAN), 9600 SN 641717->, 9610, 9650 SN<695300, CTS |
| **A-H154723** | Belt, Jackshaft Rear RH | S550, S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S760, S770, S780, 9470STS, 9560I STS, 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880 STS, 9880I STS |
| **A-H154731** | Belt, Tailings Auger & Elevator | S550, S650, S660, S670, S670 HILLMASTER, S760, S770, 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880 STS |
| **A-H155998** | Belt, Header & Reel (High Capacity) | 9550, 9550SH, 9560, 9560SH, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9750STS |
| **A-H156541** | Belt, Header & Reel Pump | (9750STS, 9670STS, 9770STS ALL South American Edition) |
| **A-H156796** | Belt, Header & Reel Pump | 9560, (9450, 9650CTS, 9750STS ALL HIGH CAPACITY), 9650 HIGH CAPACITY SN 700301>, (9660STS, 9760STS, 9860STS ALL STANDARD CAPACITY), (9650STS, 9660 ALL STANDARD CAPACITY AND FIXED SPEED DRIVE), 9550 SN 700201> FIXED SPEED FEEDERHOUSE W/REVERSER, 9550SH SN 700701> FIXED SPEED FEEDERHOUSE W/ REVERSER |
| **A-H157104** | Belt, Rotary Screen (Engine Side) | 9650STS SN <695500, 9750STS SN <695600 |
| **A-H157726** | Belt, Straw Chopper (Front) | 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9660 |
| **A-H160171** | Belt, Clean Grain Elevator | CTS II, 9410, 9510, 9510SH |
| **A-H160405** | Belt, Cooling Fan | CTS II, 9510, 9510SH, 9550, 9550SH, 9650CTS S/N <-695400 |
| **A-H160654** | Belt, Straw Chopper (Rear) | (9550, 9550SH, 9560, 9560SH, 9650, 9660 ALL STANDARD) |
| **A-H161648** | Belt, Variable Speed Feeder House w/Reverser | 9400, 9410, 9500, 9500SH, 9510, 9510SH, 9600, 9610, (CTS, 9450, 9560SH, 9650CTS ALL STANDARD CAPACITY), 9550 S/N <700200 STANDARD CAPACITY, 9650 S/N <700300 STANDARD CAPACITY |
| **A-H164452** | Belt, Airflow Drive | CTS, CTS II, 9400, 9410, 9500, 9510, 9510SH, 9600, 9610 |
| **A-H165708** | Belt, Stripper Beater | CTS Europe Edition, 9650CTS, 9660CTS, 9780 CTS, 9780I CTS |
| **A-H166077** | Belt; Backshaft | (HEAD, **CUTTING PLATFORM**: 925D, 930D, 936D) |
| **A-H166870** | Belt, Alternator (185 Amp.) | CTS ALTERNATOR (185 AMP) S/N 070231-071384 Europe Edition, (T550, W540, W550 ALL ALTERNATOR (185 AMP) Worldwide Edition), 9540I WTS ALTERNATOR (185 AMP) S/N 080016>Worldwide Edition, 9540WTS ALTERNATOR (185 AMP) S/N 080015 Europe Edition, (9550, 9550SH ALL ALTERNATOR (185 AMP)), 9560I WTS ALTERNATOR (185 AMP) S/N 080016>Worldwide Edition, 9560WTS ALTERNATOR (185 AMP) S/N 080015 Europe Edition, 9580I WTS ALTERNATOR (185 AMP) S/N 080016>Worldwide Edition, 9580WTS ALTERNATOR (185 AMP) S/N 080015 Europe Edition, (9640I WTS, 9640WTS ALL ALTERNATOR (185 AMP) Worldwide Edition), 9650 ALTERNATOR (185 AMP), 9650CTS SN <695400, (9660I WTS, 9660WTS, 9680I WTS, 9680WTS ALL ALTERNATOR (185 AMP) Worldwide Edition), 9780CTS ALTERNATOR (185 AMP) S/N 071443-072697 Europe Edition |
| **A-H171386** | Belt, Feeder House Air Flow Drive | 9450, 9550, 9560, 9650, 9650CTS, 9660, 9660CTS |
| **A-H174885** | Belt; Fixed Speed Feeder House, Extra Heavy Duty | S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S690, S690 HILLMASTER, S760, S770, S780, S785, S790, 9560, 9560 SIDEHILL, 9560STS, 9660, 9660STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880 STS European Edition |
| **A-H175587** | Belt, Shoe Fan | S550 Argentina Edition, S560 Europe Edition, S650 , (S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER ALL Europe Edition), 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880 STS |
| **A-H175628** | Belt, Rotary Screen (Screen Side) | (9650STS, 9750STS ALL SN 695501>), 9660STS SN<715400, 9760STS SN<715600, 9860STS SN 695500>, 9880 STS, 9780CTS |
| **A-H177177** | Belt, Chopper Drive | 9540I WTS, 9540WTS, 9560I WTS, 9560WTS, 9580I WTS, 9580WTS, 9640I WTS, 9640WTS, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS, T550, T560, T660, T670, W540, W550, W650, W660 |

# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

# Belt Application Listing

| Part # | Description | Models |
|---|---|---|
| **A-H201334** | Belt, Feeder House Variable Speed (STD) | 9560 STS, 9570STS, 9660STS, 9760STS |
| **A-H201596** | Belt, Countershaft, Discharge Beater & Chopper | 9560I STS European, 9750STS, 9860STS SN 715634-, Heavy Duty, S560 European |
| **A-H202646** | Belt; Cutterbar Drive | (HEAD, **CUTTING PLATFORM**: 918R, 920R, 922R, 925R, 930R) |
| **A-H203473** | Belt; Fixed Speed Feeder House w/ Reverser | 9560, 9660 |
| **A-H203474** | Belt, Feeder House Fixed Speed | (S550, S660 ALL Std Duty), 9560STS, 9570STS, 9660STS, 9670STS, 9760STS, 9770STS, 9860STS |
| **A-H20407** | Belt, Straw Chopper Front | 3300, 4400, 4420 |
| **A-H205240** | Belt, Alternator | 9550 SN 700201-> With 185 Amp Alt., 9550SH SN 700701-> With 185 Amp Alt., (9560, 9560SH ALL With 185 Amp Alt.) |
| **A-H206048** | Belt, Cleaning Fan | 9560STS, 9660STS, 9760STS, 9860STS |
| **A-H206807** | Belt, Rotary Screen (Engine Side) | 9650STS, 9660STS SN 695500>, 9750STS, 9760STS SN 695500>, 9860STS SN<715600, 9880STS SN 700801> |
| **A-H208431** | Belt, Variable Rotor Drive | S670 , S670 HILLMASTER SN: <765000, S680, S680 HILLMASTER, S685 Europe Edition, S690, S690 HILLMASTER, 9770STS, 9860STS, 9870STS, 9880 STS Europe Edition (SN: <715700), 9880I STS Europe Edition (SN: >715701) |
| **A-H209507** | Belt; Header/Reel Pump, High Capacity | 9560STS, 9570STS |
| **A-H210003** | Belt, Cutterbar Drive | (HEAD, **CUTTING PLATFORM**: 635R, 614R, 616R, 618R, 620R, 622R, 630R, 615R, 600R, 600F, 616) |
| **A-H213353** | Belt, Rotary Screen | S550, 9560STS, 9570STS, 9660STS SN: >715401, 9670STS , 9760STS SN: >715401, 9770STS , 9860STS SN: >715601, 9870STS |
| **A-H215389** | Belt, Clean Fan, Slow-speed | S560 European Edition, (S690, S690 HILLMASTER ALL European Edition w/ sn# <-745100), 9570STS, 9670STS, 9770STS, 9870STS |
| **A-H217352** | Belt, Straw Chopper | 9860STS PREMIUM GRAIN), 9880STS SN <705800 |
| **A-H218645** | Belt, Clean Grain Elevator | S550, S650, S660, S760, S770, 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9860STS, 9880 STS |
| **A-H218726** | Belt, Feeder House Variable Speed (Heavy Duty) | S550, S650, S660, S760, 9560STS, 9570STS, 9650STS, 9660STS, 9750STS, 9760STS, 9770STS, 9860STS |
| **A-H219182** | Belt, Discharge Beater | 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, CTS, CTS II |
| **A-H220884** | Belt, Drive | (HEAD, **CUTTING PLATFORM**: 600F, 616F, 618F, 620F) |
| **A-H221273** | Belt, Rotary Screen | S540, S550, S560, S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S760, S770, S780, S785, S790, T550, T560, T660, T670, W540, W550, W650, W660, 9470 STS South American Edition, 9570STS, 9670STS, 9770STS, 9870STS, (**COTTON PICKER**: 7760, CP690), (**SUGAR CANE HARVESTER**: 3520 ) |
| **A-H221324** | Belt; Cutterbar Drive | (HEAD, **CUTTING PLATFORM**: (600R, 614R, 615R, 616R, 618R, 620R, 622R, 625R, 630R, 635R ALL Extended Cutterbar)) |
| **A-H221731** | Belt, Feed Accelerator (STD) | 9560STS SN <-715300 STD. Speed, 9650STS, 9660STS SN <-715410 STD. Speed, 9750STS, 9760STS SN <-715514 STD. Speed, 9860STS SN <-715600 STD. Speed |
| **A-H221732** | Belt, Feed Accelerator (Slow Speed or Rice) | S550, S560, S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S760, S780, 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880 STS, 9880I STS, 9880I STS HILLMASTER |
| **A-H221733** | Belt, Feed Accelerator Drive; High-Speed | 9560I STS Europe Editon, 9660STS , 9670STS SN <730100, 9750STS Canadian Edition, 9760STS , 9770STS SN <730100, 9860STS , 9870STS SN <730100, 9880 STS Europe Edition (SN: >700801), (9880I STS, 9880I STS HILLMASTER ALL Europe Edition) |
| **A-H223212** | Belt, Chopper Drive, Lower | 9770STS, 9870STS |
| **A-H223230** | Belt, Clean Grain Elevator | S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685 HILLMASTER European Edition, S690, S690 HILLMASTER, S770, S780, S785, S790, 9770STS, 9870STS |
| **A-H22529** | Belt, Straw Spreader (Fine Cut) | 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9660 |

# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# Belt Application Listing



| Part # | Description | Models |
|---|---|---|
| **A-H229018** | Belt, Header/Reel Pump | S670, S670 HILLMASTER, S680, S680 HILLMASTER, (S685, S685 HILLMASTER ALL w/ 5-Speed (Europe Edition)), S690 w/ 5 Speed (SN: >785001), S690 HILLMASTER w/ 5-Speed (SN: 745101-765000), S770, S780, S785, S790, (9770STS, 9870STS ALL w/ Multi-Speed) |
| **A-H229019** | Belt, Feeder House Drive, 5 Speed w/o Fore/Aft Tilt | S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S770, S780, S785, S790, 9570STS, 9670STS, 9770STS, 9870STS |
| **A-H230230** | Belt, Feed Accelerator; High Speed | (S540, S550 ALL South America Edition), S660 , S670 SN 745100-785000, S670 HILLMASTER SN <765000, S680 SN 745100-785000, S680 HILLMASTER SN <765000, (S685, S685 HILLMASTER ALL Europe Edition), S690 , S690 HILLMASTER SN 745101-765000, S760, S770, S780, 9570STS South American Edition, 9670STS, 9860STS |
| **A-H230909** | Belt; Cleaning Fan | 9570STS, 9870STS |
| **A-H232997** | Belt; Lower Straw Chopper | 9670STS |
| **A-H235564** | Belt, Straw Chopper | S540 South America Edition, S550 , 9470STS South American Edition, 9560STS, 9570STS, 9650STS, 9660STS, 9750STS, 9760STS, 9870STS |
| **A-H236472** | Belt, Feed Accelerator (STD) | S550, S670, S670 HILLMASTER, S680, S690, S690 HILLMASTER, S760, S770, S780, 9560STS SN: 715301>, 9570STS , 9660STS SN: 715401>, 9670STS , 9760STS SN: 715501>, 9770STS , 9860STS SN: 715601>, 9870STS |
| **A-H23817** | Belt, Clean Grain Elevator Countershaft | 3300, 4400, 4420 |
| **A-H238822** | Belt, Alternator, Front Drive, Tier 4 9.0L | S650, S660, S670, S670 HILLMASTER, S680 Europe Edition, S760, S770 |
| **A-H238831** | Belt, Front Engine Drive | S680 SN 745100>, S680 HILLMASTER SN <765000, (S685, S685 HILLMASTER ALL Europe Edition), S690 SN 745100>, S690 HILLMASTER SN 745101-765000, S780, S785, S790 |
| **A-H238867** | Belt, Air Screen Drive | S650 SN 765001->, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685 Europe Edition, S690 SN 745100>, S690 HILLMASTER SN 745101-765000, S760, S770, S780, S790 |
| **A-H23950** | Belt, Clean Grain Elevator | 6600, 6602, 6622, 7700, 7701, 7721, 9400, (9500, 9500SH ALL SN 640201->), 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600 SN 640301>, 9610, 9650, 9660 |
| **A-H240895** | Belt, Tailings Rethresher Drive/Overshot Beater Drive | S670, S670 HILLMASTER, S680 HILLMASTER, S685, S685 HILLMASTER, S680, S690, S690 HILLMASTER, S770, S780, S785, S790 |
| **A-H240972** | Belt, Lower Dual Chopper Drive, Extra Fine Cut | S650 (SN: 765000-785000), S660 (SN: 745100-765171), S670 (SN: 745100-785000), S670 HILLMASTER (SN: <765000), S680 (SN: 766007-785000), S680 HILLMASTER (SN: <765000), S685 (SN: 100000-109999), S685 HILLMASTER (SN: MY2014-094131), S690 (SN: 745100-785000), S690 HILLMASTER (SN: 745101-765000), S770, S780, S785, S790 |
| **A-H240974** | Belt, Lower Chopper Drive, Extra Fine Cut | S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S770, S780, S785, S790 |
| **A-H241212** | Belt; Dual Chopper Drive, Fine Cut | S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685 Europe Edition, S690, S690 HILLMASTER, S760, S770, S780 |
| **A-H241230** | Belt, Upper Chopper Drive, Fine | S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S760, S770, S780, S790 |
| **A-H26858** | Belt, Straw Spreader | 6600, 7700 |
| **A-H27433** | Belt, Clean Grain Elevator Countershaft | 6600, 6602, 6620, 6622, 7700, 7701, 7720, 7721, 8820, 9400 S/N 640101->, 9410, 9450 |
| **A-H75816** | Belt, Cylinder, Intermediate Shaft | (3300, 4400, 4420 ALL Cylinder Intermediate Shaft) |
| **A-H75846** | Belt, Propulsion, Lower | 6600, 7700, 6620, 7720 |
| **A-H75847** | Belt, Propulsion | 4400, 4420, 6600 |
| **A-H75911** | Belt, Propulsion | 3300 |
| **A-H76028** | Belt, Platform & Feeder House, Upper | 3300, 4400, 4420 |
| **A-H76030** | Belt, Platform & Feeder House, Upper | 6600, 7700, 6620, 7720, 8820 |
| **A-H76136** | Belt, Unloading Auger Countershaft | 3300, 4400, 4420 |

# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
aiproducts
e-mail: sales@aiproducts.com
web: www.aiproducts.com

# Belt Application Listing



| Part # | Description | Models |
|---|---|---|
| **A-H77010** | Belt, Shoe Grain Supply Augers | 6600, 7700, 6620, 7720, 8820 |
| **A-H77019** | Belt, Secondary Countershaft | 6600, 7700 |
| **A-H77683** | Belt, Hydrostatic Reel Pump | 3300, 4400, 4420, 6600, 7700 |
| **A-H77765** | Belt, Platform & Feeder House, Lower (Regular) | 6600, 7700, 6620, 7720 |
| **A-H77766** | Belt, Feeder Conveyor | 6600 SN 156501>, 6620, 7700, 7720, 6620 SN 502550->, 7720 SN 507350->, 8820 |
| **A-H79235** | Belt, Engine Fan Countershaft | 3300, 4400, 6600, 7700 |
| **A-H79236** | Belt, Alternator & Water Pump / Engine Fan | 3300, 4400, 6600, 6620, 7700, 7720, 8820 |
| **A-H79285** | Belt, Shoe Grain Supply Augers | 3300, 4400, 4420 |
| **A-H79787** | Belt, Straw Chopper, Rear | 3300, 4400, 4420 |
| **A-H79789** | Belt, Straw Chopper | 6600, 7700 |
| **A-H80159** | Belt, Straw Spreader | 3300, 4400, 4420 |
| **A-H80896** | Belt, Compressor | 3300 Gas SN <100000, 4400 A/C 292 gas SN <151500, 4400 A/C 329 dsl SN <101300, 4400 329DH-02, SN <202603, 6600 SN <105800, 6600 SN <156500, 6600 SN <208510, 6602 SN <163500, 7700 gas, SN 2801>, 7700 SN 8001-163900, 9400 SN 650301>, (9500, 9500SH ALL SN 650201>), 9600 SN 650301>, CTS S/N 650401> |
| **A-H80897** | Belt, Alternator & Water Pump / Compressor | 3300, 4400, 6600, 7700 |
| **A-H81222** | Belt, Secondary Countershaft / Clean Grain Elevator | 4400, 4420, 6620, 7720, 8820 |
| **A-H81742** | Belt, AC Compressor | 7700 SN 8001-111900, (9500, 9500SH ALL SN 635201-650200), 9600 SN 635301-650300, (9500, 9500SH ALL SN 645201>), 9600 SN 635301> |
| **A-H82479** | Belt, Governor | 4400 |
| **A-H82724** | Belt, Alternator & Water Pump | 4400, 4420, 6600, 7700 |
| **A-H84462** | Belt, Primary Countershaft | 6600, 7700 |
| **A-H86060** | Belt, Rotary Deflector | 3300, 4400 |
| **A-H86061** | Belt, Rotary Deflector | 6600, 7700 |
| **A-H86271** | Belt, Engine Fan | 3300, 4400, 4420, 6600, 7700, 7720, 8820 |
| **A-H86272** | Belt, Engine Fan | 6600, 6620 |
| **A-H86273** | Belt, Engine Fan & Rotary Screen Drive Shaft / Compressor | 3300, 6600, 6620, 7700, 7720, 8820 |
| **A-H86275** | Belt, Engine Fan & Rotary Screen | 4400, 4420, 6600, 6620, 7720, 8820 |
| **A-H87648** | Belt, Clean Grain Elevator | 3300 SN 150001->, 4400 SN 151501-> |
| **A-H94373** | Belt, Engine Fan | (4400, 4420 ALL cab w/ AC) |
| **A-H96408** | Belt, Cylinder | 7700, 6620, 7720 |
| **A-H96414** | Belt, Beater Drive at 100% | 6620, 7720, 8820 |
| **A-H96422** | Belt, Cylinder, 4-Banded | 6620, 7720, 8820 |
| **A-H96423** | Belt, Cylinder | 6600, 7700, 6620, 7720 |
| **A-H97929** | Belt, Feeder House Drive, Long, Lower | 6620, 7720, 8820 |
| **A-KK14639** | Belt, Air System Fan Drive | (**COTTON STRIPPER**: CS690) |
| **A-L4490N** | Belt, Drive | (**COTTON STRIPPER**: (484, 740 ALL Row Unit Drive)), (**COTTON PICKER**: 7760 Wrap Roll Drive), (**COTTON STRIPPER**: CS690 Wrap Roll Drive), (**COTTON PICKER**: CP690 Wrap Roll Drive) |
| **A-M41592** | Belt, Picking Unit Lubrication Pump Drive | (**COTTON PICKER**: 9930) |
| **A-M45862** | Belt, Drive | (1165, 1175, 1175 HYDRO WALKER, 1450, 1450CWS, 1450WTS, 1470, 1550, 1550CWS, 1550WTS, 1570 ALL Compressor Motor Drive), 740 Boll Box Drive |
| **A-M82720** | Belt, Picking Unit Lubrication Pump Drive | (**COTTON PICKER**: 9960, 9970) |

# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# Belt Application Listing



| Part # | Description | Models |
|---|---|---|
| **A-M95728** | Belt, Straw Spreader Deck | (CTS, 9400 MAXIMIZER ALL SN: <650100), 9500 SIDEHILL SN: <650200, 9501 , 9600 MAXIMIZER SN: <650300 |
| **A-N110085** | Belt, Tailings, Lower Auger | CTS, CTS II, 6600, 6601, 6602, 6622, 7701, 7721, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS |
| **A-N121113** | Belt, Drive | (**COTTON STRIPPER**: (7445, 7440, 7455, 7450 ALL Row Unit Drive), (280, 282, 283 ALL Countershaft Drive)) |
| **A-N124460** | Belt, Air System Fan Drive | (**COTTON PICKER**: 9900 Low-Drum SN <875; High-Drum SN <3124, 9910), (**COTTON STRIPPER**: 484 SN <176) |
| **A-N129368** | Belt, Fan Drive | (**COTTON PICKER**: 9910, 9920, 9930), (**COTTON STRIPPER**: 7440, 7445, 7450) |
| **A-N129508** | Belt, Cleaner Drive | (**COTTON STRIPPER**: 7445, 7455, 7450) |
| **A-N129955** | Belt, Cotton Stripper | (**COTTON STRIPPER**: 7450, 7455) |
| **A-N220403** | Belt, Stripping Unit Drive | (**COTTON STRIPPER**: 7445) |
| **A-N220907** | Belt, Cotton Stripper | (**COTTON STRIPPER**: 7455) |
| **A-N221269** | Belt, Cotton Stripper Cleaner (173") | (**COTTON STRIPPER**: 7460) |
| **A-N222344** | Belt, Cleaner Drive Gear Case | (**COTTON STRIPPER**: 7460) |
| **A-N223125** | Belt, Cleaning Fan Drive | (**COTTON STRIPPER**: 7460 W/ 748 Header) |
| **A-N371322** | Belt, Engine Fan Drive | (**COTTON PICKER**: 9986) |
| **A-N376377** | Belt, Rotary Screen Drive | (**COTTON PICKER**: 7760, 7660) |
| **A-N408803** | Belt, Fan Drive | (**COTTON PICKER**: CP690) |
| **A-P46553** | Belt, Platform & Corn Head Middle Variable | 4400, 4420 |
| **A-P49604** | Belt, Straw Spreader | (9650CTS, 9660CTS ALL STRAW SPREADER (LOWER)), (CTS, CTS II ALL STRAW SPREADER) |
| **A-R123522** | Belt, A/C Compressor/Alternator Drive | 9400 MAXIMIZER SN 670101>, 9410 MAXIMIZER |
| **A-R135606** | Belt, Alternator (95 Amp.) | 9560STS, 9650STS, 9660STS, 9750STS, 9760STS |
| **A-R135609** | Belt, Alternator (185 Amp.) | 9560STS, 9650STS, 9660STS, 9750STS, 9760STS |
| **A-R164820** | Belt, Fan / Alternator | 9650 With 185 Amp Alt., SN 695301>, 9650CTS S/N 695401>, 9660 With 185 Amp Alt., 9660CTS |
| **A-R307304** | Belt, Air Compressor Drive, Tier 2 | (S660, S670 ALL SN 785001 >), S760 |
| **A-R502417** | Belt, Alternator Drive | 9450 185 AMP Alternator |
| **A-R503312** | Belt, Engine Fan Drive | S680, S680 HILLMASTER, (S685, S685 HILLMASTER ALL Europe Edition), S690, S690 HILLMASTER, S780, S790, 9860STS, 9870STS, (9880 STS, 9880I STS, 9880I STS HILLMASTER ALL Europe Edition) |
| **A-R503505** | Belt; Alternator/Fan | S560 Europe Edition, S680 SN 745100>, S680 HILLMASTER SN <765000, (S685, S685 HILLMASTER ALL Europe Edition), S690 SN 745100>, S690 HILLMASTER SN 745100-765000, S780, S790, T550, T560, T660, T670, W540, W550, W650, W660, 9860STS, 9870STS, 9880 STS Europe Edition (SN <715700), 9880I STS Europe Edition (SN 715701>) |
| **A-R521052** | Belt, Fan Drive | C230 SN: 010000-019999 |
| **A-R521053** | Belt, Alternator | S540 South American Edition, S550, 9560STS, 9570STS |
| **A-R70871** | Belt, Alternator & Water Pump | 7700 |
| **A-R71603** | Belt, Compressor 6404TH | 6600 sidehill, SN 305673->, 6602, 6620 SN <-600000, 6622, 7720 SN <-600000, 8820 SN <-615400 |
| **A-R73189** | Belt, Alternator | 9600 BOSCH <645300, 9600 MOTOROLA SN 631201>, 9600 SN 635301-643000 |
| **A-SA00601** | Belt, Upper Fan Variator | 1165, 1170, 1175, 1175 HYDRO WALKER, 1175H, 1185, 1450, 1450CWS, 1450WTS, 1470, 1550, 1550CWS, 1550WTS, 1570, 6200, 7100, 7200, W330 |
| **A-T199T** | Belt, Charge Pump (Hydrostatic Drive) | 6600, 7700, 6620, 7720 |

# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
aiproducts
e-mail: sales@aiproducts.com
web: www.aiproducts.com

# Belt Application Listing

| Part # | Description | Models |
|---|---|---|
| **A-T32517** | Belt, Charge Pump (Hydrostatic Drive) | 8820 |
| **A-Z103845** | Belt, Rotor Drive | T550, T560, T660, T670 |
| **A-Z33790** | Belt, Beater Drive | 965, 965H, 968H, 975, 975HY4, 985, 985HY4, 1065, 1068H, 1072, 1075, 1075HY/4, 1085, 1085HY/4, 1165, 1166, 1166HY/4, 1175, 1175 HYDRO WALKER, 1175A, 1175AH, 1175H4, 1177, 1177HY4, 4425, 4435, 4435 HYDRO, 6200, 6300, 7100, 7200, 7300, 7500 TURBO, 7700, 7700H4 |
| **A-Z38186** | Belt, Feeder House Main Drive | 965, 965H, 968H, 975, 975HY4, 1032, 1042, 1052, (1065, 1068H, 1072, 1075, 1075HY/4 ALL SN: <041200), 1155, 1157, 1158, 1166, 1166HY/4, 1169, 1169HY/4, 1174, 1174HY/4, 1177, 1177HY4, 4425, 4435, 4435 HYDRO, W210, W230, W430 |
| **A-Z43890** | Belt, Feeder House Drive | 1085, 1085HY/4, 1165, 1170, 1175, 1175 HYDRO WALKER, 1175A, 1175AH, 1177, 1177HY4, 1185, 1188, 1188HY/4, 1450, 1450CWS, 1450WTS, 1470, 1550, 1550CWS, 1550WTS, 1570, 6300, 7300, 7500 TURBO, 7700, 7700H4, 8500H, 8700, W330 |
| **A-Z45026** | Belt, Taillings Elevator Drive | W330, 1065, 1068H, 1072, 1075, 1075HY/4, 1085, 1085HY/4, 1165, 1165A, 1166, 1166HY/4, 1169, 1169HY/4, 1170, 1174, 1174HY/4, 1175, 1175 HYDRO WALKER, 1175A, 1175AH, 1175H, 1175H4, 1177, 1177HY4, 1185, 1188, 1188HY/4, 1450, 1450CWS, 1450WTS, 1470, 1550, 1550CWS, 1550WTS, 1570, 4425, 4435, 4435 HYDRO, 6200, 6300, 7100, 7200, 7300, 7500 TURBO, 7700, 7700H4E, 8500H, 8700 |
| **A-Z46709** | Belt, Hydrostatic Drive | 1165, 1170, 1175, 1175 HYDRO WALKER, 1175H, 1177, 1177HY4, 1185, 1188HY/4, 1450, 1450CWS, 1450WTS, 1470, 1550, 1550CWS, 1550WTS, 1570, 6300, 7300, 7500 TURBO, 7700, 8500H, 8700, W330 |
| **A-Z47911** | Belt, Grain Tank Unloading Auger Drive | 965, 965H, 968H, 975, 975HY4, 985, 985HY4, (1065, 1068H ALL SN: <041200), 1072, 1075, 1075HY/4, (1085, 1085HY/4 ALL SN: 041201>), 4425 |
| **A-Z59557** | Belt, Grain Elevator Drive | 2054, 2056, 2058, 2064, 2066, (2254, 2256, 2258, 2264, 2266 ALL SN: <068583), (T550, T560, T660, T670 ALL Straw Walker Drive (MY 2007-2014)) |




*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated

**A-AH201530** Ball Bearing 0.55 Lbs.


***Replaces:*** AZ20216




***For Models:*** 9650STS SN: < 695500, 9750STS SN: < 695600

**A-AH201531** Ball Bearing 1.07 Lbs.


***Replaces:*** JD10312




***For Models:*** 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9600, 9610, 9650, 9650CTS, 9650STS SN: 695501 >, 9660, 9660CTS, 9660STS, 9750STS SN: 695601 >, 9760STS, 9860STS, CTS, CTS II

**A-AH124726** Radiator 64.00 Lbs.

***Replaces:*** AH87990, AH112173, AH19911





***Dim/Info:***
Core Size: 27.750" Wide
32.625" High
5 Rows of Tubes
5 Fins per Inch

***For Models:*** 6600 W/ 6404 Eng., 6602, 6620, 6622, 7720

**A-AH124728** Radiator 67.00 Lbs.

***Replaces:*** AH120373, AH98155





***Dim/Info:***
Core Size: 25.875" Wide
32.875" High
5 Rows of Tubes
5 Fins per Inch

***For Models:*** 7720, 7722 HILLSIDE, 8820

**A-AH137544** Radiator 56.00 Lbs.

***Replaces:*** AH128258





***Dim/Info:***
Core Size: 20.250" Wide
33.875" High
5 Rows of Tubes
5 Fins per Inch

***For Models:*** 9400 SN <640100, (9500, 9500SH ALL SN <640200), 9600 SN <640300 W/O 253 HP ENGINE

**A-AH169362** Radiator 65.02 Lbs.

***Replaces:*** AH133223





***Dim/Info:***
Core Size: 25.562" Wide
33.875" High
5 Rows of Tubes
5 Fins per Inch

***For Models:*** 9400 SN 640101> W/ Increase Capacity, 9410, 9450, (9500, 9500SH ALL SN 640201> W/ H Series Eng. W/ Air To Air System), 9510, 9510SH, (9550, 9550SH ALL 5 FPI, 5 ROW), 9600 SN <640300, 9600 SN <640300 W/ 253 HP ENGINE, 9610, 9650 SN <695300, 9650CTS SN <695400

**A-AH138940** Radiator 65.02 Lbs.

***Replaces:*** AH133223





***Dim/Info:***
Core Size: 25.562" Wide
33.875" High
5 Rows of Tubes
5 Fins per Inch

***For Models:*** 9600 SN 640301> (High Power), CTS SN <655419, (**COTTON PICKER**: 9976, 9986)

**A-AH169363** Radiator 71.00 Lbs.

***Replaces:*** AH144719




***Dim/Info:***
Core Size: 25.00" Wide
33.875" High
6 Rows of Tubes
4 Fins per Inch

***For Models:*** (9500, 9500SH ALL SN: 640201 >), 9510, 9510SH, 9550, 9550SH, 9600 SN: 640301 >, 9610, 9650 SN: < 695300, 9650CTS SN: < 695400, CTS SN: 655420 >, CTS II

**A-AT173610** Cap, Radiator 15 PSI 0.20 Lbs.



***For Models:*** S560, S660, S670, S690, 9560, 9660, (**COTTON PICKER**: 9770), (**SUGAR CANE HARVESTER**: CH330)

**A-RE312969** Filler Cap, Surge Tank 1.50 Lbs.



***Dim/Info:***
PSI - 20 (140 kPa)

***For Models:*** 9600, (**COTTON PICKER**: CP690), (**FORAGE HARVESTER**: 8100, 8200, 8300, 8400, 8500, 8600, 8700, 8800)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.




P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-AT310335** Cap, Surge Tank 0.13 Lbs.
103.42 kp (15.00 lb)




***For Models:*** C110, C230, C240, C670, S430, S440, S540, S550, S560, S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S760, S770, S780, S785, S790, T550, T560, T660, T670, W330, W540, W550, W650, W660, W70, 1450CWS, 1450WTS, 1470, 1550CWS, 1550WTS, 1570, 9470STS, 9540I WTS, 9560I WTS, 9560STS, 9570STS, 9580I WTS, 9670STS, 9770STS, (**COTTON PICKER**: CP690, 7660, 7760), (**COTTON STRIPPER**: CS690, 7460), (**FORAGE HARVESTER**: 7280, 7380, 7480, 7580, 7780, 9700, 9800), (**SUGAR CANE HARVESTER**: CH330, CH530, CH570, CH670, 3510, 3520, 3522)

**A-R43582** Radiator Hose, Upper 0.68 Lbs.




***Dim/Info:***
A - 2.000" ID
B - 2.500" ID

***For Models:*** 4400, 4520 W/O AC, ENG SN <-303518

**A-R50402** Hose, Water Manifold / Lower Engine Oil Cooler 0.20 Lbs.
***Replaces:*** R47430



***Dim/Info:***
Length - 5.75"
Inside Diameter - .870" (Both Ends)
Outside Diameter - 1.250"

***For Models:*** 8820, (**COTTON PICKER**: 9940, 9950), (**FORAGE HARVESTER**: 5200, 5400, 5440, 5720, 5730)

**A-AR63573** Pump, Water 29.00 Lbs.
Casting# R54955



**A-R50410** Gasket, Water Pump 0.04 Lbs.
**A-R42406** Gasket, Housing to Head 0.01 Lbs.

***For Models:*** 6600, 6600 w/ 404 D, 6602, 6620, 6622, 7700, 7720, 8820

**A-AR74110** Pump Assembly, Water 45.40 Lbs.
Casting # R90784, R56813, R104648
***Replaces:*** AR68389 (TY6738 - John Deere Re-Man#)



***For Models:*** 9400 W/ 6068 ENGINE- SN 337246-701275

**A-RE505981** Pump, Water 8.90 Lbs.
Marked # 503509, R503509, RE505981, R505981, 505981
***Replaces:*** RE500737



***For Models:*** 9400 W/ 6068 Engine- SN 701276>, (**COTTON STRIPPER**: 7445 ESN 900552> MARKED 503509, 7460 6068TN054 TIER2 MARKED 503509), (**COTTON PICKER**: 9935 ESN 900552>)

**A-RE55985** Pump, Water 28.00 Lbs.
For models w/ engine code HH003 w/ narrow gear train.
***Replaces:*** RE43131, AR93517, RE23291



***Dim/Info:***
.617" Length Of Tooth
Casting # R71224, R83561

***For Models:*** (9500, 9500SH, 9600 ALL Eng. SN <499999 W/ Eng. Code HH003 & Narrow Gear Train), (**COTTON PICKER**: (9950, 9960 ALL MARKED R83561))

**A-RE55986** Pump, Water 29.00 Lbs.
For models w/ engine code TH001, HH001 or HH004 w/ wide gear train.
Casting # R83561
***Replaces:*** RE28368, RE43132



***Dim/Info:***
.546" angle of tooth

***For Models:*** (9500, 9500SH, 9600 ALL Eng. SN <499999 WIDE GEAR TRAIN TH001, HH001 OR HH004)

**A-RE505980** Pump, Water 8.90 Lbs.
Marked: RE59646, RE70985, RE500734 Or R503509
***Replaces:*** R503509, RE500734, RE59646, RE70985, RE70687, RE546906



***For Models:*** 9550, 9550SH, 9560 HH054, 9560SH HH055, (**COTTON STRIPPER**: 7460 6068HN055 TIER3), (**COTTON PICKER**: 9970 6068HN052 TIER2)

**A-AR97708** Pump, Water 21.00 Lbs.
Marked R100871, R111028, R73604



***For Models:*** 952 SN 498386>, (1032, 1042, 1052 ALL SN 788886>), 1133, 1144, 1155 4 CYL, (**SWATHER/WINDROWER**: 2360)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

**A-RE521503** Water Pump; High-Flow, w/ Gaskets 4.05 Lbs.
Marked: R503501, R119795
***Replaces:*** RE509599, RE532595, RE508250, RE521501, SE501595, RE500317



***Dim/Info:***
Type - High-Flow
Fits - 8.1 Litre Diesel
Teeth - 15

**A-R119383** Gasket, Water Pump Cover 0.11 Lbs.
***For Models:*** CTS II SN 074945>, 9560STS , 9610 SN 074945>, 9640I WTS, 9640WTS, 9660STS, 9660I WTS, 9660WTS, 9680WTS, 9680I WTS, 9750STS, 9760STS, 9780CTS, (**COTTON PICKER**: 9976 SN 074945>, 9986, 9996), (**SUGAR CANE HARVESTER**: 3510)

**A-RE521502** Kit, Water Pump 4.40 Lbs.
Marked R503501 Or R119795
***Replaces:*** RE57154, RE509598, RE508249



***Dim/Info:***
Type - Low-Flow
Fits - 8.1 Litre Diesel
Teeth - 16

**A-R119383** Gasket, Water Pump Cover 0.11 Lbs.
***For Models:*** CTS II MARKED R503501, (9550, 9550SH ALL MARKED R119795 OR R503501 ESN <156457), (9560, 9610, 9640I WTS, 9640WTS ALL MARKED R503501), (9650, 9650CTS, 9650STS ALL MARKED R119795 OR R503501), (9660, 9660CTS, 9660STS, 9660WTS, 9660I WTS, 9670STS ALL MARKED R503501), 9750STS MARKED R119795 OR R503501, (9680WTS, 9680I WTS ALL MARKED R503501), (**COTTON PICKER**: 9970 MARKED R503501)

**A-RE549117** Water Pump 31.40 Lbs.
***Replaces:*** RE545358, SE501593



***For Models:*** S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S780, S790, 9870STS, (**COTTON PICKER**: CP690, 7760), (**FORAGE HARVESTER**: 7350, 7380, 7450, 7480, 7550, 7580, 7750, 7780, 8300, 8400, 8500, 8600)

**A-RE62658** Water Pump Repair Kit 2.24 Lbs.
Used to repair A-RE19944 water pump.



***For Models:*** 3300

**A-RE509813** Kit, Water Pump Repair 2.50 Lbs.
Used To Repair RE505980 Water Pump.



***Dim/Info:***
Marked - Water Pump Marked: RE59646, RE70985, RE500734 Or R503590

***For Models:*** 9550, 9550SH, 9560 HH054, 9560SH HH055, (**COTTON PICKER**: 9970 6068HN052 TIER2), (**COTTON STRIPPER**: 7460 6068HN055 TIER3)

**A-RE68316** Kit, Water Pump Repair; High Flow 2.32 Lbs.
Used W/ OEM Water Pumps Marked RE39121 & RE68230
***Replaces:*** RE42107, RE58350



***For Models:*** CTS, (9500, 9500SH, 9600 ALL SN 500000->), (**COTTON PICKER**: 9960 Machine SN 4001>/ Eng. SN 500000>, 9965, 9970), (**FORAGE HARVESTER**: 6610)

**A-AR62933** Seal Kit, Water Pump 0.06 Lbs.
***Replaces:*** AR41691



***For Models:*** 925, 935, 945, 955, 965, 965H, 968H, 975, 975HY4, 985, 985HY4, 1032, 1042, 1052, 1055, 1065, 1068H, 1072, 1075, 1075H4, 1085, 1085H4, 1177, 3300, 4400, 4420, 4425, 6600, 6602, 6620, 6622, 7700, 7720, 8820

**A-MX139** Water Pump Kit w/o Impeller 1.33 Lbs.
For pumps marked R54955



***For Models:*** 6620, 7720, 8820

**A-R97455** Gasket, Water Pump Backplate 0.04 Lbs.
***Replaces:*** T20271



***For Models:*** 1032, 1042, 1052, 1055, (1065, 1068H, 1072 ALL SN <041200 / ENG SN <623930), 1133, 1144, 1155 4 CYL, 1157 6 CYL, 3300

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-R56809** Gasket, Water Pump Housing 0.20 Lbs.



***For Models:*** 9400 6359AH001 ESN <357245, 9400 6068HH001 ESN 337246-701275

**A-R71361** Gasket, Water Pump 0.02 Lbs.
Used w/ A-RE55985 Water Pump



***For Models:*** 9500 6076 ESN <499999, 9600 ESN <499999, (**COTTON PICKER**: 9950, 9960)

**A-R528313** Tube; Water Pump / Heat Exchanger 0.16 Lbs.



***For Models:*** T550, W540, W550, W650

**A-R56812** Impeller, Water Pump 1.75 Lbs.
***Replaces:*** R99122



***For Models:*** 9400 6068HH001 ESN 337246-701275, 9400 6359AH001 ESN <337245

**A-R115250** Pulley, Water Pump (94 MM Dia) 1.00 Lbs.



***For Models:*** C110, C240, S430, S440, S540, S550, T550, W330, W540, W550, W650, 1165, 1170, 1175, 1175H, 1470, 1550, 1570, 2254, 9400, 9410, 9450, 9540, 9550, 9550SH, 9560, 9560SH, (**COTTON PICKER**: 9935, 9970), (**COTTON STRIPPER**: 7455, 7460), (**SUGAR CANE HARVESTER**: CH330, CH530)

**A-R128660** Pulley, Fan 3.30 Lbs.



***For Models:*** C240, T550, W540, W550, W650, 1170, 2254, 9540, 9550, 9550SH, 9560, 9560SH

**A-RE232483** Pulley, Idler, Fan Drive 1.83 Lbs.



***For Models:*** (**COTTON PICKER**: CP690, 7760, 9970), (**FORAGE HARVESTER**: 7280, 7380, 7480, 7580, 7780)

**A-JD9257** Bearing, Water Pump Shaft 1.16 Lbs.

***Dim/Info:***
Length - 5.75"



***For Models:*** 925, 935, 945, 955, 965, 965H, 968H, 1032, 1042, 1052, 1055, 3300, 4400, 4420, 6600

**A-JD8643** Bearing, Water Pump Shaft 2.15 Lbs.

***Dim/Info:***
Length - 7.130"



***For Models:*** 975, 975HY4, 985 ENG SN <403755, 1065, 1068H, 1072, 1075, 1075H4, 4425, 9400, (**COTTON STRIPPER**: 484, 7440, 7445), (**COTTON PICKER**: 9910, 9920, 9930)

**A-JD9355** Bearing, Water Pump Shaft 0.50 Lbs.

***Dim/Info:***
Length - 4.693"



***For Models:*** 985, 985HY4, 1085, 1085H4, 1177, 1188, 1188H4, 6600, 6602, 6620, 6622, 7700, 7720, 8820

**A-JD10058** Bearing, Water Pump Style (Import) 1.95 Lbs.

***Dim/Info:***
Outside Diameter - 1.875"
Shaft Length - 4.862"
Width - Race: 2.756"
Shaft Size - 1.000"



***For Models:*** CTS, CTS II, C670, T560, T660, T670, W650, W660, 7722, 8820, 9510, 9510SH, 9540I WTS, 9540WTS, 9550, 9550SH, 9560I WTS, 9560WTS, 9580I WTS, 9580WTS, 9610, 9640I WTS, 9640WTS, 9650, 9650CTS, 9660CTS, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS, 9780CTS, 9780I CTS, (**COTTON PICKER**: 9950, 9960, 9965, 9970)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

**A-AR48675** Thermostat, 180° 0.20 Lbs.



***Dim/Info:***
180° Farenheit
82° Celcius

***For Models:*** CTS, 955 ENG SN 235170>, 965, 965H, 968H, 975, 975HY4, 985, 985HY4, 1055, 1065, 1068H, 1072, 1075, 1075H4, 1085 SN <044386, 1085H4, 1166, 1166H4, 1169H4, 1174, 1174H4, 1177, 1188, 1188H4, 4425, 4435, 4435 HYDRO, 6600, 6602, 6620, 6622, 7700, 7720, 8820, 9400, 9500, 9500SH, 9600, 9610, (**COTTON STRIPPER**: 484, 7440, 7450, 7455), (**COTTON PICKER**: 9910, 9920, 9930, 9940, 9950, 9960, 9965, 9970, 9976)

**A-RE33705** Thermostat, 180° 0.15 Lbs.
***Replaces:*** AT22961



***For Models:*** 3300

**A-RE538289** Thermostat 0.23 Lbs.
***Replaces:*** RE538806



***For Models:*** S440, S540, S550, T550, W540, W550, W650, 1570, 9540I WTS, 9560I WTS, 9560STS, 9570STS, (**COTTON PICKER**: 9970)

**A-DZ100553** Thermostat; 180° 0.21 Lbs.
***Replaces:*** RE540550



***Dim/Info:***
Outside Diameter - 2.125"


***For Models:*** S560, S650, S660, S670, S670 HILLMASTER, S760, S770, T560, T660, T670, W650, W660, 9540I WTS, 9560, 9560I STS, 9560I WTS, 9580I WTS, 9640I WTS, 9640WTS, 9660I WTS, 9660STS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9760STS, 9770STS, 9780CTS, 9780I CTS, (**COTTON PICKER**: 7660), (**FORAGE HARVESTER**: 7180, 7250, 8100, 8200), (**SUGAR CANE HARVESTER**: 3520, 3522)

**A-AR77411** Thermostat, 195° 0.90 Lbs.
***Replaces:*** AT23908, AF1522R



***For Models:*** 955 ENG SN <235169, 4400, 4420, 6600, (**COTTON STRIPPER**: 484), (**COTTON PICKER**: 9900)


**A-R54641** Gasket, Thermostat Housing to Head 0.10 Lbs.



***Dim/Info:***
minimum order qty 2

***For Models:*** 955, 965, 965H, 968H, 975, 975HY4, 985 ENG SN <403755, 1055, 1065, 1068H, 1072, 1075, 1075H4, 1157, 1158, 1166, 1166H4, 1169H4, 1174, 1174H4, 1177, 4400 6329DH02, 6329DH03, 4420 6329DH, 6359DH, 4425, 4435, 6600 6329DH01, 9400 ESN <701275, (**COTTON STRIPPER**: 484, 7440, 7445, 7450), (**COTTON PICKER**: 9900, 9910, 9920, 9930)

**A-R124607** Gasket; Thermostat Cover 0.03 Lbs.
***Replaces:*** R46479



***For Models:*** CTS, CTS II, 6600, 6620, 6622, 7720, 9500, 9510, 9510SH, 9550, 9550SH, 9560, 9560STS, 9600, 9610, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9660WTS, 9660I WTS, 9680WTS, 9680I WTS, 9750STS, 9760STS, 9780CTS, (**COTTON PICKER**: 9940, 9950, 9960, 9965, 9970, 9976, 9986, 9996), (**FORAGE HARVESTER**: 5200, 5400, 5440, 5460, 6610, 6650, 6710, 6750, 6810, 6850, 6910, 6950)

**A-AR50518** Heater, Engine Block Frost Plug 0.80 Lbs.
The Katz Frost Plug Heater Is The Most Efficient Type Of Engine Heater Available. (Used With Engine Models 6404, 6466, 6513& 6619).



***Dim/Info:***
2" Diameter Plug
1000 Watt
Forged Brass Body
Positive Locking Assembly
O-Ring Seal
Long Life

***For Models:*** 4400, 6620, 7700, 7720, 8820

**A-AT73296** Power Cord, Engine Block Heater 0.33 Lbs.



***For Models:*** CTS, S550, S650, S660, S670, S680, S685, S690, S760, S770, S780, S790, T660, T670, 9400, 9500, 9510, 9550, 9550SH, 9560, 9600, 9610, 9650, 9660, 9750, (**COTTON PICKER**: 9770)

**A-RE42139** Element, Coolant Heater 0.50 Lbs.



***Dim/Info:***
Wattage - 1000 watts

***For Models:*** CTS, S650, S660, S670, S760, S770, 6620, 6622, 7720, 9500, 9500SH, 9600, (**COTTON PICKER**: 9935), (**COTTON STRIPPER**: 7455)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-RE539840** Sensor; Coolant Pressure 0.10 Lbs.



***For Models:*** S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S760, S770, S780, S785, S790, T550, T560, T660, T670, W540, W550, W650, W660, (**COTTON PICKER**: CP690, 7760), (**COTTON STRIPPER**: CS690), (**FORAGE HARVESTER**: 7280, 7380, 7480, 7580, 7780, 8100, 8200, 8300, 8400, 8500, 8600, 9600), (**SUGAR CANE HARVESTER**: CH570, CH670)

**A-AH151439** Driveshaft-Universal, Engine Fan Drive 4.07 Lbs.

***Dim/Info:***
12.63" long



***For Models:*** 9610

**A-AH115639** Pulley, Rotary Screen Drive 2.41 Lbs.


***Dim/Info:***
OD: 6.375"
Groove Width: 504"
Bore Dia: .986"
Key/Hole Dia: .238"



***For Models:*** CTS, CTS II, C670, T550, T560, T660, W540, W550, W650, W660, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560STS, 9560SH, 9570STS, 9600, 9610, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9660WTS, 9660I WTS, 9670STS, 9680WTS, 9680I WTS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, (**COTTON PICKER**: 7760, 9976, 9986, 9996)

**A-AH140497** Pulley-Idler, Screen Drive Idler Arm 0.77 Lbs.

***Dim/Info:***
Effective Dia: 3.252"
Groove Width: .961"
Bore Dia: .390"
Overall Width: 1.102"



***For Models:*** CTS, CTS II, C670, T550, T560, T660, W540, W550, W650, W660, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9660WTS, 9660I WTS, 9670STS, 9680WTS, 9680I WTS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, (**COTTON PICKER**: 9976)

**A-RE505264** Assembly, Pulley 1.25 Lbs.
***Replaces:*** RE39535, RE51281, RE68722




***For Models:*** CTS II, T550, T560, 9410, 9510, 9510 SIDEHILL, 9540I WTS SN 080016-, 9550, 9550 SIDEHILL, 9560, 9560SH, 9560I WTS SN 080016-, 9610, 9640I WTS, 9640WTS, 9650, 9650CTS, 9660, 9660CTS, 9660WTS, 9660I WTS, 9680I WTS, 9680WTS, (9780CTS, 9780I CTS ALL SN 072800-), (**COTTON PICKER**: 9970, 9976 SN 4001-, 9986), (**COTTON STRIPPER**: 7455, 7460 w/748 Header)

**A-RE518097** Tensioner, Belt 4.00 Lbs.
***Replaces:*** RE70535, RE70536



***For Models:*** (9550, 9550SH ALL SN 289285>), 9560, 9560SH, 9560STS, 9570STS, 9650STS ENG SN: 200000 >, 6081HH012 & HH013, 9660STS 8.1 TIER 2, 9670STS, 9750STS ENG SN: 200000 >, 6081HH012 & HH013, 9760STS 8.1 TIER 2, 9770STS, (**COTTON STRIPPER**: 7460 TN054,HN055)

**A-H175557** Shaft, Rotary Screen Drive 5.39 Lbs.



***Dim/Info:***
52.81" long

**A-GRAE25RRB-I** Bearing, RH/ LH 0.45 Lbs.

***For Models:*** T550, W540, 9550, 9550SH, 9560, 9560SH, 9860STS, 9870STS

**A-H151146** Shaft, Rotary Screen Drive 6.27 Lbs.




***Dim/Info:***
29.75" long

**A-GRAE25RRB-I** Bearing, RH/ LH 0.45 Lbs.

***For Models:*** 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS

**A-H168256** Shaft, Rotary Screen Drive 4.65 Lbs.



***Dim/Info:***
Length - 22.22"

**A-GRAE25RRB-I** Bearing, RH/ LH 0.45 Lbs.

***For Models:*** 9450, 9550, 9550SH, 9650 SN <695300, 9650CTS SN <695400

**A-AH169549** Idler, Rotary Screen 0.85 Lbs.

***Dim/Info:***
Bore - .356"
Outside Diameter - 3.510"



***For Models:*** C670, T550, T560, T660, W540, W550, W650, W660, 9450 SN 690111>, 9550 SN 690240>, 9550SH SN 690701>, 9560, 9560SH, 9560STS, 9570STS, 9640I WTS, 9640WTS, 9650 SN 690338>, 9650CTS SN 690401>, 9650STS SN 690609>, 9660, 9660CTS, 9660STS, 9660WTS, 9660I WTS, 9670STS, 9680WTS, 9680I WTS, 9750STS SN 690662>, 9760STS, 9770STS, 9860STS, 9870STS, 7250, 7350, 7450, 7550, 7750, 7850, 7950

**A-R335491** Wear Ring, Fan Drive 0.06 Lbs.



***For Models:*** S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# ENGINE PARTS

**A-AT18030** Crankshaft 89.00 Lbs.

Marked T23517




***Dim/Info:***
AT18030 crankshaft 36mm, short snout casting #T23517

***For Models:*** 3300 SN 275483> w/ 4.219 Eng, 6602 4.239D ENG, (**COTTON PICKER**: 499 SN 275484> w/ 4.219 Eng Some Possibly Turbo Charged)

**A-AT22562** Crankshaft 119.00 Lbs.

***Replaces:*** RE45541



***Dim/Info:***
Marked: T23266, T23267, T23260, R108658 Or R108679

***For Models:*** 4400 SN 277549> w/ 6.329 Eng, 4420 SN <277548 w/ 6.329 Eng, 4425 SN 277549> w/ 6.329 Eng MARKED T23266, 4435 MARKED T23266, 6600 (MARKED T23266 OR T23267) 6329DH-01, 9400 6095T Liter Designated & 6.359T 6Cyl Eng ESN<337245, (**COTTON STRIPPER**: 484, 7440 6.359D ENG, 7445 6095D/T Liter Designated & 6.359D/T 6Cyl Eng), (**COTTON PICKER**: 499, 699 SN <277548, 6.329 ENG, (9900, 9910, 9920 ALL 6.359D Eng & 6095D 6Cyl Eng), 9930 6095T Liter Designated & 6.359T 6Cyl Eng)

**A-RE53422** Crankshaft w/ A-R26049 Gear 149.00 Lbs.

Timing gear is installed. RE10713 transmission lube pump hex drive & bushing is not included, and is not available from A&I.


***Replaces:*** AR96189, RE42671, RE53203



***Dim/Info:***
Includes - Oil Pump Gear and Front Timing Gear
Short snout 3", crankshaft w/ helicoidal front gear R105488
Marked: R40740, R56934, R63451, RE42675, RE52303, R56979, RE53203, and RE104855

***For Models:*** 1177, 1188, 1188H4, 6600, 6602, 6620, 6622, 7700, 7720, 8820, 9500, 9500SH, 9600, (**COTTON PICKER**: 9950, 9940, 9960), (**FORAGE HARVESTER**: 5200, 5440, 5460, 5720, 5730)


**A-AR57241** Pulley, Crankshaft Dampener 18.60 Lbs.



***Dim/Info:***
8.345" OD
1.876" ID


***For Models:*** 6600, 6602, 6620, 6622, 7700, 7720

**A-RE24975** Torsional Damper 30.50 Lbs.




***For Models:*** (9500, 9500SH, 9600 ALL ALL WITH ENGINE HH031, HH035), (9500, 9500SH, 9600 ALL Eng. SN <500035 ENGINE CODE HH030, HH032, HH034, HH036), CTS Eng. SN <509679

**A-RE57603** Torsional Damper 33.00 Lbs.



***For Models:*** 9510 ENG. SN <039521, 9510SH Eng. SN <039521, 9610 ENG. SN <039521, CTS II Eng. SN <039521, (**COTTON PICKER**: 9976 SN <38791 HN001), (**FORAGE HARVESTER**: 6610, 6650 6068HZ004)

**A-RE500934** Torsional Damper 44.00 Lbs.



***For Models:*** 9550, 9550SH, 9650, 9650CTS, 9660, 9660CTS, 9680WTS, 9680I WTS, (9550, 9550SH ALL SN <156457), (CTS II, 9510, 9510SH, 9610 ALL Eng. SN 039522>), (**COTTON PICKER**: 9970, 9976, 9986, 9996), (**FORAGE HARVESTER**: 6610 )

**A-RE500917** Torsional Damper 36.00 Lbs.



***For Models:*** 9560STS, 9650STS, 9660STS, 9750STS, 9760STS, (**COTTON PICKER**: 9976), (**FORAGE HARVESTER**: 6610, 7200)

**A-RE170084** Tensioner, Belt; Accessory 3.92 Lbs.



***For Models:*** (**COTTON PICKER**: 9970 Alternator / Late SN)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-RE548027** Belt Tensioner 3.00 Lbs.



***For Models:*** C110, C240, S540, S550, S560, S650, S660, S670, S760, S770, T550, W330, W540, W550, W650, 1470, 1570, (**COTTON PICKER**: 7660, 9770, 9970), (**COTTON STRIPPER**: 7460), (**SUGAR CANE HARVESTER**: CH330, CH530, CH570, CH670, 3520, 3522)

**A-RE243154** Tensioner; Belt 3.80 Lbs.



***For Models:*** S660, S670, S760, S770

**A-AR93341** Connecting Rod 7.80 Lbs.
Marked R71074



***For Models:*** CTS, 6622, 9500, 9500SH, 9600, (**COTTON PICKER**: 9940, 9950, 9960, 9970), (**FORAGE HARVESTER**: 5720, 5730, 6610)

**A-RE508317** Rocker Arm, w/ Adjusting Screw 0.32 Lbs.



***For Models:*** C110, C240, S430, S540, W330, 1165, 1175, 1175H, 1470, 1550, 2254, 3300 sn 275483> w/ 4.219 eng, 4400 SN 277549>, W/ 6.329 ENG, 4420 SN <277548, W/ 6.329 ENG, 4425 SN 277549>, W/ 6.329 ENG, 6602 4.239D ENG, 9400 w/ 6059T liter designated, 9450, 9540, (**COTTON PICKER**: 499 SN 275484> w/ 4.219 Eng Some Possibly Turbo Charged, 699 SN <277548, 6.329 ENG, (9900, 9910, 9920 ALL 6.359D ENG), 9930 w/ 6059T liter designated, 9935), (**COTTON STRIPPER**: (7440, 7445 ALL 6.359D ENG), 7455, 7460, 7445 w/ 6059T liter designated), (**SUGAR CANE HARVESTER**: CH330, CH530)

**A-R123271** Stud, Rocker Arm Support 0.13 Lbs.



***Dim/Info:***
Head Size - 5/8" hex head between threads
Overall Length - 3.44"
Thread - Shorter thread is M8 X 1.25 RH thread .48" long Longer thread is M10 X 1.5 RH thread 1.34" long

***For Models:*** C110, C240, S430, S540, W330, 1165, 1170, 1175, 1175H, 1470, 1550, 2254, 9400, 9410, 9450, 9540, (**COTTON PICKER**: 9935), (**COTTON STRIPPER**: 7455, 7460), (**SUGAR CANE HARVESTER**: CH330, CH530)

**A-H145076** Pulley, Engine Fan Drive 18.25 Lbs.
For 235 HP Engine Only
***Replaces:*** AH134848



***Dim/Info:***
3 Groove
8.398" O.D.
1.141" I.D.

***For Models:*** 9500 SN <640200

**A-AR79463** Pump, Engine Oil 7.22 Lbs.



***For Models:*** 9400

**A-RE543187** Pump, Engine Oil 17.50 Lbs.
***Replaces:*** RE533975, RE519513



***Dim/Info:***
Marked - R518350, R518347

***For Models:*** C670 SN 079604>, S650, S660, S670, S670 HILLMASTER, S670 STS, (T560, T660, T670, W650, W660 ALL SN 079604>), 9670STS, 9770STS, (**COTTON PICKER**: 7760), (**FORAGE HARVESTER**: 7180, 7250), (**SUGAR CANE HARVESTER**: 3520, 3522)

**A-RE504914** Pump, Engine Oil 3.13 Lbs.
Marked R502867, R123179 Or R123179A
***Replaces:*** RE70153, RE502269, RE59582



***For Models:*** C110, C240, S430, S540, S550 STS, T550, W330, W540, 1165, 1175, 1175H, 1470, 1550, 2254, 9410, 9450, 9540, 9540I WTS, 9550, 9550SH, 9560, 9560I WTS, 9560SH, 9560STS, 9570STS, 9580I WTS, (**COTTON PICKER**: 9935, 9970), (**COTTON STRIPPER**: 7455, 7460 TN054 HN055)

**A-RE167207** Sensor; Oil Pressure 0.12 Lbs.
***Replaces:*** RE56009



***Dim/Info:***
Volt/Amperage - 12V - 24V
Terminals - 3
Thread - 1/8"-27 NPT

***For Models:*** C110, C670, S540, S550, S560, S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S770, S760, S780, S790, T550, T560, T660, T670, W330, W540, W550, W650, W660, 1450CWS, 1450WTS, 1470, 1550CWS, 1550WTS, 1570, 9470STS, 9540I WTS, 9540WTS, 9560I STS, 9560I WTS, 9560STS, 9560WTS, 9570STS, 9580I WTS, 9580WTS, 9640I WTS, 9640WTS, 9660I WTS, 9660STS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9760STS, 9770STS, 9780CTS, 9780I CTS, 9870STS, (**COTTON PICKER**: CP690, 7660, 7760, 9970), (**COTTON STRIPPER**: 7460), (**FORAGE HARVESTER**: 7180, 7250, 7350, 7380, 7450, 7480, 7550, 7580, 7750, 7780, 8100, 8200, 8300, 8400, 8500, 8600)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


Truck icon indicates that the item is shipped via truck freight.

**A-R116718** Tube, Engine Oil Pump 1.06 Lbs.



***For Models:*** 9540I WTS, 9560I WTS, 9580I WTS, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS, 9750STS, 9780CTS, 9780I CTS, (**COTTON PICKER**: 9976), (**FORAGE HARVESTER**: 6610, 6650, 7200)

**A-R518376** Tube, Engine Oil Pump 0.98 Lbs.



***For Models:*** C670, S650, S660, S670, S670 HILLMASTER, T560, T660, T670, W650, W660, 9540I WTS, 9560I WTS, 9560STS, 9580I WTS, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9660WTS, 9660I WTS, 9670STS, 9680I WTS, 9680WTS, 9750STS, 9760STS, 9770STS, 9780CTS, 9780I CTS, (**COTTON PICKER**: 7760, 9986, 9996), (**FORAGE HARVESTER**: 7180, 7250, 8100, 8200), (**SUGAR CANE HARVESTER**: 3510, 3520)

**A-R62952** Tube, Engine Oil Pump 0.68 Lbs.



***For Models:*** 6620, 6622, 7720, 8820, 9500, 9500SH, 9600, (**COTTON PICKER**: 9940, 9950), (**FORAGE HARVESTER**: 5720, 5730)

**A-R114282** Ring Gear, Flywheel 1.90 Lbs.
***Replaces:*** T20088



***Dim/Info:***
142 Teeth
14.325" O.D.
13.370" I.D.
.406" Wide

***For Models:*** 3300 SN 275484> 4.219 ENG, (4400, 4425 ALL SN 277549> 6.329 ENG), 4420 SN <277548 6.329 ENG, 6600 LITER DESIGNATED W/ 6.359T 6CYL ENG, 6602 4.239D ENG, (**COTTON PICKER**: 499 SN 275484> w/ 4.219 Eng Some Possibly Turbo Charged, 699 SN <277548, W/ 6.329 ENG, (9900, 9910 ALL 6059D 6CYL ENG), 9920 w/ 6059D Liter Designated w/ 6.359T 6Cyl Eng, 9930 w/ 6.359T eng VSN 101-2480), (**COTTON STRIPPER**: 7445 6.359T ESN <299999, 7455 6.8D & 6.8T, W/ 6.8L OEM ENG. CODES 4807)


**A-R28811** Ring Gear, Flywheel 3.60 Lbs.
Used w/ A-AR40565 & A-AR48294 flywheels.



***Dim/Info:***
129 Teeth
16.353" O.D.
15.171" I.D.
.562" Wide

***For Models:*** C670, CTS, CTS II, T550, T560, T660, W540, W550, W650, W660, 985, 985HY4, 1085, 1085H4, 1170, 1177, 1188, 1188H4, 6600, 6602, 6620, 7700, 7720, 8820, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9680WTS, 9680I WTS, 9750STS, 9760STS, 9770STS, (**COTTON PICKER**: 9935, 9935, 9940, 9950 SN 233593> w/ 6.466A 6Cyl Eng, 9960, 9965, 9970, 9976, 9986, 9996), (**COTTON STRIPPER**: 7455, 7460), (**FORAGE HARVESTER**: 5200, 5400, 5440, 5460, 5720, 5730, 7200, 7250, 7400, 7500)


**A-AR103044** Ring Gear, Flywheel 5.90 Lbs.
Marked R76000
***Replaces:*** R35047



***Dim/Info:***
147 Teeth
17.406" I.D.
18.595" O.D.
.73" Wide

***For Models:*** 9860STS, (**FORAGE HARVESTER**: 5200, 5400, 5440, 5460, 5720, 5730, 5820, 5830, 6710, 6750, 6850, 7400, 7500)

**A-RE527552** Gasket Set; Upper 4.00 Lbs.
***Replaces:*** RE521059, RE526729



***For Models:*** 9560STS 6068HH058, 6081HH019 Or 6081HH028, (9650, 9650CTS, 9660, 9660CTS ALL 6081HH017), (9650STS, 9660STS ALL 6081HH013), (9750STS, 9760STS ALL 6081HH012)


**A-AT25038** Cooler, Oil 9.46 Lbs.



***Dim/Info:***
12 plate cooler

***For Models:*** 985, 985HY4, 1085, 1085H4, 8820 ESN <336698 6.466T/A, (**COTTON PICKER**: 9940, 9950), (**FORAGE HARVESTER**: (5200, 5400 ALL ESN <335846> 6.404), 5440, 5460, (5720, 5730 ALL ESN <336698), 5820, 5830)

**A-RE36367** Cooler, Oil w/ Gaskets 6.00 Lbs.
MOUNTS WITH R128557 & R128558 GASKETS



***For Models:*** CTS 6076-HH030, (9500, 9500SH, 9600 ALL ENGINE SN 500000> 6076), (**COTTON PICKER**: 9960 ENGINE SN 500000> MSN 4001>, 9965, 9970 W/ 6076-AN031), (**FORAGE HARVESTER**: 6610)

**A-AR55394** Cooler, Oil 6.00 Lbs.



***Dim/Info:***
8 plate cooler
for T engines, A engines use AT25038.

***For Models:*** CTS II, 6600, 6620, 7700, (9500, 950SH, 9600 ALL ESN <499999), 9510, 9510SH, 9550, 9550SH, 9560STS, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, (**COTTON PICKER**: 9950, 9960, 9970, 9986, 9996), (**FORAGE HARVESTER**: 5400 SN 335845> 6.404T/A, 5440, 5730 ESN 336699> 6466A, 6610 6081HZ004, 6650 ESN <162843, 7200, 7250)


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
aiproducts
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-R123501** Gasket, Oil Cooler Mount 0.05 Lbs.
Used W/ RE59296, RE56690 & RE59298 Engine Oil Coolers.



***For Models:*** 9400, 9410, 9450, (9550, 9550SH ALL ESN 215285>), (9560, 9560SH ALL HH054,055), 9560STS, 9570STS, (**COTTON PICKER**: 9935, 9970), (**COTTON STRIPPER**: 7455, 7460)


**A-R55127** Hose, Oil Cooler 0.15 Lbs.
Oil Cooler To Line..



***Dim/Info:***
Length - 1.319"
Inside Diameter - .630" - Both Ends

***For Models:*** 3300, 4400, 4420, 6600, (**COTTON PICKER**: 9900, 9910, 9920), (**COTTON STRIPPER**: 484, 7440), (**FORAGE HARVESTER**: 5420)

**A-T122075** O-Ring, Oil Cooler 0.01 Lbs.



***Dim/Info:***
Inside Diameter - 1.174" (29.819 mm)
Outside Diameter - 1.277" (32.436 mm)
Thickness - .103" (2.6162 mm)

***For Models:*** 9410, 9550, 9550SH, 9560, 9560SH, 9560STS, (**COTTON PICKER**: 9935, 9970)

**A-R521498** Gasket, Oil Pan 0.78 Lbs.
For Oil Pan Marked: RE525238



***For Models:*** S550 STS, T550, W540, 9540I WTS, 9560I WTS, 9560STS, 9570STS, 9580I WTS

**A-R97352** Gasket, Oil Filter Inlet 0.10 Lbs.
***Replaces:*** T20336



***For Models:*** 3300, 4400, 9400, (**COTTON PICKER**: 9900, 9910, 9920, 9930), (**COTTON STRIPPER**: 7445, 7450), (**SWATHER/WINDROWER**: 2280, 2360, 3430, 3830)

**A-R520526** Gasket; Oil Filter Housing 0.01 Lbs.



***For Models:*** 7700

**A-T20328** Gasket; Oil Filler Cap 0.02 Lbs.



***Dim/Info:***
minimum order qty 2

***For Models:*** 3300, 4400, 4420, 4425, 4435, 4435 HYDRO, 6600, 6602, 6620, 6622, 7700, 7720, 8820, 9540WTS, 9560WTS, 9580WTS, 9640I WTS, 9640WTS, 9650STS, 9660, 9660WTS, 9680I WTS, 9680WTS, 9750STS, 9780, 9780CTS, 9780I CTS, (**COTTON PICKER**: 9900, 9910, 9920, 9940), (**COTTON STRIPPER**: 484, 7440), (**FORAGE HARVESTER**: 5440, 5460, 5720, 5820, 6610, 6710, 6810, 6910, 7200, 7300, 7400, 7500)

**A-RE537640** Sensor; Engine Oil Pressure 0.12 Lbs.



***For Models:*** S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S760, S770, S780, S790, T550, T560, T660, T670, W540, W550, W650, W660, (**COTTON PICKER**: CP690), (**COTTON STRIPPER**: CS690), (**FORAGE HARVESTER**: 7280, 7380, 7480, 7580, 7780, 8100, 8200, 8400, 8500, 8600, 8300), (**SUGAR CANE HARVESTER**: CH570)

**A-R505479** Gasket; Thermostat Housing 0.02 Lbs.



***For Models:*** S440, S540, S550, T550, W540, W550, W650, 9540I WTS, 9540WTS, 9550, 9550SH, 9560, 9560I WTS, 9560SH, 9560STS, 9560WTS, 9570STS, 9580I WTS, 9580WTS, (**COTTON PICKER**: 9970)

**A-RE554015** Thermostat 0.45 Lbs.
***Replaces:*** RE540379



***Dim/Info:***
Temperature - 180 F

***For Models:*** S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S760, S770, S780, S785, S790, T550, T560, T660, T670, W540, W550, W650, W660, (**COTTON PICKER**: CP690, 7760), (**COTTON STRIPPER**: CS690), (**FORAGE HARVESTER**: 7280, 7380, 7480, 7580, 7780, 8100, 8200, 8300, 8400, 8500, 8600, 9600), (**SUGAR CANE HARVESTER**: CH570)

**A-RE48419** Sensor, Temperature 0.22 Lbs.



***For Models:*** S560, S650, S660, S670, S680, S685, S690, S760, S770, S780, S790, T560, T660, T670, W650, W660, C670, 9750, 9660, 9650, 9640, 9560SH, 9560, 9540, (**COTTON PICKER**: CP690, 7660, 7760, 9770, 9996), (**COTTON STRIPPER**: CS690), (**FORAGE HARVESTER**: 6650, 6750, 6850, 6950, 7180, 7200, 7250, 7300, 7350, 7380, 7400, 7450, 7480, 7500, 7550, 7580, 7700, 7750, 7780, 7800, 8100, 8200, 8300, 8400, 8500, 8600), (**SUGAR CANE HARVESTER**: CH330, CH530, CH570, CH670, 3510, 3520, 3522)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

**A-RE537636** Sensor; EGR Temperature 0.22 Lbs.



***For Models:*** S540, S550, S650, S660, S670, S670 HILLMASTER, S760, S770, T550, T560, T660, T670, W540, W550, W650, W660, (**FORAGE HARVESTER**: 8100, 8200), (**SUGAR CANE HARVESTER**: CH570, CH670)

**A-RE503242** Switch, Temperature 0.13 Lbs.




***For Models:*** 2254

**A-RE537637** Sensor; Coolant Temperature 0.20 Lbs.



***For Models:*** S540, S550, S650, S660, S670, S680, S685, S690, S760, S770, S780, S790, T550, T560, T660, T670, W540, W550, W650, W660, (**COTTON PICKER**: 7760), (**FORAGE HARVESTER**: 8100, 8200, 8300, 8400, 8500, 8600, 8700, 8800, 9600, 9700, 9800, 9900), (**SUGAR CANE HARVESTER**: CH570, CH670)

**A-R501428** Gasket; Coolant Passage Adapter 0.01 Lbs.




***For Models:*** S550, T550, W330, W540, W550, W650, 9470STS, 9540I WTS, 9540WTS, 9560, 9560I WTS, 9560SH, 9560WTS, 9580I WTS, 9580WTS, (**COTTON PICKER**: 9970), (**SUGAR CANE HARVESTER**: CH530)

**A-RE525016** Sensor; Air Temperature 0.12 Lbs.



***For Models:*** S430, S440, S540, S550, S560, S660, S670, S690, S690 HILLMASTER, S780, S790, T550, T560, T660, T670, W540, W550, W650, W660, 9560I STS, 9560STS, 9570STS, 9660STS, 9670STS, 9760STS, 9770STS, 9870STS, (**COTTON PICKER**: 7660, 7760, 9970), (**FORAGE HARVESTER**: 7350, 7380, 7450, 7480, 7550, 7580, 7750, 7780, 8100, 8200, 8300, 8400, 8500, 8600), (**SUGAR CANE HARVESTER**: CH330, CH530, CH570, CH670, 3520)

**A-R133893** Gasket, Air Inlet 0.01 Lbs.



***For Models:*** C110, C240, W330, 1165, 1170, 1175, 1175H, 1470, 2254, 9540, (**COTTON STRIPPER**: 7460)

**A-RE537634** Sensor, Engine; Magnetic Pickup 0.08 Lbs.




***For Models:*** S550, S650, S660, S670, S680, S685, S685 HILLMASTER, S690, S760, S770, S780, S790, T550, T560, T660, T670, W540, W550, W650, W660, (**COTTON PICKER**: 7760), (**FORAGE HARVESTER**: 8100, 8200, 8300, 8400, 8500, 8600, 8700, 8800, 9600, 9700, 9800, 9900)

**A-AR100385** Camshaft 21.00 Lbs.
Marked R43677, R57289, R71529, R71531, R78316, R77259, R59420, R61150 or R64086.
***Replaces:*** AR79610, AR71709, AR100384



***For Models:*** 1085, 1085H4, 1177, 985, 1188, 1188H4, 985HY4, 6600 SN 215000-335845 w/ 6.404D 6Cyl Eng, 6602 6.466T w/ SN 253373>, 6.466A w/ SN 317859>, 6Cyl Eng, 6620, 6622, 7700 SN 215000-335845 w/ 6.404D 6Cyl Eng, 7720, 8820 6.466T w/ SN <253372, 6.466A w/ SN <317858, 6Cyl Eng, (**COTTON PICKER**: 9940 , 9950 6.466T w/ SN 253373>, 6.466A w/ SN 233593>, 6Cyl Eng), (**FORAGE HARVESTER**: 5200, 5440, 5460 6.466T W/ SN 253373>, & 6.466A SN 317859>, 6 CYL ENG, 5730 6.466T w/ SN 253373>, 6.466A w/ SN 233593>, 6Cyl Eng, 5720, 5820)

**A-AR85618** Tee, Injectors 0.07 Lbs.



***For Models:*** 925, 935, 945, 965, 965H, 968H, 975, 975HY4, 1032, 1042, 1052, 1055, 1065, 1068H, 1072, 1075, 1075H4, 4400, 4420

**A-RE51650** Sediment Bowl 0.48 Lbs.



***For Models:*** S540, S550, T550, W540, W550, W650, 1165, 1170, 1175, 1175H, 1470, 1550, 1570, 2254, 9540, 9550, 9550SH, 9560, 9560SH, (**COTTON PICKER**: 9935, 9965, 9970, 9976, 9986), (**COTTON STRIPPER**: 7455, 7460)

**A-RE560091** Control Valve; Fuel Injection Pump, Suction 0.70 Lbs.
***Replaces:*** RE534109, RE532250



***For Models:*** S440, S540, S550, T550, W330, W540, W550, W650, 9540I WTS, 9560I WTS, 9560STS, 9570STS, 9580I WTS, (**COTTON STRIPPER**: 7460), (**SUGAR CANE HARVESTER**: CH330, CH530)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-RE524529** Valve, Fuel Injection Pump Pressure Relief 0.27 Lbs.



***For Models:*** C670, S560, S650, S660, S670, S670 HILLMASTER, S760, S770, T560, T660, T670, W650, W660, 9540I WTS, 9560I STS, 9560I WTS, 9580I WTS, 9640I WTS, 9640WTS, 9660I WTS, 9660STS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9760STS, 9770STS, 9780 CTS, 9780I CTS

**A-RE506898** Injector 0.40 Lbs.



***For Models:*** S540 South America

**A-RE507948** Injector 0.33 Lbs.



***For Models:*** (1450CWS, 1450WTS ALL Europe Edition), 1550CWS, 1550WTS

**A-RE52109** Injector 0.83 Lbs.



***For Models:*** (9500, 9500SH ALL ESN <142255), 9600 ESN <165438, (**COTTON PICKER**: 9960 ESN <129467, 9965, 9970)

**A-RE46364** Injector 0.80 Lbs.



***For Models:*** CTS, 9500 ESN 142256-538145, 9600 Eng SN 142238> 6076 ENGINE

**A-AR74664** Injector 0.84 Lbs.
***Replaces:*** AR74664



***For Models:*** 985, 985HY4, 1188, 1188H4, 6620 W/ 466 Engine, 6620, 8820 ESN <-227599, (**FORAGE HARVESTER**: (5200, 5400 ALL ESN 445948->), 5440 Euro Edition)

**A-AR74665** Injector 0.84 Lbs.



***Dim/Info:***
Casting Number - Used with head numbers R59876, R58673, R67906, R61521 & R76384

***For Models:*** 6600 w/ 6404T Eng., 6602, 6620, 6622, 7700, 7720

**A-DZ100212** Injector 1.33 Lbs.



***For Models:*** 1450CWS, 1450WTS, 1470, 1550CWS, 1550WTS, (**COTTON STRIPPER**: 7460), (**SUGAR CANE HARVESTER**: CH330, CH530)

**A-DZ100221** Injector 1.25 Lbs.



***For Models:*** C670, S560, S650, S660, S670, S670 HILLMASTER, S760, S770, T560, T660, T670, W650, W660, 9540I WTS, 9560I WTS, 9580I WTS, 9640WTS, 9660I WTS, 9660STS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9770STS, 9780 CTS, 9780I CTS, (**COTTON PICKER**: 7660), (**FORAGE HARVESTER**: 7180, 7250, 8100, 8200), (**SUGAR CANE HARVESTER**: 3520, 3522)

**A-RE509416** Fuel Injector Fitting 0.08 Lbs.



***For Models:*** 9540WTS, 9560STS, 9560WTS, 9580WTS, 9640I WTS, 9640WTS, 9660, 9660CTS, 9660I WTS, 9660STS, 9660WTS, 9680I WTS, 9680WTS, 9760STS, 9780CTS, 9780I CTS

**A-RE550610** Fitting, Fuel Injector 0.48 Lbs.



***For Models:*** S760, W650, W660, (**FORAGE HARVESTER**: 8100, 8200)

**A-DZ104988** Fuel Line, Injection Pump to Rail 0.24 Lbs.
***Replaces:*** RE544262, RE527054, RE507537



***For Models:*** S430, S440, S540, S550, T550, W330, W540, W550, W650, 9540I WTS, 9550, 9550 SIDEHILL, 9560, 9560 SIDEHILL, 9560I WTS, 9560STS, 9570STS, 9580I WTS, (**COTTON PICKER**: 9970), (**COTTON STRIPPER**: 7460), (**SUGAR CANE HARVESTER**: CH330, CH530)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

**A-DZ104989** Fuel Line, Injection Pump to Rail 0.24 Lbs.



***For Models:*** S430, S440, S540, S550, T550, W330, W540, W550, W650, 9540I WTS, 9550, 9550 SIDEHILL, 9560, 9560 SIDEHILL, 9560I WTS, 9560STS, 9570STS, 9580I WTS, (**COTTON PICKER**: 9970), (**COTTON STRIPPER**: 7460), (**SUGAR CANE HARVESTER**: CH330, CH530)

**A-RE526693** Fuel Line, Rail to Injector, Cylinder 3 & 4 0.20 Lbs.



***For Models:*** (**COTTON STRIPPER**: 7460), (**SUGAR CANE HARVESTER**: CH330, CH530)

**A-RE545330** Fuel Line, Common Rail To Fuel Injector 0.37 Lbs.



***For Models:*** W540, W550, T550

**A-RE27786** Fuel Line; Leak-Off 0.81 Lbs.

***Replaces:*** RE15805, RE21103, AR88495



***For Models:*** 6602, 6620, 6622, 7720, 8820, (**COTTON PICKER**: 9940, 9950), (**FORAGE HARVESTER**: 5200, 5400, 5440, 5460, 5720, 5730, 5820, 5830)

**A-RE32011** O-Ring Kit; Fuel Injection Nozzle Seal 0.04 Lbs.

***Replaces:*** RE13887



***Dim/Info:***
Includes - (1) Sealing Washer, (1) O-Ring & (1) Spacer

***For Models:*** 3300, 4400, 4435, 4435 HYDRO

**A-R34765** Boot, Fuel Line to Injector (12 pk) 0.02 Lbs.



***For Models:*** 6600, 7700, (**FORAGE HARVESTER**: 5200, 5400)

**A-T23425** T Boot, Fuel Injection Return (12 pk) 0.02 Lbs.



***For Models:*** 6600, 6602, 6620, 7700, 7720, (**COTTON STRIPPER**: 7440), (**COTTON PICKER**: 9920), (**FORAGE HARVESTER**: 5200, 5400, 5440, 5460)

**A-RE536920** Tube, Fuel Inlet Connector 0.24 Lbs.



***For Models:*** T550, W540, W550

**A-RE560683** Bowl, Fuel 0.35 Lbs.



***For Models:*** W540, W550, T550

**A-H216169** Breather, Fuel Tank 0.10 Lbs.



***For Models:*** CTS, CTS II, S560, S650, S660, S670, S670 HILLMASTER, S680, S690, S690 HILLMASTER, S760, S770, S780, S790, T550, T560, T660, T670, W540, W550, W650, W660, 1470, 1570, 9400, 9410, 9450, 9500, 9500 SIDEHILL, 9500SH, 9510, 9510 SIDEHILL, 9550, 9550 SIDEHILL, 9570STS, 9600, 9610, 9650, 9650CTS, 9870STS, 9880I STS, (**COTTON PICKER**: CP690, 7760), (**COTTON STRIPPER**: CS690), (**FORAGE HARVESTER**: 8100, 8200, 8300, 8400, 8500, 8600, 8700, 8800, 9600, 9700, 9800, 9900), (**SUGAR CANE HARVESTER**: 3520, CH330, CH530, CH570, CH670)

**A-RE538127** Sensor; Fuel Temperature 0.22 Lbs.



***For Models:*** S650, S660, S670, S680, S685, S685 HILLMASTER, S690, S760, S770, S780, S785, S790, T550, T560, T660, T670, W540, W550, W650, W660, (**COTTON PICKER**: CP690, 7760), (**COTTON STRIPPER**: CS690), (**FORAGE HARVESTER**: 7280, 7380, 7480, 7580, 7780, 8100, 8200, 8300, 8400, 8500, 8600), (**SUGAR CANE HARVESTER**: CH570)

**A-RE538128** Sensor; Fuel Pressure 0.11 Lbs.



***For Models:*** S540, S550, S650, S660, S670, S670 HILLMASTER, S760, S770, T550, T560, T660, T670, W540, W550, W650, W660, (**FORAGE HARVESTER**: 8100, 8200)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-RE500160** Filter Head Assy, SAE Thread 1.21 Lbs.



***Dim/Info:***
Thread Size - 1/2-20 UNS

***For Models:*** 1165, 1170, 1175, 1175H, 1470, 1550, 2254, 9400, (**COTTON PICKER**: 9935), (**COTTON STRIPPER**: 7455)

**A-RE70358** Filter Head, Metric 1.25 Lbs.



***Dim/Info:***
Thread Size - M12 X 1.5


***For Models:*** 2254, 9410, 9450, (**COTTON PICKER**: 9935), (**COTTON STRIPPER**: 7455, 7460)

**A-RE522794** Sensor; Fuel Pressure 0.12 Lbs.



***For Models:*** S430, S440, S540, S550, S560, S650, S660, S670, S670 HILLMASTER, S760, S770, T550, T560, T660, T670, W330, W540, W550, W650, W660, 9470STS, 9560STS, 9570STS, 9640WTS, 9660STS, 9660WTS, 9670STS, 9680WTS, 9760STS, 9770STS, 9780CTS, (**COTTON PICKER**: 7660, 9970), (**FORAGE HARVESTER**: 7180, 7250, 8100, 8200), (**SUGAR CANE HARVESTER**: CH330, CH530, CH570, CH670, 3520, 3522)

**A-RE519696** Sensor, Water In Fuel 0.07 Lbs.



***For Models:*** S430, S440, S540, S550, T550, W330, W540, W550, W650, 1450CWS, 1450WTS, 1470, 1570, 9540I WTS, 9560I WTS, 9560STS, 9570STS, 9580I WTS, (**COTTON PICKER**: 9970), (**COTTON STRIPPER**: 7460)

**A-RE62240** Solenoid, Fuel Injection Pump Shutoff, 12V 0.44 Lbs.



***For Models:*** 4400, (**FORAGE HARVESTER**: 5200, 5400)

**A-RE50467** Hand Primer, Fuel 0.20 Lbs.



***For Models:*** 1165, 1175, 1175H, 9965, (**COTTON PICKER**: 9970, 9976)

**A-RE65265** Primer; Hand 0.10 Lbs.
BOSCH PUMP
***Replaces:*** John Deere: R54033, R70135 & RE48048 / Bosch: 4227010038 & 2447222126




***For Models:*** CTS II, 6620, (9500, 9500SH ALL HH004,HH032,HH036,HH031 (HH035 ESN 538146>)), 9510, 9510SH, (9550, 9550SH ALL SN: EARLY MODELS, W/ 6081), 9610, 9650 ENG SN: < 199999, W/ HH010, 9650CTS HH010 ESN <199999, (9650STS, 9750STS ALL ENG SN: < 199999, W/ HH005, HH006), 9860STS 6125HH006.HH003, (**COTTON PICKER**: 9970, 9976, 9986), (**FORAGE HARVESTER**: 5720, 5730, 5820, 5830, 6610, 6650, 6710, 6750, 6850, 7300, 7400, 7500, 7700)

**A-AL113086** Cap, Fuel Filler; Non-Lockable, Vented 0.30 Lbs.



***For Models:*** S540, S550, 9470STS, 9570STS, 9650STS, 9670STS, 9750STS, 9770STS

**A-RE526720** Carburetor Kit, Basic (Marvel-Schebler) 0.80 Lbs.
Does Not Include Throttle Shaft. Throttle Shaft Not Available From A & I.
***Replaces:*** AR52593



***For Models:*** 3300 W/ Marvel-Schebler Carb.#'s: TSXU-963


**A-R83020** Gasket, Exhaust Manifold 0.03 Lbs.



***Dim/Info:***
minimum order qty 2

***For Models:*** 6620, 6622, 7700, 7720, 8820, 9500, 9510, 9550, 9550SH, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660STS, 9750STS, 9760STS


**A-R83021** Gasket, Exhaust Manifold 0.03 Lbs.



***Dim/Info:***
minimum order qty 2

***For Models:*** 6600, 6620, 6622, 7700, 7720, 8820, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9600, 9610, 9650

**A-R46472** Manifold, Exhaust (Rear) 19.70 Lbs.



***For Models:*** 985, 985HY4, 1085, 1085H4, 1177, 1188, 1188H4, 6600, 6602, 6620, 6622, 7700, 7720, 8820, (**COTTON PICKER**: 9940, 9950), (**FORAGE HARVESTER**: (5200, 5400 ALL SN <335845), 5440, 5720, 5730)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

**A-R56995** Manifold, Exhaust (Front) 24.70 Lbs.
Marked R50391 Or R56995
***Replaces:*** AR54563



***For Models:*** 985, 985HY4, 1085, 1085H4, 1177, 1188, 1188H4, 6600 6404TH Engine, 6620 6466TH Engine, 7700 6404TH Engine, 6602 6404TH Or 6466TH Engine, 6622, 7720, 8820, (**COTTON PICKER**: 9940, 9950), (**FORAGE HARVESTER**: (5200, 5400 ALL 6404 Engine, SN <335845), 5440, 5720, 5730)

**A-RE40048** Clamp, Exhaust 0.35 Lbs.



***For Models:*** C110, C240, C670, CTS, CTS II, S430, S440, S540, S550, S560, S660, S670, T550, T560, T660, T670, W330, W540, W550, W650, W660, 1165, 1170, 1175, 1175H, 1470, 1550, 1570, 2254, 2256, 2258, 2264, 2266, 9400, 9410, 9450, 9500, 9510, 9540, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9640, 9650, 9660, 9750, 9780, (**COTTON PICKER**: 9770, 9935, 9965, 9970, 9976), (**COTTON STRIPPER**: 7450), (**FORAGE HARVESTER**: 6610, 6650, 6950, 7180, 7200, 7250, 7500, 8100, 8200), (**SUGAR CANE HARVESTER**: CH330, CH530, CH570, CH670, 3510, 3520, 3522)

**A-R529640** Gasket; Exhaust Pipe 0.02 Lbs.



***For Models:*** S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S760, S770, S780, S785, S790, T550, T560, T660, T670, W540, W550, W650, W660, (**COTTON PICKER**: CP690, 7760), (**COTTON STRIPPER**: CS690), (**FORAGE HARVESTER**: 7280, 7380, 7480, 7580, 7780, 8100, 8200, 8300, 8400, 8500, 8600, 9600), (**SUGAR CANE HARVESTER**: CH570, CH670)

**A-RE537635** Sensor; Manifold Air Temperature 0.21 Lbs.



***For Models:*** S550, S650, S660, S670, S680, S685, S690, S760, S770, S780, S785, S790, T550, T560, T660, T670, W540, W550, W650, W660, (**COTTON PICKER**: CP690, 7760), (**COTTON STRIPPER**: CS690), (**FORAGE HARVESTER**: 7280, 7380, 7480, 7580, 7780, 8100, 8200, 8300, 8400, 8500, 8600), (**SUGAR CANE HARVESTER**: CH570, CH670)

**A-RE542461** Sensor; Exhaust Manifold Pressure 0.11 Lbs.



***For Models:*** S650, S660, S670, S670 HILLMASTER, S760, S770, T550, T560, T660, T670, W540, W550, W650, W660, (**FORAGE HARVESTER**: 8100, 8200), (**SUGAR CANE HARVESTER**: CH570, CH670)

**A-RE552175** Pump, DEF Dosing Unit 5.89 Lbs.



***Dim/Info:***
Volt - 12

***For Models:*** S660, S670, S680, S685, S690, S760, S770, S780, S785, S790, (**SUGAR CANE HARVESTER**: CH570, CH670), (**SWATHER/WINDROWER**: W235)

**A-R43724** Adapter, Turbo to Elbow 2.80 Lbs.



***For Models:*** 1085, 1085H4, 1177, 1188, 1188H4, 6600, 6602, 6620, 6622, 7700, 7720, 8820, (**COTTON PICKER**: 9940), (**FORAGE HARVESTER**: 5720)

**A-R43724G** Adapter Kit, Turbo to Elbow (Special) 1.78 Lbs.
Adapter w/ Piston Ring Grooves For Better Exhaust Seal. (Piston Rings Included)



***For Models:*** 6600, 6602, 6620, 6622, 7700, 7720, 8820, (**COTTON PICKER**: 9940), (**FORAGE HARVESTER**: 5720)

**A-RE19778** Turbocharger 18.50 Lbs.
Marked: AR64626, RE16971, AR100241, RE10968, RE16968, RE41920, AR96259, RE16967, RE20167, AR87421
***Replaces:*** SE500255, RE19780, RE19779, AR83439, AR73626, AR101784, RE18989, AR91131

***Dim/Info:***
Includes - Mounting Gaskets



***For Models:*** 985, 985HY4, 6600, (6602, 7700 ALL Engine S/N 512306>), 6620, 6622, 7720, 8820 TB4129 Turbo, (**FORAGE HARVESTER**: (5200, 5400 ALL Engine S/N 335846>), 5440, 5460, 5720)

**A-AR70987** Turbocharger 16.44 Lbs.
***Replaces:*** AR51427, AR54931, 409250-5002S, 409250-5002, AR58756, AR63780, AR63698, AR68137, AR68143, AR68139, AR51207, AR61860

***Dim/Info:***
Includes - Mounting Gaskets



***For Models:*** (6602, 7700 ALL Engine S/N <512305), (5200, 5400 ALL Engine S/N <335845)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
aiproducts
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-RE29308** Turbocharger 24.00 Lbs.
***Replaces:*** RE31259



***Dim/Info:***
Includes - Mounting Gaskets

**A-R54500** Screw, Turbo Mounting; Stainless Steel (4 pack) 0.15 Lbs.
***For Models:*** CTS, (**COTTON PICKER**: 9960)

**A-RE42740** Turbocharger 21.95 Lbs.
Marked RE42682 Or RE47828
***Replaces:*** 466007-9001, 466007-0002



***Dim/Info:***
Includes - Mounting Gaskets

***For Models:*** 9400 6359AH001)(ENS -337245) BR>(6068HH001)(ENS 337246-701275

**A-RE25998** Turbocharger 22.00 Lbs.
***Replaces:*** RE36285, RE30562



***Dim/Info:***
Includes - Mounting Gaskets

***For Models:*** (9500, 9500SH, 9600, CTS ALL SN <565536)

**A-RE54979** Turbocharger 27.60 Lbs.



***Dim/Info:***
Includes - Mounting Gaskets

***For Models:*** (9650STS, 9750STS ALL mounts mid engine)

**A-RE531288** Turbocharger 25.25 Lbs.
***Replaces:*** SE502374, 176601



***For Models:*** C670, S650, S660, S670, S670 HILLMASTER, S670 STS, T560, T660, T670, W650, W660, 9670STS, 9770STS, (**COTTON PICKER**: 7660), (**FORAGE HARVESTER**: 7180, 7250), (**SUGAR CANE HARVESTER**: 3520, 3522)

**A-RE501260** Hose, Turbo Oil Inlet 0.77 Lbs.



***Dim/Info:***
Overall Length - 31.88"


***For Models:*** 1170, 9410, 9450, (**COTTON PICKER**: 9935), (**COTTON STRIPPER**: 7455)

**A-R120013** Hose, Turbo Drain 0.95 Lbs.



***For Models:*** S540, S690, 1165, 1170, 1175, 1175H, 1550, 9540, 9560, 9560SH, (**COTTON PICKER**: 9970), (**COTTON STRIPPER**: 7460)

**A-AR21085** Cable, Tachometer 0.46 Lbs.



***Dim/Info:***
40" Total Length

***For Models:*** 6600, 6602, 7700

**A-AR26721** Cable, Tachometer 0.50 Lbs.
Black plastic outer covering



***Dim/Info:***
33.50" Total Length

***For Models:*** 3300, 4400, 4420, 6600

**A-R55078** Stud; 3/8" X 1-1/2" 0.04 Lbs.
***Replaces:*** R43170



***Dim/Info:***
Body Length - .380"
Material - Stainless Steel
Overall Length - 1.500"
Thread Length - .500" / .620"
Thread Size - .375" NC5HF / .375" UNC

***For Models:*** 6600, 6602, 6620, 6622, 7700, 7720, 8820, (**COTTON PICKER**: 9940), (**FORAGE HARVESTER**: 5200, 5400, 5420, 5440, 5460, 5720, 5730, 5820, 5830)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# MISCELLANEOUS

**A-34M7043** Pin, Spring 0.04 Lbs.



***Dim/Info:***
Length - 1.75"
Diameter - 1/4"
minimum order qty 10

***For Models:*** SEVERAL


**A-51M7040** O-Ring; .366" ID X .540" OD, 90 Durometer 0.01 Lbs.
Durometer: 90



***Dim/Info:***
25/Pack, Priced Individually.
O-Ring Has Many Different Applications, Please Check Dimensions Before Ordering.
Inside Diameter - .366"
Material - Nitrile
Outside Diameter - .540"
Thickness - .087"

***For Models:*** S760, S770, S780, 9670STS, 9770STS, (**COTTON PICKER**: 7760 ), (**SUGAR CANE HARVESTER**: CH570, 3520)

**A-51M7045** O-Ring; .760" ID X .934" OD X .087" Thick, 90 Durometer 0.01 Lbs.
Durometer: 90



***Dim/Info:***
10/Pack, Priced Individually.
O-Ring Has Many Applications, Please Check Dimensions Before Ordering.
Inside Diameter - .760"
Outside Diameter - .934"
Thickness - .087"
minimum order qty 10

***For Models:*** 9670STS, 9770STS, (**COTTON PICKER**: 7760), (**SUGAR CANE HARVESTER**: 3520)

**A-51M7039** O-Ring; .319" ID X .445" OD X .063" Thick, 90 Durometer 0.01 Lbs.
Durometer: 90



***Dim/Info:***
5/Pack, Priced Individually.
O-Ring Has Many Applications, Please Check Dimensions Before Ordering.
Inside Diameter - .319"
Outside Diameter - .445"
Thickness - .063"
minimum order qty 5

***For Models:*** S760, S770, S780, S790, 9670STS, 9770STS, (**COTTON PICKER**: 7760, 9970), (**SUGAR CANE HARVESTER**: CH530, CH570, 3520)

**A-51M7042** O-Ring; .524" ID X .698" OD X .087" Thick, 90 Durometer 0.01 Lbs.
Durometer: 90



***Dim/Info:***
5/Pack, Priced Individually.
O-Ring Has Many Applications, Please Check Dimensions Before Ordering.
Inside Diameter - .524"
Outside Diameter - .698"
Thickness - .087"
minimum order qty 5

***For Models:*** S760, S770, S780, S790, 9670STS, 9770STS, (**HEAD, CUTTING PLATFORM**: 630FD, 635FD, 640FD, 730FD), (**COTTON PICKER**: 7760, 9970), (**SUGAR CANE HARVESTER**: 3520, CH530, CH570)

**A-51M7048** O-Ring; 1.165" ID X 1.393" OD X .114" Thick, 90 Durometer 0.01 Lbs.
Durometer: 90



***Dim/Info:***
5/Pack, Priced Individually.
O-Ring Has Many Applications, Please Check Dimensions Before Ordering.
Inside Diameter - 1.165"
Outside Diameter - 1.393"
Thickness - .114"
minimum order qty 5

***For Models:*** S550, S670, S680, S760, S770, S780, S790, T550, T560, T660, T670, W540, W550, W650, W660

**A-51M7044** O-Ring; .681" ID X .855" OD X .087" Thick, 90 Durometer 0.01 Lbs.
Durometer: 90



***Dim/Info:***
2/Pack, Priced Individually.
O-Ring Has Many Applications, Please Check Dimensions Before Ordering.
Inside Diameter - .681"
Outside Diameter - .855"
Thickness - .087"
minimum order qty 2

***For Models:*** S760, S770, S780, S790, T550, T560, T660, T670, W540, W650, 9670STS, 9770STS, (**COTTON PICKER**: 7760, 9970), (**SUGAR CANE HARVESTER**: CH530, CH570, 3520)

**A-T59014** O-Ring; .984" ID X 1.262" OD , Durometer 90 0.01 Lbs.
Durometer: 90



***Dim/Info:***
Package Of 5 / Priced Per Piece
O-Ring Has Many Applications, Please Check Dimensions Before Ordering.
Inside Diameter - .984"
Outside Diameter - 1.262"
Thickness - .139"
minimum order qty 5

***For Models:*** 6620, 7720, (**SUGAR CANE HARVESTER**: CH530), (**FORAGE HARVESTER**: 9700, 9800, 9900)

**A-R72328** O-Ring; .737" ID X .943" OD, Durometer 75 0.01 Lbs.
Durometer: 75



***Dim/Info:***
Package Of 5 / Priced Per Piece
O-Ring Has Many Applications, Please Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 116
Inside Diameter - .737"
Outside Diameter - .943"

***For Models:*** CTS, S550, S680, S690, S780, S790, T550, W330, W540, W550, W650, 6600, 6602, 6620, 6622, 7700, 7720, 8820, 9540WTS, 9560, 9560SH, 9560WTS, 9580WTS, 9640I WTS, 9640WTS, 9650STS, 9660, 9660CTS, 9660I WTS, 9660STS, 9660WTS, 9680I WTS, 9680WTS, 9750STS, 9760STS, 9780, 9780CTS, 9780I CTS, 9880 STS, (**COTTON PICKER**: 7760, 9940, 9970), (**FORAGE HARVESTER**: 5440, 5460, 5720, 5820), (**SUGAR CANE HARVESTER**: CH530)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
aiproducts
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-R77551** O-Ring; .208" ID X .348" OD, Durometer 75 0.01 Lbs.
Durometer: 75



***Dim/Info:***
Package Of 12 / Priced Per Piece
O-Ring Has Many Applications, Please Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 009
Inside Diameter - .208"
Outside Diameter - .348"

***For Models:*** CTS, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S780, S785, S790, 6620, 6622, 7720, 8820, 9500, 9500SH, 9540WTS, 9560WTS, 9580WTS, 9600, 9640I WTS, 9640WTS, 9650STS, 9660, 9660CTS, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS, 9750STS, 9780, 9780CTS, 9780I CTS, 9870STS, (**COTTON PICKER**: CP690, 7760, 9950, 9960, 9965, 9976), (**COTTON STRIPPER**: CS690), (**FORAGE HARVESTER**: 5440, 5460, 5720, 5820, 6610, 6650, 6710, 6750, 6810, 6850, 6910, 6950, 7200, 7280, 7300, 7350, 7380, 7400, 7450, 7480, 7500, 7550, 7580, 7750, 7780, 8300, 8400, 8500, 8600, 9600)


**A-P47889** O-Ring; .799" ID X 1.005" OD, Durometer 70 0.01 Lbs.
Durometer: 70



***Dim/Info:***
Package Of 2 / Priced Per Piece
O-Ring Has Many Applications, Please Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 117
Inside Diameter - .799"
Outside Diameter - 1.005"

***For Models:*** S660, S670, 3300, 4400, 6600, 6602, 6622, 7700, 7701

**A-U13639** O-Ring; 1.475" ID X 1.711" OD, .118" Thick, Durometer 90 (2/Pack) 0.01 Lbs.
Durometer: 90



***Dim/Info:***
Package Of 2 / Priced Per Piece
O-Ring Has Many Applications, Please Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 920
Inside Diameter - 1.475"
Outside Diameter - 1.711"

***For Models:*** S760, S770, S780, S790, 4400, 4420, 6600, 6602, 6622, 7700, 9670STS, 9770STS, (**COTTON PICKER**: 7760, 9940, 9970), (**FORAGE HARVESTER**: 5720, 5820), (**SUGAR CANE HARVESTER**: 3520, CH530, CH570)

**A-R504810** O-Ring; .734" ID X 1.012"OD, Durometer 75 0.01 Lbs.
Durometer: 75



***Dim/Info:***
O-Ring Has Many Applications, Please Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 210
Inside Diameter - .734"
Material - EPDM
Outside Diameter - 1.012"

***For Models:*** S650, S660, S670, S760, S770, T550, T660, T670, W540, W550, W660, 9540I WTS, 9540WTS, 9560I WTS, 9560WTS, 9580I WTS, 9580WTS, 9640I WTS, 9640WTS, 9650STS, 9660, 9660CTS, 9660I WTS, 9660STS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9750STS, 9760STS, 9770STS, 9780CTS, 9780I CTS, (**FORAGE HARVESTER**: 6650, 6750, 6850, 6950, 7200, 7300, 7400, 7500, 8100, 8200), (**SUGAR CANE HARVESTER**: CH570, CH670, 3520, 3522)

**A-R65397** O-Ring; .487" ID X .693" OD, .103" Thick, Durometer 75 (2/Pack) 0.01 Lbs.
Duromter: 75



***Dim/Info:***
Package Of 2 / Priced Per Piece
O-Ring Has Many Applications, Please Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 112
Inside Diameter - .487"
Overall Diameter - .693"

***For Models:*** S440, S540, S550, T550, W540, W550, W650, 9540I WTS, 9540WTS, 9550, 9550SH, 9560, 9560I WTS, 9560SH, 9560STS, 9570STS, 9580I WTS, 9580WTS, (**COTTON PICKER**: 9970)

**A-R56461** O-Ring; 1.109" ID X 1.387" OD, .139" Thick, Durometer 75 (5/Pack) 0.01 Lbs.
Durometer: 75



***Dim/Info:***
Package Of 5 / Priced Per Piece
O-Ring Has Many Applications, Please Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 216
Inside Diameter - 1.109"
Outside Diameter - 1.387"

***For Models:*** S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S780, S790, 4420, 4425, 4435, 4435 HYDRO, 9750STS, 9870STS, 9880 STS, (**COTTON PICKER**: CP690, 7760, 9900, 9910, 9920, 9930), (**COTTON STRIPPER**: 7450), (**FORAGE HARVESTER**: 6650, 6750, 6850, 6950, 7200, 7300, 7350, 7380, 7400, 7480, 7500, 7580, 7700, 7780, 7800, 8300, 8400, 8500, 8600)


**A-R112857** O-Ring; 2.550" ID X 2.756" OD, Durometer 75 0.10 Lbs.



***Dim/Info:***
O-Ring Has Many Applications, Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 145
Inside Diameter - 2.550"
Outside Diameter - 2.756"

***For Models:*** CTS, S540, S550, S650, S660, S670, S760, S770, T550, T560, T660, T670, 9470STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9780, (**COTTON PICKER**: 9970), (**FORAGE HARVESTER**: 6610, 6650, 6710, 6750, 6810, 6850, 6910, 6950, 8100, 8200, 8300, 8400, 8500, 8600, 8700, 8800, 9600), (**SUGAR CANE HARVESTER**: CH330, CH530, CH570, CH670, 3520, 3522)

**A-P46051** O-Ring; .424" ID X .630" OD, .103" Thick, Durometer 70 (10/Pack) 0.10 Lbs.
Durometer:70



***Dim/Info:***
10/Pack, Priced Individually.
O-Ring Has Many Applications, Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 111
Inside Diameter - .424"
Outside Diameter - .630"

***For Models:*** 3300, 4400, 4420, 4425, 6600, 6602, 6620, 6622, 7700, 7720, 7721, 8820, (**COTTON PICKER**: 9900, 9910, 9950), (**COTTON STRIPPER**: 484), (**FORAGE HARVESTER**: 5440, 5460, 5720, 5730, 5820, 5830), (**SUGAR CANE HARVESTER**: 3510, 3520, 3522)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

**A-R29463** O-Ring; 1.234" ID X 1.512" OD, .139" Thick, Durometer 75 (5/Pack) 0.10 Lbs.
Durometer: 75



***Dim/Info:***
5/Pack, Priced Individually.
O-Ring Has Many Applications, Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 218
Inside Diameter - 1.234"
Outside Diameter - 1.512"

***For Models:*** 4425, (**COTTON STRIPPER**: 484)


**A-R27149** O-Ring; .921" ID X 1.199" OD, .139" Thick, Durometer 75 (5/Pack) 0.10 Lbs.
Durometer: 75



***Dim/Info:***
5/Pack, Priced Individually.
O-Ring Has Many Applications, Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 213
Inside Diameter - .921"
Outside Diameter - 1.199"

***For Models:*** CTS, S650, 9760STS, S660, S670, S680, S685, S685 HILLMASTER, S780, S790, T560, T660, T670, W650, W660, 6600, 6602, 6620, 6622, 7700, 7720, 8820, 9540WTS, 9560WTS, 9580WTS, 9640I WTS, 9640WTS, 9660I WTS, 9660STS, 9660WTS, 9680I WTS, 9680WTS, 9780, 9780CTS, 9780I CTS, 9880 STS, 9750STS, (**COTTON PICKER**: 7760, 9900, 9910, 9920, 9940), (**FORAGE HARVESTER**: 5440, 5640, 5720, 5820, 6650, 6750, 6850, 6950, 7200, 7300, 7400, 7500, 7700, 7800, 8100, 9600, 9700, 9800, 9900)


**A-U12331** O-Ring; 2.734" ID X 3.012" OD, .139" Thickness, Durometer 75 (4/Pack) 0.01 Lbs.
Durometer: 75



***Dim/Info:***
4/Pack, Priced Individually.
O-Ring Has Many Applications, Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 232
Inside Diameter - 2.734"
Outside Diameter - 3.012"

***For Models:*** S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, 6600, 6602, 6620, 6622, 7700, 7720, 7722, 8820, 9600, (**COTTON PICKER**: CP690, 7760, 9900, 9910, 9920, 9930, 9935, 9940, 9950, 9960, 9965), (**COTTON STRIPPER**: CS690, 283, 484, 740, 7440, 7445), (**FORAGE HARVESTER**: 5200, 5400, 5420, 5440, 5460, 5720, 5730, 5820, 5830)

**A-P42061** O-Ring; .864" ID X 1.004" OD, .070" Thick, Durometer 75 (5/Pack) 0.10 Lbs.
Durometer: 75



***Dim/Info:***
5/Pack, Priced Individually.
O-Ring Has Many Applications, Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 020
Inside Diameter - .864"
Outside Diameter - 1.004"

***For Models:*** 6600, 6620, 6622, 7700, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, (**COTTON PICKER**: 9900, 9910, 9930), (**COTTON STRIPPER**: 484, 7445), (**FORAGE HARVESTER**: 5200, 5400, 5420, 5440, 5460, 5720, 5730, 5820, 5830), (**SUGAR CANE HARVESTER**: CH330, CH530, CH570, CH670, 3510, 3520, 3522)

**A-R62070** O-Ring; .989" ID X 1.129" OD, .070" Thick, Durometer 70 (5/Pack) 0.10 Lbs.
Durometer: 70



***Dim/Info:***
5/Pack, Priced Individually.
O-Ring Has Many Applications, Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 022
Inside Diameter - .989"
Outside Diameter - 1.129"

***For Models:*** S550, S660, S670, T550, T560, T660, W540, W550, W650, W660, T670, 6600, 6602, 6620, 6622, 7700, 7701, 7720, 7721, 8820, (**COTTON PICKER**: 9935, 9965, 9970, 9976, 9986), (**COTTON STRIPPER**: 7450, 7455)


**A-R56465** O-Ring; .674" ID X .880" OD, .103" Thick, Durometer 75 (1/Pack) 0.01 Lbs.
Durometer: 75



***Dim/Info:***
O-Ring Has Many Applications, Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 115
Inside Diameter - .674"
Outside Diameter - .880"
Thickness - .103"

***For Models:*** S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S780, S785, S790, 9750STS, 9860STS, 9870STS, 9880I STS, 9880 STS, (**COTTON PICKER**: CP690, 7760), (**COTTON STRIPPER**: CS690), (**FORAGE HARVESTER**: 6650, 6750, 6850, 6950, 7200, 7280, 7300, 7350, 7380, 7400, 7450, 7480, 7500, 7550, 7580, 7750, 7780, 8300, 8400, 8500, 8600, 9600)


**A-R530854** O-Ring; .739" ID X .879" OD, .070" Thick, Durometer 75 (1/Pack) 0.10 Lbs.
Durometer: 75



***Dim/Info:***
O-Ring Has Many Applications, Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 018
Inside Diameter - .739"
Outside Diameter - .879"
Thickness - .070"

***For Models:*** T550, W540, W550

**A-A5598R** O-Ring; 3.600" ID X 4.020" OD, .210" Thick, Durometer 70 (2/Pack) 0.01 Lbs.



***Dim/Info:***
2/Pack, Priced Individually.
O-Ring Has Many Applications, Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 342
Inside Diameter - 3.600"
Outside Diameter - 4.020"

***For Models:*** 6600, 7700, (**COTTON PICKER**: 9930, 9940, 9950)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
aiproducts
e-mail: sales@aiproducts.com
web: www.aiproducts.com

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

**A-T42302** O-Ring; 3.987" ID X 4.193" OD, .103" Thick, Durometer 70 (1/Pack) 0.01 Lbs.

Durometer: 70



***Dim/Info:***
O-Ring Has Many Applications, Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 155
Inside Diameter - 3.987"
Outside Diameter - 4.193"
Thickness - .103"

***For Models:*** C670, S540, S550, S560, S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S760, S770, S780, S790, T560, T660, T670, W650, W660, 9470STS, 9560, 9560I STS, 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9870STS, 9880I STS, 9880 STS, (**FORAGE HARVESTER**: 7180, 7200, 7250, 7280, 7300, 7350, 7380, 7400, 7450, 7480, 7500, 7550, 7580, 7700, 7750, 7780, 7800, 7850, 7950, 7980, 9700, 9800, 9900), (**SUGAR CANE HARVESTER**: CH570, CH670)

**A-B3690R** O-Ring; 1.859" ID X 2.137" OD X .139" Thick, Durometer 75 (5/Pack) 0.05 Lbs.



***Dim/Info:***
O-Ring Has Many Applications, Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 225
Inside Diameter - 1.859"
Outside Diameter - 2.137"
***minimum*** order qty 5

***For Models:*** CTS, S550, S650, S660, S670, S680, S685, S685 HILLMASTER, S690, S760, S770, S780, S790, T550, T560, T660, T670, W330, W540, W550, W650, W660, 3300, 4400, 4420, 6600, 6602, 6620, 6622, 7700, 7720, 8820, 9470STS, 9540I WTS, 9540WTS, 9560, 9560I WTS, 9560SH, 9560WTS, 9580I WTS, 9580WTS, 9640WTS, 9640I WTS, 9650STS, 9660, 9660CTS, 9660I WTS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9750STS, 9760STS, 9770STS, 9780, 9780CTS, 9780I CTS, 9880 STS, (**COTTON PICKER**: 7760, 9900, 9910, 9920, 9940, 9970), (**COTTON STRIPPER**: 484, 7440), (**FORAGE HARVESTER**: 5440, 5460, 5720, 5820, 6650, 6750, 6850, 6950, 7200, 7300, 7400, 7500, 7700, 7800, 8100, 8200, 8300, 8400, 8500, 8600, 8700, 8800, 9600, 9700, 9800, 9900), (**SUGAR CANE HARVESTER**: 3520, 3522, CH330, CH530, CH570, CH670)

**A-U44496** O-Ring; 2.987" ID X 3.193" X .103" Thick, Durometer 70 (4/Pack) 0.06 Lbs.

Durometer: 70



***Dim/Info:***
O-Ring Has Many Applications, Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 151
Inside Diameter - 2.987"
Outside Diameter - 3.193"
Thickness - .103"

***For Models:*** S650, S660, S670, S760, S770, T550, T560, T660, T670, W540, W550, W650, W660, (**COTTON PICKER**: 9940, 9950, 9965, 9970, 9976, 9986), (**FORAGE HARVESTER**: 5730, 5830, 8100, 8200, 8300, 8400, 8500, 8600, 9600)

**A-R56464** O-Ring; .549" ID X .755" OD, .103" Thick, Durometer 75 (5/Pack) 0.01 Lbs.

Durometer: 75



***Dim/Info:***
5/Pack, Priced Individually.
O-Ring Has Many Applications, Please Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 113
Inside Diameter - .549"
Outside Diameter - .755"

***For Models:*** 9750STS, 9860STS, 9880I STS, 9880 STS, (**FORAGE HARVESTER**: 6650, 6750, 6850, 6950, 7200, 7300, 7400, 7500, 7700, 7800)

**A-R163559** O-Ring; .739" ID X .879" OD, .070" Thick, Durometer 75 (5/Pack) 0.01 Lbs.

Durometer: 75



***Dim/Info:***
5/Pack, Priced Individually.
O-Ring Has Many Applications, Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 018
Inside Diameter - .739"
Outside Diameter - .879"

***For Models:*** S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S780, S785, S790, T550, W540, W550, (**COTTON PICKER**: CP690, 7760), (**COTTON STRIPPER**: CS690), (**FORAGE HARVESTER**: 7280, 7380, 7480, 7580, 7780, 8300, 8400, 8500, 8600, 9600), (**SUGAR CANE HARVESTER**: CH570, CH670, 3520)

**A-T78612** O-Ring; 1.176" ID X 1.316" OD, .070" Thick, Durometer 90 (5/Pack) 0.01 Lbs.

Durometer: 90



***Dim/Info:***
Package Of 5 / Priced Per Piece
O-Ring Has Many Applications, Please Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 025
Inside Diameter - 1.176"
Outside Diameter - 1.316"

***For Models:*** S760, S770, S780, S790, (**COTTON PICKER**: 7760, 9970), (**SUGAR CANE HARVESTER**: CH570)

**A-B2762R** O-Ring; .734" ID X 1.012" OD, .139" Thick, Durometer 70 (10/Pack) 0.01 Lbs.



***Dim/Info:***
10/Pack, Priced Individually.
O-Ring Has Many Applications, Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 210
Inside Diameter - .734"
Outside Diameter - 1.012"

***For Models:*** S560, 4425, 6600, 6620, 7700, 7720, 9470STS, 9540WTS, 9550, 9570STS, 9580WTS, 9640I WTS, 9640WTS, 9660, 9660CTS, 9660I WTS, 9660STS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9760STS, 9770STS, 9780CTS, 9780I CTS, (**COTTON PICKER**: 7760, 9935, 9940, 9965, 9970, 9976), (**FORAGE HARVESTER**: 5720, 5820, 7200, 7300, 7400, 7500)

**A-F3353R** O-Ring; .362" ID X .568" OD X .103" Thick, Durometer 75 (10/Pack) 0.01 Lbs.

Durometer: 75



***Dim/Info:***
O-Ring Has Many Applications, Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 110
Inside Diameter - .362"
Outside Diameter - .568"
Thickness - .103"

***For Models:*** 6600, 6602, 7700, (**COTTON PICKER**: CP20, CP690, 7260, 7660, 7760, 9935, 9940, 9950, 9970, 9976, 9986, 9996), (**COTTON PICKERROW UNIT**: PRO 12, PRO 12 VRS), (**FORAGE HARVESTER**: 5820, 6650, 6750, 6850, 6950, 7200, 7300, 7400, 7500)

Truck icon indicates that the item is shipped via truck freight.

# MISCELLANEOUS

**A-P50883** O-Ring; .676" ID X .816" OD, .070" Thick, Durometer 70 (10/Pack) 0.01 Lbs.

Durometer: 70



***Dim/Info:***
10/Pack, Priced Individually.
O-Ring Has Many Applications, Please Check Dimensions Before Ordering
Inside Diameter - .676"
Outside Diameter - .816"
Thickness - .070"
minimum order qty 10

***For Models:*** S540, S550, S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S760, S770, S780, S790, T550, T560, T660, T670, W540, W550, W650, W660, 4425, 4435, 4435 HYDRO, (**FORAGE HARVESTER**: 5440, 5460, 6610, 6650, 6710, 6750, 6810, 6850, 6910, 6950, 7200, 7300, 7400, 7500, 7700, 7800, 8100, 8200, 8300, 8400, 8500, 8600, 8700, 8800, 9600, 9700, 9900), (**SUGAR CANE HARVESTER**: CH570, CH670)

**A-T13119** O-Ring; .737" ID X .943" OD, .103" Thick, Durometer 75 (10/Pack) 0.01 Lbs.

Durometer: 75



***Dim/Info:***
Package Of 10 / Priced Per Piece
O-Ring Has Many Applications, Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 116
Inside Diameter - .737"
Outside Diameter - .943"

***For Models:*** CTS, S650, S660, S670, S680, S685, S685 HILLMASTER, S690, S760, S770, S780, S790, 3300, 4400, 4420, 6600, 6602, 6620, 6622, 7700, 7720, 8820, 9560, 9560SH, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9780, 9780CTS, 9780I CTS, (**FORAGE HARVESTER**: 3950, 3970, 5440, 5460, 5720, 5820, 6610, 6650, 6710, 6750, 6810, 6850, 6910, 6950, 7200, 7300, 7400, 7500, 7700, 7800, 8100, 8200, 8300, 8400, 8500, 8600, 8700, 8800, 9600, 9700, 9800, 9900)

**A-R51603** O-Ring; .612" ID X .818" OD X .103" Thick, Durometer 70 (10/Pack) 0.01 Lbs.

Durometer: 70



***Dim/Info:***
O-Ring Has Many Applications, Check Dimensions Before Ordering
Standard Number Code: A
Standard Number Size: 114
Inside Diameter - .612"
Outside Diameter - .818"
Thickness - .103"

***For Models:*** CTS, 6600, 6602, 6620, 6622, 7700, 7720, 8820, 9500, 9500SH, 9540WTS, 9550, 9550SH, 9560WTS, 9580WTS, 9600, 9650CTS, 9650STS, 9750STS, (**COTTON PICKER**: 9940, 9950, 9960, 9965, 9970, 9976, 9986)

**A-R1225R** O-Ring; 1.171" ID X 1.449" OD X .139" Thick, Durometer 75 (5/ Pack) 0.01 Lbs.

Durometer: 75



***Dim/Info:***
Std. Number Size: 217
Material: H4C
Standard Number Size: 217
Nominal Section: .139"
Inside Diameter - 1.171"
Outlet Outside Diameter - 1.449"

***For Models:*** CTS, S670, S540, S550, S560, S650, S660, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S760, S770, S780, S785, S790, T550, T560, T660, T670, W540, W550, W650, W660, 9470STS, 9560, 9560I STS, 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9780, 9860STS, 9870STS, 9880I STS, 9880 STS, (**FORAGE HARVESTER**: 5720, 5730, 5820, 5830, 8100, 8200, 8300, 8400, 8500, 8600, 9600)

**A-R28782** O-Ring; .351" ID X .495" OD, .072" Thick, Durometer 90 (25/Pack) 0.02 Lbs.

Durometer: 90



***Dim/Info:***
25/Pack, Priced Individually.
O-Ring Has Many Applications, Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 904
Inside Diameter - .351"
Outside Diameter - .495"

***For Models:*** S760, S770, S780, S790, 3300, 4400, 4420, 6600, 6602, 6622, 7700, 9670STS, 9770STS, (**HEAD, CUTTING PLATFORM**: 630FD, 635FD, 640FD, 730FD), (**COTTON PICKER**: 7760, 9920, 9940, 9970), (**COTTON STRIPPER**: 740, 7440), (**FORAGE HARVESTER**: 3950, 3970, 5720, 5820), (**SUGAR CANE HARVESTER**: 3520, CH530, CH570)

**A-R459R** O-Ring; .549" ID X .755 OD, .103" Thick, Durometer 70 (25/Pack) 0.01 Lbs.

Durometer: 70




***Dim/Info:***
25/Pack, Priced Individually.
O-Ring Has Many Applications, Please Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 113
Inside Diameter - .549"
Outside Diameter - .755"

***For Models:*** 3300, 4400, 4425, 6600, 6602, 6620, 6622, 7700, 7720, 8820, 9500, 9500SH, (**COTTON PICKER**: 7260, 9900, 9910, 9920, 9930, 9935, 9940, 9950, 9960, 9965), (**FORAGE HARVESTER**: 5720, 5820)

**A-R63185** O-Ring; 1.171" ID X 1.449" OD, .139" Thick, Durometer 70 (1/Pack) 0.02 Lbs.

Durometer: 70




***Dim/Info:***
O-Ring Has Many Applications, Please Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 217
Inside Diameter - 1.171"
Outside Diameter - 1.449"
Thickness - .139"

***For Models:*** S550, S650, S660, S670, S680, S685, S685 HILLMASTER, S690, S760, S770, S780, S790, T550, T560, T660, T670, W540, W550, W650, W660, 9540I WTS, 9540WTS, 9560, 9560I WTS, 9560SH, 9560WTS, 9580I WTS, 9580WTS, 9600, 9750STS, 9880 STS, (**COTTON PICKER**: 7760, 9970), (**FORAGE HARVESTER**: 6650, 6750, 6850, 6950, 7200, 7300, 7400, 7500, 7700, 7800, 8100, 8200, 8300, 8400, 8500, 8600)

**A-R27564** O-Ring; .739" ID X .879" OD, .070" Thick, Durometer 70 (10/Pack) 0.02 Lbs.

Durometer: 70



***Dim/Info:***
10/Pack, Priced Individually.
O-Ring Has Many Applications, Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 018
Inside Diameter - .739"
Outside Diameter - .879"

***For Models:*** C670, CTS, S670, S670 HILLMASTER, S685, S685 HILLMASTER, T550, T560, T660, T670, W540, W550, W650, W660, 9501, 9540I WTS, 9540WTS, 9560, 9560I WTS, 9560SH, 9560WTS, 9580WTS, 9580I WTS, 9640WTS, 9640I WTS, 9650STS, 9660, 9660CTS, 9660I WTS, 9660STS, 9660WTS, 9680I WTS, 9680WTS, 9750STS, 9760STS, 9780, 9780CTS, 9780I CTS, 9880 STS, (**COTTON PICKER**: 9920, 9965), (**FORAGE HARVESTER**: 3940, 3950, 3960, 3970, 5720, 5820, 6610, 6650, 6710, 6810, 6850, 6910, 6950)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-T75984** O-Ring; .801" ID X .941" OD, .070" Thick, Durometer 90 (2/Pack) 0.01 Lbs.

Durometer: 90



***Dim/Info:***
2/Pack, Priced Individually.
O-Ring Has Many Applications, Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 019
Inside Diameter - .801"
Outside Diameter - .941"

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9540I WTS, 9540WTS, 9550, 9550SH, 9560, 9560I WTS, 9560STS, 9560WTS, 9580I WTS, 9580WTS, 9600, 9610, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660, 9660I WTS, 9660STS, 9660WTS, 9680I WTS, 9680WTS, 9750STS, 9760STS, 9780, 9780CTS, 9780I CTS, 9860STS, 9880 STS, (**HEAD, CUTTING PLATFORM**: 615R, 616R, 618R, 620R, 622R, 625R, 630R, 635R, 810, 812, 814, 816, 818, 820, 822, 825, 614R), (**FORAGE HARVESTER**: 6610, 6650, 6710, 6750, 6810, 6850, 6910, 6950, 7200, 7250, 7300, 7350, 7400, 7450, 7500, 7550, 7700, 7750, 7800, 7850)

**A-R504734** O-Ring; 1.484" ID X 1.762" OD, .139" Thick, Durometer 60 (1/Pack) 0.02 Lbs.

Durometer: 60



***Dim/Info:***
O-Ring Has Many Applications, Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 222
Inside Diameter - 1.484"
Outside Diameter - 1.762"
Thickness - .139"

***For Models:*** S550, T550, W540, W550, W650, 9540WTS, 9560, 9560SH, 9560WTS, 9580WTS, (**COTTON PICKER**: 9970), (**SUGAR CANE HARVESTER**: CH530)

**A-T24647** O-Ring; .239" ID X .379" OD, .070" Thick, Durometer 90 (2/Pack) 0.01 Lbs.

Durometer: 90



***Dim/Info:***
2/Pack, Priced Individually.
O-Ring Has Many Applications, Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 010
Inside Diameter - .239"
Outside Diameter - .379"

***For Models:*** 4420

**A-R61467** O-Ring; 2.737" ID X 2.943" OD, .103" Thick, Durometer 75 (2/Pack) 0.02 Lbs.

Durometer: 75



Dim/Info:
2/Pack, Priced Individually.
O-Ring Has Many Applications, Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 148
Inside Diameter - 2.737"
Outside Diameter - 2.943"

***For Models:*** S550, T550, W540, W550, W650, 9470STS, 9540I WTS, 9540WTS, 9560, 9560I WTS, 9560SH, 9560WTS, 9580I WTS, 9580WTS, (**COTTON PICKER**: 7760, 9940, 9970), (**FORAGE HARVESTER**: 7200, 7300, 7400, 7500, 7700, 7800, 9600, 9700, 9800, 9900), (**SUGAR CANE HARVESTER**: CH530)

**A-R56751** O-Ring; .924" ID X 1.156" OD X .116" Thick, Durometer 75 (2/Pack) 0.02 Lbs.

Durometer: 75



***Dim/Info:***
O-Ring Has Several Applications, Check Dimensions Before Ordering
Standard Number Code: A
Standard Number Size: 912
Inside Diameter - .924"
Outside Diameter - 1.156"
Thickness - .116"

***For Models:*** S680, S690, S760, S770, S780, S790, T560, T660, T670, W650, W660, (**HEAD, CUTTING PLATFORM**: 630FD, 635FD, 640FD, 730FD, 735FD, 740FD, 745FD), (**COTTON PICKER**: 7760), (**FORAGE HARVESTER**: 5720, 5820, 9600, 9700, 9800, 9900), (**SUGAR CANE HARVESTER**: 3520, CH570)

**A-R71732** O-Ring; 1.234" ID X 1.512" OD X .139" Thick, Durometer 75 (5/Pack) 0.01 Lbs.

Durometer: 75



***Dim/Info:***
O-Ring Has Many Applications, Check Dimensions Before Ordering
Standard Number Code: A
Standard Number Size: 218
Inside Diameter - 1.234"
Outside Diameter - 1.512"
Thickness - .139"

***For Models:*** S670, S760, S770, T560, T660, T670, W650, W660, 6600, 6602, 6620, 6622, 7700, 7720, 8820, 9670STS, 9770STS, (**COTTON PICKER**: 9940), (**FORAGE HARVESTER**: 5440, 5460, 5720, 5820), (**SUGAR CANE HARVESTER**: CH570, CH670, 3520, 3522)

**A-R94418** O-Ring; 1.734" ID X 2.012" OD X .139" Thick, Durometer 92 0.01 Lbs.

Durometer: 92




***Dim/Info:***
O-Ring Has Many Applications, Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 224
Inside Diameter - 1.734"
Outside Diameter - 2.012"
Thickness - .139"

***For Models:*** CTS, 9780CTS

**A-U46166** O-Ring; .961" ID X 1.205" OD X .122" Thick, Durometer 70 (2/Pack) 0.02 Lbs.

Durometer: 70



***Dim/Info:***
O-Ring Has Many Applications, Check Dimensions Before Ordering.
Standard Number Code: J
Standard Number Size: G25
Inside Diameter - .961"
Outside Diameter - 1.205"
Thickness - .122"

***For Models:*** S660, S670, S670 HILLMASTER, S680, S685, S690, S760, S770, S780, S785, S790, 9470STS, 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9750STS, 9880I STS, (**HEAD, CORN**: 90 SERIES, 493, 494, 594, 600 SERIES, 605, 605C, 606, 606C, 607, 607C, 608, 608C, 609, 609C, 610, 610C, 611, 611C, 612, 612C, 612FC, 613, 613C, 614, 614C, 615C, 616, 616C, 617C, 618, 618C, 692, 693, 693SH, 694, 706C, 708C, 708FC, 712C, 712FC, 716C, 718C, 892, 893, 894, 1092, 1290, 1291, 1293), (**HEAD, CUTTING PLATFORM**: 625D, 630D, 635D, 635FD, 640D, 640FD, 725D, 730D, 735D, 740D), (**COTTON PICKER**: CP690, 7760, 9935, 9965, 9970, 9976, 9986), (**COTTON STRIPPER**: CS690, 7450, 7455)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# MISCELLANEOUS

**A-51M7090** O-Ring; .528" ID X .716" OD X .094" Thick, Durometer 75 — 0.02 Lbs.

Durometer: 75



***Dim/Info:***
O-Ring Has Many Applications, Check Dimensions Before Ordering.
Standard Number Code: L
Inside Diameter - .528"
Outside Diameter - .716"
Thickness - .094"

***For Models:*** S430, S440, S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S760, S770, S780, S785, S790, T550, T560, T660, T670, W540, W550, W650, W660, (**COTTON PICKER**: CP690, 7760, 9970), (**COTTON STRIPPER**: CS690), (**FORAGE HARVESTER**: 7280, 7380, 7480, 7580, 7780, 8100, 8200, 8300, 8400, 8500, 8600, 8700, 8800, 9600, 9700, 9800, 9900)

**A-R21722** O-Ring; .796" ID X 1.074" OD, .139" Thick, Durometer 90 (5/Pack) — 0.01 Lbs.

Durometer: 90




***Dim/Info:***
Package Of 5 / Priced Per Piece
O-Ring Has Many Applications, Please Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 211
Inside Diameter - .796"
Outside Diameter - 1.074"

***For Models:*** S670, S680, S685, S690, S770, S780, S785, S790, T550, T560, T660, T670, W540, W550, W650, W660, 9550, 9550SH, 9650, 9650CTS, (**HEAD, CUTTING PLATFORM**: 200E SERIES, 600F SERIES, 600R SERIES, 615F, 615R, 618F, 618R, 620F, 620R, 622F, 622R, 625F, 625R, 630F, 630R, 635F, 635R, 822, 825, 900 SERIES, 912, 913, 913F, 913R, 914, 914P, 915, 915F, 915R, 916, 916F, 916R, 918, 918F, 918R, 920, 920F, 920R, 922, 922F, 922R, 924, 924F, 924R, 925, 925D, 925F, 925R, 930, 930D, 930F, 930R, 936D), (**FORAGE HARVESTER**: 3940, 3950, 3960, 3970, 5440, 5460, 5720, 5730, 5820, 5830, 6610, 6650, 6710, 6750, 6810, 6850, 6910, 6950, 7180, 7200, 7250, 7280, 7300, 7350, 7380, 7400, 7450, 7480, 7500, 7550, 7580, 7700, 7750, 7780, 7800, 7850, 7950, 7980)

**A-R56757** O-Ring; 3.609" ID X 3.887" OD, .139" Thick, Durometer 75 (2/Pack) — 0.01 Lbs.

Durometer: 75



***Dim/Info:***
2/Pack, Priced Individually.
O-Ring Has Many Applications, Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 239
Inside Diameter - 3.609"
Outside Diameter - 3.887"

***For Models:*** S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S780, S790, T550, T560, T660, T670, W540, W550, W650, W660, 9540I WTS, 9540WTS, 9560I WTS, 9560WTS, 9580I WTS, 9580WTS, 9640I WTS, 9640WTS, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS, 9750STS, 9780CTS, 9780I CTS, 9870STS, 9880 STS, 9880I STS, CP690, 7760, 9950, 9965, (**FORAGE HARVESTER**: 6650, 6750, 6850, 6950, 7200, 7300, 7350, 7380, 7400, 7450, 7480, 7500, 7550, 7580, 7750, 7780, 7800, 7700, 8300, 8400, 8500, 8600)

**A-R135526** O-Ring; .362" ID X .568" OD X .103" Thick, Durometer 75 — 0.01 Lbs.

Durometer: 75

***Replaces:*** R505570



***Dim/Info:***
Durometer: 75
Standard Number Size: 110
O-Ring Fits Many Different Applications. Check Size Before Ordering.
Standard Number Code: A
Standard Number Size: 110
Inside Diameter - .362"

***For Models:*** 9540WTS, 9560WTS, 9580WTS, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660I WTS, 9660STS, 9660WTS, 9680I WTS, 9680WTS, 9750STS, 9760STS, 9780CTS, 9780I CTS, (**COTTON PICKER**: 9996), (**SUGAR CANE HARVESTER**: 3510)

**A-R56462** O-Ring; .734" ID X 1.012" OD, .139" Thick, Durometer 75 (5/Pack) — 0.01 Lbs.

Durometer: 75



***Dim/Info:***
Package Of 5 / Priced Per Piece
O-Ring Has Many Applications, Check Dimensions Before Ordering.
Standard Number Code: A
Standard Number Size: 210
Inside Diameter - .734"
Material - Florocarbon Elastimer

***For Models:*** S660, S670, S760, S770, T550, T560, T660, T670, W550, W650, W660

**A-40M7066** Ring; External Snap — 0.02 Lbs.



***Dim/Info:***
Package Of 5 / Priced Per Piece
Snap Ring Has Many Applications, Please Check Dimensions Before Ordering.
Shaft Diameter - 2.165"
Diameter - Groove Dia.: 2.047" / Groove Width: .085"
Width - .079"
minimum order qty 5

***For Models:*** (**HEAD, CUTTING PLATFORM**: 622X, 625D, 625X, 630D, 630FD, 630X, 635D, 635FD, 635X, 640D, 640FD, 640X, 645FD, 730FD, 735FD, 740FD, 745FD), (**FORAGE HARVESTER**: 7180, 7200, 7250, 7280, 7300, 7350, 7380, 7400, 7450, 7480, 7500, 7550, 7580, 7700, 7750, 7780, 7800, 7850, 7950, 7980, 8100, 8200, 8300, 8400, 8500, 8600, 8700, 8800, 9700, 9800, 9900)

**A-R72654** Ring; Retaining Snap — 0.01 Lbs.



***Dim/Info:***
Package Of 25 / Priced Per Piece
Circlip Has Many Applications, Please Check Dimensions Before Ordering.
Shaft Diameter - .250"
Thickness - .025"
minimum order qty 25

***For Models:*** 6620, 6622, 7720, 8820, (**COTTON PICKER**: 9910, 9930, 9940, 9950), (**COTTON STRIPPER**: 7445, 7450), (**FORAGE HARVESTER**: 5440, 5460, 5720, 5730, 5820, 5830)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-40M7166** Ring; External Snap 0.02 Lbs.



***Dim/Info:***
Package Of 2 / Priced Per Piece
Snap Ring Has Many Applications, Please Check Dimensions Before Ordering.
Shaft Diameter - 1.969" / 1.850" Groove Diameter
Width - .079"
minimum order qty 2

***For Models:*** CTS, T550, T560, T660, T670, W540, W550, W650, W660, 9501, 9780, 9780STS, (**HEAD, CORN**: 600 SERIES, 605, 605C, 606, 606C, 607, 607C, 608, 608C, 609, 609C, 610, 610C, 611, 611C, 612, 612C, 613, 613C, 614, 614C, 615C, 616, 616C, 617C, 706C, 708C, 712C), (**COTTON PICKER**: 7760), (**FORAGE HARVESTER**: 7180, 7200, 7280, 7300, 7380, 7400, 7480, 7500, 7580, 7700, 7780, 7800, 7980, 8100, 8200, 8300, 8400, 8500, 8600, 8700, 8800, 9600, 9700, 9800, 9900)

**A-H133106** Ring; Snap (1/Pack) 0.01 Lbs.



***Dim/Info:***
Snap Ring Has Many Applications, Please Check Dimensions Before Ordering
Shaft Diameter - .252"
Diameter - Groove Dia.: .210" / Groove Width: .039"
Width - .035"

***For Models:*** CTS, CTS II, S560, S690, S690 HILLMASTER, T550, T560, T660, T670, W330, W540, W550, W660, W650, 9400, 9410, 9450, 9470STS, 9500, 9500SH, 9510, 9510SH, 9540I WTS, 9540WTS, 9550, 9550SH, 9560, 9560I STS, 9560I WTS, 9560SH, 9560STS, 9560WTS, 9570STS, 9580WTS, 9580I WTS, 9600, 9610, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660, 9660I WTS, 9660STS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9750STS, 9760STS, 9770STS, 9780, 9780CTS, 9780I CTS, 9860STS, 9870STS, 9880I STS, 9880 STS, (**COTTON PICKER**: CP690, 7660, 7760, 9986, 9996), (**COTTON STRIPPER**: CS690, 7460), (**FORAGE HARVESTER**: 7180, 7200, 7250, 7280, 7300, 7350, 7380, 7400, 7450, 7480, 7500, 7550, 7580, 7700, 7750, 7780, 7800, 7850, 7950, 7980), (**SUGAR CANE HARVESTER**: CH330, CH530, 3520, 3522)

**A-40M5099** Ring, Internal Snap; 10/Pack 0.04 Lbs.
Snap Ring Used In Many Applications, Please Check Dimensions Before Ordering.



***Dim/Info:***
Package Of 10 / Priced Per Piece
Bore - 2.953" / 3.071" Groove Diameter
Width - .098" / .104" Groove Width
minimum order qty 10

***For Models:*** S670, S680, S685, S690, S770, S780, S790, T550, T560, T670, W540, W550, W650, W660, 9660CTS, 9780CTS, 9780I CTS, (**HEAD, CORN**: 206, 208), (HEAD, **CUTTING PLATFORM**: 622X, 625D, 625X, 630D, 630FD, 630X, 635D, 635FD, 635X, 640D, 640FD, 640X, 645FD, 730FD, 735FD, 740FD, 745FD), (**FORAGE HARVESTER**: 6610, 6650, 6710, 6750, 6810, 6850, 6910, 6950, 7180, 7200, 7250, 7280, 7300, 7350, 7380, 7400, 7450, 7480, 7500, 7550, 7580, 7700, 7750, 7780, 7800, 7850, 7950, 7980)

**A-R26871** Snap Ring 0.10 Lbs.



***Dim/Info:***
Snap Ring Has Many Applications, Check Dimensions Before Ordering.
Shaft Diameter - .500"
Diameter - Groove: .396"
Width - .042" / Groove Width: .046"
minimum order qty 4

***For Models:*** C670, CTS, S540, S550, T550, T560, T660, T670, W540, W550, W650, W660, 9470STS, 9540I WTS, 9540WTS, 9560, 9560I WTS, 9560SH, 9560WTS, 9580I WTS, 9580WTS, 9640I WTS, 9640WTS, 9650STS, 9660, 9660CTS, 9660I WTS, 9660STS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9750STS, 9760STS, 9770STS, 9780, 9780CTS, 9780I CTS, 9880 STS, (**HEAD, CORN**: 50A SERIES, 90 SERIES, 453A, 454A, 600 SERIES, 605, 605C, 606, 606C, 607, 607C, 608, 1092, 608C, 608FC, 609, 609C, 610, 610C, 611, 611C, 612, 612C, 612FC, 613, 613C, 614, 614C, 615C, 616, 616C, 617C, 653A, 654A, 655A, 706C, 708C, 708FC, 712C, 712FC, 716C, 718C, 853A, 854A, 894, 1253A, 1290, 1293), (**FORAGE HARVESTER**: 5440, 5460, 5720, 5820)

**A-M40514** Ring, Snap, External; 10/Pack 0.01 Lbs.



***Dim/Info:***
10/Pack, Priced Individually.
Snap Ring Has Many Applications, Check Dimensions Before Ordering.
Shaft Diameter - .750"
Diameter - Groove: .704"
Width - .078" / Groove Width: .086"
minimum order qty 10

***For Models:*** 6600, 6602, 6622, 7700, 7720, 8820, (**FORAGE HARVESTER**: 5200, 5440, 5460, 5720, 5730, 5820, 5830)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# FILTERS



**A-LF674J** Filter, Lube, Cartridge (QTY 1) 0.50 Lbs.
*Replaces:* AH1111RT, AH1082R



***For Models:*** 30 ENG JD EA-92, 45, 55, 65, 95, 95H, 105 MACHINE SN <14000/ENG JD 248 GAS, 111, (**COTTON PICKER**: 99, 299 MACHINE SN 10001-60000/ENG JD 217 LP GAS)

**A-T19044** Filter, Oil (Spin On) 0.99 Lbs.
*Replaces:* T19044, WIX 51243



***For Models:*** 925, 935, 945, 955, 965, 965H, 968H, 975, 975HY4, 985, 1032, 1042, 1052, 1055, 1065, 1068H, 1072, 1075, 1075H4, 1133, 1144, 1155, 1157, 1158, 1166, 1166H4, 1169H4, 1174, 1174H4, 1177, 4425, 4435, 4435 HYDRO, 9400, 3300 W/ 202 OR 219 GAS OR DIESEL ENGINE, 4400 W/ 329 DIESEL ENGINE SN <237161, 4420 SN 400001>, 6600 LEVEL LAND W/ 303 OR 329 GAS OR DIESEL ENGINE, 6602 W/ 362 GAS ENGINE, 7700 W/ 362 GAS OR 404 NON TURBO DIESEL ENG SN <335845, (**COTTON STRIPPER**: 482), (**COTTON PICKER**: 9900, 9910)

**A-AR43634** Filter, Oil 2.33 Lbs.
Spin On Type




***For Models:*** 105 W/ 404 DIESEL ENGINE SN 335846>, 4400 W/ 292 GAS ENGINE, (6602, 6620, 6622 ALL W/ 404 DIESEL ENGINE), 7700 W/ 404 DIESEL ENGINE SN 335846>, 7720, 8820, (**COTTON PICKER**: 9940)

**A-RE59754** Filter, Engine Oil 1.32 Lbs.



***For Models:*** 1165, 1170, 1175, 1175H, 1450, 1450CWS, 1470, 1550, 1550CWS, 2254, 2256, 2258, 9400, 9410, 9450, (**COTTON PICKER**: 9935), (**COTTON STRIPPER**: 7455, 7460)

**A-AL203060** Filter, Oil 1.26 Lbs.



***For Models:*** (**FORAGE HARVESTER**: 7200, 7300, 7400, 7500, 7700, 7800, 7250, 7350, 7450, 7550, 7750, 7850, 7950, 7180, 7280, 7380, 7480, 7580, 7780, 7980)

**A-RE519626** Filter, Lube, Spin-on 1.23 Lbs.



***For Models:*** W70

**A-T19044** Filter, Lube, Spin-on 0.99 Lbs.



***For Models:*** 925, 932, 942, 945, 952, 955, 965, 968H, 1032, 1052, 1055, 1065, 1072, 1075, 1133, 1144, 1155, 1158, 1165, 1174, 1175, 1175H, 2054, 2254, 3300, 4400, 4420, 4425, 4435, 6600, 9400, (**COTTON PICKER**: 9900, 9910, 9920, 9930), (**COTTON STRIPPER**: 484, 7440, 7445, 7450)

**A-RE509672** Filter, Lube, Cartridge 0.95 Lbs.



***For Models:*** C670, S560, S650, S660, S670, S760, S770, T560, T660, T670, W650, W660, 9540, 9560, 9560 STS, 9580, 9640, 9650, 9660, 9680, 9750, 9780, 9780HM, (**COTTON PICKER**: 7660, 9996), (**SUGAR CANE HARVESTER**: CH570, CH670, 3510, 3520, 3522)

**A-AT44377** Air Filter, Outer 1.20 Lbs.



***For Models:*** 3300, 4400, (**COTTON PICKER**: 9900)

**A-AH115836** Filter, Cab Air (Recirculating) 1.73 Lbs.



***For Models:*** CTS RECIRCULATING FILTER, CTS II, 9500, 9600, 9650, 9450, 9510, 9550, 9610, 9550SH, 9510SH, 9650CTS, 9650STS, 9760STS, 9750STS, 9560, 9500SH, 9400, 9410, 9660, 9560SH, 9660CTS, 9660STS, 9860STS, 9560STS, (**COTTON PICKER**: 9986, 9996), (**COTTON STRIPPER**: 7460)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-AT20728** Filter, Air 2.05 Lbs.
*Replaces:* PA-1667-FN, P18-1052, CAK-253, 42222, AT20728, AH19852



***Dim/Info:***
Size - 5-1/4" OD x 2-1/2" ID x 11-1/2" H

***For Models:*** 3300

**A-AH174196** Filter, Element, Inner Air Filter 4.27 Lbs.



***For Models:*** 9750, 9750STS, 9880 STS, (**SUGAR CANE HARVESTER**: 3510, 3520, 3522)

**A-VPD7027** Filter, Outer Air 2.27 Lbs.



***For Models:*** 3300

**A-VPD7023** Filter, Outer Air 2.91 Lbs.



***For Models:*** 3300, 4400, (**COTTON PICKER**: 9900)

**A-VPD7069** Filter, Outer Air 3.02 Lbs.



***For Models:*** 945, 952, 1052, 1155

**A-AT33363** Filter, Outer Air 3.40 Lbs.



***For Models:*** (**COTTON PICKER**: 9900), (**COTTON STRIPPER**: 484)

**A-RE34967** Filter, Outer Air 1.68 Lbs.



***For Models:*** (**COTTON STRIPPER**: 7460)

**A-AR79680** Filter, Air, Secondary 1.62 Lbs.



***For Models:*** 6600, 6602, 6620, 6622, 7700, 7720, (**COTTON PICKER**: 9920, 9930, 9935), (**COTTON STRIPPER**: 7445, 7450, 7455, 7460)

**A-AR80652** Precleaner, Air 6.75 Lbs.



***For Models:*** 7722, 8820, 9400, 9500, 9600, (**COTTON PICKER**: 9940, 9950)

**A-L38598** Filter, Cab Air Element 2.60 Lbs.



***For Models:*** 1052, 1055, 1065, 1068H, 1072, 1075, 1085, 1133, 1144, 1155, 1157, 1158, 1166, 1174, 1177, 1188, 4425, 4435

**A-L214634** Filter, Cab Air, Recirculation 0.20 Lbs.
*Replaces:* L155288



***Dim/Info:***
Overall Length - 8.228" (209 MM)
Overall Width - 5.512" (140 MM)
Height - 1.555" (39.5 MM)

***For Models:*** S540, S550, S550 STS, S650, S660, S670, S670 HILLMASTER, S670 STS, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S690 STS, S760, S770, S780, S785, S790, T550, T560, T660, T670, W540, W550, W650, W660, 8700, (**FORAGE HARVESTER**: 8100, 8200, 8300, 8400, 8500, 8600, 8700, 8800, 9600, 9700, 9800, 9900), (**SUGAR CANE HARVESTER**: CH570, CH670)

**A-RE198488** Filter, Cab Air 0.42 Lbs.



***For Models:*** C440, S430, S440, W430

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# FILTERS

## *JOHN DEERE

**A-RE284091** Filter, Cab Air 1.57 Lbs.



***For Models:*** S540, S550, S650, S660, S670, S680, S685, S690, S760, S770, S780, S785, S790, T550, T560, T660, T670, W540, W550, W650, W660, (**FORAGE HARVESTER**: 8100, 8200, 8300, 8400, 8500, 8600, 8700, 8800, 9600, 9700, 9800, 9900), (**SUGAR CANE HARVESTER**: CH570, CH670)

**A-AH92463** Filter, Cab Air 1.20 Lbs.



***For Models:*** 1052, 1055, 1065, 1068H, 1072, 1075, 1085, 4425, 6620, 6622, 7720, 8820, (**COTTON PICKER**: 9910, 9920, 9930, 9935, 9940, 9950, 9960, 9965, 9970, 9976), (**COTTON STRIPPER**: 484, 7440, 7445, 7450, 7455)

**A-RE12793** Filter, Cab Air 4.60 Lbs.

***For Models:*** 4425, 6620, 6622, 7720, 8820, (**COTTON PICKER**: 9910, 9930, 9935, 9940, 9950, 9960, 9965, 9970, 9976), (**COTTON STRIPPER**: 7445, 7450, 7455)

**A-AR50041** Filter, Diesel Fuel 1.60 Lbs.

For most 4 & 6 cylinder engines equipped w/ Roosa-Master fuel injection systems.



***For Models:*** 4400 W/ 329 ENGINE, (4420, 6600, 6602, 6622, 7700 ALL W/ 404 ENGINE), 7720, 8820, (**COTTON PICKER**: 9900, 9910, 9940)

**A-AT17387** Filter, Diesel Fuel 0.37 Lbs.

***Dim/Info:***
minimum order qty 10



***For Models:*** 95 W/ 248 & 303 ENGINES, 3300 W/ 219 ENGINE, (**COTTON PICKER**: 499 W/ 303 ENGINE, 699 W/ 303 ENGINE & 329 ENGINE SN <2237162, 9900 W/ 329 ENGINE SN <2237162)

**A-RE525523** Filter, Fuel Kit 2.50 Lbs.

***Replaces:*** RE520906, RE52323



***For Models:*** C670, S560, S650, S660, S670, S680, S685, S690, S760, S770, T550, T560, T660, T670, W540, W550, W650, W660, 9540, 9640, 9660, 9780, (**COTTON PICKER**: 7660), (**FORAGE HARVESTER**: 7180, 7250, 8100, 8200, 8300, 8400, 8500, 8600, 8800), (**SWATHER/WINDROWER**: W235, W260), (**SUGAR CANE HARVESTER**: CH570, CH670, 3520, 3522)

**A-RE62419** Filter, Separator, Fuel/Water 0.68 Lbs.

***Replaces:*** RE52987, RE53400, RE62418



***For Models:*** 9400, 9410, 9450, (**COTTON PICKER**: 9935), (**COTTON STRIPPER**: 7455, 7460)

**A-N378886** Filter, Fuel, Water Separator 0.41 Lbs.



***For Models:*** S560, S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S760, S770, S780, S785, S790, T550, T560, T660, T670, W540, W550, W650, W660, 9540WTS, 9540I WTS, 9560WTS, 9560I WTS, 9570STS, 9580I WTS, 9580WTS, 9640WTS, 9640I WTS, 9660WTS, 9660I WTS, 9680WTS, 9680I WTS, 9770STS, 9780 CTS, 9780I CTS, 9870STS, (**COTTON PICKER**: CP690, 7660, 7760, 9970, 9996)

**A-RE509032** Filter, Separator, Fuel/Water 0.99 Lbs.



***For Models:*** 9540, 9550, 9550SH, 9560, 9580, (**COTTON PICKER**: 9970)

**A-RE509036** Filter, Separator, Fuel/Water 0.88 Lbs.



***For Models:*** 9540, 9550SH, 9560

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-RE522878** Filter, Separator, Fuel/Water 0.55 Lbs.



***For Models:*** C230, C240, C440, R230, S540, S550, T550, W210, W230, W330, W430, W540, W550, W650, 1450, 1470, 1550, 1570, 9470 STS, 9540, 9560, 9560 STS, 9580, (**COTTON STRIPPER**: 7460), (**SUGAR CANE HARVESTER**: CH330, CH530)

**A-RE531703** Filter, Separator, Fuel 3.09 Lbs.



***For Models:*** 9560 STS, 9650, 9660, 9750, (**COTTON PICKER**: 9970, 9996), (**SUGAR CANE HARVESTER**: 3510)

**A-RE62418** Filter, Separator, Fuel/Water 0.62 Lbs.



***For Models:*** W70, 1170, 2254, (**COTTON STRIPPER**: 7450)

**A-VPD6087** Filter, Separator, Fuel/Water 0.60 Lbs.



***For Models:*** 1165, 1175, 1175H

**A-RE508633** Filter, Separator, Fuel/Water 0.88 Lbs.



***For Models:*** (**COTTON PICKER**: 9935, 9965, 9970, 9976, 9986), (**COTTON STRIPPER**: 7455, 7460)

**A-RE522372** Filter, Fuel, Spin-on 3.09 Lbs.

***Replaces:*** RE519608, RE519607, RE509596, RE521815



***For Models:*** 9540, 9560, 9560 STS, 9580, 9640, 9650, 9660, 9680, 9750, 9780, 9780HM, (**SUGAR CANE HARVESTER**: 3510)

**A-RE533910** Filter, Fuel, Spin-on 2.43 Lbs.



***For Models:*** S650, S660, S670, S680, S685, S690, S760, S770, S780, S785, S790, T550, T560, T660, T670, W540, W550, W650, W660, (**COTTON PICKER**: 7760, CP690), (**COTTON STRIPPER**: CS690), (**SUGAR CANE HARVESTER**: CH570, CH670)

**A-RE508847** Primary Fuel Filter, Filter Head 1.28 Lbs.



***For Models:*** 1450CWS, 1450WTS, 1550CWS, 1550WTS, 9540I WTS, 9540WTS, 9560I WTS, 9560WTS, 9580I WTS, 9580WTS

**A-VPK1551** Filter, Hydraulic 2.76 Lbs.



***For Models:*** C110, C120, C230, C240, C440, C670, CTS, CTS II, R230, S430, S440, S540, S550, S560, S650, S660, S670, S680, S685, S690, S760, S770, S780, S785, S790, SH9510, T550, T560, T660, T670, W210, W230, W430, W540, W550, W650, W660, 2054, 2056, 2058, 2064, 2066, 2254, 2256, 2258, 2264, 2266, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9540, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9640, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750, 9750STS, 9760STS, 9770STS, 9780, 9860STS, 9870STS, (**COTTON PICKER**: CP690, 7660, 7760, 9935, 9960, 9965, 9970, 9976, 9986, 9996), (**COTTON STRIPPER**: CS690, 7450, 7455), (**FORAGE HARVESTER**: 6610, 6650, 6710, 6750, 6810, 6850, 6910, 6950, 7180, 7200, 7250, 7280, 7300, 7350, 7380, 7400, 7450, 7480, 7500, 7550, 7580, 7700, 7750, 7780, 7800, 7850, 7950)

**A-AL203061** Filter, Hydraulic, Cartridge 1.75 Lbs.



***For Models:*** C670, S670, S690, S770, T550, T560, T660, T670, W540, W550, W650, W660, 9540, 9640

**A-VPD9027** Filter, DEF 0.22 Lbs.



***For Models:*** S650, S660, S670, S680, S685, S690, S760, S770, S780, S785, S790, T550, T560, T660, T670, W540, W550, W650, W660, (**COTTON PICKER**: CP690), (**COTTON STRIPPER**: CS690)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# IGNITION & ELECTRICAL PARTS

**A-AR77255** Solenoid 2.50 Lbs.
***Replaces:*** 1115530



***Dim/Info:***
Horizontal Studs

***For Models:*** 6600, 6602, 7700, (**FORAGE HARVESTER**: 5200, 5400)

**A-RE13732** Starter Solenoid (12 Volt) 4.19 Lbs.
For Nippendenso #'s 0280003290, 0280003292
***Replaces:*** AR54991, AR90070



***For Models:*** 6600, 6602, 6620, 6622, 7700, 7720, 8820, 9400, 9500, 9500SH, 9600, (**COTTON PICKER**: 9930, 9940, 9950), (**FORAGE HARVESTER**: 5200, 5400, 5440, 5720, 5730)

**A-1119799** Starter Solenoid (6 Volt) 0.84 Lbs.
6 Volt - For Delco Starter # 1107155
***Replaces:*** DR1465



***For Models:*** 55

**A-AR68304** Starter Solenoid 2.20 Lbs.
Used w/ Delco Starters
***Replaces:*** R11240, 1114356, 1114458



***Dim/Info:***
Volt/Amperage - 12V

***For Models:*** 3300, 4400, 4420, 6600, (**COTTON STRIPPER**: 7440), (**COTTON PICKER**: 9900, 9910, 9920)

**A-R11292** Starter Solenoid 2.52 Lbs.
Used w/ Delco Starters A-1113402 or 1113672



***For Models:*** 6600, 6602, 7700, (**FORAGE HARVESTER**: 5200, 5400)

**A-AL55046** Starter Solenoid, New 2.70 Lbs.
For Bosch Starter
***Replaces:*** AL25266, AL41524



***Dim/Info:***
3 screw mount.

***For Models:*** 925, 932, 935, 942, 945, 955, 965, 965H, 968H, 975, 975HY4, 985, 1032, 1042, 1052, 1055, 1065, 1068H, 1072, 1075, 1075H4, 1133, 1144, 1155, 1157, 1158, 1166, 1166H4, 1169H4, 1174, 1174H4, 1177, 1177H4, 4425, 4435

**A-1467** Switch, Starter Solenoid (12 Volt) 0.80 Lbs.



***Dim/Info:***
3 Terminal

***For Models:*** 45, 55, 95

**A-AR54923** Starter Drive (Delco) 1.00 Lbs.
Used w/ A-TS-1173 Starter



***Dim/Info:***
10 Teeth

***For Models:*** (3300, 6600 ALL W/ GAS OR DIESEL ENGINE), 4420, (**COTTON PICKER**: 9900, 9910)


**A-AR88880** Starter Drive (Delco) 1.40 Lbs.
Used w/ Starters: 1113402, 1113672 & 1113391
***Replaces:*** AR44700



***Dim/Info:***
10 Teeth

***For Models:*** 6600, 6602, 7700

**A-26A314** Strap, Ground 0.56 Lbs.



***Dim/Info:***
14" Long - Gauge 2

***For Models:*** 45, 55, 105

**A-AH78649** Battery Ground Strap 0.64 Lbs.
***Replaces:*** AH63066



***Dim/Info:***
19" long

***For Models:*** 105, 3300, 4400, 6600, 6602, 7700

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-R39554** Switch, Ignition, Ether, Horn (12 Volt) 0.10 Lbs.
*Replaces:* AR46184, AR47373, AB1837R



***Dim/Info:***
Amperage - 35
Diameter - .625"

***For Models:*** C670, T550, T560, T660, W540, W550, W650, W660, (CTS, 4425, 4435, 6600, 6602, 6620, 6622, 7700, 7720, 8820, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS ALL Ether/Horn), 7701 SN <316300, 9640WTS, 9640I WTS, 9660WTS, 9660I WTS, 9680WTS, 9680I WTS, (**COTTON STRIPPER**: 484, (7440, 7445, 7450, 7455 ALL Ether/Horn)), (**COTTON PICKER**: (9900, 9910, 9920, 9930, 9935, 9940, 9950, 9960, 9965, 9970, 9976, 9986 ALL Ether/Horn))


**A-AR21823** Switch, Horn/ Ether Start Aid (12 Volt) 0.11 Lbs.
Used in more than one application, please check before ordering



***Dim/Info:***
Diameter - 0.625"
Terminals - 3

***For Models:*** 3300, 4400, 4420, 6600, 6602, 7700


**A-AM53945** Relay Solenoid Switch (12 Volt) 0.82 Lbs.



***Dim/Info:***
3 Terminal

***For Models:*** 3300, 4400, 4420, 6600, 6602, 6620, 6622, 7700, 7720, 8820, 9400, 9410, 9500, 9500SH, 9510, 9510SH, 9600, 9610, CTS, CTS II, (**COTTON PICKER**: 9900), (**FORAGE HARVESTER**: 5720, 5730, 5820, 5830)

**A-21A307D** Module, Electronic Ignition 0.32 Lbs.
For 12 volt negative systems only.




***For Models:*** (4400, 7700 ALL W/ Delco Distr. # 1112466, 1112640, 1112624)

**A-21A310D** Module, Electronic Ignition 0.32 Lbs.
For 12 volt positive systems only.



***For Models:*** (4400, 7700 ALL W/ Delco Distr. # 1112466, 1112640, 1112624)

**A-AT21719** Tune Up Kit 0.07 Lbs.



***Dim/Info:***
Includes - Point Set & Condenser

***For Models:*** 45, 55, 95, 105, 3300

**A-21A1R** Tune Up Kit 0.10 Lbs.
Kit Includes Point, Condenser & Rotor To Service ModelsWith Delco Ignition <1963



***For Models:*** 45, 55, 95, 105, (**HEAD, CUTTING PLATFORM**: 215)

**A-21A3R** Tune Up Kit 0.10 Lbs.
Kit contains heavy duty 1 pc. points, condenser & rotor for Delco distributors w/ clip held cap.



***For Models:*** (55, 95, 105 ALL W/ DELCO IGNITION <1963)

**A-21A18R** Tune Up Kit 0.16 Lbs.



***For Models:*** 45, 55, 95, 4400, 6602, 7700, (**COTTON PICKER**: 699)

**A-21A19R** Tune Up Kit 0.30 Lbs.



***For Models:*** 45, 55, 95, 105, 3300, 6600, (**COTTON STRIPPER**: 482), (**COTTON PICKER**: 499, 699)

**A-AT14465** Tune Up Kit 0.08 Lbs.
Kit contains points & condenser to service models w/ Delco ignition <1963.



***For Models:*** 55, 95, 105

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

*JOHN DEERE

Truck icon indicates that the item is shipped via truck freight.

# IGNITION & ELECTRICAL PARTS


**A-AR31818** Tune Up Kit 0.09 Lbs.



***For Models:*** (45, 55, 95, 4400, 6602, 7700 ALL 1964 >), (**COTTON PICKER**: 699 1964 >)

**A-AT14692** Cap, Distributor (4 Cyl) 0.26 Lbs.

***Dim/Info:***
Clip Type



***For Models:*** 3300 W/ PRESTOLITE DISTRIBUTOR No. IBT-4101S or IBT-4101U

**A-AR46064** Ignition Coil - 6 Volt or 12 Volt w/ Resistor 1.50 Lbs.
***Replaces:*** 1115380, 1115381, AM373T, AM791T



***For Models:*** 45 W/ 115 OR 145 ENGINE, 55, 95, 105, (6602, 7700 ALL SN 28001> W/ 362 ENGINE), (**COTTON PICKER**: 499 W/ 217, 248 OR 341 ENGINE)

**A-AT10399** Coil, Distributor (12 Volt) 1.40 Lbs.
***Replaces:*** AA4983R, AA4879R



***For Models:*** 105

**A-AR12014** Point Set (Wico) 0.10 Lbs.
Used w/ Wico Distributor & Magneto Ignition

***Dim/Info:***
For Type X Magneto



***For Models:*** 45, 55, 95, 105, 3300, (**COTTON PICKER**: 699)

**A-AT21062** Point Set 0.01 Lbs.
Services Prestolite Distributors
***Replaces:*** AT14685



***For Models:*** 3300

**A-AH131320** Sensor, Magnetic Switch 0.30 Lbs.
***Replaces:*** AH100011, RE12331, RE12363, R78060



***For Models:*** CTS, CTS II, (1065, 1068H, 1072, 1075, 1075H4, 1085, 1085H4 ALL SN 041201-), 4425, 6620, 6622, 7720, 7721, 8820, 9400, 9450, 9500, 9500 SIDEHILL, 9501, 9510, 9510 SIDEHILL, 9550, 9550 SIDEHILL, 9560, 9560 SIDEHILL North American, 9560STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9750STS, 9760STS, 9860STS, 7445 SN -6000

**A-RE519144** Sensor; Magnetic Pickup, Engine Speed Tachometer / Crankshaft Position 0.09 Lbs.
***Replaces:*** RE43511, RE63919, RE71121, RE508195

***Dim/Info:***
Volt - 12V-24V
Thread Size - M20 X 1.5



***For Models:*** CTS, CTS II, S540, S550 STS, S650, S660, S670, S670 HILLMASTER, S670 STS, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S690 STS, T550, T560, T660, T670, W540, W550, W650, W660, 9410, 9450, 9470STS, 9500, 9510, 9510SH, 9550, 9550SH, 9560I STS, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880I STS, 9880 STS, (**COTTON PICKER**: CP690, 7660, 7760, 9935, 9965, 9970, 9976, 9986, 9996), (**COTTON STRIPPER**: 7455, 7460), (**FORAGE HARVESTER**: 7180, 7250, 7280, 7350, 7380, 7450, 7480, 7550, 7580, 7750, 7780, 8100, 8200, 8400, 8500, 8600, 8300), (**SUGAR CANE HARVESTER**: CH330, CH570, 3520, 3522)

**A-AR12013** Condenser, Wico 0.04 Lbs.
For Wico Magneto


***Dim/Info:***
FOR TYPE X MAGNETO



***For Models:*** 95, 105, (**COTTON PICKER**: 699)

**A-AR31316** Condenser, Wico 0.25 Lbs.
For Wico Distributor & Magneto Distributor

***Dim/Info:***
For Type C Magneto



***For Models:*** 95, 105, (**COTTON PICKER**: 699)

**A-AT14684** Condenser 0.04 Lbs.
Services Prestolite Distributors
***Replaces:*** AT15929



***For Models:*** 3300

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.




P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-AT14680** Rotor 0.01 Lbs.
Services Prestolite Distributors



***For Models:*** 3300

**A-1118790** Voltage Regulator (6 Volt) 1.18 Lbs.



***For Models:*** 55, 95

**A-1118791** Voltage Regulator (12 Volt) 1.20 Lbs.
For Generators 1100955, 1100956, 1101777, 1101784, 1947579
***Replaces:*** 1118266 & 1118306



***For Models:*** 55, 95

**A-AR55827** Voltage Regulator 0.08 Lbs.
Used w/ Delco System



***For Models:*** 3300, 4400, 7700, (**FORAGE HARVESTER**: 5000 SERIES, 5200, 5400, 5440, 5460, 5720, 5820)

**A-AL24526** Gauge, Temperature 0.34 Lbs.



***For Models:*** 925, 932, 935, 942, 945, 955, 965, 965H, 968H, 975, 975HY4, 985, 985HY4, 1032, 1042, 1052, 1055, 1065, 1068H, 1072, 1075, 1075H4, 1085, 1085H4, 1133, 1144, 1155, 1157, 1158, 1166, 1166H4, 1169H4, 1174, 1174H4, 1177, 1177H4, 1188, 1188H4, 4425, 4435, 4435 HYDRO

**A-AH201526** Assy, Relay, 40 Amp 0.09 Lbs.
***Replaces:*** AH106612



***For Models:*** C670, CTS, CTS II, T550, T560, T660, T670, W540, W550, W650, W660, 9400 MAXIMIZER, 9410 MAXIMIZER, 9450, 9500, 9500 SIDEHILL, 9540I WTS, 9540WTS, 9550, 9550 SIDEHILL, 9560, 9560 SIDEHILL, 9560 STS, 9560I STS, 9560I WTS, 9560WTS, 9580I WTS, 9580WTS, 9600 MAXIMIZER, 9610 MAXIMIZER, 9640I WTS, 9640WTS, 9650, 9650 CTS, 9650STS, 9660, 9660CTS, 9660I WTS, 9660STS, 9660WTS, 9680I WTS, 9680WTS, 9750STS, 9760STS, 9780CTS, 9780I CTS, 9860STS, 9880 STS, 9880I STS, (**COTTON PICKER**: 9996), (**COTTON STRIPPER**: 7460)

**A-RE37651** Auxiliary Power Cord, 3 Pin 0.50 Lbs.
3 Spade Female Plug. For Use W/ Add On Monitors, Radios.



***For Models:*** CTS, CTS II, 9400, 9410, 9500, 9500 SIDEHILL, 9500SH, 9510, 9510 SIDEHILL, 9600, 9610, (**COTTON PICKER**: 9965, 9970, 9976), (**COTTON STRIPPER**: 7450, 7455), (**FORAGE HARVESTER**: 3940, 3950, 3955, 3960, 3970, 3975)

**A-AT226281** Horn, 12 Volt 0.88 Lbs.




***For Models:*** S430, S440, S540, S550, S560, S650, S660, S670, S680, S685, S690, S690 HILLMASTER, S760, S770, S780, S790, T550, T560, T660, T670, W540, W550, W650, W660, 1175H, 1470, 1570, 2254, 9640I WTS, 9640WTS, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS, (**COTTON PICKER**: 9970), (**FORAGE HARVESTER**: 7180, 7250, 7350, 7380, 7450, 7480, 8100, 8200, 8300, 8400, 8500, 8600, 8700, 8800), (**SUGAR CANE HARVESTER**: CH330, CH530, CH570, CH670, 3510, 3520, 3522)

**A-AR73144** Relay, Cab Accessory 0.95 Lbs.
***Replaces:*** AT142305



***For Models:*** CTS, CTS II, 6620, 6622, 7720, 8820, 9400, 9410, 9500, 9500 SIDE-HILL, 9510, 9510 SIDEHILL, 9600, 9610, (**COTTON PICKER**: 9900, 9910, 9920, 9930, 9940, 9950), (**COTTON STRIPPER**: 484, 7440)

**A-RE61717** Switch; Ignition 0.45 Lbs.



***For Models:*** S440, S540, S550, S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, T550, T560, T660, T670, W540, W550, W650, W660, (**FORAGE HARVESTER**: 8100, 8200, 8300, 8400, 8500, 8600, 8700, 8800)

**A-AR64422** Switch, Flasher Control 0.35 Lbs.
***Replaces:*** AR67398



***For Models:*** 3300, 4400, 4420, 4425, 6600, 6602, 6620, 6622, 7700, 7720, 8820, (**COTTON STRIPPER**: 484, 7440, 7445, 7450, 7455), (**COTTON PICKER**: 9900, 9910, 9920, 9930, 9935, 9940, 9950, 9960, 9965, 9970, 9976), (**FORAGE HARVESTER**: 5200, 5400, 5440, 5460, 5720, 5730, 5820, 5830)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# HYDRAULIC SYSTEM PARTS

**A-AT333807** Coil, Solenoid Valve 0.35 Lbs.



***Dim/Info:***
Volt/Amperage - 12


***For Models:*** S430, S440, S650, S660, S670, S760, S770, (**COTTON PICKER**: CP690, 7760), (**COTTON STRIPPER**: CS690, 7460)

**A-AH131326** Seal, Solenoid Control Valve 0.05 Lbs.
W/ O-Ring & Back Up Ring
***Replaces:*** E62091



***For Models:*** CTS North American, CTS SN 068887-071384 European, CTS SN 670101-674000 European, CTS II North American, CTS II SN 675000- European, (2054, 2056, 2058, 2064, 2066 ALL European), 2254, 2256, 2258, 2264, 2266, (2266, 2266 EXTRA ALL SN 068584- European), 9400, 9410, 9500, 9500 SIDEHILL, 9501, 9510, 9510 SIDEHILL, (9540WTS, 9560WTS, 9580WTS ALL SN -080015 European), 9600, 9610, 9640I WTS, 9640WTS, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS, 9780CTS SN 071443-072697 European, (9780CTS, 9780I CTS ALL SN 072800-), (**HEAD, CORN**: (206, 208 ALL SN 105725-), 483, 484), (**HEAD, CUTTING PLATFORM**: (614R, 615R, 616R, 618R, 620R, 622R, 625R, 630R, 635R ALL European), (810, 812, 814 ALL SN -017623 European), 814 SN 017624- European, 816 SN -017623 European, 816 SN 017624- European, 818 SN -017623 European, 818 SN 017624- European, 820 SN -017623 European, 820 SN 017624- European, (822, 825 ALL European)), (**FORAGE HARVESTER**: 3940 SN -630000, 3950 , 3960 SN -630000, 3970, 5440, 5460, 5720, 5730, 5820, 5830, 6610, 6650, 6710, 6750, 6810, 6850, 6910, 6950), (**MOWER CONDITIONER**: 107, 1209, 1217, 1219)

**A-H202240** Seal, Multicoupler Cover 0.10 Lbs.



***Dim/Info:***
Length - 7.75”

***For Models:*** C670, S690 HILLMASTER, T550, T560, T660, T670, W540, W550, W650, W660, 9450, 9550, 9550 SIDEHILL, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660I WTS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9750STS, 9770STS, 9870STS, (S560, S685 HILLMASTER, 1450CWS, 1450WTS, 1470, 1550CWS, 1550WTS, 1570, 9560I STS ALL European), (1450CWS, 1550CWS ALL Commonwealth of Independent States), (9560, 9560SH, 9560STS, 9570STS, 9660, 9660CTS, 9660STS, 9760STS, 9860STS ALL North American), (S540, W330, 1470, 1570, 9470STS, 9570STS ALL South American), (S660, S680, S670 STS, S690 STS ALL SN 745100-), (S660, S670, S680, S685, S690 ALL SN 100000 - 104999 European), S685 European, S550 STS SN 745100-764999, S650 SN 765000-, (S670 HILLMASTER, S680 HILLMASTER ALL SN -765000), S690 SN -745100European, (9540I WTS, 9560I WTS, 9580I WTS ALL SN 080016-), (9540WTS, 9560WTS, 9580WTS ALL SN -080015 European), (9780CTS, 9780I CTS ALL SN 072800-), 9880 HILLMASTER SN715801- European, 9880I STS SN715701- European, 9880 STS SN -715700 European, (**FORAGE HARVESTER**: (7180, 7200, 7250, 7280, 7300, 7350, 7380, 7400, 7450, 7480, 7500, 7550, 7580, 7700, 7750, 7780, 7800, 7850, 7980 ALL 600 Series), 7950 Cummins QSK19 Engine/600 Series, 8100, 8200, 8300, 8400, 8500, 8600, 8700), (**SWATHER/WINDROWER**: D450 Engine 6068HE051, W235), (**FORAGE HARVESTER**: 8800)

**A-AH224451** Assy, Pressure Switch 0.05 Lbs.



***For Models:*** C670, S690 SN -745100 European, T550, T560, T660, T670, W540, W550, W650, W660), (9470STS, 9650STS, 9750STS ALL South American), 9500, 9500 SIDEHILL, (9560STS, 9570STS, 9660STS, 9760STS, 9860STS ALL North American), 9600, 9870STS, (**SWATHER/WINDROWER**: A400, D450 Engine 6068HE051, R450, 4890, 4895, 4990, 4995)

**A-AN33434** Fitting, Tee 0.33 Lbs.



***For Models:*** 3300, 4400, 4420, 6600, 6602, 6620, 7700, 7720, 8820, 2254, (**COTTON PICKER**: 9900, 9910, 9920, 9930, 9940, 9950, 9960), (**COTTON STRIPPER**: 283, 484, 740, 7440), (**FORAGE HARVESTER**: 3950, 3970), (**SUGAR CANE HARVESTER**: CH330, CH530, CH570, CH670, 3510, 3520, 3522)

**A-AT32332** Elbow Fitting, Hydraulic, 90 Deg 0.26 Lbs.



***For Models:*** 975, 1055, 1065, 1068H, 1072, 1072 SN 041201->, 1075, 1075 SN 041201->, 1085, 1155, 1157, 1158, 1166, 1174, 1177, 1188, 2254, 3300, 4400, 4420, 4425, 4435, 6602, 6620, 6622, 7720, 8820, (**COTTON PICKER**: 9900, 9910, 9920, 9930, 9940, 9950, 9960), (**COTTON STRIPPER**: 740, 7440, 7445), (**FORAGE HARVESTER**: 3940, 3950, 3960, 3970, 5200, 5400, 5420, 5440, 5460, 5720, 5820), (**SUGAR CANE HARVESTER**: CH330, CH530, CH570, CH670, 3510, 3520, 3522)

**A-AT35123** Fitting, Elbow, 37 Deg 0.22 Lbs.



***For Models:*** 1032, 1042, 1052, 1055, 1133, 1144, 1155, 1157, 1158, 2254, (**COTTON PICKER**: 9930), (**FORAGE HARVESTER**: 3955, 3975), (**SUGAR CANE HARVESTER**: CH570, CH670, 3510, 3520, 3522)


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-R54123** Adapter Fitting 0.53 Lbs.



***Dim/Info:***
Thread Size - 1.625"

***For Models:*** CTS, CTS II, S550, S650, S660, S670, S760, S770, T560, T660, T670, W650, W660, 985, 1085, 4400, 4420, 4425, 4435, 6600, 6620, 6622, 7720, 8820, 9400, 9410, 9450, 9500, 9500SH, 9510, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9660, 9750, 9780, (**COTTON PICKER**: 7760, 9770, 9935, 9940, 9950, 9960, 9965, 9970, 9976, 9986, 9996), (**COTTON STRIPPER**: 7455), (**FORAGE HARVESTER**: 5200, 5400, 5460, 5720, 5730, 5820, 5830, 6610, 6650, 6710, 6950, 7180, 7200, 7250, 7500, 8100, 8200)

**A-38H1004** Elbow Fitting, 90 DEG, O-RING FSF 0.25 Lbs.



***For Models:*** C670, CTS, CTS II, S540, S550, S560, S650, S660, S670, S680, S685, S690, S760, S770, S780, S790, T550, T560, T660, T670, W330, W540, W550, W650, W660, 1470, 1550, 1570, 2254, 2256, 2258, 2264, 2266, 9400, 9410, 9450, 9500, 9501, 9510, 9540, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9640, 9650, 9660, 9750, 9780, (**HEAD, CORN**: 492, 592, 692, 892, 894, 1092, 1290, 1293), (**HEAD, CUTTING PLATFORM**: 614R, 615P, 615R, 616, 616R, 618, 618R, 620, 620R, 622, 622R, 622X, 625, 625D, 625F, 625R, 630, 630D, 630FD, 630R, 635, 635D, 635FD, 635R, 640, 640D, 640FD, 645FD, 730D, 735D, 740D, 890, 895, 896), (**COTTON PICKER**: CP690, 7260, 7660, 7760, 9770, 9935, 9960, 9965, 9970, 9976, 9986, 9996), (**COTTON STRIPPER**: CS690, 7450, 7455, 7460), (**FORAGE HARVESTER**: 6610, 6650, 6710, 6750, 6810, 6850, 6910, 6950, 7200, 7250, 7300, 7350, 7400, 7450, 7500, 7550, 7700, 7750, 7800, 7850, 8100, 8200, 8300, 8400, 8500, 8600, 8700, 8800)

**A-38H1005** Fitting, Hydraulic, Elbow 90 DEG SW 0.30 Lbs.



***For Models:*** C670, CTS, CTS II, S540, S550, S560, S650, S660, S670, S680, S685, S690, S760, S770, S780, S790, T550, T560, T660, T670, W540, W550, W650, W660, 2254, 2256, 2258, 2264, 2266, 9400, 9410, 9450, 9500, 9510, 9540, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9640, 9650, 9660, 9750, 9780, (**HEAD, CORN**: 843 ), (**HEAD, CUTTING PLATFORM**: 620R, 625D, 630D, 630FD, 635D, 635FD, 640D, 640FD, 645FD, 730D, 735D, 740D), (**COTTON PICKER**: CP690, 7260, 7660, 7760, 9770, 9935, 9960, 9965, 9970, 9976, 9986, 9996), (**COTTON STRIPPER**: CS690, 7450, 7455, 7460), (**FORAGE HARVESTER**: 6610, 6650, 6710, 6750, 6810, 6850, 6910, 6950, 7180, 7200, 7250, 7280, 7300, 7350, 7380, 7400, 7450, 7480, 7500, 7550, 7580, 7700, 7750, 7780, 7800, 7850, 7950, 7980, 8100, 8200, 8300, 8400, 8500, 8600, 8700, 8800)

**A-38H1006** Elbow Fitting - 90 DEG ELBOW,O-RING FSF 0.59 Lbs.



***For Models:*** C670, CTS, CTS II, S540, S550, S560, S650, S660, S670, S690, S760, S770, T550, T560, T660, T670, W540, W550, W650, W660, 1470, 1550, 1570, 9400, 9410, 9450, 9500, 9501, 9510, 9540, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9640, 9650, 9660, 9750, 9780, (**HEAD, CUTTING PLATFORM**: 625D, 630D, 630FD, 635, 635D, 635FD, 640, 640D, 645FD), (**CUTTING PLATFORM**: 640D), (**COTTON PICKER**: CP690, 7660, 7760, 9770, 9986), (**COTTON STRIPPER**: CS690), (**FORAGE HARVESTER**: 7200, 7250, 7300, 7350, 7400, 7450, 7500, 7550, 7700, 7750, 7800, 7850, 7950)

**A-38H1009** Fitting, Elbow, 90 Deg 0.17 Lbs.



***For Models:*** S560, S690, 9450, 9650, (**HEAD, CUTTING PLATFORM**: 625D, 625X, 630D, 630FD, 630X, 635D, 635FD, 635X, 640FD, 640X, 645FD, 730D, 735D, 740D, 925D, 930D, 936D), (**CUTTING PLATFORM**: 616, 635, 640, 640D), (**COTTON PICKER**: CP690, 7760, 9770), (**COTTON STRIPPER**: CS690), (**FORAGE HARVESTER**: 6610, 6650, 6710, 6750, 6810, 6850, 6910, 6950, 7180, 7200, 7250, 7280, 7300, 7350, 7380, 7400, 7450, 7480, 7500, 7550, 7580, 7700, 7750, 7780, 7800, 7850, 7950, 7980)

**A-38H1094** Fitting, Hydraulic, Elbow 90 DEG SWIVEL 0.24 Lbs.



***For Models:*** C110, C240, C670, S540, S550, S560, S650, S660, S670, S680, S685, S690, S760, S770, S780, S790, T560, T660, T670, W650, W660, 9540, 9560, 9640, 9660, (**CUTTING PLATFORM**: 616, 618, 620, 625, 630, 635, 640, 640D), (**HEAD, CUTTING PLATFORM**: 220R, 622, 622X, 625F, 625X, 630FD, 630X, 635FD, 635X, 640FD, 640X, 645FD, 740D), (**COTTON PICKER**: CP690, 7260, 7660, 7760, 9770, 9935, 9960, 9965, 9970, 9976, 9986, 9996), (**COTTON STRIPPER**: CS690, 7460), (**FORAGE HARVESTER**: 6750, 6850, 6950, 7180, 7250, 7280, 7350, 7380, 7450, 7480, 7550, 7580, 7750, 7780, 7850, 7950, 7980, 8100, 8200, 8300, 8400, 8500, 8600, 8700, 8800), (**SUGAR CANE HARVESTER**: CH570, CH670, 3510, 3520, 3522)

**A-38H1095** Fitting, Hydraulic, Elbow, 90 Deg, Swivel 0.33 Lbs.



***For Models:*** C670, S540, S550, S560, S650, S660, S670, S680, S685, S690, S760, S770, S780, S790, T550, T560, T660, T670, W540, W550, W650, W660, 1470, 1550, 1570, 2254, 2256, 2258, 2264, 2266, 9450, 9540, 9550, 9550SH, 9560, 9560SH, 9640, 9650, 9660, 9750, (**HEAD, CORN**: 843), (**CUTTING PLATFORM**: 640D), (**HEAD, CUTTING PLATFORM**: 620R, 625D, 630D, 635D, 740D), (**COTTON PICKER**: CP690, 7660, 7760, 9770, 9960, 9965, 9970, 9976, 9986), (**COTTON STRIPPER**: CS690), (**FORAGE HARVESTER**: 7200, 7300, 7400, 7500, 7700, 7800, 8100, 8200, 8300, 8400, 8500, 8600, 8700, 8800)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# HYDRAULIC SYSTEM PARTS

**A-38H5018** Elbow Fitting, 90 Deg Adj Stud Elbow, ORFS 0.57 Lbs.



***For Models:*** S430, S440, S650, S660, S670, S680, S685, S690, S760, S770, S780, S790, T550, T560, T660, T670, W540, W550, W650, W660, (**HEAD, CORN**: 583), (**HEAD, CUTTING PLATFORM**: 630FD, 635FD, 640FD, 645FD), (**COTTON PICKER**: 9970), (**FORAGE HARVESTER**: 8100, 8200, 8300, 8400, 8500, 8600, 8700, 8800), (**SUGAR CANE HARVESTER**: CH570)

**A-38H5022** Elbow Fitting, 90 Deg Adj Stud Elbow, ORFS 0.22 Lbs.



***For Models:*** S430, S440, S540, S550, S650, S660, S670, S680, S685, S690, S760, S770, S780, S790, T550, T560, T660, T670, W540, W550, W650, W660, 1570, 9540, 9560, (**COTTON PICKER**: CP690, 7660, 9970), (**COTTON STRIPPER**: CS690), (**FORAGE HARVESTER**: 7280, 7380, 7480, 7580, 7780), (**SUGAR CANE HARVESTER**: CH330, CH530)

**A-AXE21789** Valve; Multi-Coupler Cartridge 0.53 Lbs.
***Replaces:*** AH225670, AH201333



***For Models:*** C670, S540, S550, S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S760, S770, S780, S790, T550, T560, T660, 9450, T670, W330, W540, W550, W650, W660, 9470STS, 9540I WTS, 9540WTS, 9550, 9550SH, 9560, 9560I STS, 9560I WTS, 9560SH, 9560STS, 9560WTS, 9570STS, 9580I WTS, 9580WTS, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660I WTS, 9660STS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9750STS, 9760STS, 9770STS, 9780CTS, 9780I CTS, 9860STS, 9870STS, 9880I STS, 9880 STS

**A-AXE49949** Valve; Cartridge Assembly 0.45 Lbs.
***Replaces:*** AH225671



***For Models:*** C670, S540, S550, S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S760, S770, S780, S790, T550, T560, T660, T670, W330, W540, W550, W650, W660, 9450, 9470STS, 9540I WTS, 9540WTS, 9550, 9550SH, 9560, 9560I STS, 9560I WTS, 9560SH, 9560STS, 9560WTS, 9570STS, 9580I WTS, 9580WTS, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660I WTS, 9660STS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9750STS, 9760STS, 9770STS, 9780CTS, 9780I CTS, 9860STS, 9870STS, 9880I STS, 9880 STS

**A-AH161589** Kit, Hydraulic Cylinder 0.15 Lbs.



***For Models:*** S680, S685, S690, (**CUTTING PLATFORM**: 640D), (**HEAD, CUTTING PLATFORM**: 625D, 630D, 635D, 730D, 735D, 740D), (**SUGAR CANE HARVESTER**: CH330, CH530, CH570, CH670, 3520)

**A-AH212088** Kit, Hydraulic Cylinder 0.10 Lbs.




***For Models:*** (**HEAD, CORN**: 843)

**A-AH212090** Kit, Hydraulic Cylinder 0.10 Lbs.



***For Models:*** S540, S550, S650, S660, S670, S680, S685, S690, S760, S770, S780, S790, (**COTTON PICKER**: 9770, 9970), (**COTTON STRIPPER**: 7455), (**SUGAR CANE HARVESTER**: CH570)

**A-AH212092** Kit, Hydraulic Cylinder 0.10 Lbs.




***For Models:*** S650, S660, S670, S680, S685, S690, S760, S770, S780, S790, (**HEAD, CORN**: 843), (**COTTON PICKER**: 9770)

**A-AHC13485** Seal Kit, Hydraulic Cylinder Rod 0.20 Lbs.



***For Models:*** (S650, S660, S670, S680, S690, S760, S770, S780, S790 ALL Feeder House Lateral Tilt Cyl.), (**SUGAR CANE HARVESTER**: CH570 Knock Down Roller Tilt Cyl.)

**A-AH212097** Kit; Hydraulic Cylinder Bore Repair (90 MM) 0.09 Lbs.



***Dim/Info:***
Can Be Used As Hitch Lift, Header Lift, Boom, Bucket, Arch, Blade & Side Shift Applications, Check Cylinder Bore Diameter Before Ordering.

***For Models:*** S680, S685, S690, (**SUGAR CANE HARVESTER**: CH330)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-AHC16954** Kit; Hydraulic Cylinder Rod Repair 0.28 Lbs.
*Replaces:* AHC11573, AH210484



***For Models:*** S680, S685, S690, S780, S785, S790, (**SUGAR CANE HARVESTER**: CH570, CH670, 3520, 3522)


**A-LVA13231** Coupler, Female; Hydraulic Quick-Connect 0.56 Lbs.



***Dim/Info:***
Length - 2.64"

***For Models:*** S760, S770, S780, S790

**A-H125839** O-ring 0.07 Lbs.
*Replaces:* AT314441



***Dim/Info:***
Inside Diameter - 9.688"
Outside Diameter - 9.875"
Thickness - 0.187"

***For Models:*** C670, CTS, CTS II, S540, S550, S560, S650, S660, S670, S680, S685, S690, S760, S770, S780, S790, T550, T560, T660, T670, W540, W550, W650, W660, 9400, 9410, 9450, 9500, 9510, 9540, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9640, 9650, 9660, 9750, 9780, (**COTTON PICKER**: 9770)


**A-51M7041** O-ring 0.01 Lbs.



***Dim/Info:***
Inside Diameter - .446" / 11.33 MM
Outside Diameter - .616" / 15.64 MM
minimum order qty 5


***For Models:*** C110, C240, C670, S430, S440, S540, S550, S560, S650, S660, S670, S680, S685, S690, S760, S770, S780, S790, T550, T560, T660, T670, W330, W540, W550, W650, W660, 1165, 1170, 1175, 1175H, 1470, 1550, 1570, 2254, 9540, 9550, 9550SH, 9560, 9560SH, 9640, 9650, 9660, 9750, (**HEAD, CORN**: 583, 606, 606C, 608, 608C, 608FC, 612, 612C, 612FC, 616C, 618C, 683, 708FC, 712FC, 843), (**COTTON PICKER**: CP690, 7260, 7660, 7760, 9770, 9935, 9970, 9976, 9986, 9996), (**COTTON STRIPPER**: CS690, 7450, 7455, 7460), (**CUTTING PLATFORM**: 635, 640), (**HEAD, CUTTING PLATFORM**: 620R, 622X, 625X, 630FD, 630X, 635FD, 635X, 640FD, 640X, 645FD), (**FORAGE HARVESTER**: 6650, 6750, 6850, 6950, 7180, 7200, 7250, 7280, 7300, 7350, 7380, 7400, 7450, 7480, 7500, 7550, 7580, 7700, 7750, 7780, 7800, 7850, 7950, 7980, 8100, 8200, 8300, 8400, 8500, 8600, 8700, 8800), (**SUGAR CANE HARVESTER**: CH330, CH530, CH570, CH670, 3510, 3520, 3522)

**A-R27796** O-ring; 6.234" ID X .139" Thick, Durometer 70 0.04 Lbs.
O-Ring Has Many Applications. Check Size For Ordering



***For Models:*** CTS, CTS II, S430, S440, S540, S550, S560, S650, S660, S670, S690, S760, S770, T550, T560, T660, T670, W330, W540, W550, W650, W660, 1165, 1170, 1175, 1175H, 1470, 1550, 1570, 2254, 2256, 2258, 2264, 2266, 6600, 6602, 6620, 6622, 7700, 7720, 7722, 8820, 9400, 9410, 9450, 9500, 9510, 9540, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9640, 9650, 9660, 9750, 9780, C670, (**COTTON PICKER**: CP690, 7760, 9770, 9935, 9940, 9950, 9960, 9965, 9970, 9976, 9986, 9996), (**COTTON STRIPPER**: CS690, 7450, 7455, 7460), (**FORAGE HARVESTER**: 5200, 5400, 5440, 5460, 5720, 5730, 5820, 5830, 6610, 6650, 6710, 6750, 6810, 6850, 6910, 6950, 7180, 7200, 7250, 7280, 7300, 7350, 7380, 7400, 7450, 7480, 7500, 7550, 7580, 7700, 7750, 7780, 7800, 7850, 8100, 8200, 8300, 8400, 8500, 8600, 8700, 8800)

**A-R56463** O-Ring, Hydraulic Piston 0.01 Lbs.




***Dim/Info:***
Inside Diameter - .859"
Thickness - .139"
minimum order qty 5


***For Models:*** (**COTTON PICKER**: 9950, 9960, 9965)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

## Sickle Sections




| Part No. | Description | Dim (A) | Dim (B) | Dim (C) | Pkg Qty | Fastener | Repl. No. |
|---|---|---|---|---|---|---|---|
| **A-411-042** | Black 12ga Top Serrated | 3.250” | 2” | | 10 | 1/4 x 5/8 | P49650 |
| **A-211-102** | Black 12ga smooth | 3.250” | 2” | 1” | 10 | 7/32 x 5/8 | Z6451H |
| **A-411-022** | Black 12ga Top Serrated | 3.250” | 2.062” | 1.375” | 10 | 7/32 x 5/8 | H84413 |
| **A-412-022** | Chrome 12ga Top Serrated | 3.250” | 2.062” | 1.375” | 10 | 7/32 x 5/8 | H84415 |
| **A-412-021** | Chrome 11ga Top Serrated | 3.250” | 2.062” | 1.375” | 10 | 7/32 x 5/8 | H130478, 134104 |
| **A-411-001** | Black 11ga Top Serrated (CTSK) | 3.250” | 2.062” | 1.375” | 10 | 7/32 x 5/8 CTSK | H125893 |
| **A-432-021** | Chrome 11ga Big Tooth | 3.250” | 2.062” | 1.375” | 10 | 7/32 x 5/8 | H130478, 134104 |
| **A-432-381** | Chrome 11ga Sabertooth | 3.250” | 2.062” | 1.375” | 10 | 7/32 x 5/8 | H130478 |
| **A-H213799** | Chrome 11ga Top Serrated (CTSK) | 3.250” | 2.062” | 1.375” | 10 | 7/32 x 5/8 CTSK | H125893 |
| **A-431-001** | Section, Black 11ga Big Tooth (CTSK) | 3.250” | 2.062” | 1.375” | 10 | 7/32 x 5/8 CTSK | H125893 |
| **A-432-001** | Section, Chrome 11ga Big Tooth (CTSK) | 3.250” | 2.062” | 1.375” | 10 | 7/32 x 5/8 CTSK | H125893 |
| **A-412-321** | Chrome 11ga Top Serrated (CTSK) | 3.250” | 2.062” | 1.375” | 10 | 7/32 x 5/8 CTSK | H136807 |
| **A-711-003** | Chrome 12ga Top Serrated | | | | | 7/32 x 5/8 CTSK | |
| **A-622-021** | Section, Twin, Overlap Kit, 11ga, Top Serrated | 3.250” | 2” | 7/32 x 5/8 | 10 | | DC890C |
| **A-H213800** | Section, 7 Tooth Per Inch | 3.230” | 2.063” | 5.486mm x 14mm | 25 | | |
| **A-H153329** | Section, Fine Tooth Knife, 4” | 3.248” Length | 3.000” Hole Spacing | M6 x .630” | 25 | | |
| **A-H163132** | Knife End Section, Coarse Tooth, 4” | 3.248” | 1” | M6 x .630” | 10 | | |
| **A-H168316** | Knife Section, Coarse Tooth, 3” | 3.287” | 2.059” | | 25 | | |
| **A-H226352** | Section, Coarse Tooth Knife | 3.270” | 1.000” (4x) | | 10 | M6 x 12.70mm | |
| **A-H163131** | Section, Double; Course, 7 TPI | 7 Teeth / Inch | .238” Bolt Holes | | 100 | | |
| **A-H215064** | Section, Short-Long, Coarse Tooth Knife, 4” | 3.27” | 2” | 1.33” | | | |
| **A-Z52672** | Section, Coarse | 3.17” | 2.032” | 0.97” | 10 | | AZ41727 |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Sickle Parts




*Pictures may not represent parts as listed.*


| Part No. | Description | Replaces | Application |
|---|---|---|---|
| **A-901-044** | Sickle Head | AH89498, AH121075 | (**HEAD, CUTTING PLATFORM**: (200, 900 ALL series)) |
| **A-529-016** | Wear Plate, 5.5” | 71116532, 71176537 | SEVERAL |
| **A-529-056** | Wear Plate, 6” | 71116532, 206196M1, 231303M1, 1039627M1 | SEVERAL alternative to 529-016 |
| **A-529-156** | Wear Plate, 3/16 | 7116532, 206196M1, 231303M1, 1039627M1 | SEVERAL alternative to 529-016 |
| **A-H153157** | Wear Plate | H141546, H84414, H101200 | (**HEAD, CUTTING PLATFORM**: 213, 215, 216, 220, 222, 224, 635F, 635R, 913, 915, 918, 920, 922, 925, 930, 930F, 200, 230, 218) |
| **A-AH202442** | Repair Kit, Knifeback, 3” | | (**HEAD, CUTTING PLATFORM**: 900 SERIES 1988-1996/SN 625301-685400, (900F, 900R ALL 2000-2002/SN 685401-), 918, 920) |
| **A-515-116** | Knife Clip, Bolted or Riveted | 71189684, 71346158, 206195M1, 143241M1 | SEVERAL except Hart-Carter floating headers |
| **A-AH209438** | Kit; Knife Hardware | | (**HEAD, CUTTING PLATFORM**: 900 SERIES, 900F, 900R, 913, 915, 915F, 918, 918F, 918R, 920F, 920R, 922F, 922R, 925, 925F, 925R, 930, 930F, 930R) |
| **A-AH205918** | Knife Splice Kit, Course Tooth | | (**HEAD, CUTTING PLATFORM**: 600F, 600R, 635FD, 640FD, 645FD, 925D, 930D, 936D) |
| **A-AH205715** | Knife Splice Kit, Sectionalized, 4” | AH166962 | (**HEAD, CUTTING PLATFORM**: 600F, 600R, 625D, 630D, 635D, 635FD, 640D, 640FD, 925D, 930D, 936D) |
| **A-AH218363** | Knife Splice Kit, Long-Short, Coarse, 4” | | (**HEAD, CUTTING PLATFORM**: (600F, 600R, 635FD, 640FD ALL North American)) |
| **A-SCK900D** | Splice Kit | | (**HEAD, CUTTING PLATFORM**: 925D, 930D, 936D) |
| **A-AH202628** | Fitting Kit, Double Cut Knifeback, 4” | | (**HEAD, CUTTING PLATFORM**: (635FD, 640FD ALL North American Edition), 925D, 930D, 936D) |
| **A-AH213832** | Joint Kit, Coarse Knife Sections | | (**HEAD, CUTTING PLATFORM**: 900 SERIES 1988-1996/SN 625301-685400, (900F, 900R ALL 2000-2002/SN 685401-)) |
| **A-920-386** | Shim, .010 | | SEVERAL |
| **A-920-387** | Shim, .024 | | SEVERAL |
| **A-H136958** | Section, Half, RH | | (**HEAD, CUTTING PLATFORM**: 900 SERIES 1988-1996 SN 625301-685400, (900F, 900R ALL 2000-2002 SN 685401-), 918D, 920D) |
| **A-612-140** | (10) RH End Sections, Chrm Top Ser | 148200C1, E63245 | SEVERAL, (**HEAD, CUTTING PLATFORM**: 240, 300, 300A, 890, 895, 896) |
| **A-611-130** | (10) RH End Sections, Blk Top Ser | 9622715, 86617760 | SEVERAL |
| **A-612-150** | (10) LH End Sections, Chrm Top Ser | 700705463, E75474 | SEVERAL, (**HEAD, CUTTING PLATFORM**: 300, 300A, 890, 895, 896) |
| **A-611-140** | (10) LH End Sections, Blk Top Ser | 86617759 | SEVERAL |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

*JOHN DEERE

# SICKLE & RELATED PARTS

## Sickle Parts




*Pictures may not represent parts as listed.*


| Part No. | Description | Replaces | Application |
|---|---|---|---|
| **A-712-730** | RH End Sections, Chrm Top Ser; Card of 2 w/Rivets | | SEVERAL |
| **A-712-750** | LH End Sections, Chrm Top Ser; Card of 2 w/ Rivets | | SEVERAL |
| **A-712-780** | (2) RH End Sections, Blk Top Ser | | SEVERAL |
| **A-712-810** | RH/LH End Sections, Chrm Top Ser | | SEVERAL |
| **A-712-820** | RH/LH End Sections, Blk Top Ser | | SEVERAL |
| **A-904-003** | (1lb) 7/32 x 5/8" CTSK Rivet | 700000583 | SEVERAL including heavy CTSK sections |
| **A-904-020** | (1lb) 7/32 x 1/2" OH Rivet | | SEVERAL |
| **A-904-021** | (1lb) 7/32 x 9/16" OH Rivet | | SEVERAL regular & heavy sections |
| **A-904-022** | (1lb) 7/32 x 5/8" OH Rivet | 1980897C1, 700000883 | SEVERAL extra heavy sections |
| **A-904-024** | (1lb) 7/32 X 3/4" OH Rivet | | SEVERAL extra heavy sections |
| **A-904-025** | (1lb) 7/32 x 7/8" OH Rivet | | SEVERAL |
| **A-904-027** | (1lb) 7/32 x 1" OH Rivet | | SEVERAL |
| **A-904-029** | (1lb) 7/32 x 1-1/8" OH Rivet | | SEVERAL |
| **A-904-040** | (1lb) 1/4 x 5/8" OH Rivet | | SEVERAL |
| **A-H125890** | Bolt, Shoulder; 17/32" Rib Neck, Pkg of 100 | | (**HEAD, CUTTING PLATFORM**: 213, 215, 216, 220, 222, 224, 918, 218, 920, 200 SERIES, 230, 600F, 600R, 900 SERIES, 900F, 900R) |
| **A-904-041** | (1lb) 1/4 x 7/8" OH Rivet | | SEVERAL |
| **A-904-042** | (1lb) 1/4 x 1" OH Rivet | | SEVERAL |
| **A-904-004** | (1lb) 7/32 x 7/8" CTSK Rivet | | SEVERAL |
| **A-904-005** | (1lb) 7/32 x 15/16" CTSK Rivet | | SEVERAL |
| **A-904-006** | (1lb) 7/32 x 1" CTSK Rivet | | SEVERAL |
| **A-904-008** | (1lb) 7/32 x 1-1/8" CTSK Rivet | | SEVERAL |
| **A-904-526** | (50) 17/32" Bolt & Nut | 1307169C91, 1970505C1, 1970507C1 | (**HEAD, CUTTING PLATFORM**: 600F, 600R, 630D, 625D, 635D, 925D, 930D, 936D) |
| **A-904-500** | (50) 7/32 x 5/8" Bolt & Nut | 700705296, AE57009, 86507777 | SEVERAL standard straight hole sections, (**HEAD, CUTTING PLATFORM**: 230, 300, 300A, 890, 895, 120, 918, 920) |
| **A-904-524** | (25) 7/32 x 7/8" Bolt & Nut | H125889, AE57010 | SEVERAL |
| **A-904-501** | (25) 7/32 x 1" Bolt & Nut | | SEVERAL |
| **A-904-525** | (50) 7/32 x 5/8" 60° CTSK Bolt & Nut | 700002978 | SEVERAL J.E.Love & Hart Carter |
| **A-904-528** | (25) 7/32 x 1" 60° CTSK Bolt & Nut | | SEVERAL |
| **A-904-549** | (25) 3/4" Bolt & Nut | | SEVERAL |
| **A-711-056** | Wear Plates, 6", Card of 2 #529-056 | | 6601, 6602, (**HEAD, CUTTING PLATFORM**: 218) |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Sickle Assemblies



| Part No. | Description | # Sect | Head No. | OEM No. | Section No. |
|---|---|---|---|---|---|
| **A-800-311** | 13', Chrome 11ga Top Serrated, Riveted | 50 | AH89498 | AH125750 | H130478 (412-021) |
| **A-800-317** | 24', Chrome 11ga Top Serrated, Riveted | 94 | AH89498 | AH125756 | H130478 (412-021) |

***For Models:*** (3300, 4400, 4420, 6600, 6620, 7700, 8820 ALL w/ 200 series flex-platforms)


## Sickle Assemblies



| Part No. | Description | # Sect | Head No. | OEM No. | Section No. |
|---|---|---|---|---|---|
| **A-801-311** | 13', Chrome 11ga Top Serrated, Bolt-On | 50 | AH121075, AH89498 | AH121076 | H125893 (412-001) |
| **A-801-312** | 15', Chrome 11ga Top Serrated, Bolt-On | 58 | AH121075, AH89498 | AH121077 | H125893 (412-001) |
| **A-801-314** | 18', Chrome 11ga Top Serrated, Bolt-On | 70 | AH121075, AH89498 | AH121079 | H125893 (412-001) |
| **A-801-315** | 20', Chrome 11ga Top Serrated, Bolt-On | 78 | AH121075, AH89498 | AH121081 | H125893 (412-001) |
| **A-831-484** | 20', Chrome 11ga Big Tooth, Bolt-On | 78 | AH121075, AH89498 | AH121081 | H130478 (432-021) |
| **A-801-317** | 24', Chrome 11ga Top Serrated, Bolt-On | 94 | AH121075, AH89498 | AH121085 | H125893 (412-021) |

***For Models:*** (9400, 9500, 9600 ALL w/ 900 series heads), (3300, 4400, 4420, 6600, 6620, 7700, 7720, 8820 ALL w/ 200 series flex-platforms)

## Sickle Assemblies





| Sickle No. | Description | Length | Section No. | Qty) Head | Qty) Center | Qty) Tail | Qty) Splice Kit |
|---|---|---|---|---|---|---|---|
| **A-AH121083** | 22', Black 11ga Top Serrated Assembly | 22 ft. | H136807BL | 1) 803-190 | 2) 803-191 | 1) 803-196 | 3) 711-010 |

***For Models:*** (9400, 9500, 9600 ALL w/ 900 series heads), (3300, 4400, 4420, 6600, 6620, 7700, 7720, 8820 ALL w/ 200 series flex-platforms)


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

## Sickle Assemblies





| Sickle No. | Description | Length | Section No. | Qty) Head | Qty) Center | Qty) Tail | Qty) Splice Kit |
|---|---|---|---|---|---|---|---|
| **A-AH213012** | 9', Chrome 11ga Coarse Serrated, Bolt-On, Head Segment | | 25) H163131 | | | | AH205918 |
| ***For Models:*** (HEAD, CUTTING PLATFORM: 600F, 600R, 615F, 615R, 618F, 618R, 620F, 620R, 622F, 622R, 625F, 625R, 630F, 630R, 635F, 635R) | | | | | | | |
| **A-AH213829** | 9', Chrome 11ga Coarse Serrated, Bolt-On, Mid-Segment | 9' | 32) H207930 | | | | AH202442 |
| ***For Models:*** (HEAD, CUTTING PLATFORM: 900 SERIES 1988-1996/SN 625301-685400, (900F, 900R ALL 2000-2002/SN 685401-)) | | | | | | | |
| **A-AH218389** | 9', Chrome 11ga Coarse Serrated, Bolt-On, Mid-Segment w/Reinforcement | | 25) H163131 | | | | AH205918 |
| ***For Models:*** (HEAD, CUTTING PLATFORM: 600F, 600R, 615F, 615R, 618F, 618R, 620F, 620R, 622F, 622R, 625F, 625R, 630F, 630FD, 630R, 635F, 635R, 640FD, 645FD) | | | | | | | |
| **A-KXE10215** | 9', Chrome 11ga Coarse Serrated, Bolt-On, Head Segment | | 32) H207930 | | | | AH202442 |
| ***For Models:*** (HEAD, CUTTING PLATFORM: 900 SERIES 1988-1996/SN 625301-685400, (900F, 900R ALL 2000-2002/SN 685401-)) | | | | | | | |

## Sickle Assemblies




| Part No. | Description | # Sect | Head No. | OEM No. | Section No. |
|---|---|---|---|---|---|
| **A-SK925DF** | 25', Fine Cut Segmented Sickle Assembly/ w head | | | | |
| ***For Models:*** (HEAD, CUTTING PLATFORM: 925D) | | | | | |




| Part No. | Description | # Sect | Head No. | OEM No. | Section No. |
|---|---|---|---|---|---|
| **A-SK930DF** | 30', Fine Cut Segmented Sickle Assembly/ w head | | | | H153329 |
| | NOTE: Item only fits A&I segmented sickle assemblies, this item will not interchange with OE assemblies. | | | | |
| ***For Models:*** (HEAD, CUTTING PLATFORM: 930D) | | | | | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Sickle Assemblies




| Part No. | Description | # Sect | Head No. | OEM No. | Section No. |
|---|---|---|---|---|---|
| **A-SK936DF** | 36', Fine Cut Segmented Sickle Assembly/ w head | | | | H153329 |

***For Models:*** (**HEAD, CUTTING PLATFORM**: 936D)



| Sickle No. | Description | Length | Section No. | Qty) Head | Qty) Center | Qty) Tail | Qty) Splice Kit |
|---|---|---|---|---|---|---|---|
| **A-SH900DF** | Head Section, Fine Knife Assembly | | H153329 | | | | SCK900D |
| | NOTE: Item only fits A&I segmented sickle assemblies, this item will not interchange with OE assemblies. | | | | | | |

***For Models:*** (**HEAD, CUTTING PLATFORM**: 925D, 930D, 936D)



| Sickle No. | Description | Length | Section No. | Qty) Head | Qty) Center | Qty) Tail | Qty) Splice Kit |
|---|---|---|---|---|---|---|---|
| **A-MS900DF** | Middle Section, Fine Knife Assembly | | H153329 | | | | SCK900D |
| | NOTE: 1 used on 925D, 2 used on 930D, and 3 used on 936D. | | | | | | |

***For Models:*** (**HEAD, CUTTING PLATFORM**: 925D, 930D, 936D)



| Sickle No. | Description | Length | Section No. | Qty) Head | Qty) Center | Qty) Tail | Qty) Splice Kit |
|---|---|---|---|---|---|---|---|
| **A-SH900DC** | Head Section, Coarse Knife Assembly | | H163161 | | | | SK900D |
| | NOTE: Item only fits A&I segmented sickle assemblies, this item will not interchange with OE assemblies. | | | | | | |

***For Models:*** (**HEAD, CUTTING PLATFORM**: 925D, 930D, 936D)



| Sickle No. | Description | Length | Section No. | Qty) Head | Qty) Center | Qty) Tail | Qty) Splice Kit |
|---|---|---|---|---|---|---|---|
| **A-MS900DC** | Middle Section, Coarse Knife Assembly | | H163131 | | | | SCK900D |
| | NOTE: 1 used on 925D, 2 used on 930D, and 3 used on 936D. Item only fits A&I segemented sickle assemblies, this item will not interchange with OE assemblies. | | | | | | |

***For Models:*** (**HEAD, CUTTING PLATFORM**: 925D, 930D, 936D)



| Sickle No. | Description | Length | Section No. | Qty) Head | Qty) Center | Qty) Tail | Qty) Splice Kit |
|---|---|---|---|---|---|---|---|
| **A-RS925DF** | Knife, Assembly Segmented, RH End Section | | H153329 | | | | SCK900D |
| | NOTE: Item only fits A&I segmented sickle assemblies, this item will not interchange with OE assemblies. | | | | | | |

***For Models:*** (**HEAD, CUTTING PLATFORM**: 925D)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

## Sickle Assemblies



| Sickle No. | Description | Length | Section No. | Qty) Head | Qty) Center | Qty) Tail | Qty) Splice Kit |
|---|---|---|---|---|---|---|---|
| **A-RS936DF** | Knife, Assembly Segmented, RH End Section | | H153329 | | | | SCK900D |
| | NOTE: Item only fits A&I segmented sickle assemblies, this item will not interchange with OE assemblies. | | | | | | |

***For Models:*** (HEAD, CUTTING PLATFORM: 936D)



| Sickle No. | Description | Length | Section No. | Qty) Head | Qty) Center | Qty) Tail | Qty) Splice Kit |
|---|---|---|---|---|---|---|---|
| **A-RS930DF** | RH End Section, Fine Knife Assembly | | H153329 | | | | SCK900D |
| | NOTE: Item only fits A&I segmented sickle assemblies, this item will not interchange with OE assemblies. | | | | | | |

***For Models:*** (HEAD, CUTTING PLATFORM: 930D)



| Sickle No. | Description | Length | Section No. | Qty) Head | Qty) Center | Qty) Tail | Qty) Splice Kit |
|---|---|---|---|---|---|---|---|
| **A-RS936DC** | RH End Section, Fine Knife Assembly | | H163131 | | | | SCK900D |
| | NOTE: Item only fits A&I segmented sickle assemblies, this item will not interchange with OE assemblies. | | | | | | |

***For Models:*** (HEAD, CUTTING PLATFORM: 936D)



| Sickle No. | Description | Length | Section No. | Qty) Head | Qty) Center | Qty) Tail | Qty) Splice Kit |
|---|---|---|---|---|---|---|---|
| **A-RS925DC** | RH End Section, Coarse Knife Assembly | | 7 per inch | | | | SCK900D |
| | NOTE: Item only fits A&I segmented sickle assemblies, this item will not interchange with OE assemblies. | | | | | | |

***For Models:*** (HEAD, CUTTING PLATFORM: 925D)



| Sickle No. | Description | Length | Section No. | Qty) Head | Qty) Center | Qty) Tail | Qty) Splice Kit |
|---|---|---|---|---|---|---|---|
| **A-RS930DC** | RH End Section, Coarse Knife Assembly | | H163131 | | | | SCK900D |
| | NOTE: Item only fits A&I segmented sickle assemblies, this item will not interchange with OE assemblies. | | | | | | |


***For Models:*** (HEAD, CUTTING PLATFORM: 930D)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.




P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com


## Sickle Assemblies




| Sickle No. | Description | Length | Section No. | Qty) Head | Qty) Center | Qty) Tail | Qty) Splice Kit |
|---|---|---|---|---|---|---|---|
| **A-SK925DC** | 25', Coarse Cut Segmented Sickle Assembly/ w head | | H163131 | | | | |
| | NOTE: Item only fits A&I segmented sickle assemblies, this item will not interchange with OE assemblies. | | | | | | |
| ***For Models:*** (HEAD, CUTTING PLATFORM: 925D) | | | | | | | |




| Sickle No. | Description | Length | Section No. | Qty) Head | Qty) Center | Qty) Tail | Qty) Splice Kit |
|---|---|---|---|---|---|---|---|
| **A-SK930DC** | 30', Course Cut Segmented Sickle Assembly/ w head | | H163131 | | | | |
| | NOTE: Item only fits A&I segmented sickle assemblies, this item will not interchange with OE assemblies. | | | | | | |
| ***For Models:*** (HEAD, CUTTING PLATFORM: 930D) | | | | | | | |




| Sickle No. | Description | Length | Section No. | Qty) Head | Qty) Center | Qty) Tail | Qty) Splice Kit |
|---|---|---|---|---|---|---|---|
| **A-SK936DC** | 36', Course Cut Segmented Sickle Assembly/ w head | | H163131 | | | | |
| | NOTE: Item only fits A&I segmented sickle assemblies, this item will not interchange with OE assemblies. | | | | | | |
| ***For Models:*** (HEAD, CUTTING PLATFORM: 936D) | | | | | | | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# GRAIN HEAD PARTS

**A-AH214216** Plate; Feed, RH Inside 23.20 Lbs.
***Replaces:*** AH206105



***Dim/Info:***
Material - Stainless steel
Used For - 30' Header.

***For Models:*** (**HEAD, CUTTING PLATFORM**: 630F)

**A-AH214217** Plate; Feed, LH Inside 25.00 Lbs.
***Replaces:*** AH206107



***Dim/Info:***
Material - Stainless steel
Used For - 30' Header.

***For Models:*** (**HEAD, CUTTING PLATFORM**: 630F)


**A-AH214214** Plate; Feed, Center 25.00 Lbs.
***Replaces:*** AH164413



***Dim/Info:***
Material - Stainless steel
Used For - 20', 30' & 35' Headers.

***For Models:*** (**HEAD, CUTTING PLATFORM**: 620F, 630F, 635F)

**A-R111692** Shaft, Deck Plate Indicator 0.12 Lbs.



***For Models:*** (**HEAD, CORN**: 50A SERIES SN 685101>, 90 SERIES, 606, 608, 612, 606C, 608C, 608FC, 612C, 612FC, 616, 616C, 618, 618C, 706C, 708C, 708FC, 712C, 712FC, 716C, 718C)

**A-E78705** Sheave, Knife Driven 15.50 Lbs.
Used With AE41481 Wobble Box



***For Models:*** (**HEAD, CUTTING PLATFORM**: 120, 160, 183, 213, 218, 220, 300, 300A, 900 SERIES, 918, 920)

**A-AH232955** Belt Set; Knife Drive 3.10 Lbs.
5/8" x 53.1" Wrapped Set/3 Aramid Cord



***Dim/Info:***
Length - 53.1"
Set Quantity - 3
Type - Wrapped
Color - White
Material - Aramid Cord
Thickness - .421"

***For Models:*** (**HEAD, CUTTING PLATFORM**: 625D, 630D, 635D, 640D, 725D, 730D, 735D, 740D)

**A-AXE24816** Actuator; Knife Drive Gearbox 3.10 Lbs.



***For Models:*** (**HEAD, CUTTING PLATFORM**: 600F, 600R, 615F, 615R, 616, 616F, 616R, 618, 618F, 618R, 620, 620F, 620R, 622, 622F, 622R, 625, 625D, 625F, 625R, 630, 630D, 630F, 630FD, 630R, 635, 635D, 635F, 635FD, 635R, 640D, 640FD, 645FD, 725D, 730D, 730FD, 735D, 735FD, 740D, 740FD, 745FD, 925D, 930D, 936D)

**A-AE28861** Seal 0.04 Lbs.



***For Models:*** (**HEAD, CUTTING PLATFORM**: 78 SN 335001>, 130, 135, 200 SERIES, 200E SERIES, 218)

**A-AE38359** Bearing, Needle 0.15 Lbs.



***Dim/Info:***
Inside Diameter - 1.125"
Outside Diameter - 1.500"

***For Models:*** (**HEAD, CUTTING PLATFORM**: 120, 200 SERIES, 200E SERIES, 218, 213, 215, 216, 220, 222, 224, 230, 300A, 900 SERIES, 918, 920), (**SWATHER/WIND-ROWER**: 2320, 2360, 2420, 3430, 3830, 4890, 4895, 4990, 4995)


**A-AE53175** Seal 0.14 Lbs.



***Dim/Info:***
Shaft Diameter - .875"
Outside Diameter - 1.250"
Width - .256"

***For Models:*** (**HEAD, CUTTING PLATFORM**: 120, 900 SERIES, 918, 920)

**A-AH145821** Shaft, Cutterbar Drive (LH) 26.00 Lbs.
***Replaces:*** AH141465, AH131527





***Dim/Info:***
A - 85.440"
B - 1.125" HEX
Thread - M20 x 1.5 RH

**A-207KRRB12-I** Bearing, RH/ LH 0.87 Lbs.

***For Models:*** (**HEAD, CUTTING PLATFORM**: 922)

**A-H87352** Shaft, Platform Drive 26.00 Lbs.



***Dim/Info:***
73.430" long

**A-JD9274** Bearing, RH (220 SN <317200) 0.80 Lbs.

**A-JD8545** Bearing, LH (220 SN <317200) 0.67 Lbs.

**A-AH10515** Bearing, RH (220 S/N 317201>, 920 S/N <635100, 200E 20') 1.36 Lbs.

**A-JD8593** Bearing, LH (220 S/N 317201>, 920 S/N <635100, 200E 20') 1.20 Lbs.

***For Models:*** (**HEAD, CUTTING PLATFORM**: 220 flex-platform, 900 SERIES 20 FT. SN <-635100)

*JOHN DEERE


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-H87353** Shaft, Platform Drive 34.46 Lbs.




***Dim/Info:***
97.310" long

**A-JD8545** Bearing, LH (224 S/N <317200) 0.67 Lbs.
**A-JD9274** Bearing, RH (224 S/N <317200) 0.80 Lbs.
**A-JD8593** Bearing, LH (224 S/N 317201>, 924 S/N <635100, 200E) 1.20 Lbs.
**A-AH10515** Bearing, RH (224 S/N 317201>, 924 S/N <635100, 200E) 1.36 Lbs.

***For Models:*** (**HEAD, CUTTING PLATFORM**: 224 flex-platform, 900 SERIES SN <-635100)

**A-H87351** Shaft, Platform Drive (RH) 21.00 Lbs.




***Dim/Info:***
61.31" long

**A-AH10515** Bearing, RH 1.36 Lbs.
**A-JD9274** Bearing, RH 0.80 Lbs.
**A-JD8545** Bearing, LH 0.67 Lbs.
**A-JD8593** Bearing, LH 1.20 Lbs.

***For Models:*** (**HEAD, CUTTING PLATFORM**: 200 SERIES, 200E SERIES, 918 SN <-635100)

**A-AH173229** Reel Cylinder (LH) 5.00 Lbs.
***Replaces:*** AH150695



***For Models:*** (**HEAD, CUTTING PLATFORM**: 325, 900F, 900R, 915F SN 690412>, 918F SN 690545>, 918R SN 690560>, 920F SN 690886>, 920R SN 690704>, 922F SN 690824>, 925D , 925F SN 691555>, 925R SN 690996>, 930D, 930F SN 691857>, 930R SN 691526>, 936D)

**A-AH169497** Bearing; Reel Cam Follower Roller 0.60 Lbs.
For Hart Carter Level 1 & 2 MY 1990>
***Replaces:*** 86518386



***Dim/Info:***
Outside Diameter - 1.500"
Overall Length - 1.738"
Thread Length - .739"
Thread Size - .394" (10mm)
Width - .875"

***For Models:*** (**HEAD, CUTTING PLATFORM**: 325, 600F, 600R, 614R, 615F, 615R, 616, 616F, 616R, 618, 618F, 618R, 620, 620F, 620R, 622, 622F, 622R, 622X, 625, 625D, 625F, 625R, 625X, 630, 630D, 630F, 630FD, 630R, 630X, 635, 635D, 635F, 635FD, 635R, 635X, 640D, 640FD, 640X, 645FD, 725D, 730D, 730FD, 735D, 735FD, 740D, 740FD, 745FD, 900 SN 655301>, 913, 913F, 913R, 915, 915F, 915R, 916, 916F, 916R, 918, 918F, 918R, 920, 920F, 920R, 922, 922F, 922R, 924, 924F, 924R, 925, 925D, 925F, 925R, 930, 930D, 930F, 930R, 936D)

**A-AH97031** Idler, Flat 3.50 Lbs.



***Dim/Info:***
EFFECTIVE DIA: 7.992"
GROOVE WIDTH: 1.000"
TOTAL WIDTH: 1.437"
BORE DIA: .637"

***For Models:*** (**HEAD, CUTTING PLATFORM**: 600F, 600R, 615F, 615R, 618F, 618R, 620F, 620R, 622F, 622R, 625F, 625R, 630F, 630R, 635F, 635R)

**A-AN15237** Assy, Idler 2.20 Lbs.



***Dim/Info:***
7 15/16" Dia.

***For Models:*** (**HEAD, CUTTING PLATFORM**: 200 SERIES, 213, 215, 216, 218, 220, 222, 224, 230, 900 SERIES)

**A-HXE20152** Ramp; Crop, LH 0.33 Lbs.



***For Models:*** (**HEAD, CUTTING PLATFORM**: 630FD, 635FD, 640FD, 645FD)

**A-HXE17296** Ramp; Crop, RH 0.33 Lbs.



***For Models:*** (**HEAD, CUTTING PLATFORM**: 630FD, 635FD, 640FD, 645FD)

**A-H207930** Sickle Section, Coarse 7 Tooth (Dura-Lite) 0.16 Lbs.
***Replaces:*** H160251



***Dim/Info:***
Coarse 7 Tooth
Dura-Lite
Yellow Dichromated Finish
minimum order qty 25

***For Models:*** (**HEAD, CUTTING PLATFORM**: 913, 915, 920, 922, 925, 930, 900 SERIES, 918, 900R, 900F)

**A-H145791** Forged Guard, 2 Prong 1.65 Lbs.
***Replaces:*** H61954, H75386 & BU240A



***Dim/Info:***
One piece construction
minimum order qty 25

***For Models:*** (**HEAD, CUTTING PLATFORM**: 213, 215, 216, 218, 220, 222, 224, 230, 900 SERIES, 913, 915, 918, 920, 922, 924, 925, 930)

**A-118344** Guard, Double Prong 1.97 Lbs.



***Dim/Info:***
minimum order qty 25

***For Models:*** (**HEAD, CUTTING PLATFORM**: 140, 160)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# GRAIN HEAD PARTS

**A-LB218** Forged Guard, 3 Long Prong 2.30 Lbs.



***Dim/Info:***
Type - 3-Bolt

***For Models:*** (**HEAD, CUTTING PLATFORM**: 200, 200E SERIES, 213, 215, 216, 218, 220, 222, 224, 230, 814 Europe, 816 Europe, 818 Europe, 820 Europe, 900 SERIES, 918, 920)

**A-H229538** Guard, Knife; 4" Blunt Point, Short/Long/Short 1.80 Lbs.
***Replaces:*** AH213055



***Dim/Info:***
High Wear
Length: 4.866"
Bolt Size: .413"
Slot Width: .185"
Slot Depth: 4.217"
Offset: .906"

***For Models:*** (**HEAD, CUTTING PLATFORM**: (615F, 618F, 618R, 620F, 620R, 622F, 622R, 625F, 625R, 630F, 630R, 635F ALL Flex Platform SN 710101->))

**A-H229537** Guard, Knife; 4" Blunt Point, Long/Short/Long 2.13 Lbs.
***Replaces:*** H205992, H205448



***Dim/Info:***
High Wear
minimum order qty 15

***For Models:*** (**HEAD, CUTTING PLATFORM**: 615F, 618F, 620F, 622F, 630F, 625F, 635F)

**A-HXE19625** Knife Guard, Non Clog, Open, 4" 1.45 Lbs.



***For Models:*** (**HEAD, CUTTING PLATFORM**: 630FD, 635FD, 640FD)

**A-HXE18172** Guard; 4" Dual Knife, Open 1.70 Lbs.



***Dim/Info:***
Length - 3.772" Center Hole To End
Bolt Size - .413"
Spacing - 3.000" Hole Spacing

***For Models:*** (**HEAD, CUTTING PLATFORM**: 635D, 625D, 630D, 640D, 645FD, 730D, 735D, 740D, 725D, 745FD, 730FD, 735FD, 740FD, 630FD, 635FD, 640FD)

**A-H229539** Guard, Knife; 4" Long Point, Long/Short/Long 2.20 Lbs.
***Replaces:*** H213405



***Dim/Info:***
High Wear
Length: 6.181"
Bolt Size: .413"
Slot Width: .185"
Slot Depth: 3.650"
Offset: .327"

***For Models:*** (**HEAD, CUTTING PLATFORM**: 615R, 618R, 620R, 622R, 625D, 625R, 630D, 630R, 635D, 635R, 925D, 930D, 936D)

**A-H229540** Guard, Knife; 4" Long Point, Short/Long/Short 1.91 Lbs.
***Replaces:*** AH159209, AH164123, AH206088, AH213056



***Dim/Info:***
High Wear
minimum order qty 15

***For Models:*** (**HEAD, CUTTING PLATFORM**: 618R, 620R, 622R, 625R, 630R, 925D, 930D, 936D)

**A-H218702** Guard, Knife; 4" For No-Till Conditions, Long/Short/Long 1.85 Lbs.



***Dim/Info:***
minimum order qty 5

***For Models:*** (**HEAD, CUTTING PLATFORM**: 615F, 618F, 620F, 622F, 625F, 630F, 635F)

**A-H218703** Guard, Knife; Non-Clog 1.45 Lbs.



***Dim/Info:***
minimum order qty 5

***For Models:*** (**HEAD, CUTTING PLATFORM**: 615F, 615R, 618F, 618R, 620F, 620R, 622F, 622R, 625F, 625R, 630D, 630F, 630R, 635D, 635F, 635R, 925D, 930D, 936D)

**A-CR7222** Guard, Knife 1.70 Lbs.
***Replaces:*** Crary # CR7222, Shoup # 417222, MCM # MCM7222



***For Models:*** (**HEAD, CUTTING PLATFORM**: 200 SERIES, 900 SERIES)

**A-BG424** Guard, Knife; Bottom, Tiger Jaws 1.45 Lbs.



***Dim/Info:***
minimum order qty 5

***For Models:*** (**HEAD, CUTTING PLATFORM**: 200 SERIES, 900 SERIES, 900F, 900R)

*JOHN DEERE

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-FH318319** Guard; Knife 1.94 Lbs.

***Dim/Info:***
Length - 6.055" Center Hole To End
Bolt Size - .484"
Spacing - 3.000" - Hole Spacing

***For Models:*** (**HEAD, CUTTING PLATFORM**: 140A, 160A, 180A, 415D, 420D, 425D, 430D, 435D, 440D)

**A-FH318499** Wear Plate; Cutterbar 0.46 Lbs.



***For Models:*** (**HEAD, CUTTING PLATFORM**: 415D, 420D, 425D, 430D, 435D, 440D)

**A-AH218548** Clip, High Hold Down 0.62 Lbs.



***Dim/Info:***
minimum order qty 15

***For Models:*** (**HEAD, CUTTING PLATFORM**: 600F, 600R, 625D, 625F, 630, 630D, 630F, 630FD, 635D, 635FD, 640D, 640FD, 925D, 930D, 936D)

**A-AH218547** Clip, Adjustable Hold Down 0.57 Lbs.
***Replaces:*** AH213058



***Dim/Info:***
minimum order qty 15

***For Models:*** (**HEAD, CUTTING PLATFORM**: 625D, 625F, 630, 630D, 630FD, 630R, 635D, 635F, 635FD, 635R, 640D, 640FD, 925D, 930D, 936D)

**A-H127801** Clip, Hold Down 0.64 Lbs.



***Dim/Info:***
minimum order qty 5

***For Models:*** 1170 SN 038095-, (**HEAD, CUTTING PLATFORM**: 200 SERIES SN 620301-, 218D , 300 SERIES SN 24399-, (600F, 600R ALL SN 710101- North American), 900 SERIES, (900F, 900R ALL 2000-2002/SN 685401-), 918D, 920D)

**A-H129024** Clip, Hold Down, LH 0.75 Lbs.



***For Models:*** 1170 SN 038095-, (**HEAD, CUTTING PLATFORM**: 200 SERIES SN 620301-, 218D, (600F, 600R ALL SN 710101- North American), 900 SERIES 1988-1996/SN 625301- 685400, (900F, 900R ALL 2000-2002/SN 685401-), 918D, 920D)

**A-H204074** Bracket, Flex Cutterbar, Lock 1.25 Lbs.



***For Models:*** (**HEAD, CUTTING PLATFORM**: 600F, 600R)

**A-E81021** Arm, Knife Drive (LH) 5.60 Lbs.
***Replaces:*** CXM33834, AE37582



***Dim/Info:***
Spline Count - 12

***For Models:*** (**HEAD, CUTTING PLATFORM**: 130, 135, 300, 300A)

**A-H86911** Arm, Knife Drive 3.20 Lbs.



***For Models:*** (**HEAD, CUTTING PLATFORM**: (200, 213, 218, 215, 216, 220, 222, 224, 230 ALL SN <530050), 218 SN <611150)

**A-H98780** Bearing Housing, Knife Drive (less bearing) 0.88 Lbs.
Bearing not included.
***Replaces:*** H86917

***For Models:*** (**HEAD, CUTTING PLATFORM**: 200 SERIES, 213, 215, 216, 218, 220, 222, 224, 230, 900 SERIES, 918, 920)

**A-E52444** Arm, Knife Drive 3.00 Lbs.



***Dim/Info:***
Spline Count - 12

***For Models:*** (**HEAD, CUTTING PLATFORM**: 78, 120, 200E SERIES, 183, 218 SN 611151>, (218, 200, 213, 215, 216, 220, 222, 224, 230 ALL SN 530051>), (314, 316, 319 ALL Rigid), 900 SERIES SN <638500, 918, 918D, 920D)

**A-AH92518** Arm Assy, Flex, LH Stop 4.30 Lbs.
***Replaces:*** AH89302



***For Models:*** (**HEAD, CUTTING PLATFORM**: 200 SERIES, 213, 215, 216, 218, 220, 222, 224, 230, 900 SERIES 1988-1996/SN 625301- 685400, (900F, 900R ALL 2000-2002/SN 685401-))

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# GRAIN HEAD PARTS

**A-E91161** Arm, Drive; Flex 19.70 Lbs.
For Flex Heads



***For Models:*** (**HEAD, CUTTING PLATFORM**: 900 SERIES Flex; 2000-2002 - SN 685401>)

**A-H136758** Arm, Sickle Drive 19.07 Lbs.



***For Models:*** (**HEAD, CUTTING PLATFORM**: (900F, 915F, 918F, 920F, 922F, 924F, 925F, 930F ALL SN 638501>))

**A-H136757** Arm, Sickle Drive (Rigid) 23.00 Lbs.



***For Models:*** (**HEAD, CUTTING PLATFORM**: 822, 900 SERIES SN 638501>, 900F, 900R, 825 Europe, 918, 920, 922, 925)

**A-E94399** Sheave, Knife Driven 18.20 Lbs.



***Dim/Info:***
11.000" O.D.
.887" Groove Width
1.395" Bore Size

***For Models:*** (**HEAD, CUTTING PLATFORM**: 900 SERIES Rigid & Flex; 2000-2002 - SN 685401>)

**A-AH154697** Bushing, Isolator (10 Per Pk) 0.17 Lbs.
***Replaces:*** AH80384



***Dim/Info:***
.6325"bore
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: 213, 215, 216, 218D, 220, 222, 224, 230, 600F, 600R, 913, 915, 918, 920, 922, 925F, 930, 930F)

**A-AH162309** Assy, Extension Spring 1.25 Lbs.
***Replaces:*** AH147202



***For Models:*** (**HEAD, CUTTING PLATFORM**: 600F, 600R, 630FD, 635FD, 640FD, 900 SERIES SN 665301-, (900F, 900R ALL 2000-2002/SN 685401-))

**A-H241108** Bracket, Skid Shoe Front Clip 0.15 Lbs.
***Replaces:*** H231524



***For Models:*** (**HEAD, CUTTING PLATFORM**: 625D, 630D, 635D)


**A-H33316** Reel Tooth 0.21 Lbs.



***Dim/Info:***
Diameter - .187"
Overall Length - 11.250"

***For Models:*** (**HEAD, CUTTING PLATFORM**: 218, 918, 920)


**A-H33332** Reel Finger (RH) 0.28 Lbs.




***Dim/Info:***
11.50"
1.50"
3.00"

***For Models:*** (**HEAD, CUTTING PLATFORM**: 218, (918, 920 ALL S/N 656330-695100))

**A-481088** Steel Reel Finger (LH) 0.29 Lbs.
***Replaces:*** (JD: H33333), (IH: 167652C1)



***Dim/Info:***
A - 11.50"
B - 1.50"
C - 3.00"

***For Models:*** SEVERAL

**A-AH97207** Arm Assy, Spider 0.95 Lbs.
***Replaces:*** AE24410



***For Models:*** 6602 HILLSIDE, 6622, (**HEAD, CUTTING PLATFORM**: 78 For 780 and 800, 120 For 2250 and 2270, 130 For 2280, 135 For 2320 and 2420, 200 SERIES, 218, (213F, 213R, 215F, 215R, 216F, 216R, 218F, 218R, 220F, 220R, 222F, 222R, 224F, 224R, 230F, 230R ALL SN 36501-), 900 SERIES, 918, 920, (913, 915, 918, 920, 922, 924, 925, 930 ALL SN -645300))

**A-H176179** Tine, Steel, LH 0.25 Lbs.



***For Models:*** (**HEAD, CUTTING PLATFORM**: 600F, 600R, (614R, 615R, 618R, 620R, 622R, 625R, 630R ALL SN -027697), 625D, 630D, 630FD, (925D, 930D ALL SN 705744-), 936D)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
aiproducts
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-KXE10477** Finger; No Bat, Plastic (10/Pack) 0.14 Lbs.
***Replaces:*** AH166492



***Dim/Info:***
Includes - (10) Fingers & (10) Screws
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: 615F, 615R, 618F, 618R, 620F, 620R, 622F, 622R, 625D, 625F, 625R, 630D, 630F, 630FD, 630R, 635D, 635F, 635FD, 635R, 640D, 640FD, 725D, 730D, 735D, 900F, 900R, 925D, 930D, 936D)

**A-AH166489** Finger; Full Bat, Plastic (10/Pack) 0.20 Lbs.



***Dim/Info:***
Includes - (10) Fingers & (10) Screws
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: 600F, 600R, 615F, 615R, 618F, 618R, 620F, 620R, 622F, 622R, 625D, 625F, 625R, 630D, 630F, 630R, 635D, 635F, 635R, 900F, 900R, 913, 914, 915, 915F, 918F, 918R, 920F, 920R, 922F, 922R, 924F, 924R, 925D, 925F, 925R, 930D, 930F, 930R, 936D)

**A-AH166491** Finger; RH Bat, Plastic, (10/Pack) 1.40 Lbs.



***Dim/Info:***
Includes - (10) Fingers & (10) Screws.
Package Of 10 / Priced Per Pack

***For Models:*** (**HEAD, CUTTING PLATFORM**: 615F, 615R, 618F, 618R, 620F, 620R, 622F, 622R, 625D, 625F, 625R, 630D, 630F, 630FD, 630R, 635D, 635F, 635FD, 635R, 640D, 640FD, 725D, 730D, 735D, 900F, 900R, (913F, 913R, 915F, 916F, 916R, 915R, 918F, 918R, 920F, 920R, 922F, 922R, 924F, 924R, 925F, 925R, 930F, 930R ALL SN 685401>), 925D, 930D, 936D)

**A-AH166490** Finger; LH Bat, Plastic (10/Pack) 1.40 Lbs.



***Dim/Info:***
Includes - (10) Fingers & (10) Screws
Package Of 10, Priced Per Package

***For Models:*** (**HEAD, CUTTING PLATFORM**: 615F, 615R, 618F, 618R, 620F, 620R, 622F, 622R, 625D, 625F, 625R, 630D, 630F, 630FD, 630R, 635D, 635F, 635FD, 635R, 640D, 640FD, 725D, 730D, 735D, 900F, 900R, (913F, 913R, 915F, 915R, 916F, 916R, 918F, 918R, 920F, 920R, 922F, 922R, 924F, 924R, 925F, 925R, 930F, 930R ALL SN 685401>), 925D, 930D, 936D)

**A-H207933** Finger, Reel; Wide 0.18 Lbs.
For 4" & 6" Reel Fingers.



***Dim/Info:***
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: 600F, 600R, 925D, 930D, 936D)

**A-H142313** Poly Reel Finger (END) 0.14 Lbs.



***Dim/Info:***
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: 900 SERIES SN <658100)

**A-KXE10423** Finger Kit; Reel (Pack/10) 2.36 Lbs.
Package Of 10, Priced Per Package
***Replaces:*** KXE10316



***For Models:*** (**HEAD, CUTTING PLATFORM**: 622X, 625D, 625X, 630D, 630FD, 630X, 635D, 635FD, 635X, 640D, 640FD, 640X, 645FD, 725D, 730D, 735D, 740D)

**A-H127035** Combine Reel Flex Tine 0.10 Lbs.
Hart Carter Reel. Mounting Screw Enters From Backside Of Bat.



***Dim/Info:***
minimum order qty 50

***For Models:*** (**HEAD, CUTTING PLATFORM**: 900 SERIES SN <-645300, 913, 915, 918, 920, 922, 924, 925, 930, SEVERAL)

**A-H142315** Poly Reel Finger (Wing Right) 0.14 Lbs.



***Dim/Info:***
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: (900 SERIES, 918, 920, 922, 925 ALL SN 645301->))

**A-H142314** Poly Reel Finger (Wing Left) 0.14 Lbs.



***Dim/Info:***
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: (900 SERIES, 918, 920, 922, 925 ALL SN 645301->))

**A-AH153175** Poly Reel Finger (Double Wing) 0.18 Lbs.



***Dim/Info:***
minimum order qty 25

***For Models:*** (**HEAD, CUTTING PLATFORM**: (900 SERIES, 918, 920, 922, 925 ALL SN 645301->))

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# GRAIN HEAD PARTS

**A-783597** Tine, Plastic; Full Wing 0.20 Lbs.
For Level II Reels: 1.375" tube w/ .500" hex holes spaced @ 6.000" apart. Tines have a hex nub that fits into a hex hole in the tube. Standard since 1999/2000.



***Dim/Info:***
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: (900D, 900F, 900R ALL SN 685101>))

**A-AXE28803** Holder, Reel Bat Tube 1.30 Lbs.



***Dim/Info:***
minimum order qty 12

***For Models:*** (**HEAD, CUTTING PLATFORM**: 615F, 615R, 618F, 618R, 620F, 620R, 622F, 622R, 625D, 625F, 625R, 630D, 630F, 630FD, 630R, 635D, 635F, 635FD, 635R, 640D, 640FD, 645FD)

**A-H175727** Holder, Reel Bat Tube 0.10 Lbs.
***Replaces:*** H136954



***Dim/Info:***
minimum order qty 6

***For Models:*** (**HEAD, CUTTING PLATFORM**: 300 SERIES, 600F, 600R, 618, 620, 622, 625, 625D, 630, 630D, 630FD, 635, 635D, 635FD, 640D, 640FD, 900 SERIES SN 645301>, 900 SERIES 1988-1996 SN 645301-, (900F, 900R ALL 2000-2002 SN 685401-), 925D, 930D, 936D SN 705082-)

**A-H175436** Strap, Spider Arm Bearing 0.10 Lbs.
***Replaces:*** H136955



***For Models:*** (**HEAD, CUTTING PLATFORM**: 300 SERIES 25, (316, 319 ALL 16', 19'), 325, 618, 620, 622, 625, 625D, 630, 630D, 635, 635D, 635FD, 640D, 640FD, 900 SERIES, 925D, 930D, 600F, 600R, 630FD, 900 SERIES 1988-1996 SN 645301-, (900F, 900R ALL 25 SN -690100/Level II SN 690101-), 936D SN 705082-)

**A-H162662** Finger; Auger (Steel) 0.93 Lbs.
***Replaces:*** H102724, H150050



***Dim/Info:***
minimum order qty 25

***For Models:*** (**HEAD, CUTTING PLATFORM**: (213, 215, 216, 218, 220, 222, 224, 230 ALL SN 431351>), 822 Europe, 825 Europe, 900 SERIES SN <702517, 913, 914P SN <702517, 915, 918, 918D, 920, 920D, 922, 925, 930)

**A-H205318** Finger, Cross Auger (Composite) 0.28 Lbs.
***Replaces:*** H202806



***Dim/Info:***
Length - 10.433"
minimum order qty 25


***For Models:*** (**HEAD, CUTTING PLATFORM**: 900 SERIES, 914P), (**HEAD, CORN**: 50A SERIES)

**A-H179000** Guide, Cross Auger Finger 0.04 Lbs.
Used With Composite Finger Part# A-H205318.



***For Models:*** (**HEAD, CUTTING PLATFORM**: 900 SERIES, 914P), (**HEAD, CORN**: 50A SERIES)

**A-AH171884** Support, Auger Finger 0.22 Lbs.
***Replaces:*** AH107066, AH164128, AH143705, H103046



***For Models:*** (**HEAD, CUTTING PLATFORM**: 200 SERIES, 213, 215, 216, 218, 220, 222, 224, 230, 900 SERIES, 914P, 918D, 920D, 925D, 930D, 936D), (**HEAD, CORN**: 50A SERIES)

**A-H178002** Retainer; Finger 0.10 Lbs.



***For Models:*** (**HEAD, CUTTING PLATFORM**: 925D, 930D, 936D)

**A-H202409** Cap, Guide Finger, 21MM Dia 0.20 Lbs.



***For Models:*** (**HEAD, CUTTING PLATFORM**: (600F, 600R ALL Use w/Steel Fingers/North American), 615P Steel, (900 SERIES, 914P ALL SN 705218-/Steel))

**A-H168206** Cap, Guide Finger 0.20 Lbs.
For Use With Steel Fingers.



***For Models:*** (**HEAD, CUTTING PLATFORM**: 600F, 600R, 615P, 616, 618, 620, 622, 625, 630, 635, (900 SERIES, 914P ALL SN 705218>))

**A-AH171602** Bearing Assembly; Auger Finger 0.26 Lbs.

***For Models:*** (**HEAD, CUTTING PLATFORM**: 600F, 600R, 615P, 625D, 630D, 630FD, 635D, 635FD, 640D, 640FD, 645FD, (900 SERIES, 914P ALL SN 705218-))

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
aiproducts
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-H85241** Guide, Finger 0.05 Lbs.



***Dim/Info:***
minimum order qty 10

***For Models:*** 6601 SN 4501-, 6602 HILLSIDE SN -1500, 6622, 7722 HILLSIDE, (**HEAD, CORN**: 483, 484)

**A-AH214868** Kit, Auger Finger; Steel 10.25 Lbs.
***Replaces:*** AH201250



***Dim/Info:***
Includes - (10) H169914 Fingers, (10) H172459 Retainers & (10) 28316 Spring Pins.

***For Models:*** (**HEAD, CUTTING PLATFORM**: (600F, 600R ALL North American), 615P)

**A-AH214869** Kit, Auger Finger; Composite 3.10 Lbs.



***Dim/Info:***
Includes - (10) Composite Fingers.

***For Models:*** (**HEAD, CUTTING PLATFORM**: (600F, 600R ALL North American Edition), 615P, 635F)

**A-H172459** Retainer, Auger Finger 0.09 Lbs.
For Use With Steel Fingers.



***For Models:*** (**HEAD, CUTTING PLATFORM**: 600F, 600R, 615P, (625D, 630D ALL 14", 16"), 630FD, 635D 14", 16", 635FD , 640D 14", 16", 640FD, 645FD, (900 SERIES, 914P ALL SN 705218-))

**A-H174947** Retainer, Auger Finger 0.13 Lbs.
***Replaces:*** AH202788



***For Models:*** (**HEAD, CORN**: 50A SERIES SN 685406-/ Used w/H174360 Crank), (**HEAD, CUTTING PLATFORM**: 900 SERIES SN -705217/ Used w/H174360 Crank, (900F, 900R ALL 2000-2002/SN 685401-/ Used w/H174360 Crank), 914P SN -705217/ Used w/H174360 Crank, (918, 920 ALL SN 685101-/ Used w/H174360 Crank))

**A-H217266** Ball; Finger Guide 0.03 Lbs.



***Dim/Info:***
Bore - .650"
Diameter - 1"
Width - .84"

***For Models:*** (**HEAD, CUTTING PLATFORM**: 625D, 630D, 630FD, 635D, 635FD, 640D, 640FD, 645FD, 725D, 730D, 730FD, 735D, 735FD, 740D, 745FD)

**A-H217264** Retainer; Finger Guide, Top 0.10 Lbs.




***For Models:*** (**HEAD, CUTTING PLATFORM**: 625D, 630D, 630FD, 635D, 635FD, 640D, 640FD, 645FD, 725D, 730D, 730FD, 735D, 735FD, 740D, 745FD)

**A-H217265** Retainer; Finger Guide, Bottom 0.10 Lbs.



***For Models:*** (**HEAD, CUTTING PLATFORM**: 625D, 630D, 630FD, 635D, 635FD, 640D, 640FD, 645FD, 725D, 730D, 730FD, 735D, 735FD, 740D, 745FD)


**A-P45961** Tooth, Pickup 0.12 Lbs.




***Dim/Info:***
A - 4.750"
B - 1.500"
C - .875"
minimum order qty 10

***For Models:*** SEVERAL Used On Pickup Belt Attachment

**A-E39915** Tooth, Pickup 0.13 Lbs.




***Dim/Info:***
A - 4.750"
B - 1.625"
C - .875"
minimum order qty 5

***For Models:*** SEVERAL Used On Pickup Belt Attachment

**A-H203897** Cover, Hand Hole 1.25 Lbs.
***Replaces:*** H172608



***For Models:*** (**HEAD, CUTTING PLATFORM**: 600F, 600R, 615P, 616F, 616R, 618, 618F, 618R, 620, 620F, 620R, 622, 625, 625D, 625F, 630D, 630F, 630FD, 635D, 635F, 635FD, 635R, 640D, 640FD, 645FD, 900 SERIES 1988-1996/SN 625301- 685400, 900F, 900R, 914P, 918, 920, 922, 925), (**HEAD, CORN**: 50A SERIES SN 655101-)

**A-AH204994** Plate, Skid; Std Height Float Arm 4.30 Lbs.



***For Models:*** (**HEAD, CUTTING PLATFORM**: 600F, 600R, 615F, 615R, 616F, 616R, 618F, 618R, 620F, 620R, 622F, 622R, 625F, 625R, 630F, 630R, 635F, 635R)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.


# GRAIN HEAD PARTS

**A-HXE10959** Plate, Skid; Poly. Standard Cutting Height 0.41 Lbs.



***For Models:*** (**HEAD, CUTTING PLATFORM**: 630FD, 635FD, 640FD, 645FD)


**A-H170501** Plate, Skid; Rear RH, Poly 0.90 Lbs.



***Dim/Info:***
Rivets Not Included, Must Order A-RVT531 Rivets (Package Of 25) Seperately.
QTY - 1

***For Models:*** (**HEAD, CUTTING PLATFORM**: 615F, 618F, 620F, 622F, 625F, 630F, 635F)


**A-H209696** Plate, Skid; RH Front, Poly 0.24 Lbs.



***Dim/Info:***
Rivets Not Included, Must Order A-RVT531 Rivets (Package Of 25) Seperately.

***For Models:*** (**HEAD, CUTTING PLATFORM**: 615F, 618F, 620F, 622F, 625F, 630F, 635F)

**A-H205344** Plate, Skid; Center, Poly 0.37 Lbs.



***Dim/Info:***
Rivets Not Included, Must Order A-RVT531 Rivets (Package Of 25) Seperately.
Dimensions - 9.500" X 5.375"
QTY - 46

***For Models:*** (**HEAD, CUTTING PLATFORM**: 615F, 618F, 620F, 622F, 625F, 630F, 635F)

**A-H231690** Plate, Skid; Poly, Regular Height 0.24 Lbs.



***Dim/Info:***
Rivets Not Included, Must Order A-RVT531 Rivets (Package Of 25) Seperately.
QTY - 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: 630FD, (635FD, 640FD ALL SN 765000>), 645FD)

**A-H204221** Plate, Skid; Center, Poly 0.40 Lbs.
Used On Raised Skid Shoes



***Dim/Info:***
Rivets Not Included, Must Order A-RVT531 Rivets (Package Of 25) Seperately.
Use W/ H215074 Support
QTY - 37

***For Models:*** (**HEAD, CUTTING PLATFORM**: 620F, 622F, 625F, 630F, 635F)

**A-H205301** Plate, Skid, Flex 3.95 Lbs.

***For Models:*** (**HEAD, CUTTING PLATFORM**: 600F, 600R)

**A-H204225** Plate, Skid; Float Arm, Poly, Raised 0.75 Lbs.
Used On Raised Skid Shoes



***Dim/Info:***
Rivets Not Included, Must Order A-RVT531 Rivets (Package Of 25) Seperately.
Use W/ H215074 Support
QTY - 9

***For Models:*** (**HEAD, CUTTING PLATFORM**: 620F, 622F, 625F, 630F, 635F)

**A-H215075** Plate, Skid; LH, Standard Shoe, Poly 2.20 Lbs.
Used On Standard Height Skid Shoes



***Dim/Info:***
Rivets Not Included, Must Order A-RVT531 Rivets (Package Of 25) Seperately.
Used W/ H215074 Support

***For Models:*** (**HEAD, CUTTING PLATFORM**: 600F, 600R, 615R, 616F, 616R, 618R, 620R, 622R, 625R, 630R, 635R)

**A-H208626** Plate, Skid; LH, Poly 0.67 Lbs.



***Dim/Info:***
Rivets Not Included, Must Order A-RVT531 Rivets (Package Of 25) Seperately.
QTY - 1

***For Models:*** (**HEAD, CUTTING PLATFORM**: 615F, 618F, 620F, 622F, 625F, 630F, 635F)

**A-HXE59505** Plate, Skid; Poly, RH 1.90 Lbs.
***Replaces:*** HXE30972



***Dim/Info:***
Rivets Not Included, Must Order A-RVT531 Rivets (Package Of 25) Seperately.

***For Models:*** (**HEAD, CUTTING PLATFORM**: 630FD, 635FD, 640FD)

**A-HXE59506** Plate, Skid; Poly, LH 1.90 Lbs.
***Replaces:*** HXE10619



***Dim/Info:***
Rivets Not Included, Must Order A-RVT531 Rivets (Package Of 25) Seperately.

***For Models:*** (**HEAD, CUTTING PLATFORM**: 630FD, 635FD, 640FD)

**A-H211864** Plate, Skid; LH, Poly, Raised 1.10 Lbs.
Used On Raised Skid Shoes



***Dim/Info:***
Rivets Not Included, Must Order A-RVT531 Rivets (Package Of 25) Seperately.
QTY - 1

***For Models:*** (**HEAD, CUTTING PLATFORM**: 615F, 618F, 620F, 622F, 625F, 630F, 635F)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-H218047** Plate, Skid; LH, Poly, Raised 2.80 Lbs.
Used On Raised Skid Shoes



***Dim/Info:***
Rivets Not Included, Must Order A-RVT531 Rivets (Package Of 25) Seperately.
Used W/ H215074 Support

***For Models:*** (**HEAD, CUTTING PLATFORM**: (600F, 615F, 618F, 620F, 622F, 625F, 630F, 635F ALL Raised Shoe))

**A-H204239** Plate, Skid; LH, Poly, Raised 2.80 Lbs.
Used On Raised Skid Shoes



***Dim/Info:***
Used W/ H203906 Support
QTY - 1

***For Models:*** (**HEAD, CUTTING PLATFORM**: 615F, 618F, 620F, 622F, 625F, 630F, 635F)

**A-H204244** Plate, Skid; RH Rear, Poly, Raised 1.50 Lbs.
Used On Raised Skid Shoes



***Dim/Info:***
Rivets Not Included, Must Order A-RVT531 Rivets (Package Of 25) Seperately.
Use W/ H215074 Support
QTY - 1

***For Models:*** (**HEAD, CUTTING PLATFORM**: 615F, 618F, 620F, 622F, 625F, 630F, 635F)

**A-H204243** Plate, Skid; RH Front, Poly, Raised 0.22 Lbs.
Used On Raised Skid Shoes



***Dim/Info:***
Rivets Not Included, Must Order A-RVT531 Rivets (Package Of 25) Seperately.
Use W/ H215074 Support
QTY - 1

***For Models:*** (**HEAD, CUTTING PLATFORM**: 615F, 618F, 620F, 622F, 625F, 630F, 635F)

**A-HXE87738** Plate, Skid; Poly, Standard Cutting Height 0.41 Lbs.



***Dim/Info:***
Rivets Not Included, Must Order A-RVT531 Rivets (Package Of 25) Seperately.

***For Models:*** (**HEAD, CUTTING PLATFORM**: (630FD, 635FD, 640FD, 645FD ALL SN 785000>), 730FD, 735FD, 740FD, 745FD)

**A-H231521** Shoe, Draper; Poly Skid, 12" 1.06 Lbs.



***Dim/Info:***
QTY - 29

***For Models:*** (**HEAD, CUTTING PLATFORM**: 625D, 630D, 635D, 640D, 725D, 730D, 735D, 740D)

**A-H231522** Shoe, Draper; Poly Skid, 18" 1.61 Lbs.



***Dim/Info:***
QTY - 4

***For Models:*** (**HEAD, CUTTING PLATFORM**: 625D, 630D, 635D, 640D, 725D, 730D, 735D, 740D)

**A-H231523** Shoe, Draper; Poly Skid 0.52 Lbs.



***Dim/Info:***
QTY - 2

***For Models:*** (**HEAD, CUTTING PLATFORM**: 625D, 630D, 640D, 725D, 730D, 740D)

**A-FH318495** Shoe, Skid; RH, Plastic 1.65 Lbs.



***Dim/Info:***
QTY - 1

***For Models:*** (**HEAD, CUTTING PLATFORM**: 415D, 420D, 425D, 430D, 435D, 440D)

**A-FH318494** Shoe, Skid; LH, Plastic 1.75 Lbs.



***Dim/Info:***
QTY - 1

***For Models:*** (**HEAD, CUTTING PLATFORM**: 415D, 420D, 425D, 430D, 435D, 440D)

**A-H172408** Shoe, Skid; Poly 1.56 Lbs.



***Dim/Info:***
QTY - 4

***For Models:*** (**HEAD, CUTTING PLATFORM**: 925D, 930D, 936D)

**A-HXE87670** Plate, Skid; Poly, RH 1.95 Lbs.
Regular Height Skid Shoes.



***Dim/Info:***
Rivets Not Included, Must Order A-RVT531 Rivets (Package Of 25) Seperately.

***For Models:*** (**HEAD, CUTTING PLATFORM**: (630FD, 635FD, 640FD, 645FD ALL SN 785000>), 730FD, 735FD, 740FD, 745FD)

**A-HXE87669** Skid Plate; LH, Poly 1.91 Lbs.
Regular Height Skid Shoes.

***Dim/Info:***
Rivets Not Included, Must Order A-RVT531 Rivets (Package Of 25) Seperately.

***For Models:*** (**HEAD, CUTTING PLATFORM**: (630FD, 635FD, 640FD, 645FD ALL SN 785000>), 730FD, 735FD, 740FD, 745FD)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# GRAIN HEAD PARTS

**A-HXE81731** Plate, Skid; Flex Draper Sump, Poly 0.15 Lbs.
Regular Cutting Height.



***Dim/Info:***
Rivets Not Included, Must Order A-RVT531 Rivets (Package Of 25) Seperately.

***For Models:*** (**HEAD, CUTTING PLATFORM**: 630FD, 635FD, 640FD, 645FD)

**A-HXE54477** Plate, Skid; Clean Out Door 17.00 Lbs.



***Dim/Info:***
Rivets Not Included, Must Order A-RVT531 Rivets (Package Of 25) Seperately.

***For Models:*** (**HEAD, CUTTING PLATFORM**: (630FD, 635FD, 640FD ALL SN 785000>))

**A-HXE52669** Rivet; .244" X .800" 0.01 Lbs.



***Dim/Info:***
Length - .800" (Usable)
Head Size - .107" (Thickness)
Diameter - .244"
Head Diameter - .625"
Material - Aluminum
minimum order qty 25

***For Models:*** S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S760, S770, S780, S785, S790, T550, T560, T660, T670, W540, W550, W650, W660, 9670STS, 9770STS, 9870STS, (**HEAD, CUTTING PLATFORM**: 615F, 615R, 616F, 616R, 618F, 618R, 620F, 620R, 622F, 622R, 625, 625F, 625R, 630, 630D, 630F, 630FD, 630R, 635D, 635F, 635FD, 635R, 640D, 640FD, 645FD, 730D, 730FD, 735D, 735FD, 740D, 740FD, 745FD)

**A-AH206402** Wobble Box, Heavy Duty 50.20 Lbs.



***Dim/Info:***
If replacing a standard wobble box the following kits are also required. AH206403 for rigid or AH206404 for flex type platforms. These are currently not available from A&I Products.

***For Models:*** (**HEAD, CUTTING PLATFORM**: 900 SERIES Rigid & Flex; 2000-2002 - SN 685401>)

**A-AE71003** Repair Kit, Wobble Box 23.65 Lbs.



***For Models:*** (**HEAD, CUTTING PLATFORM**: 900 SERIES Rigid & Flex; 2000-2002 - SN 685401>)

**A-E59303** Nut, Wobble Box Shaft 0.20 Lbs.



***Dim/Info:***
Inside Diameter - 2.09"
Outside Diameter - 2.56" Hex
Thickness - .40"
Thread - 1 15/16"- 20 UN RH

***For Models:*** 6620, 6621, 6622 SN 507051>, 7700, 7701, 7720, 7721, 8820, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560CTS, 9560SH, 9560STS, 9570STS, 9600, 9610, 9640, 9650, 9650CTS, 9650CTSII, 9650SH, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750, 9750CTS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, (**HEAD, CUTTING PLATFORM**: 78, 120, 130, 160, 183, 200 SERIES SN 530051>, 200E SERIES, 213, 215, 216, 218, 220, 222, 224, 230, 240, 300A, 325, 890, 900 SERIES SN 625301-685400, (900F, 900R ALL SN 685401>), 913, 915, 915F, 918, 918F, 918R, 920, 920F, 920R, 922, 922F, 924, 925, 925D, 925F, 925R, 930, 930D, 930F, 930R, 936D)

**A-H175603** Housing Half, Reel Arm Bearing 0.10 Lbs.
***Replaces:*** H136956



***Dim/Info:***
minimum order qty 2

***For Models:*** (**HEAD, CUTTING PLATFORM**: 300 SERIES, 325, 600F, 600R, 616R, 625D, 630D, 630FD, 635D, 635FD, 640D, 640FD, 645FD, 900 SERIES 1988-1996/SN 645301-, (900F, 900R ALL 2000-2002/SN 685401-), 925D, 930D, 936D)

**A-H175610** Shield, Eccentric 2.45 Lbs.
***Replaces:*** H136957




***For Models:*** (**HEAD, CUTTING PLATFORM**: 300 SERIES, 600F, 600R, 625D, 630D, 630FD, 635D, 635FD, 640D, 640FD, 900 SERIES Mfg. 1988-1996/SN 645301-, (900F, 900R ALL Mfg. 2000-2002/SN 685401-), 925D, 930D, 936D)

**A-AH225673** Kit, Seal, 1/2" 0.10 Lbs.
***Replaces:*** AH217616



***For Models:*** 600F, 600R, 635FD, 640D, 640FD, 645FD

**A-AH225672** Kit, Seal, 3/8" 0.10 Lbs.
***Replaces:*** AH217615



***For Models:*** (**HEAD, CUTTING PLATFORM**: 600F, 600R, 635FD, 640D, 640FD, 645FD)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-JD9977** Bearing, Needle 0.11 Lbs.




***Dim/Info:***
Inside Diameter - 0.875"
Outside Diameter - 1.188"
Weight - .11 lbs (0.05 Kg)
Width - 1.000" Outer Race

***For Models:*** 1170, 6602 SN 1501>, 6622, (**HEAD, CUTTING PLATFORM**: 78, 120, 130, 135, 140, 160, 183, 218, 220, 230, 240, 300, 300A, 890, 895, 896), (**MOWER CONDITIONER**: 710, 720, 820, 1207, 1209, 1214, 1217, 1219, 1380, 1424, 1600, 1600A)

**A-AXE10322** Bearing, Ball 0.30 Lbs.

***For Models:*** 625D, 630D, 630FD, 635D, 635FD, 640D, 640FD, 645FD, 925D, 930D, 936D

**A-H202647** V-Belt, Header Drive; 131" (3327.4MM) 2.21 Lbs.
7/8" x 131.5" Wrapped Aramid Cord



***For Models:*** (**HEAD, CUTTING PLATFORM**: 900 SERIES 18', 20', 22', 25' & 30' Flex Heads. (918, 920, 922, 925 ALL Flex Head))

**A-JDC-ADAPTER** Adapter, Head 3.55 Lbs.
Adapts Newer Model Heads To Earlier Model Combines. Works With AH220096 Header Drive Shaft.



***Dim/Info:***
**4.25"** long
21 spline

***For Models:*** 4400, 4420, 6600, 6620, 7700, 7720, 8820, 9400, 9410, 9500, 9510, 9600, 9610, (**HEAD, CUTTING PLATFORM**: 900 SERIES, 920, 920D, 920F, 920R, 925, 925D, 925F, 925R, 930, 930D, 930F, 930R, 936D)

**A-W24006100909** Driveshaft, Header w/ 1-1/8" Hex End Yokes 28.70 Lbs.



***Dim/Info:***
Series - 2400 Walterscheid
C to C - 610 mm (24")
Implement - 1 1/8" Hex Clamp Yoke
Tractor - 1 1/8" Hex Slide Collar

***For Models:***

**A-AH220096** Drive Shaft, Countour Master Header 29.00 Lbs.



***Dim/Info:***
Series - 2400 Walterscheid
C to C - 610 mm (24")
Implement - 1 1/8" Hex Clamp
Tractor - 1 3/8- 21 spl Slide Collar


***For Models:*** (**HEAD, CORN**: 90 SERIES), (**HEAD, CUTTING PLATFORM**: 900 SERIES, 918, 920, 925D, 930D, 936D)

**A-AH220096-A** Drive Shaft, Countour Master Header 29.20 Lbs.



***For Models:*** (**HEAD, CORN**: 90 SERIES), (**HEAD, CUTTING PLATFORM**: 900 SERIES, 918, 920, 925D, 930D, 936D)


**A-AN102382** Sprocket, Coupler 3.54 Lbs.



***Dim/Info:***
60 chain
14 teeth

***For Models:*** CTS, CTS II, 3300, 4400, 4420, 6600, 6620, 7700, 7701, 7720, 7721, 8820, 9400, 9410, 9500, 9510, 9600, 9610, (**HEAD, CORN**: 40 SERIES), (**HEAD, CUTTING PLATFORM**: 900 SERIES)

**A-N104147** Sprocket, Coupler 2.86 Lbs.



***Dim/Info:***
60 chain
14 teeth
Bore - 1.500"
Keyway - .375"

***For Models:*** 45, 55, 95, 105, 3300, 4400, 6600, 7700

**A-AN102383** Chain, Coupler 1.06 Lbs.



***For Models:*** CTS, CTS II, 932, 935, 942, 945, 950, 955, 960, 965, 970, 975, 975HY4, 985, 985HY4, 1052, 1055, 1065, 1072, 1075, 1075H4, 1085, 1085H4, 1133, 1144, 1155, 1157, 1158, 1166, 1166H4, 1170, 1174, 1174H4, 1177, 1177H4, 1188, 1188H4, 3300, 4400, 4420, 4425, 4435, 4435 HYDRO, 6600, 6620, 7701, 7700, 7720, 7721, 8820, 9400, 9410, 9500, 9510, 9600, 9610, (**HEAD, CORN**: 40 SERIES, 90 SERIES, 592, 594, 693, 694, 893, 894, 1092, 1290, 1291, 1293)

**A-H203898** Plate, Auger Cover 0.08 Lbs.
***Replaces:*** H174021



***For Models:*** (**HEAD, CUTTING PLATFORM**: 615P, 625D, 630D, 635D, 640D, 645FD, 914P, 900 SERIES 1988-1996 SN 695101-, (900F, 900R ALL 2000-2002 SN 685401-), (600F, 600R ALL Brasil), (600F, 600R, 635FD, 640FD ALL North American), (614R, 616R, 618, 618R, 620, 620R, 622, 622R, 622X, 625, 625R, 625X, 630, 630R, 630X, 635, 635R, 635X, 640X, 918, 920, 922, 925 ALL European), (616R, 630FD, 635FD, 640FD ALL South American), (625F, 630F, 630FD, 635FD, 640FD ALL SN 745101- Argentine)), (**HEAD, CORN**: 50A SERIES SN 695101-)

**A-H101678** Hub; Slip Clutch 2.60 Lbs.



***Dim/Info:***
Length - Hub: 2.835"
Bore - 1.154"
Outside Diameter - Hub: 3.618"
Offset - Hub: .661"

***For Models:*** (**HEAD, CUTTING PLATFORM**: 300, 314, 316, 319, 323, 325, 822, 825, 900, 912, 913, 913F, 913R, 914, 915, 915F, 915R, 916, 916F, 916R, 918, 918F, 918R, 920, 920F, 920R, 922, 922F, 922R, 924, 924F, 924R, 925, 925D, 925F, 925R, 930, 930D, 930F, 930R, 936D)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# GRAIN HEAD PARTS

**A-AH121075** Knifehead 3.21 Lbs.



***For Models:*** (**HEAD, CUTTING PLATFORM**: 200, 230, 822, 218, 213, 215, 216, 220, 222, 224, 325 <25581, 825 Europe, 900 SERIES, 918D, 920D)

**A-H157812** Ring, Knifehead 0.15 Lbs.

***For Models:*** (**HEAD, CUTTING PLATFORM**: 600F, 600R, 625D, 630D, 630FD, 635D, 635FD, 640D, 640FD, 645FD, 900 SERIES Mfg. 1988-1996/SN 625301- 685400, (900F, 900R ALL Mfg. 2000-2002/SN 685401-), 925D, 930D, 936D)

**A-AH225669** Hydraulic, Quick Coupler Socket; 1/2" 0.70 Lbs.
***Replaces:*** AH171018



***For Models:*** (**HEAD, CUTTING PLATFORM**: 640D, 645FD)

**A-AH225668** Hydraulic, Quick Coupler Socket; 3/8" 0.65 Lbs.
***Replaces:*** AH171017



***For Models:*** (**HEAD, CUTTING PLATFORM**: 600F, 600R, 640D, 645FD)


**A-AHC16965** Kit; Hydraulic Cylinder Bore Seal 0.05 Lbs.



***Dim/Info:***
Bore - 1.969"

***For Models:*** (9470STS, 9560STS, 9570STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9880I STS ALL Tilt Cylinder - Contour Master)

**A-AHC17687** Kit; Hydraulic Cylinder Bore Seal 0.04 Lbs.



***Dim/Info:***
Bore - 1.575"

***For Models:*** (**HEAD, CUTTING PLATFORM**: (616, 618, 620, 622, 625, 625D, 630D, 630FD, 635D, 635FD, 640D, 640FD, 645FD, 725D, 730D, 730FD, 735D, 735FD, 740FD, 745FD ALL Reel Lift Cylinder))

**A-AH228007** Sensor; Speed P.U. 0.37 Lbs.



***For Models:*** (**HEAD, CUTTING PLATFORM**: 625D, 630D, 630FD, 635D, 635FD, 640D, 640FD, 645FD, 725D, 730D, 735D, 735FD, 740D, 740FD, 745FD)

**A-HXE15122** Bar; Center Draper Splice 0.57 Lbs.



***For Models:*** (**HEAD, CUTTING PLATFORM**: 630FD, 635FD, 640FD)

**A-AXE15284** Sprocket, Idler 1.36 Lbs.
***Replaces:*** AXE15284



***Dim/Info:***
Bore - 1.573"
Chain Size - 80
Inside Diameter - .637"
Outside Diameter - 4.334"
Teeth - 12

***For Models:*** (**HEAD, CUTTING PLATFORM**: 600F, 600F SERIES, 600R, 600R SERIES)

**A-RVT531** Rivet; Brazier Head, .250" X .531" 0.01 Lbs.



***Dim/Info:***
**Used** W/ A&I Combine Poly Skid Plates.
Body Diameter - .250"
Body Length - .531"
Head Diameter - .625"
Material - Aluminum
minimum order qty 25

***For Models:*** SEVERAL

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.




P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-AH209794** Row Unit Less Clutch Gearbox 95.70 Lbs.



***For Models:*** (**HEAD, CORN**: (40 SERIES, 90 SERIES, 243, 244, 343, 344, 443, 444, 493, 494, 543, 546, 594, 642, 643, 644, 645, 692, 693, 693SH, 694, 842, 843, 892, 893, 894, 1243, 1290 ALL SN 705101>-), 1291 SN 705101 >-, 1293 SN 705101>-)

**A-AH146441** Gear Assembly, Stalk Roll Drive 4.30 Lbs.
***Replaces:*** AN102004



***For Models:*** (**HEAD, CORN**: 40 SERIES, 90 SERIES, 243, 244, 343, 344, 443, 444, 493, 494, 543, 546, 594, 642, 643, 644, 645, 692, 693, 693SH, 694, 842, 843, 844, 892, 893, 894, 1243, 1290, 1291, 1293)

**A-AN102006** Seal 0.05 Lbs.



***Dim/Info:***
Inside Diameter - 2.00"
Outside Diameter - 2.75"
Width - .312"


***For Models:*** (**HEAD, CORN**: 40 SERIES, 90 SERIES, 243, 244, 343, 344, 443, 444, 493, 494, 543, 546, 594, 642, 643, 644, 645, 692, 693, 693SH, 694, 842, 843, 844, 892, 893, 894, 1243, 1290, 1291, 1293)

**A-AH225673** Kit, Seal, 1/2" 0.10 Lbs.
***Replaces:*** AH217616



***For Models:*** C670, T550, T560, T660, T670, W540, W550, W650, W660, 90 SERIES, (9540I WTS, 9560I WTS, 9580I WTS ALL SN 080016-), 9640I WTS, 9640WTS, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS, (9780CTS, 9780I CTS ALL SN 072800-)

**A-AH225672** Kit, Seal, 3/8" 0.10 Lbs.
***Replaces:*** AH217615



***For Models:*** C670, T550, T560, T660, T670, W540, W550, W650, W660, 90 SERIES, 600 SERIES, 606, 608, 612, 616, 618, (9540I WTS, 9560I WTS, 9580I WTS ALL SN 080016-), 9640I WTS, 9640WTS, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS, (9780CTS, 9780I CTS ALL SN 072800-)

**A-AH225669** Hydraulic, Quick Coupler Socket; 1/2" 0.70 Lbs.
***Replaces:*** AH171018




***For Models:*** C670, T550, T560, T660, T670, W540, W550, W650, W660, (9540I WTS, 9560I WTS, 9580I WTS ALL SN 080016-), 9640I WTS, 9640WTS, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS, (9780CTS, 9780I CTS ALL SN 072800-), (**HEAD, CORN**: 90 SERIES)

**A-AH225668** Hydraulic, Quick Coupler Socket; 3/8" 0.65 Lbs.
***Replaces:*** AH171017



***For Models:*** C670, T550, T560, T660, T670, W540, W550, W650, W660, (9540I WTS, 9560I WTS, 9580I WTS ALL SN 080016-), 9640I WTS, 9640WTS, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS, (9780CTS, 9780I CTS ALL SN 072800-), (**HEAD, CORN**: 90 SERIES, 606, 606C, 608, 608C, 612, 612C, 616, 616C, 618, 706C, 708C, 708FC, 712C, 712FC, 716C, 718C)


**A-JD8877** Needle Bearing 0.08 Lbs.



***Dim/Info:***
Inside Diameter - 1"
Outside Diameter - 1.3125"
Width - 0.75"

***For Models:*** (**HEAD, CORN**: 40 SERIES, 90 SERIES, 243, 244, 343, 344, 443, 444, 493, 494, 543, 546, 594, 642, 643, 644, 645, 692, 693, 693SH, 694, 842, 843, 844, 892, 893, 894, 1243, 1290, 1291, 1293)

**A-H220669** Case, Gear; Row Unit 30.00 Lbs.
***Replaces:*** AH144191, N102014



***For Models:*** (**HEAD, CORN**: 40 SERIES, 90 SERIES, 243, 244, 343, 344, 443, 444, 493, 494, 543, 546, 594, 642, 643, 644, 645, 692, 693, 693SH, 694, 842, 843, 844, 892, 893, 894, 1243, 1290, 1291, 1293)

**A-AH87787** Bearing Cap with Bushing 1.10 Lbs.



***Dim/Info:***
Includes - Bushing

***For Models:*** (**HEAD, CORN**: 40 SERIES, 90 SERIES, 243, 244, 343, 344, 443, 444, 493, 494, 543, 546, 594, 642, 643, 644, 645, 692, 693, 693SH, 694, 842, 843, 844, 892, 893, 894, 1243, 1290, 1291, 1293)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# CORN HEAD PARTS

**A-H105623** Shim, Input Cap; .007" 0.01 Lbs.



***Dim/Info:***
minimum order qty 4

***For Models:*** (**HEAD, CORN**: 40 SERIES, 90 SERIES, 243, 244, 343, 344, 443, 444, 493, 494, 543, 546, 594, 642, 643, 644, 645, 692, 693, 693SH, 694, 842, 843, 844, 892, 893, 894, 1243, 1290, 1291, 1293)


**A-AH143881** Pinion Shaft 7.10 Lbs.
Backlash Should Be .008" To .014". Add Or Remove Gaskets To Obtain Proper Backlash (Gaskets: N102005= .007" / N102004= .010" See associated items)



**A-JD9900** Bearing, Front 0.25 Lbs.
**A-JD9415** Bearing, Rear 0.54 Lbs.
**A-JD9344** Bearing, Rear (670 & 870 Corn Head) 0.63 Lbs.
**A-N102004** Shim, Stalk Roll; .010" 0.01 Lbs.
**A-N102005** Shim, Stalk Roll Barrell; .007" 0.18 Lbs.


***For Models:*** (**HEAD, CORN**: 243, 244, 343, 344, 443, 444, 493, 494, 543, 546, 594, 642, 643, 644, 645, 692, 693, 693SH, 694, 842, 843, 844, 892, 893, 894, 1092, 1243, 1293, 1290, 1291)

**A-H107779** Gear, Input; 17 Tooth 2.88 Lbs.



***For Models:*** (**HEAD, CORN**: 40 SERIES, 90 SERIES, 243, 244, 343, 344, 443, 444, 493, 494, 543, 546, 594, 642, 643, 644, 645, 692, 693, 693SH, 694, 842, 843, 844, 892, 893, 894, 1243, 1290, 1291, 1293)

**A-AH93577** Bearing Assembly; Idler Gear 1.32 Lbs.




***For Models:*** (**HEAD, CORN**: 40 SERIES, 90 SERIES, 243, 244, 343, 344, 443, 444, 493, 494, 543, 546, 594, 642, 643, 644, 645, 692, 693, 693SH, 694, 842, 843, 844, 892, 893, 894, 1243, 1290, 1291, 1293)

**A-H88704** Bushing, Front Point Pivot 0.10 Lbs.




***For Models:*** (**HEAD, CORN**: 50A SERIES, 40 SERIES SN 466451-, 50 SERIES, (483, 583, 683, 883 ALL W/SA4, SA5, SA6, BV4, BV5 Underslung Stalk Chopper/European))

**A-N102032** Washer, Thrust 0.13 Lbs.



***For Models:*** (**HEAD, CORN**: 40 SERIES, 90 SERIES, 243, 244, 343, 344, 443, 444, 493, 494, 543, 546, 594, 642, 643, 644, 645, 692, 693, 693SH, 694, 842, 843, 844, 892, 893, 894, 1243, 1290, 1291, 1293)


**A-AH148573** Sprocket, Chain, Cutting Platform 9.74 Lbs.



***Dim/Info:***
Chain: 60
Teeth: 40
Bore Size: 1.379"
Total Length: 1.791"

***For Models:*** (**HEAD, CUTTING PLATFORM**: 900 SERIES)


**A-N102005** Shim, Stalk Roll Barrell; .007" 0.18 Lbs.



***Dim/Info:***
minimum order qty 2

***For Models:*** (**HEAD, CORN**: 243, 244, 343, 344, 443, 444, 493, 494, 543, 546, 594, 642, 643, 644, 645, 693, 693SH, 694, 842, 843, 844, 893, 894, 1243, 1293)

**A-N102004** Shim, Stalk Roll; .010" 0.01 Lbs.



***Dim/Info:***
minimum order qty 2

***For Models:*** (**HEAD, CORN**: 243, 244, 343, 344, 443, 444, 493, 494, 543, 546, 594, 642, 643, 644, 645, 693, 693SH, 694, 842, 843, 844, 893, 894, 1243, 1293)


**A-N102007** Shim, Gatherer Cap; .007" 0.01 Lbs.



***Dim/Info:***
minimum order qty 4

***For Models:*** (**HEAD, CORN**: 40 SERIES, 90 SERIES, 243, 244, 343, 344, 443, 444, 493, 494, 543, 546, 594, 642, 643, 644, 645, 692, 693, 693SH, 694, 842, 843, 844, 892, 893, 894, 1243, 1290, 1291, 1293)

**A-N102008** Shim, Input Cap; .010" 0.04 Lbs.



***Dim/Info:***
minimum order qty 2

***For Models:*** (**HEAD, CORN**: 40 SERIES, 90 SERIES, 243, 244, 343, 344, 443, 444, 493, 494, 543, 546, 594, 642, 643, 644, 645, 692, 693, 693SH, 694, 842, 843, 844, 892, 893, 894, 1243, 1290, 1291, 1293)


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
aiproducts
e-mail: sales@aiproducts.com
web: www.aiproducts.com


**A-N102006** Shim, Gatherer Cap; .010" 0.02 Lbs.



***Dim/Info:***
minimum order qty 4


***For Models:*** (**HEAD, CORN**: 40 SERIES, 90 SERIES, 243, 244, 343, 344, 443, 444, 493, 494, 543, 546, 594, 642, 643, 644, 645, 692, 693, 693SH, 694, 842, 843, 844, 892, 893, 894, 1243, 1290, 1291, 1293)

**A-N102017** Shaft, Case Idler 0.87 Lbs.




***For Models:*** (**HEAD, CORN**: 40 SERIES, 90 SERIES, 243, 244, 343, 344, 443, 444, 493, 494, 543, 546, 594, 642, 643, 644, 645, 692, 693, 693SH, 694, 842, 843, 844, 892, 893, 894, 1243, 1290, 1291, 1293)

**A-AH84853** Barrel Assembly, Stalk Roll; w/ Bearings 18.00 Lbs.



***For Models:*** (**HEAD, CORN**: 243, 244, 343, 344, 443, 444, 493, 494, 543, 546, 594, 642, 643, 644, 645, 692, 693, 693SH, 694, 842, 843, 844, 892, 893, 894, 1092, 1290, 1291, 1243, 1293)

**A-AH148769** Gear Assembly, Gatherer Drive 4.12 Lbs.



***For Models:*** (**HEAD, CORN**: 40 SERIES, 90 SERIES, 243, 244, 343, 344, 443, 444, 493, 494, 543, 546, 594, 642, 643, 644, 645, 692, 693, 693SH, 694, 842, 843, 844, 892, 893, 894, 1243, 1290, 1291, 1293)

**A-N102024** Countershaft 1.70 Lbs.



***Dim/Info:***
Length - 7.870"
Diameter - .872" Hex

***For Models:*** (**HEAD, CORN**: 40 SERIES, 90 SERIES, 243, 244, 343, 344, 443, 444, 493, 494, 543, 546, 594, 642, 643, 644, 645, 692, 693, 693SH, 694, 842, 843, 844, 892, 893, 894, 1243, 1290, 1291, 1293)

**A-AH145792** Shaft, Drive 32.00 Lbs.

***Replaces:*** AH97144, AH109132, AH143150



***Dim/Info:***
Length - 99.50"
Diameter - 1.125" Hex

**A-207KRRB12-I** Bearing, RH/ LH 0.87 Lbs.

***For Models:*** (**HEAD, CORN**: (844, 894 ALL Corn Head))

**A-AH101219** Sprocket, Lower Idler 1.56 Lbs.
Greaseable



***Dim/Info:***
Bore - .648"
Teeth - 8

***For Models:*** (**HEAD, CORN**: (235, 335, 435, 635 ALL Lower gathering idler), (243, 244, 343, 344, 443, 444, 543, 546, 642, 643, 644, 645, 842, 843, 844, 1243 ALL w/ SN 466450>), 493, 494, 594, 693, 693SH, 694, 893, 894, 1293)

**A-AN102448** Sprocket, Lower Idler 1.64 Lbs.
For No. 555 Chain (8-Tooth)



***Dim/Info:***
8 Teeth
.645" bore

***For Models:*** (**HEAD, CORN**: (243, 244, 343, 344, 443, 444, 543, 546, 642, 643, 644, 645, 842, 843, 844, 1243 ALL w/ SN <466451), (235, 335, 435, 635 ALL Lower gathering idler))

**A-AH204016** Cap With Grease Zerk 0.15 Lbs.



***Dim/Info:***
Inside Diameter - .646" / .648"
Outside Diameter - 1.500"
Thread - 1/4-28 RH Thrd
Top Width - 1.25"

***For Models:*** (**HEAD, CORN**: (243, 244, 343, 344, 443, 444, 543, 546, 642, 643, 644, 645, 842, 843, 844, 1243 ALL w/ SN 466450>), 493, 494, 594, 693, 693SH, 694, 893, 894, 1293, (235, 335, 435, 635 ALL Lower gathering idler))

**A-AE27909** Sprocket, Idler 1.20 Lbs.



***Dim/Info:***
Chain Size - 60
Inside Diameter - .638"
Teeth - 15

***For Models:*** (**HEAD, CORN**: 243, 244, 343, 344, 443, 444, 543, 546, 642, 643, 644, 645, 842, 843, (483, 583, 683, 883 ALL w/ Underslung Stalk Chopper), 493 SN 665201-670356, (494, 594, 692, 693, 693SH, 694, 892, 893, 894 ALL SN <670356), 1243 SN <630750, (592, 1092, 1290, 1291, 1293 ALL SN <659999))

**A-H85252** Chain Sprocket 2.34 Lbs.



***Dim/Info:***
Bore - 1.000"
Fits - CA555 Chain
Teeth - 8
Bore Type - Hex

***For Models:*** (**HEAD, CORN**: 40 SERIES, 90 SERIES, 243, 244, 343, 344, 443, 444, 493, 494, 543, 546, 594, 642, 643, 644, 645, 693, 693SH, 694, 842, 843, 844, 893, 894, 1243, 1293)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# CORN HEAD PARTS

**A-AH103303** Sprocket, Gathering Chain Idler 1.42 Lbs.



***Dim/Info:***
11 teeth
5/8" bore

***For Models:*** (**HEAD, CORN**: (653A, 654A, 655A, 1253A ALL 50A series Row-crop)), (**HEAD, CUTTING PLATFORM**: (453A, 454A, 853A, 854A ALL 50A series Row-crop))

**A-AN102009** Chain, Gathering; Black Pin 9.72 Lbs.



***Dim/Info:***
Black Pin
Each flight extension has 2 predrilled holes for applications w/ paddles.
Chain - CA555
Links - 48

***For Models:*** (**HEAD, CORN**: 40 SERIES, 90 SERIES, 243, 244, 343, 344, 443, 444, 493, 494, 543, 546, 594, 642, 643, 644, 645, 692, 693, 693SH, 694, 842, 843, 844, 892, 893, 894, 1243, 1290, 1293, (343E, 443E, 543E, 643E ALL W/ B4, B5, UH4 & UH5 Underslung Stalk Chopper), (483, 583, 683, 883 ALL W/ SA4, SA5, SA6, BU4 & BU5 Underslung Stalk Chopper))

**A-AH208978** Chain, Gathering; Chrome Pin 12.80 Lbs.



***Dim/Info:***
Chain - 620
Links - 48
Paddle Size - 8

***For Models:*** (**HEAD, CORN**: (606, 608, 612 ALL SN <745100))

**A-AXE61091** Chain, Gathering; Chrome Pin 13.44 Lbs.



***Dim/Info:***
Chain - 620
Links - 48
Paddle Size - 8

***For Models:*** (**HEAD, CORN**: (606, 608, 612 ALL SN 745101>), 616, 618)

**A-AH136671** Chain, Gathering; Chrome Pin 9.72 Lbs.



***Dim/Info:***
CA555 Endless
48 LINKS
Chrome Pin
Each flight extension has 2 predrilled holes for applications w/ paddles.

***For Models:*** (**HEAD, CORN**: 40 SERIES, 90 SERIES, 243, 244, 343, 343E, 344, 443, 443E, 444, 493, 494, 543, 543E, 544, 546, 594, 642, 643, 643E, 644, 645, 692, 693, 693SH, 694, 842, 843, 844, 892, 893, 894, 1243, 1290, 1291, 1293)

**A-AXE61091** Chain, Gathering; Chrome Pin 13.44 Lbs.
***Replaces:*** AH234578



***Dim/Info:***
Chain - 620
Links - 48
Paddle Size - 8

***For Models:*** (**HEAD, CORN**: (606, 608, 612 ALL SN 745101>), 616, 618)

**A-AXE62423** Gathering Chain 15.63 Lbs.



***For Models:*** (**HEAD, CORN**: 612FC, 616, 618, 616C, 618C, (606, 606C, 608, 608C, 612, 612C ALL SN 745101>), (608FC, 706C, 708C, 708FC, 712C, 712FC, 716C, 718C ALL sn 129189>))

**A-AXE62424** Idler Sprocket, Gathering Chain 1.59 Lbs.



***Dim/Info:***
Bore - .512"
Teeth - 8
Width - .90"

***For Models:*** (**HEAD, CORN**: (606, 608, 612 ALL SN 745101 >), 612FC, 616, 618, 706C, 708C, 708FC, 712C, 712FC, 716C, 718C)

**A-KXE10488** Sprocket Kit, Drive 2.49 Lbs.



***Dim/Info:***
Includes - Includes V-Ring Seal

***For Models:*** (**HEAD, CORN**: 612FC, 616, 618, 616C, 618C, (606, 606C, 608, 608C, 612, 612C ALL SN 745101>), (608FC, 706C, 708C, 708FC, 712C, 712FC, 716C, 718C ALL sn 129189>))

**A-AXE17563** Bearing, Row Unit Idler (Import) 0.24 Lbs.

***For Models:*** (**HEAD, CORN**: 612FC, 616, 616C, 618, 618C, (606, 606C, 608, 608C, 612, 612C ALL SN 745101>), (608FC, 706C, 708C, 708FC, 712C, 712FC, 716C, 718C ALL sn 129189>))

**A-AXE18770** Idler Sprocket, Row Unit 1.45 Lbs.



***Dim/Info:***
Bore - .510"
Teeth - 6

***For Models:*** (**HEAD, CORN**: (606, 608, 612 ALL SN 745101>), 616, 618)


**A-HXE24567** Cap, Row Unit Idler Sprocket 0.11 Lbs.



***Dim/Info:***
Inside Diameter - .510"
Outside Diameter - 1.830"

***For Models:*** (**HEAD, CORN**: (606, 608, 612 ALL SN 745101>), 616, 618)

**A-AH215519** Sprocket, Row Unit; 24 Tooth / 80 Chain, Speed Up 7.16 Lbs.



***Dim/Info:***
Hub - 1.263" Hex
Outside Diameter - 8.203"
Teeth - 24

***For Models:*** (**HEAD, CORN**: 1092, 1290, 1291, 1293)


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com


**A-AH215495** Sprocket, Row Unit; 17 Tooth / 80 Chain, Speed Up 3.59 Lbs.



***Dim/Info:***
Hub - 1.130" Hex
Outside Diameter - 5.912"
Teeth - 17

***For Models:*** (**HEAD, CORN**: 1092, 1290, 1291, 1293)


**A-AH114830** Sprocket, Row Unit; RH, 23 Tooth / 80 Chain 6.34 Lbs.



***Dim/Info:***
Hub - 1.130" Hex
Outside Diameter - 7.857"
Teeth - 23

***For Models:*** (**HEAD, CORN**: 1243, (1092, 1290, 1291, 1293 ALL SN <710100))


**A-AH206760** Sprocket, Row Unit; 22 Tooth / 80 Chain 5.93 Lbs.



***Dim/Info:***
Hub - 1.257" Hex
Outside Diameter - 7.585"
Teeth - 22

***For Models:*** (**HEAD, CORN**: 1293 SN 705101>)

**A-AH206761** Sprocket, Row Unit; 18 Tooth / 80 Chain 4.03 Lbs.



***Dim/Info:***
Hub - 1.255" Hex
Outside Diameter - 6.269"
Teeth - 18


***For Models:*** (**HEAD, CORN**: 1293 SN 705101>)

**A-AH215521** Sprocket, Row Unit; 17 Tooth / 80 Chain, Speed Up 3.72 Lbs.



***For Models:*** (**HEAD, CORN**: 1092, 1290, 1291, 1293)

**A-H166582** Ear Saver 0.14 Lbs.
***Replaces:*** N101988, H152597




***For Models:*** (**HEAD, CORN**: 40 SERIES, 90 SERIES, 243, 244, 343, 343E, 344, 443, 443E, 444, 493, 494, 543, 543E, 544, 546, 594, 642, 643, 643E, 644, 645, 692, 693, 693SH, 694, 842, 843, 844, 892, 893, 894, 1243, 1290, 1291, 1293)

**A-H153898** Support; Lower Idler 5.70 Lbs.
***Replaces:*** H148130



***For Models:*** (**HEAD, CORN**: 90 SERIES, 493, 494, 594, 692, 693, 694, 892, 893, 894, 1092, 1290, 1291, 1293)

**A-H151211** Guide 8.10 Lbs.
***Replaces:*** H146158



***For Models:*** (**HEAD, CORN**: 90 SERIES, 493, 494, 594, 692, 693, 693SH, 694, 892, 893, 894, 1290, 1291, 1293)

**A-AH140825** Cover; LH Deck Plate 10.00 Lbs.



***Dim/Info:***
Style - Adjustable

***For Models:*** (**HEAD, CORN**: 493, 494, 594, 692, 693, 694, 892, 893, 894, 1092, 1290, 1291, 1293)

**A-AH147773** Plate; LH Deck 12.00 Lbs.



***Dim/Info:***
Style - Adjustable

***For Models:*** (**HEAD, CORN**: 493, 494, 594, 692, 693, 694, 892, 893, 894, 1092, 1290, 1291, 1293)

**A-AH234656** Plate, Deck; Adjustable 7.23 Lbs.



***For Models:*** (**HEAD, CORN**: 616, 618, 612FC, 616C, 618C, (606, 606C, 608, 608C ALL SN 745101>), 608FC sn 129189>, (612, 612C ALL SN 745101>), (706C, 708C, 708FC, 712C, 712FC, 716C, 718C ALL sn 129189>))

**A-AXE17618** Deck Plate, LH, Adjustable, Hard Surfaced, Beveled Edge 9.00 Lbs.



***For Models:*** (**HEAD, CORN**: 606, 608, 612 SN <-745100)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# CORN HEAD PARTS

**A-H237885** Latch, LH Chain Guide 3.40 Lbs.



***For Models:*** (**HEAD, CORN**: (606, 608, 612 ALL SN 745101>), 616, 618, (606C, 608C ALL SN 745101>), 608FC sn 129189>, 612C SN 745101>, 612FC, 616C, 618C, (706C, 708C, 708FC, 712C, 712FC, 716C, 718C ALL sn 129189>))

**A-HXE24566** Deck Plate, RH, Fixed, Hard Surfaced, Beveled Edge7.00 Lbs.
Beveled Edge

***Dim/Info:***
Style - Fixed



***For Models:*** (**HEAD, CORN**: 606, 608, 612 SN <-745100)

**A-H237437** Plate, Deck; Fixed 6.03 Lbs.




***For Models:*** (**HEAD, CORN**: 616, 618, 612FC, 616C, 618C, (606, 606C, 608, 608C ALL SN 745101>), 608FC sn 129189>, (612, 612C ALL SN 745101>), (706C, 708C, 708FC, 712C, 712FC, 716C, 718C ALL sn 129189>))

**A-H237841** Latch, RH Chain Guide 3.09 Lbs.




***For Models:*** (**HEAD, CORN**: (606, 608, 612 ALL SN 745101>), 616, 618, (606C, 608C ALL SN 745101>), 608FC sn 129189>, 612C SN 745101>, 612FC, 616C, 618C, (706C, 708C, 708FC, 712C, 712FC, 716C, 718C ALL sn 129189>))

**A-N102082** Guide, Gathering Chain (Cast Iron) 5.68 Lbs.




***For Models:*** (**HEAD, CORN**: 243, 244, 343, 344, 443, 444, 543, 546, 642, 643, 644, 645, 842, 843, 844, 1243)

**A-H118945** Guide; Gathering Chain (Steel) 4.00 Lbs.
***Replaces:*** N102082, H102233



***For Models:*** (**HEAD, CORN**: 243, 244, 343, 344, 443, 444, 483, 543, 546, 583, 642, 643, 644, 645, 683, 842, 843, 844, 1243)

**A-N102068** Plate, Deck (RH) 8.94 Lbs.
**A-N102069** Plate, Deck (LH) 9.00 Lbs.



***Dim/Info:***
Abrasion Resistant

***For Models:*** (**HEAD, CORN**: (243, 244, 343, 344, 443, 444, 543, 546, 642, 643, 644, 645, 842, 843, 844, 1243 ALL SN <-466450))

**A-H94952** Plate, Deck (RH/LH) 7.88 Lbs.



***Dim/Info:***
Abrasion Resistant


***For Models:*** (**HEAD, CORN**: (243, 244, 343, 344, 443, 444, 543, 546, 642, 643, 644, 645, 842, 843, 844, 1243 ALL SN 455451->), 493, 494, 594, 692, 693, 694, 892, 893, 894, 1290, 1291, 1293)

**A-AH232250** Deck Plate, LH, Hydraulic Row Unit, Straight Edge 9.30 Lbs.
***Replaces:*** AH227680




***For Models:*** (**HEAD, CORN**: 606, 608, 612)

**A-H144503** Strap; Idler 2.50 Lbs.




***For Models:*** (**HEAD, CORN**: 243, 244, 343, 344, 443, 444, 493, 494, 543, 546, 594, 642, 643, 644, 645, 692, 693, 694, 842, 843, 844, 892, 893, 894, 1092, 1243, 1290, 1291, 1293)

**A-H84479** Support, Corn Head 4.20 Lbs.
***Replaces:*** N103153



***For Models:*** (**HEAD, CORN**: 243, 244, 343, 343E, 344, 443, 443E, 444, 483, 543, 543E, 546, 583, 642, 643, 643E, 644, 645, 683, 842, 843, 883)

**A-H150690** Knife, RH 8.17 Lbs.
***Replaces:*** H148562



***For Models:*** (**HEAD, CORN**: 40 SERIES, 90 SERIES, 493, 494, 594, 643, 692, 693, 694, 843, 892, 893, 894, 1092, 1243, 1290, 1291, 1293)


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.




P. 800-657-4343
F. 800-511-0516
aiproducts
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-H150691** Knife, LH 8.47 Lbs.
*Replaces:* H148563




***For Models:*** (**HEAD, CORN**: 40 SERIES, 90 SERIES, 493, 494, 594, 643, 692, 693, 694, 843, 892, 893, 894, 1092, 1243, 1290, 1291, 1293)

**A-H148320** Stalk Roll, RH Knife 9.05 Lbs.



***For Models:*** (**HEAD, CORN**: 40 SERIES, 90 SERIES, 493, 494, 594, 643, 692, 693, 694, 892, 893, 894, 1092, 1290, 1291, 1293)

**A-H148321** Stalk Roll, LH Knife 9.05 Lbs.



***For Models:*** (**HEAD, CORN**: 40 SERIES, 90 SERIES, 493, 494, 594, 643, 692, 693, 694, 892, 893, 894, 1092, 1290, 1291, 1293)


**A-H149591** Pin, Spring 0.06 Lbs.



***Dim/Info:***
minimum order qty 12

***For Models:*** 40 SERIES SN 466451-, 90 SERIES, 493, 494, 594, 692, 693, 694, 892, 893, 894, 1290, 1291, 1293

**A-AN102266** Seal 0.09 Lbs.



***Dim/Info:***
Inside Diameter - 1.250"
Outside Diameter - 2.060"
Width - 0.638"

***For Models:*** (**HEAD, CORN**: 40 SERIES, 90 SERIES, 243, 244, 343, 344, 443, 444, 493, 494, 543, 546, 594, 642, 643, 692, 693, 694, 892, 893, 894, 1092, 1290, 1291, 1293)


**A-HXE24179** Washer, Spherical 0.10 Lbs.



***Dim/Info:***
Inside Diameter - .788"
Outside Diameter - 1.646"


***For Models:*** (**HEAD, CORN**: 605 SN 000046- South American, 606 SN 090080- South American, 606 SN 735337-, 607 SN 090025- South American, 608 SN 090065- South American, 608 SN 736343-, 609 SN 090096- South American, 610 SN 090081- South American, 611 SN 090075- South American, 612 SN 090221- South American, 612 SN 736138-, 613 SN 090083- South American, 614, 616, 618)

**A-R111692** Shaft, Deck Plate Indicator 0.12 Lbs.



***For Models:*** CTS II, C670, T550, T560, T660, W540, W550, W650, W660, 9410, 9450, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9640WTS, 9640I WTS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9660WTS, 9660I WTS, 9670STS, 9680WTS, 9680I WTS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, (**HEAD, CORN**: 50A SERIES SN 685101>, 90 SERIES, 606, 606C, 608, 608C, 608FC, 612, 612C, 612FC, 616, 616C, 618, 618C, 706C, 708C, 708FC, 712C, 712FC, 716C, 718C), (**HEAD, CUTTING PLATFORM**: (900 SERIES, 900F, 900R ALL SN 685056>))

**A-AH101339** Sprocket, RH Gathering Chain Drive 2.05 Lbs.



***Dim/Info:***
Bore - 1.187" Splined
Hub - 1.720" Length
Teeth - 11

***For Models:*** (**HEAD, CORN**: 853A, 854A, 1253A), (**HEAD, CUTTING PLATFORM**: 453A, 454A, 653A, 654A, 655A)

**A-AE23516** Cross and Bearing Assembly; Greaseable 1.54 Lbs.



***For Models:*** (**HEAD, CORN**: (494, 592, 594, 692, 693, 694, 893, 894, 1092, 1290, 1291, 1293 ALL SN <700100))

**A-AH115426** Universal Joint Bearing 1.00 Lbs.



***For Models:*** 6620 S/N 615412>, 6622 S/N 611501>, 7722 HILLSIDE, (**HEAD, CORN**: 40 SERIES, 90 SERIES), (**HEAD, CUTTING PLATFORM**: 653A S/N 615151-640700, 900 SERIES)

**A-AH232127** Cross and Bearing Assembly; 2400 Series 1.41 Lbs.



***For Models:*** (**HEAD, CORN**: 606, 608, 612), (**HEAD, CUTTING PLATFORM**: 615F, 615R, 618F, 618R, 620F, 620R, 622F, 622R, 625D, 625F, 625R, 630D, 630F, 630R, 635D, 635F, 635R)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# CORN HEAD PARTS



**A-AH207921** Kit, U-Joint Cross 3.50 Lbs.
*Replaces:* AH122018



***For Models:*** (**HEAD, CORN**: 600 SERIES SN -745100)


**A-19M7819** Cap Screw; Flanged Metric (5 pk) 0.24 Lbs.



***Dim/Info:***
Length - 3.543"
Flange Outside Diameter - 1.047"
Grade - 10.9
Thread Length - 1.181"
Thread Size - .472"
minimum order qty 5

***For Models:*** (**HEAD, CUTTING PLATFORM**: 600F, 600R, 615F, 615R, 618F, 618R, 620F, 620R, 622F, 622R, 625F, 625R, 630F, 630FD, 630R, 635F, 635FD, 635R, 640FD, 645FD, 730FD, 735FD, 740FD, 745FD)


**A-AH143227** Sprocket, Drive; 17 Tooth / 50 Chain 2.73 Lbs.



***Dim/Info:***
Inside Diameter - 1.942"
Outside Diameter - 3.711"
Teeth - 17

***For Models:*** (**HEAD, CORN**: (493, 494 ALL SN <665200), (592, 693, 694, 893, 894, 1092, 1290, 1291 ALL SN <665400), 1293 SN <705100, 1243)


**A-AH147693** Sprocket, Row Unit; 52 Tooth / 60 Chain 16.36 Lbs.



***Dim/Info:***
Hub - 1.130" Hex
Outside Diameter - 12.848"
Teeth - 52

***For Models:*** (**HEAD, CORN**: (493, 494 ALL SN 665201>), (594, 693, 693SH, 893, 894, 1290, 1291, 1293 ALL SN 665401>))


**A-AH91784** Sprocket, Drive; 14 Tooth / 60 Chain 2.58 Lbs.



***Dim/Info:***
14 Tooth
3.483" O.D.
1.130" Hex Hub

***For Models:*** (**HEAD, CORN**: 493, 494, 594, 693, 694, 893, 894, 1293)


**A-AH143100** Sprocket, Drive; 13 Tooth / 60 Chain 2.45 Lbs.



***Dim/Info:***
13 Tooth
3.475" O.D.
1.756" I.D.

***For Models:*** (**HEAD, CORN**: (493, 494 ALL SN 665201>), (592, 693, 694, 893, 894, 1092, 1290, 1291 ALL SN 665401>), 1293 SN 705101>)


**A-AH111501** Sprocket, Row Unit; 34 Tooth / 60 Chain 6.30 Lbs.



***Dim/Info:***
34 Tooth
8.508" O.D.
1.130" Hex

***For Models:*** (**HEAD, CORN**: (493, 494 ALL SN <660200), 592, 592E, 594, 692, 692E, 693, 694, 892, 892E, 893, 894, 1092)


**A-AN102027** Sprocket, Row Unit; RH, 30 Tooth / 60 Chain 4.84 Lbs.



***Dim/Info:***
30 Tooth
7.590" O.D.
1.130" Hex Hub

***For Models:*** (**HEAD, CORN**: (493, 494 ALL SN 660201 - XXXXXX), 692 SN <705250, 693 SN <705437, 694 SN <705420, 892 SN <705500, 893 SN <705984, 894 SN <705667)


**A-AH124999** Sprocket, Row Unit; 28 Tooth / 60 Chain 4.32 Lbs.



***Dim/Info:***
28 Tooth
7.196" O.D.
1.130" Hex Hub

***For Models:*** (**HEAD, CORN**: 443 SN 620251>, 444 SN 620306>, 492, (493, 494 ALL SN <660200), 543 SN 620306>, 546 SN 620400>, 592, 592E, 594, 643 SN 620537>, 644 SN 620575>, 645 SN 620601>, 692, 692E, 693, 693SH, 843 SN 620716>, 844 SN 620710>, 892, 892E, 893, 894, 1243)


**A-AN102342** Sprocket, Row Unit; 54 Tooth / 50 Chain 8.86 Lbs.



***Dim/Info:***
54 Tooth
11.105" O.D.
1.130 Hex Hub

***For Models:*** (**HEAD, CORN**: (493, 494 ALL SN <665200))

**A-AH145940** Sprocket, Row Unit 12.34 Lbs.



***Dim/Info:***
Chain - 50
Inside Diameter - 1.130" Hex
Outside Diameter - 13.110"
Teeth - 64

***For Models:*** (**HEAD, CORN**: (493, 494 ALL SN <665200), (594, 693, 693SH, 893, 894, 1293 ALL SN <665400))

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-H84583** Paddle, Cross Auger 0.93 Lbs.



***For Models:*** (**HEAD, CORN**: (243, 443 ALL SN 4501-), (244, 344 ALL SN 2001-), 444 SN 11001-, (543, 642 ALL SN 501-), (546, 644, 645, 842, 843 ALL SN 1501-), 643 SN 4001-, 844 SN 380601-, (894, 1290, 1291 ALL SN 660709-670550 North American))

**A-N61703** Compression Spring 0.49 Lbs.



***Dim/Info:***
minimum order qty 2

***For Models:*** (**HEAD, CORN**: 444, 493, 494, 594, 606, 608, 612, 692, 693, 694, 892, 893, 894, 1092, 1290, 1291, 1293)


**A-H77433** Spring, Compression 0.55 Lbs.



***Dim/Info:***
minimum order qty 2

***For Models:*** 1170

**A-N104096** Bushing 0.48 Lbs.



***Dim/Info:***
Inside Diameter - 1.102"
Outside Diameter - 1.253"
Long - 6.250"


***For Models:*** (**HEAD, CORN**: 493, 494, 594, 606, 608, 612, 692, 693, 694, 892, 893, 894, 1092, 1290, 1291, 1293, 606C, 608C, 608FC, 612C, 612FC, 616, 616C, 618, 618C, 706C, 708C, 708FC, 712C, 712FC, 716C, 718C)

**A-AXE46071** Slip Clutch, Row Unit (1 1/4") 7.85 Lbs.
Non-Chopping Head.
***Replaces:*** AXE19436



***For Models:*** (**HEAD, CORN**: (606, 608, 612 ALL SN 745101>))

**A-H206870** Quick Coupler, Row Unit Slip Clutch; 1 1/4" Hex 1.04 Lbs.



***For Models:*** (**HEAD, CORN**: (493, 494, 594, 692, 693, 694, 892, 893, 894, 1092, 1290, 1291, 1293 ALL SN 705101>))

**A-N102040** Quick Coupler, Row Unit Slip Clutch, 1 1/8" Hex 1.20 Lbs.



***For Models:*** (**HEAD, CORN**: 243, 244, 343, 344, 443, 444, 543, 544, 546, 642, 643, 644, 645, 842, 844, 1243, (493, 494, 594, 692, 693, 694, 892, 893, 894, 1092, 1290, 1291, 1293 ALL SN <-705100))

**A-H115425** Spacer, Slip Clutch 0.05 Lbs.
***Replaces:*** N102045, H96803



***Dim/Info:***
Inside Diameter - .440"
Outside Diameter - .688"
minimum order qty 10

***For Models:*** (**HEAD, CORN**: (CH2112, CH2208 ALL Frontier), 40 SERIES, 90 SERIES, 483, 484, (606, 608, 612 ALL SN -745100))

**A-N102036** Hub, Slip Clutch 2.03 Lbs.



***Dim/Info:***
Inside Diameter - 1.150" Hex
Outside Diameter - 3.57"
Teeth - 12
Width - 2.16"

***For Models:*** (**HEAD, CORN**: 493, 494, 594, 692, 693, 694, 892, 893, 894, 1092, 1290, 1291, 1293)


**A-H206755** Hub, Slip Clutch 1.85 Lbs.



***Dim/Info:***
Inside Diameter - 1.272" Hex
Overall Diameter - 3.57"
Teeth - 12
Width - 2.14"

***For Models:*** (**HEAD, CORN**: (493, 494, 594, 692, 693, 694, 892, 893, 894, 1092, 1290, 1291, 1293 ALL SN 705101>))


**A-AH143069** Sprocket, Drive; 14 Tooth / 60 Chain 2.38 Lbs.



***Dim/Info:***
14 Tooth
3.494" O.D.
1.130" Hex Hub

***For Models:*** (**HEAD, CORN**: 592, 594, 693, 694, 893, 894, 1092, 1290, 1291, 1293)

**A-AH215182** Sprocket, Row Unit; 24 Tooth / 60 Chain, Speed Up 3.57 Lbs.



***Dim/Info:***
24 Tooth
6.139" O.D.
1.130" Hex Hub

***For Models:*** (**HEAD, CORN**: 592, 693, 694, 893, 894)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# CORN HEAD PARTS


**A-AH223489** Sprocket, Row Unit 8.29 Lbs.



***Dim/Info:***
Chain - 100
Inside Diameter - 1.264" Hex
Outside Diameter - 8.245"
Teeth - 19


***For Models:*** (**HEAD, CORN**: 592, 693, 694, 893, 894, 1092, 1290, 1291, 1293)

**A-H99303** Washer, Drive Sprocket 0.27 Lbs.




***For Models:*** (**HEAD, CORN**: 606, 608, 612, (592, 693, 694, 893, 894, 1092, 1290, 1291, 1293 ALL SN 665401>))

**A-N102053** Bushing, Drive Sprocket 0.18 Lbs.



***For Models:*** (**HEAD, CORN**: (592, 693, 694, 893, 894, 1092, 1290, 1291, 1293 ALL SN <665400))

**A-N102042** Washer, Drive Sprocket 0.26 Lbs.




***For Models:*** (**HEAD, CORN**: (592, 693, 694, 893, 894, 1092, 1290, 1291, 1293 ALL SN <665400))

**A-H135198** Hub, Slip Clutch 2.42 Lbs.



***For Models:*** (**HEAD, CORN**: (592, 693, 694, 893, 894, 1092, 1290, 1291, 1293 ALL SN <665400))

**A-N102023** Jaw; Slip Clutch 1.75 Lbs.



***For Models:*** (**HEAD, CORN**: (592, 693, 694, 893, 894, 1092, 1290, 1291, 1293 ALL SN <665400))

**A-H101677** Jaw, Slip Clutch 1.80 Lbs.



***For Models:*** (**HEAD, CORN**: 90 SERIES, 600 SERIES, 606, 608, 612, (592, 693, 694, 893, 894, 1092, 1290, 1291, 1293 ALL SN 665401>))

**A-H209926** Housing; Slip Clutch 3.08 Lbs.

***Replaces:*** H209926




***For Models:*** (**HEAD, CORN**: 592, 606, 608, 612, 693, 694, 893, 894, 1092, 1290, 1291, 1293)

**A-H154122** Hub; Slip Clutch 2.15 Lbs.



***For Models:*** (**HEAD, CORN**: (592, 693, 694, 893, 894, 1092, 1290, 1291, 1293 ALL SN 665401>))


**A-AH222303** Sprocket, Drive; Auger Drive Slip Clutch 2.38 Lbs.



***Dim/Info:***
10 Tooth
3.674" O.D.
1.756" I.D.

***For Models:*** (**HEAD, CORN**: 606, 608, 612)

**A-AH227660** Sprocket, Drive; Auger Drive Slip Clutch 3.10 Lbs.



***Dim/Info:***
10 Tooth
3.674" O.D.
1.875" I.D.

***For Models:*** (**HEAD, CORN**: 606, 606C, 608, 608C, 608FC, 612, 612C, 612FC, 616, 616C, 618, 618C, 706C, 708C, 708FC, 712C, 712FC, 716C, 718C)

**A-AH222291** Chain, Auger Drive; 80 Chain / 74 Links (Import) 11.64 Lbs.



***Dim/Info:***
Chain Size - 80
Links - 73 + 1 Connector Link.

***For Models:*** (**HEAD, CORN**: 608, 612, 606, 606C, 608C, 608FC, 612C, 612FC, 616, 616C, 618, 618C, 706C, 708C, 708FC, 712C, 712FC, 716C, 718C)

**A-AXE15284** Sprocket, Idler 1.36 Lbs.

***Replaces:*** AXE15284



***Dim/Info:***
Bore - 1.573"
Chain Size - 80
Inside Diameter - .637"
Outside Diameter - 4.334"
Teeth - 12

***For Models:*** (**HEAD, CORN**: 606, 606C, 608, 608C, 608FC, 612, 612C, 612FC, 616, 616C, 618, 618C, 706C, 708C, 708FC, 712C, 712FC, 716C, 718C, 1092, 1290, 1291, 1293), (**HEAD, CUTTING PLATFORM**: 600F, 600F SERIES, 600R, 600R SERIES)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-AXE36872** Sprocket, Row Unit Drive 1.75 Lbs.
*Replaces:* AXE25518



***Dim/Info:***
Inside Diameter - .696" Hex
Outside Diameter - 3.532"
Teeth - 6
Width - 2.000"

***For Models:*** (**HEAD, CORN**: (606, 608, 612, 616, 618 ALL SN <756330))


**A-KXE10258** Sprocket Kit, Row Unit Drive 2.06 Lbs.
*Replaces:* HXE66188



***Dim/Info:***
Inside Diameter - .696" Hex
Outside Diameter - 3.532"
Teeth - 6


***For Models:*** (**HEAD, CORN**: (606, 608, 612, 616, 618 ALL SN 756331>))

**A-H234210** Knife, Trash (RH) 5.00 Lbs.
*Replaces:* H266126




***For Models:*** (**HEAD, CORN**: 606, 608, 612)

**A-H234211** Knife, Trash (LH) 5.00 Lbs.
*Replaces:* H226128



***For Models:*** (**HEAD, CORN**: 606, 608, 612)

**A-H225719** Deck Plate, RH, Hydraulic Row Unit, Straight Edge 6.98 Lbs.




**A-AH232250** Plate, Deck, Hydraulic Row Unit (LH) 9.30 Lbs.




***For Models:*** (**HEAD, CORN**: 606, 608, 612)

**A-H215634** Strap, Gathering Chain Tensioner 2.81 Lbs.
*Replaces:* 86530307



***For Models:*** (**HEAD, CORN**: 606, 608, 612)

**A-R86457** Support, Deck Plate Sensor 0.02 Lbs.



***For Models:*** (**HEAD, CORN**: 606, 608, 612, 606C, 608C, 608FC, 612C, 612FC, 616, 616C, 618, 618C, 706C, 708C, 708FC, 712C, 712FC, 716C, 718C)


**A-AA61722** Ball Bearing; Gathering Chain Idler Sprocket 0.20 Lbs.



***Dim/Info:***
Bore - .669"
Outside Diameter - 1.575"


***For Models:*** (**HEAD, CORN**: 606, 608, 612)

**A-H226325** Gate, Ear Fender; Outer 0.12 Lbs.



***For Models:*** (**HEAD, CORN**: 606, 608, 612, 616, 618)

**A-H226324** Gate, Ear Divider; Inner 0.16 Lbs.



***For Models:*** (**HEAD, CORN**: 606, 608, 612)

**A-AH231386** Idler Sprocket, Gathering Chain 3.46 Lbs.
*Replaces:* AH221638



***Dim/Info:***
Inside Diameter - 0.669"
Outside Diameter - 4.748"
Teeth - 8


***For Models:*** (**HEAD, CORN**: 606, 608, 612)

**A-H233285** Bearing Cap, Gathering Chain 0.15 Lbs.
*Replaces:* H222605



***For Models:*** (**HEAD, CORN**: 606, 608, 612)

**A-H233287** Sprocket, Gathering Chain Drive 4.58 Lbs.
*Replaces:* H221814



***Dim/Info:***
Inside Diameter - 1.005"
Outside Diameter - 4.728"
Teeth - 8

***For Models:*** (**HEAD, CORN**: 606, 608, 612)

**A-H101276** Spring, Compression; Auger Drive Slip Clutch 1.82 Lbs.



***For Models:*** (**HEAD, CORN**: 606, 608, 612)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# CORN HEAD PARTS

**A-H233284** Bushing, Chopper Blade 0.14 Lbs.



***Dim/Info:***
Inside Diameter - .483"
Outside Diameter - 1.171"
Width - .800"

***For Models:*** (**HEAD, CORN**: 606, 608, 612)

**A-HXE36504** Blade, Chopping Cornhead, 190MM 1.62 Lbs.
***Replaces:*** H229680, H233365



***For Models:*** (**HEAD, CORN**: 606C, 608C, 608FC, 612C, 612FC, 706C, 708C, 708FC, 712C, 712FC, 716C, 718C)

**A-HXE24237** Bushing, Chopping Gearcase Blades 0.15 Lbs.



***For Models:*** (**HEAD, CORN**: 616, 618, 612FC, 616C, 618C, (606, 606C, 608, 608C, 612, 612C ALL SN 745101>), (608FC, 706C, 708C, 708FC, 712C, 712FC, 716C, 718C ALL sn 129189>))

**A-H148121** Shoe; Corn Head Snout 5.71 Lbs.




***For Models:*** (**HEAD, CORN**: 606, 608, 612, 843, 1092, 1243, 1290, 1291, 1293, 206, 208, 244, 343, 344, 40 SERIES, 443, 494, 543, 546, 606C, 608C, 608FC, 612C, 612FC, 616, 616C, 618, 618C, 642, 643, 645, 692, 693, 693SH, 694, 706C, 708C, 708FC, 712C, 712FC, 716C, 718C, 842, 844, 892, 893, 894, 90 SERIES, CH2112, CH2208)

**A-HXE21014** Channel, Corn Head Snout 1.78 Lbs.
For 30", 36" & 38" Row Spacing.



***For Models:*** (**HEAD, CORN**: (606, 608, 612 ALL SN 745101>), 616, 618)

**A-AH145983** Sprocket, Row Unit; LH, 25 Teeth / 60 Chain 3.64 Lbs.



***Dim/Info:***
25 Tooth
6.367" O.D.
1.130" Hex Hub

***For Models:*** (**HEAD, CORN**: 692 SN <705250, 693 SN <705437, 694 SN <705420, 892 SN <705500, 893 SN <705984, 894 SN <705667)

**A-JD9420** Ball Bearing 0.80 Lbs.
***Replaces:*** AE29785



***Dim/Info:***
Bore - 1.251"
Outside Diameter - 2.835"
Bore Type - Hex

***For Models:*** (**HEAD, CORN**: 1293, 600 SERIES, 606, 608, 612, 90 SERIES)

**A-AH225244** Adjuster, Corn Head Snout Height 1.12 Lbs.
For 30", 36" & 38" Row Spacing.



***For Models:*** (**HEAD, CORN**: 606, 608, 612, 616, 618, 606C, 608C, 608FC, 612C, 612FC, 616C, 618C, 706C, 708C, 708FC, 712C, 712FC, 716C, 718C)

**A-HD12LW** Lockwasher, 1/2" (Plated) 0.05 Lbs.
Cast Iron, Painted Black (2 in VLH6710 Kit)



***For Models:*** 970, 1032, 1042, 1085, 1157, 1166, 1169, 1170, 1177, 1550, 2054, 2058, 2064, 2254, 9450, 9501, 9510, 9600, 9680

**A-19M7819** Cap Screw; Flanged Metric (5 pk) 0.24 Lbs.



***Dim/Info:***
Length - 3.543"
Flange Outside Diameter - 1.047"
Grade - 10.9
Thread Length - 1.181"
Thread Size - .472"
minimum order qty 5

***For Models:*** (**HEAD, CORN**: 600 SERIES, 605, 605C, 606, 606C, 607, 607C, 608, 608C, 608FC, 609, 609C, 610, 610C, 611, 611C, 612, 612C, 612FC, 613, 613C, 614, 614C, 615C, 616, 616C, 617C, 706C, 708C, 708FC, 712C, 712FC, 716C, 718C)


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com


**A-H139066** Knife, Stationary 2.76 Lbs.



***For Models:*** (**HEAD, CORN**: (653A, 654A, 655A, 1253A ALL 50A series Row-crop)), (**HEAD, CUTTING PLATFORM**: (453A, 454A, 853A, 854A ALL 50A series Row-crop))

**A-H101607** Knife, Rotary 0.46 Lbs.

Uses square head countersunk bolts to install, not included.



***Dim/Info:***
Heat Treated

***For Models:*** (**HEAD, CORN**: 653A, 654A, 1253A), (**HEAD, CUTTING PLATFORM**: 453A, 454A, 853A, 854A)

**A-AXE23480** Lifter, Crop 2.55 Lbs.

***Replaces:*** AZ59818




***For Models:*** (**HEAD, CUTTING PLATFORM**: 622X, 625X, 630X, 635X, 640X, (600 SERIES, 614R, 615R, 616R, 618R, 620R, 622R, 625R, 630R, 635R ALL European))

**A-AH159210** Assy, Crop Lifter 2.70 Lbs.



***For Models:*** (**HEAD, CUTTING PLATFORM**: 600F, 600R, 625D, 630D, 635D, 640D, 925D, 930D, 936D)

**A-E63258** Gear, Auger Drive 2.42 Lbs.



***Dim/Info:***
Bore - 1.006"
Teeth - 15
Bore Type - Hex

***For Models:*** (**HEAD, CORN**: 50 SERIES, 50A SERIES), (**FORAGE HARVESTER**: (5440, 5460, 5720, 5730, 5820, 5830 ALL W/ Double Auger))

**A-H162662** Finger; Auger (Steel) 0.93 Lbs.

25 Pcs./Package

***Replaces:*** H102724, H150050



***Dim/Info:***
minimum order qty 25

***For Models:*** (**HEAD, CORN**: 554, 653A, 654A, 655A)

**A-H108175** Housing, Pressed Flanged 7.00 Lbs.

7/8" x 91.81" Wrapped 3-Band Polyester Cord

***Dim/Info:***
Length - 91.81"
Type - Wrapped 3-Band
Color - Brown
Material - Polyester Cord
Thickness - 0.624"
Width - 7/8"

***For Models:*** (**HEAD, CUTTING PLATFORM**: 622X, 625X, 630X, 635X, 640X, 900, 914P)


*JOHN DEERE

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# FEEDER HOUSE CHAIN

## Feeder Chain/ Slats/ Raddle Chain



| Part No. | Description | Qty-Chain | Links | C-to-C of Sprockets | Applications | Wt. |
|---|---|---|---|---|---|---|
| **A-AH116712** | Chain, Feeder House | 3-CA550 | 86 | 16" | 4400, 4420<br>Note: Long feeder house, 28 slats | 123.00 |
| **A-AH123450** | Chain, Feeder House; Closed Spaced | 3-CA550 | 85 | 19" | 6600, 6620<br>Note: Reg feeder house, 42 slats | 184.00 |
| **A-AH116713** | Chain, Feeder House; Wide Spaced | 3-CA550 | 86 | 19" | 6600, 6620<br>Note: Reg feeder house, 28 slats | 136.00 |
| **A-AH116714** | Chain, Feeder House | 3-CA550 | 103 | 19" | 6600, 6620<br>Note: Long feeder house, 34 slats | 165.00 |
| **A-AH116715** | Chain, Feeder House | 3-CA550 | 75 | 19" | 6620 Side Hill S/N <615411, 6620 Side Hill S/N 615412><br>Note: Reg feeder house, 24 slats | 116.00 |
| **A-AH123451** | Chain, Feeder House; Closed Spaced | 3-CA550 | 87 | 24 3/8" | 7700, 7701, 7720, 7721<br>Note: Reg feeder house, 42 slats | 213.00 |
| **A-AH116716** | Chain, Feeder House; Wide Spaced | 3-CA550 | 85 | 24 3/8" | 7700, 7701, 7720, 7721<br>Note: Reg feeder house, 28 slats | 160.00 |
| **A-AH116717** | Chain, Feeder House | 3-CA550 | 103 | 24 3/8" | 7700, 7701, 7720, 7721<br>Note: Long feeder house, 34 slats | 198.00 |
| **A-AH123536** | Chain, Feeder House | 3-CA550 | 103 | 24 3/8" | 7700, 7701, 7720, 7721 | 299.00 |
| **A-AH123452** | Chain, Feeder House; Closed Spaced | 4-CA550 | 85 | 19 15/16" | 8820<br>Note: Reg feeder house, 63 slats | 278.00 |
| **A-AH116718** | Chain, Feeder House; Wide Spaced | 4-CA550 | 85 | 19 15/16" | 8820<br>Note: Reg feeder house, 42 slats | 231.00 |
| **A-AH116719** | Chain, Feeder House | 4-CA550 | 102 | 19 15/16" | 8820<br>Note: Long feeder house, 51 slats | 249.00 |
| **A-AH137845** | Chain, Feeder House; Closed Spaced | 3-CA550 | 101 | 23 3/4" | CTS, CTS II, 9400, 9410, 9450, 9500, 9510, 9550, 9550CTS, 9550CTSII, 9550SH, 9560, 9650CTS, 9660CTS<br>Note: chrome pins, 48 slats | 252.00 |
| **A-AH217634** | Chain, Feeder House; Serrated Slat, Wide Spaced | 3-CA557 | 91 | 23 3/4" | S690, 9650STS, 9650STS, 9660, 9670STS, 9750STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880 HILLMASTER, 9880 HILLMASTER, 9880I STS, 9880 STS, 9880 STS<br>Note: Serrated Slat H211160, Chrome Pins; 30 Slats | 200.00 |
| **A-AH207777** | Chain, Feeder House; Wide Spaced | 3-CA550 | 101 | 23 3/4" | CTS, CTS II, 9400, 9410, 9450, 9500, 9510, 9550, 9550CTS, 9550SH, 9560, 9650CTS, 9660CTS<br>Note: T-Slats w/ Chrome Pins; 34 Slats | 190.00 |
| **A-AH137604** | Chain, Feeder House | 3-CA550 | 83 | 23 3/4" | 9500SH, 9510SH, 9550SH, 9560SH<br>Note: Reg feeder house, 28 slats | 156.00 |
| **A-AH143400** | Chain, Feeder House; Closed Spaced | 4-CA550 | 101 | 19 3/8" | (9600, 9610, 9650 ALL Contour Master & Level Land)<br>Note: 74 - 22 1/4" slats Contour Master; Chrome Pins<br>Replaces: AH137844 | 313.00 |
| **A-AH143399** | Chain, Feeder House; Wide Spaced | 4-CA550 | 101 | 19 3/8" | 9600, 9610, 9650, 9660<br>Note: 51- 22 1/4" slats Contour Master; Chrome Pins | 243.00 |
| **A-AZ102572** | Chain, Feeder House Conveyor | | | | T660, T670, W650, W660, 2064, 2066, 2264, 2266, (9640I WTS, 9640WTS, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS ALL SN <077170)<br>Replaces: AZ100570, AZ49434, AZ63334, AZ44916 | 220.00 |
| **A-AH217633** | Chain, Feeder House; Wide Spaced | 3-CA557 | 90 | 23 3/4" | 9660STS, 9760STS SN -720300, 9860STS<br>Note: T-Slats w/ Chrome Pins; 30 Slats | 190.00 |

Truck icon indicates that the item is shipped via truck freight.


*JOHN DEERE

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Feeder Chain/ Slats/ Raddle Chain






| Part No. | Description | Qty-Chain | Links | C-to-C of Sprockets | Applications | Wt. | |
|---|---|---|---|---|---|---|---|
| **A-AH224926** | Chain, Feeder House; Smooth Slat, Wide Spaced | 3-CA557 | 91 | 23 3/4" | 9650STS, 9650STS SN 060049>, 9660 South American Edition, 9750STS, 9670STS SN <730100, 9750STS SN 060025>, (9770STS, 9870STS ALL SN <730100), 9760STS SN 720301>, 9860STS sn 720501>, 9880 STS European, (9880 HILLMASTER, 9880 STS ALL European, SN715801->), (9880 HILLMASTER, 9880I STS ALL European, SN720601->), S690 European, SN <-730100<br>Note: Smooth Slat H206436; 30 Slat<br>Replaces: AH217658, AH210126, AH148102 | 200.00 | |
| **A-AXE17889** | Chain; Feeder House, Serrated Slats | | | 21.5" | (9670STS, 9770STS, 9870STS, S690 STS ALL SN 730101>)<br>Note: 24 Slats<br>Replaces: AH228592 | 221.00 | |
| **A-AXE17470** | Chain; Feeder House | 3-CA557 | 91 | 23.75" | (9670STS, 9770STS, 9870STS, S690 STS ALL SN <730100)<br>Replaces: AXE12764 | 204.00 | |
| **A-AXE24307** | Chain, Feeder House (3 Strand) | 3-CA557 | 91 | 21.5" | S650 SN 765000-785000, S660, S670, S670 HILLMASTER, S670 STS, S680 HILLMASTER, S680 STS, (S685 HILLMASTER, S685 STS ALL European Edition), (S690 HILLMASTER, S690 STS ALL SN 745101>)<br>Note: 24 Slats<br>Replaces: AXE17466, AXE17889, AH228592, AH229894 | 221.00 | |
| **A-AH231006** | Chain, Feeder House; Chrome Pin (3 Strand) | | | | S540, S550 STS, 9470STS, 9560STS, 9570STS<br>Replaces: AH219918, AH209917, AH217635 | 138.00 | |
| **A-AXE27247** | Chain, Feeder House (4 Strand) | | | | S650, S660, S670, S670 STS, S680, S685, S690, S690 STS, S760, S770, S780, S785, S790 | 226.30 | |
| **A-AH207777-557** | Chain, Feeder House; Wide Spaced (557 Chain) | 3-CA557 | 101 | 23 3/4" | CTS, CTS II, 9400, 9410, 9450, 9500, 9510, 9510SH, 9550, 9550CTS, 9550SH, 9560, 9650CTS, 9660CTS<br>Note: T-Slats w/ Chrome Pins | 190.00 | |
| **A-AH231006LS** | Chain, Feeder House, (3 Strand), less slats | | | | S540, S550 STS, 9470STS, 9560STS, 9570STS<br>Note: Slat mounting hardware not included. For slat mounting hardware see part # A-JDC100BK | 60.00 | |
| **A-AXE24307LS** | Chain, Feeder House, (3 Strand), less slats | | | | S660, S670, S670 HILLMASTER, S670 STS, S680 HILLMASTER, S680 STS, (S690 HILLMASTER, S690 STS ALL SN 745101>)<br>Note: Slat mounting hardware not included. For slat mounting hardware see part # A-JDC100BK | 65.90 | |
| **A-AXE27247LS** | Chain, Feeder House (4 Strand), less slats | | | | S650, S660, S670, S670 STS, S680, S685, S690, S690 STS, S760, S770, S780, S785, S790<br>Note: Slat mounting hardware not included. For slat mounting hardware see part # A-JDC200BK | 94.20 | |
| **A-AXE28813** | Chain; Feederhouse Chain | 60H | 178 Links / 2 Connecting Links / 1 Offset Link = 181 Total | | S660, S670, S680, S685, S690, S760, S770, S780, S785, S790 | 13.58 | |
| **A-AH137631** | Offset Link (CA550-Chrome Pin) | CA550 | | | SEVERAL | 0.22 | |
| **A-C10233** | Offset Link (CA550-Plain Pin) | CA550 | | | SEVERAL | 0.18 | |

Truck icon indicates that the item is shipped via truck freight.

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

## Feeder Chain/ Slats/ Raddle Chain



*JOHN DEERE

| Part No. | Description | Qty-Chain Links | C-to-C of Sprockets | Applications | Wt. |
|---|---|---|---|---|---|
| **A-CA557C** | Connecting Link; CA557 Chain | CA557 | | S540, S550 STS, S560, S650, S660, S670, S670 HILL-MASTER, S670 STS, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S690 STS, 9470STS, 9560I STS, 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880 HILLMASTER, 9880I STS, 9880 STS<br>Replaces: 1305988C93, 1313188C91, 1313189C91, 1324294C1, 1308271C92, 1308272C92, 1313410C91, 1319203C92, 182096C91, 182097C91, 89623609 | 0.22 |
| **A-CA557CWN** | Chain Repair Link, Connector, CA557 with Cap Nuts | | | S540, S550 STS, S560, S650, S660, S670, S670 HILL-MASTER, S670 STS, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S690 STS, 9470STS, 9560I STS, 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880 HILLMASTER, 9880I STS, 9880 STS | 0.25 |
| **A-H84026** | Hook, Pin, CA550 | minimum order qty 10 | | CTS, CTS II, 3300, 4400, 4420, 6600 SN -7500, 6600 HILLSIDE, 6602 HILLSIDE, 6620, 6620 HILLSIDE SN 403301-, 6622 , 7700 SN 5001-, 7701, 7720, 7721, 7722, 8820, 9400, 9410, 9450, 9500, 9500 SIDEHILL, 9501, 9510, 9510 SIDEHILL, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9650STS, 9750STS<br>Replaces: H83253 | 0.01 |
| **A-JDC200BK** | Bolt Kit, Feeder House Chain | 108 Bolts | | S650, S660, S670, S670 STS, S680, S685, S690, S690 STS, S760, S770, S780, S785, S790<br>Note: Slat mounting hardware for feederhouse chain A-AXE27247LS | 6.00 |
| **A-H85894** | Slat, Feeder House | | | 4400, 4420 SN <450000<br>Note: Used w/ AH116711, AH116712, AH123532 & AH123533 Feeder House Webs. | 4.00 |
| **A-H85895** | Slat, Feeder House | | | 6600 SN <310500, 6620 SIDEHILL SN 552716>, 6620 SN <452500<br>Note: Used w/ AH116713, AH116714, AH116715, AH123450, AH123534 & AH123535 Feeder House Webs. | 3.00 |
| **A-H84497** | Slat, Feeder House | | | 6622, 7700, 7701, 7720 SN <458400, 7721 SN <463600, 7722 HILLSIDE<br>Note: Used w/ AH116716, AH116717, AH123451 & AH123536 Feeder House Webs | 3.75 |
| **A-H93558** | Slat, Feeder House | | | 8820<br>Note: Used w/ AH116718, AH116719, AH123452 & AH123537 Feeder House Webs. | 3.25 |
| **A-H206436** | Slat, Feeder House | | | CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9650STS, 9660CTS, 9660STS, 9750STS, 9760STS, 9860STS<br>Note: Used w/ AH137604, AH137844, AH137845, AH138187, AH217633 & AH148102 Feeder House Webs.<br>Replaces: H134002 | 4.00 |
| **A-H207776** | Slat, Feeder House | | | 9600, 9610, 9650, 9660<br>Note: USED W/ AH143399 & AH143400 FEEDER-HOUSE CHAINS | 3.00 |


Truck icon indicates that the item is shipped via truck freight.

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Feeder Chain/ Slats/ Raddle Chain



| Part No. | Description | Qty-Chain | Links | C-to-C of Sprockets | Applications | Wt. |
|---|---|---|---|---|---|---|
| **A-H211160** | Slat, Feeder House, serrated | | | | CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9650STS, 9660CTS, 9660STS, 9750STS, 9760STS, 9860STS | 4.00 |
| **A-HXE24328** | Slat; Feeder House Chain | | | | 9670STS, 9770STS, 9870STS, S670 STS, S680 STS, S690 STS<br>Replaces: H229581 | 5.70 |
| **A-H203392** | Slat; Feeder House Chain, Short Narrow | | | | S540, S550, S550 STS, 9470STS, 9560STS, 9570STS | 2.86 |

*JOHN DEERE

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# FEEDER HOUSE PARTS



**A-H149461** Wear Plate; Feeder House, Top 0.45 Lbs.



***For Models:*** S540, S550, S560, S650, S660, S670, S680, S685, S690, S760, S770, S780, S785, S790, T550, T560, T660, T670, W330, W540, W550, W650, W660, (CTS, CTS II, 9400, 9410, 9450, 9470STS, 9500, 9510, 9550, 9560, 9560I STS, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9780CTS, 9860STS, 9870STS, 9880I STS, 9880 STS ALL Contour Master)

**A-H149460** Wear Plate; Bottom, RH 0.82 Lbs.




***For Models:*** (CTS II, S690, T550, T560, T660, T670, 9410, 9450, 9470STS, 9500, 9510, 9550, 9560, 9560STS, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9750STS, 9760STS, 9780CTS, 9860STS, 9880 STS ALL Contour Master), CTS Contour Master SN 660401>, (S560, 9570STS, 9670STS, 9770STS, 9870STS ALL Contour Master SN <740200), 9400 Contour Master SN 660101>, 9600 Contour Master SN 660301>

**A-H149459** Wear Plate; Bottom, LH 0.82 Lbs.

***For Models:*** CTS Contour Master SN 660401>, 9400 Contour Master SN 660101>, (CTS II, S690, T550, T560, T660, T670, 9410, 9450, 9470STS, 9500 ALL Contour Master), 9600 Contour Master SN 660301>, (9510, 9550, 9560, 9560STS, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9750STS, 9760STS, 9780CTS, 9860STS, 9880 STS ALL Contour Master), (S560, 9570STS, 9670STS, 9770STS, 9870STS ALL Contour Master SN <740200)


**A-AH83618** Feeder House Bottom, Upper Back, Regular Length 33.00 Lbs.
Except SideHill Models



***For Models:*** 6600, 6620

**A-AH88598** Feeder House Bottom, Lower Front 50.00 Lbs.

Except SideHill Models



***For Models:*** 6600 SN 5305>, 6620

**A-H102469** Plate, Seperator 28.00 Lbs.
***Replaces:*** H82498




***For Models:*** 6600 SN 2252>, 6601 SN 2001>, 6620

**A-AH83620** Feeder House Bottom, Upper Back, Regular Length 41.00 Lbs.




***For Models:*** 7700, 7701, 7720, 7721

**A-AH88599** Feeder House Bottom, Lower Front 69.00 Lbs.




***For Models:*** 7700 SN 3642>, 7701, 7720, 7721, 7722 HILLSIDE

**A-AH124954** Feeder House Bottom, False 42.00 Lbs.
***Replaces:*** AH111180




***For Models:*** 7720 SN 556301>, 7721 SN 562901>

**A-H102470** Plate, Seperator 35.00 Lbs.
***Replaces:*** H94330



***For Models:*** 7700 SN 1658>, 7701, 7720, 7721

**A-AH90845** Support, Stone Trap 9.00 Lbs.



***For Models:*** 7700 SN 213301>, 7701, 7720, 7721


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.




P. 800-657-4343
F. 800-511-0516
aiproducts
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-AH96439** Feeder House Bottom, Lower Front 86.00 Lbs.




***For Models:*** 8820

**A-AH96541** Feeder House Bottom, Upper Back, Regular Length 75.00 Lbs.



***For Models:*** 8820

**A-H102471** Plate, Seperator 42.00 Lbs.
***Replaces:*** H99026



***For Models:*** 8820

**A-H130530** Guide, Chain; Feeder House 1.65 Lbs.



***For Models:*** CTS, CTS II, 9400, 9410, 9500, 9500SH, 9501, 9510, 9510SH, 9600, 9610, 9650STS SN < 696346, 9750STS SN < 695959

**A-H234587** Guide; Chain, 656 MM 0.50 Lbs.
***Replaces:*** H172474



***Dim/Info:***
Length - 656 MM / 25.827"

***For Models:*** C670, S540, S550, S560, S650, S660, S670, S680, S685, S690, S760, S770, S780, S785, S790, T550, T560, T660, T670, W540, W550, W650, W660, 9450, 9470STS, 9540I WTS, 9540WTS, 9550, 9560, 9560I STS, 9560I WTS, 9560STS, 9560WTS, 9570STS, 9580I WTS, 9580WTS, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9660I WTS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9750STS, 9760STS, 9770STS, 9780CTS, 9780I CTS, 9860STS, 9870STS, 9880 STS, 9880I STS

**A-H234586** Support; Chain Guide, 656 MM 2.32 Lbs.
***Replaces:*** H172471



***Dim/Info:***
Length - 656 MM / 25.827"

***For Models:*** C670, S540, S550, S560, S650, S660, S670, S680, S685, S690, S760, S770, S780, S785, S790, T550, T560, T660, T670, W540, W550, W650, W660, 9450, 9470STS, 9540I WTS, 9540WTS, 9550, 9560, 9560I STS, 9560I WTS, 9560STS, 9560WTS, 9570STS, 9580I WTS, 9580WTS, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660I WTS, 9660STS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9750STS, 9760STS, 9770STS, 9780CTS, 9780I CTS, 9860STS, 9870STS, 9880 STS, 9880I STS

**A-AH232566** Link Chain, Assy, #60H, 189 Links 14.45 Lbs.




***For Models:*** S550 STS SN 745100-764999, S650 SN 765000-, (S660, S670 STS, S680 STS, S690 STS ALL SN 745100-), (S670 HILLMASTER, S680 HILLMASTER ALL SN -765000), S690 HILLMASTER SN 745101 - 765000, S760, S770, S780, S785, S790, 9570STS SN 735101- North American, (9670STS, 9870STS ALL SN 735101-), 9770STS

**A-AH159703** Feeder House Bottom 210.00 Lbs.




***For Models:*** CTS, CTS II, 9400, 9410, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560SH, 9650CTS

**A-AH155650** Floor Assembly, Return; Narrow 13.00 Lbs.



***For Models:*** CTS 5-Jan-98, CTS II, T550, T560, W540, W550, 9400, 9410, 9450, 9500, 9510, 9550, 9550SH, 9650CTS

**A-AH120502** Door, Stone Trap 23.00 Lbs.



***Dim/Info:***
54.500" Wide

***For Models:*** CTS, CTS II, 9400, 9410, 9500, 9501, 9510

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.


# FEEDER HOUSE PARTS

**A-H123633** Shield, Feeder House Drum 14.00 Lbs.



***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9501, 9510, 9550, 9650CTS, 9650STS, 9750STS, 9780CTS

**A-H144052** Wear Plate, Feeder House Front 29.30 Lbs.



***For Models:*** CTS, CTS II, 9400 SN 640101>, 9410, 9450, 9500 SN 640201>, 9510, 9550, 9650

**A-AXE29353** Floor; Feeder House 168.00 Lbs.


W/ Hydraulic Fore / Aft Tilt



***For Models:*** S660, S670, S680, S685, S690, S760, S770, S780, S785, S790

**A-H173904** Seal, Feed Plate; Narrow 10.00 Lbs.

***Replaces:*** H170737, H131452



***For Models:*** CTS, CTS II, T550, T560, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9650STS, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-H159533** Deflector Shield; RH, Feeder House Drum 4.39 Lbs.

***Replaces:*** H159533



***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9501, 9510, 9550, 9600, 9610, 9650, 9650CTS, 9650STS, 9750STS, 9780CTS


**A-H159534** Deflector Shield; LH, Feeder House Drum 4.39 Lbs.

***Replaces:*** H123637



***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9501, 9510, 9550, 9600, 9610, 9650, 9650CTS, 9650STS, 9750STS, 9780CTS

**A-AH166026** Floor, Feeder House; Narrow 150.00 Lbs.




***For Models:*** C670, T550, T560, W540, W550, 9560, 9660CTS

**A-H205822** Shield, LH Rear Feederhouse Drive 20.00 Lbs.



***For Models:*** 9560STS, 9660STS, 9760STS, 9860STS, 9880I STS, (9570STS, 9670STS, 9770STS, 9870STS ALL SN <730100), 9880STS SN 700801>

**A-H171372** Plate, Wear; Front Closure 16.00 Lbs.



***For Models:*** 9560, 9660CTS, 9660STS, 9760STS, 9860STS

**A-AH159704** Floor, Feeder House; Wide 250.00 Lbs.

***Replaces:*** AH137732




***For Models:*** 9600, 9610, 9650

**A-H123632** Shield, Feeder House Drum 17.00 Lbs.



***For Models:*** 9600, 9610, 9650

**A-H144051** Wear Plate, Feeder House Front 20.70 Lbs.



***For Models:*** 9600 SN 640301>, 9610, 9650

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.




P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-H219180** Plate; Feederhouse Wear, Fixed Floor, Wide 20.00 Lbs.



***For Models:*** S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S770, S780, S785, S790, (9660STS, 9760STS ALL SN 720301>), 9670STS, 9770STS, 9860STS SN 720501>, 9870STS, 9880I STS SN 715701>


**A-H143357** Channel; Front Support 18.00 Lbs.



***For Models:*** T660, W650, W660, 9600, 9610, 9640I WTS, 9640WTS, 9650, 9660, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS

**A-AH141860** Support Assembly; Wide Rear Feeder House 16.00 Lbs.

***Dim/Info:***
Overall Length - 64.961"



***For Models:*** T660, W650, W660, 9600, 9610, 9640I WTS, 9640WTS, 9650, 9660, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS

**A-AH160605** Feed Plate Assembly; Wide 28.00 Lbs.



***For Models:*** 9610 SN 680301>, 9650, 9660

**A-AH147800** Feeder House Bottom 175.00 Lbs.

44.875" X54.188"



***For Models:*** 9650STS, 9750STS


**A-AH154691** Floor Assembly, Feed Housing 80.00 Lbs.



***For Models:*** S660, S670 HILLMASTER, S670 STS, S680 HILLMASTER, S680 STS, (S690 HILLMASTER, S690 STS ALL SN # 745101->), 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880 HILLMASTER European Edition, SN# 715801->, 9880I STS European Edition, SN# 715701->, 9880 STS European Edition, SN# <-715700


**A-AXE24554** Feeder House Floor 214.00 Lbs.

***Replaces:*** AH218532, AXE15498




***For Models:*** S650, S660, S670, S670 HILLMASTER, S670 STS, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S690 STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-AH169667** Floor, Feeder House 24.58 Lbs.



***For Models:*** 9650STS SN# <-696895, 9750STS SN# <-696324


**A-AH166027** Floor, Feeder House; Wide 175.00 Lbs.



***For Models:*** T660, 9640I WTS, 9640WTS, 9660, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS

**A-H173903** Seal, Feed Plate; Wide 12.00 Lbs.

***Replaces:*** H170736, H131451



***For Models:*** 9600, 9610, (9640I WTS, 9640WTS ALL SN <077170), 9650, 9660, (9660I WTS, 9660WTS, 9680I WTS, 9680WTS ALL SN <077170)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# FEEDER HOUSE PARTS




**A-M72598** Pin, Quick Lock 0.16 Lbs.



***Dim/Info:***
minimum order qty 5

***For Models:*** C670, CTS, S550 STS, S670 STS, T550, T560, T660, W540, W550, W650, W660, 9400, 9410, 9450, 9500, 9501, 9510, 9550, 9560STS, 9570STS, 9600 SN 661322- Contour Master, 9610, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660I WTS, 9660STS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9750STS, 9760STS, 9770STS, 9780CTS, 9860STS, 9870STS


**A-AH120501** Door, Stone Trap 28.00 Lbs.



***Dim/Info:***
65.375" Wide

***For Models:*** 9600, 9610 SN <680300

**A-H148020** Hinge, Stone Trap 14.00 Lbs.



***For Models:*** 9600, 9610

**A-AH227675** Hinge, Stone Trap 9.40 Lbs.
***Replaces:*** AH219193



***For Models:*** S650, S660, S670, S670 HILLMASTER, S670 STS, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S690 STS, (9660STS, 9760STS ALL SN 720301>), 9670STS, 9770STS, 9860STS SN 720501>, 9870STS, 9880I STS SN 715701>

**A-AH227674** Hinge, Stone Trap; Narrow 7.65 Lbs.



***For Models:*** S540, S550, S560, 9470STS, 9570STS

**A-AH162292** Hinge Assembly; Feed Plate, Wide 14.00 Lbs.



***For Models:*** 9610, 9650, 9660

**A-HXE111121** Plate, Wear; Feed Accelerator Beater 1.55 Lbs.



***For Models:*** S560, S650, S660, S670, S680, S685, S690, S760, S770, S780, S790

**A-HXE45530** Wear Plate; Tough Crop, 8 Wing 1.49 Lbs.



***For Models:*** S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S760, S770, S780, S785, S790, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880 STS, 9880I STS


**A-H220556** Seal, Isolator; Feederhouse Rear Inspection Door 3.00 Lbs.



***Dim/Info:***
Length - 55.118"
Material - Rubber
Thickness - .092"
Width - 9.449"

***For Models:*** S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S760, S770, S780, S785, S790, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880I STS, 9880 STS

**A-AH84645** Feeder House Roller 61.75 Lbs.



**A-JD8665** Bearing, RH/ LH 0.40 Lbs.

***For Models:*** 6600, 6620

**A-AH142394-PF** Feed Roll Drum, Posifeed Design 90.00 Lbs.

Drum Is Designed To Improve Feeding, Reduce Loss And Increase Speed. In Side By Side Testing With Standard Drums, The Posifeed Roller Consistantly Delivered Superior Results.



***Dim/Info:***
Paddle Style Drum Provides More Aggressive And Smooth Feeding In Light Or Heavy Crops. Installation Is Determined By Feeding Level Required - Aggressive Or More Aggressive.
Length - 52-1/4"
Diameter - 10-3/4"

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9501, 9510, 9550, 9560 SIDEHILL, 9650CTS, 9650STS, 9750STS

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-AH142393-PF** Feed Roll Drum, Posifeed Design 124.00 Lbs.

Drum Is Designed To Improve Feeding, Reduce Loss And Increase Speed. In Side By Side Testing With Standard Drums, The Posifeed Roller Consistantly Delivered Superior Results.



***Dim/Info:***
Paddle Style Drum Provides More Aggressive And Smoother Feeding In Light Or Heavy Crops. Installation Is Determined By Feeding Level Required - Aggressive Or More Aggressive.
Length - 63"
Diameter - 10-3/4"

***For Models:*** 9600, 9610, 9650

**A-AH218323-PF** Feed Roll Drum - Posifeed Design 107.00 Lbs.

Drum Is Designed To Improve Feeding, Reduce Loss And Increase Speed. In Side By Side Testing With Standard Drums, The Posifeed Roller Consistanly Delivered Superior Results.



***Dim/Info:***
Paddle Style Drum Provides More Aggressive And Smoother Feeding In Light Or Heavy Crops. Installation Is Determined By Feeding Level Required - Aggressive Or More Aggressive.
Length - 51"
Diameter - 10-3/4"

**A-JD9373** Bearing, Ball (9560 SN 710392>) 1.42 Lbs.

***For Models:*** 9560 SN 710392>, 9660CTS SN 710408>, 9660STS, 9760STS, 9860STS

**A-AH220242-PF** Feed Roll Drum - Posifeed Design 95.00 Lbs.



***For Models:*** (9660STS, 9760STS ALL SN 720301>), (9670STS, 9770STS, 9870STS ALL SN <730100), 9670STS SN 720401>, 9860STS SN 720501>, 9880I STS SN 715701>

**A-AH220243-PF** Feed Roll Drum - Posifeed Design 98.37 Lbs.



***For Models:*** S540, S550 STS, S560, 9470STS, 9560I STS, 9560STS SN 720101>, 9570STS

**A-AH216876-PF** Feed Roll Drum - Posifeed Design 94.00 Lbs.



***For Models:*** S660, S670 STS, S680 STS, S685 STS, S690 STS, (9670STS, 9770STS, 9870STS ALL SN 730101>)

**A-AXE27254-PF** Feed Roll Drum - Posifeed Design; 8" 69.00 Lbs.
Used with 3 strand feeder chain AXE24307 only. If using a 4 strand feeder chain, must use OEM style drum AXE27254.



***For Models:*** S650, S660, S670, S670 STS, S680, S685, S690, S690 STS

**A-AZ100476-PF** Feed Roll Drum - Posifeed Design 84.00 Lbs.



***For Models:*** T660, T670, W650, W660, 9640I WTS, 9640WTS, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS

**A-AH216876** Drum Assembly; Narrow 70.00 Lbs.



***Dim/Info:***
Length - 49.000"
Outside Diameter - 10.750"

***For Models:*** S650 SN 765000-785000, S660, S670 STS, S680 STS, S690 STS SN 745100-785000, 9670STS, 9770STS, 9870STS

**A-AH220242** Drum, Feeder House; Narrow, Heavy Duty 63.00 Lbs.



***Dim/Info:***
Length - 51.500"
Outside Diameter - 10.750"

***For Models:*** (9660STS, 9760STS ALL SN 720301>), (9670STS, 9770STS, 9870STS ALL SN <730100), 9670STS SN 720401>, 9860STS SN 720501>

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# FEEDER HOUSE PARTS

**A-AE46606** Bearing, Ball; Feeder Roller 1.70 Lbs.



***Dim/Info:***
Inside Diameter - 1.256" Hex
Outside Diameter - 3.1496"

***For Models:*** 9400 SN <640816 Feeder House Upper Shaft, 9500 SN <643457 Feeder House Upper Shaft, (9501, 9560, 9560STS ALL Feeder House Upper Shaft), 9600 SN <-642112 Feeder House Upper Shaft, 9660 Feeder House Drum Shaft use w/ AH218322, 9660CTS Feeder House Drum Shaft use w/ AH218323, (9660STS, 9760STS ALL Feeder House Drum Shaft use w/ AH218323 or AH218320 Drum), 9860STS Feeder House Drum Shaft use w/ AH218323 Drum


**A-H97919** Housing-Bearing, Feeder Conveyor Idler Shaft 2.00 Lbs.



***Dim/Info:***
Inside Diameter - 2.370"

***For Models:*** 8820, (9400, 9500 ALL W/ AH120210 Drum), 9600 SN <-637231

**A-H93927** Bearing Housing, Feeder Conveyor Shaft 2.20 Lbs.
***Replaces:*** H75896



***Dim/Info:***
Inside Diameter - 3.147"

***For Models:*** CTS, CTS II, C670, T550, T560, T660, W540, W550, W650, W660, 3300, 4400, 4420, 6600, 6602, 6620, 6622, 7700, 7701, 7720, 7721, 7722 HILLSIDE, 8820, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9600, 9610, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS, 9750STS, 9760STS, 9860STS, 9870STS

**A-H138753** Bearing Housing, Feeder Roller Shaft 1.75 Lbs.



***Dim/Info:***
Inside Diameter - 2.363"

***For Models:*** CTS, CTS II, 9400 SN 635700>, 9410, 9450, (9500, 9500SH ALL SN 638058>), 9501, 9510, 9510SH, 9550, 9550SH, 9560SH, 9600 SN 637232>, 9610, 9650, 9650CTS, 9650STS, 9750STS

**A-AH219987** Bearing w/ Housing; Feeder Drum (Import) 5.20 Lbs.




***For Models:*** S540, S550 STS, S650, S660, S670 STS, S680 STS, S685 STS, S690, S690 STS, 9470STS, 9560I STS, 9560STS SN 720101>, 9570STS, 9660STS S/N 720301>, 9670STS, 9760STS S/N 720401>, 9770STS, 9860STS S/N 720501>, 9870STS, 9880I STS

**A-AH220241** Bearing Cap, Feeder House Drum 2.60 Lbs.

***For Models:*** S540, S550 STS, S560, S690 SN <730100, 9470STS, 9560I STS, 9560STS SN 720101>, 9570STS, 9660STS SN 720301>, 9670STS, 9760STS SN 720301>, 9770STS SN <730100, 9860STS SN 720501>, 9870STS SN <730100, 9880I STS SN 715701>

**A-H76631** Shaft, Feeder Conveyor Idler 11.14 Lbs.



***Dim/Info:***
*42.562"* long

**A-JD8665** Bearing, RH/ LH 0.40 Lbs.

***For Models:*** 6600, 6601, 6620

**A-H77755** Shaft, Feeder House Idler 12.56 Lbs.




***Dim/Info:***
53.375" long

**A-JD8665** Bearing, RH/ LH 0.40 Lbs.

***For Models:*** 7722 HILLSIDE, 7700, 7701, 7720, 7721

**A-H98558** Shaft, Feeder Drum 21.00 Lbs.




***Dim/Info:***
64.25" long

**A-JD8552** Bearing, RH/ LH 0.70 Lbs.

***For Models:*** 8820

**A-H123734** Shaft, Feeder Drum 15.00 Lbs.



***Dim/Info:***
52.81" long

**A-JD8552** Bearing, RH/ LH 0.70 Lbs.

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560SH, 9650, 9650CTS, 9650STS, 9750STS

**A-H123733** Shaft, Feeder Drum 17.70 Lbs.



***Dim/Info:***
63.625" long

**A-JD8552** Bearing, RH/ LH 0.70 Lbs.

***For Models:*** 9600, 9610, 9650


**A-H218670** Shaft, Feeder Roller 17.60 Lbs.



***Dim/Info:***
41.94" x 1.25" Hex

***For Models:*** 9560STS, 9570STS

**A-H218671** Shaft, Feeder Roller 19.75 Lbs.




***Dim/Info:***
52.50" x 1.25" Hex

**A-AE46606** Bearing, RH/ LH 1.70 Lbs.

**A-JD9373** Bearing, RH/LH (9560 SN 710392>) 1.42 Lbs.

***For Models:*** 9560, 9660CTS, 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-AH116698** Support Arm, Feeder Drum 2.68 Lbs.
***Replaces:*** AH79728



***Dim/Info:***
16.75" long

***For Models:*** 3300, 4400, 4420, 6620, 7720, 7721, 7722 HILLSIDE, 8820

**A-AH126091** Arm Assy., Feeder Conveyor Idler Shaft 4.00 Lbs.



***Dim/Info:***
16.50" long

***For Models:*** 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560SH, 9600, 9610, 9650, 9650CTS, 9650STS, 9750STS, CTS, CTS II


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.




P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-AH97338** Arm, Feeder House Drive Idler 3.16 Lbs.




***For Models:*** 6620, 6622, 7720, 7721, 8820

**A-AH218367** Arm, Feeder Roller 5.40 Lbs.



***For Models:*** 9560, 9560STS, 9660, 9660CTS, 9660STS, 9760STS, 9860STS

**A-AH226296** Arm, Feeder Drum 5.40 Lbs.



***For Models:*** 9570STS, 9670STS, 9770STS, 9870STS

**A-H131087** Bushing 0.02 Lbs.


***For Models:*** CTS, CTS II, S550 STS SN 745100-764999, S660 SN 745100-765171, S670 STS SN 745100-765252, S680 SN 745100-766006, S690 STS SN 745100-765249, 1450CWS, 1550CWS, 9400, 9410, 9450, 9500, 9500 SIDEHILL, 9501, 9510, 9510 SIDEHILL, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660I WTS, 9660STS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9750STS, 9750STS, 9760STS, 9770STS, (9780CTS, 9780I CTS ALL SN 72800-), 9860STS, 9870STS

**A-H131088** Eyebolt, Drum Adjusting 0.60 Lbs.




***For Models:*** C670, CTS, CTS II, S550, T550, T560, T660, T670, W540, W550, W650, W660, 9410, 9450, 9500, 9500SH, 9510, 9510 SIDEHILL, 9550, 9550 SIDEHILL, 9560, 9560 SIDEHILL, 9570STS, 9600, 9610, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660I WTS, 9660STS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9750STS, 9760STS, 9770STS, 9780CTS, 9780I CTS, 9860STS, 9870STS

**A-AH157942** Runner Assembly 16.00 Lbs.




***For Models:*** (CTS, CTS II ALL INSIDE RUNNER), C670, T550, T560, T660, W540, W550, W650, W660, (9400, 9410, 9450 ALL INSIDE RUNNER), 9500, 9510, 9550, 9550SH, 9560, 9600, 9610, 9640I WTS, 9640WTS, 9650, 9650CTS, 9660 WITH AIRFLOW, 9660CTS, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS

**A-AH128903** Arm, Feeder House Drive Tightener 5.95 Lbs.




***For Models:*** CTS, CTS II, 9400, 9410, 9500, 9500 SIDEHILL, 9501, 9510, 9510 SIDEHILL, 9600, 9610

**A-AH168397** Arm, Idler; Feeder House 7.80 Lbs.



***For Models:*** 9450, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-H145464** Stripper, Feeder House 8.00 Lbs.



***For Models:*** CTS, CTS II, C670, T550, T560, W540, W550, 9400, 9410, 9450, 9500 SN 642579 >, 9510, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9660CTS

**A-H171960** Wear Strip, Upper Return 0.19 Lbs.



***For Models:*** C670, S550 STS SN 745100-764999, S650 SN 765000-, (S660, S670 STS, S680, S690 STS ALL SN 745100-), (S670 HILLMASTER, S680 HILLMASTER ALL SN -765000), S690 HILLMASTER SN 745101-765000, T550, T560, T660, T670, W540, W550, W650, W660, 9450 SN 685179-, (9540I WTS, 9560I WTS, 9580I WTS ALL SN 080016-), 9550 SN 685742-, 9550 SIDEHILL SN 685704-, 9560, 9560 SIDEHILL, 9560STS, 9570STS, 9640I WTS, 9640WTS, 9650 SN 686076-, 9650CTS SN 685497-, 9650STS SN 685805-, 9660, 9660CTS, 9660STS, 9660I WTS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9750STS SN 685841-, 9760STS, 9770STS, (9780CTS, 9780HM ALL SN 072800-), 9860STS, 9870STS

**A-AH201417** Sheave, Feeder House 22.20 Lbs.

***Replaces:*** AH157933



***Dim/Info:***
12.508" O.D.
4.878" I.D.

***For Models:*** 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560CTS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9760STS, 9770STS, CTS, CTS II


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# FEEDER HOUSE PARTS



**A-H201579** Sheave, Half; Inner, Feeder House, Std. Capacity 19.45 Lbs.



***Dim/Info:***
12.524" O.D.

***For Models:*** 9450 SN 690518>, 9550 SN 690801>, 9560, 9560SH, (9560STS, 9570STS ALL REGULAR DUTY), 9600 USE WITH AH153339), 9610 (USE WITH AH153339), 9650 SN 690821> STD, 9650CTS SN 690490> STD, 9650STS SN 691932> STD, (9660, 9660CTS, 9660STS, 9670STS ALL STD), 9750STS SN 691932> STD, (9760STS, 9770STS ALL STD)


**A-H168126** Sheave Half, Inner; Feeder House, Std. Capacity 20.96 Lbs.
***Replaces:*** H108673, H93189



***Dim/Info:***
Outside Diameter - 12 1/2"

***For Models:*** CTS, CTS II, 6620, 7720, 8820, 9400, 9410, 9450 SN < 690217, 9500, 9500SH, 9510, 9510SH, 9550 SN < 690800, 9600, 9610, 9650 SN <690820, 9650CTS SN <690489, 9650STS SN <691931


**A-AH201415** Sheave, Feeder House; Outer, High Capacity 20.30 Lbs.



***Dim/Info:***
12.510" O.D.
4.878" I.D.

***For Models:*** 9550, 9650, 9650CTS, 9650STS, 9750STS

**A-H158575** Sheave, Inner; Feeder House, Hi-Capacity 20.50 Lbs.



***Dim/Info:***
12.524" O.D.
2.128" I.D.

***For Models:*** 9550, 9650, 9650CTS, 9650STS, 9750STS


**A-H216332** Sheave, Half; Inner, Feeder House, Hi Capacity 26.30 Lbs.



***Dim/Info:***
14.168" O.D.
2.127" I.D.

***For Models:*** (9560, 9560SH, 9660, 9660CTS ALL HIGH CAPACITY), (9560STS, 9570STS, 9660STS, 9670STS, 9760STS, 9770STS, 9860STS ALL HEAVY DUTY)

**A-AH204587** Sheave, Half; Feeder House 25.50 Lbs.



***Dim/Info:***
14.170" O.D.
4.878" I.D.

***For Models:*** (9560, 9660, 9660CTS ALL HIGH CAPACITY), (9560STS, 9660STS, 9760STS ALL HEAVY DUTY), 9860STS

**A-AH220892** Sheave, Half; Outer Variable, HD 26.35 Lbs.



***For Models:*** S550, S650, S660, S760, 9570STS, 9670STS, 9770STS


**A-AH155706** Pulley, Feeder House 2.80 Lbs.



***Dim/Info:***
Inside Diameter - 1.336"
Outside Diameter - 5.88"

***For Models:*** CTS, CTS II, 9400, 9450, 9500, 9550, 9550SH, 9560, 9600, 9650, 9650CTS, 9660, 9660CTS


**A-AH206934** Pulley, Fixed Speed; Feeder House 22.95 Lbs.



***Dim/Info:***
11.500" O.D.
2.128" I.D.

***For Models:*** T550, T560, W540, W550, 9560, 9560STS, 9570STS, 9660, 9660STS, 9670STS, 9760STS, 9770STS, 9860STS


**A-AH135613** Sprocket, Feeder House Drive 5.95 Lbs.



***Dim/Info:***
Inside Diameter - 1.254"
Outside Diameter - 7.33"
Teeth - 29

***For Models:*** (9500SH, 9510SH, 9550SH, 9560SH ALL 26 TOOTH)


**A-AH203076** Sprocket, Feeder House; Drive 8.25 Lbs.



***Dim/Info:***
22 & 26 Tooth Double Sprocket
21 Internal Splines

***For Models:*** C670, 9560STS, 9640I WTS, 9640WTS, (9660, 9660CTS, 9660STS ALL ), 9660I WTS, 9660WTS, 9680I WTS, 9680WTS, (9760STS, 9860STS ALL )

**A-H219634** Sprocket, Feeder House 5.70 Lbs.



***Dim/Info:***
34 Teeth

***For Models:*** 9570STS, 9670STS, 9770STS, 9870STS


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
aiproducts
e-mail: sales@aiproducts.com
web: www.aiproducts.com


**A-AH218403** Sprocket, Feeder House Drive 13.50 Lbs.
***Replaces:*** AH206133



***Dim/Info:***
26 & 38 Tooth Double Sprocket
21 Internal Splines

***For Models:*** (9560STS, 9660, 9660CTS, 9660STS, 9760STS ALL High Capacity), 9860STS High Speed

**A-AH135611** Sprocket Assy, Drive Chain Idler 6.56 Lbs.



***Dim/Info:***
Chain: 60
Teeth: 19/29
Bore Dia: 2.678"
Overall Length: 2.067"

***For Models:*** (9500SH, 9510SH, 9550SH, 9560SH ALL 19 TOOTH/29 TOOTH)

**A-H115230** Shaft, Feeder House, Lower 43.98 Lbs.

***Replaces:*** H80923



***Dim/Info:***
91.500" long

**A-JD9202** Bearing, RH/LH 1.52 Lbs.


***For Models:*** 4400, 4420, 6600 w/ var belt drive, all SN, w/ fixed belt drive, SN 206201->, 6620 w/o reverser SN 615101->, 7700 w/ var belt drive, all SN, w/ fixed belt drive, SN 213301->, 7701, 7720 w/o reverser SN 615201->, 7721, 8820 w/o reverser SN <-414850

**A-AH204389** Idler, Feed Accelerator & Secondary Jackshaft 5.35 Lbs.
***Replaces:*** AH166439



***For Models:*** C670 , S540 Argentine, S540 South American, S550 STS SN 745100-764999, S560 European, S650 SN 765000-, S660 SN 745100-, S670 European, S670 HILLMASTER SN -765000, S670 STS SN 745100-, S680 European, S680 HILLMASTER SN -765000, (S685, S685 HILLMASTER ALL European), S690 SN -745100 European, S690 HILLMASTER SN 745101 - 765000, S690 STS, T550, T560, T660, T670, W540, W550, W650, W660, 9470STS South American, 9540I WTS SN 080016-, 9540WTS SN -080015 European, 9550, 9550SH, 9560 North American, 9560I STS European, 9560I WTS SN 080016-, (9560SH, 9560STS ALL North American), 9560WTS SN -080015 European, 9570STS North American, 9570STS South American, 9580I WTS SN 080016-, 9580WTS SN -080015 European, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, (9660, 9660CTS ALL North American), 9660I WTS, 9660STS North American, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9750STS, 9760STS North American, 9770STS, (9780CTS, 9780I CTS ALL SN 072800-), 9860STS North American, 9870STS, 9880 HILLMASTER SN715801- European, 9880I STS SN715701- European, 9880 STS SN -715700 European


**A-AH150900** Idler, Feed Accelerator & Secondary Jackshaft 3.70 Lbs.



***Dim/Info:***
Inside Diameter - .698"
Overall Diameter - 6.500"
Width - 2.250"

***For Models:*** T550, T560, T660, 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS


**A-AH97641** Shaft, Feeder House, Lower 46.00 Lbs.



***Dim/Info:***
91.625" long

**A-JD10011** Bearing (LH) 1.20 Lbs.
**A-JD9202** Bearing (RH) 1.52 Lbs.
***For Models:*** 6620 Level Land W/ Reverser


**A-AH97642** Shaft, Feeder House, Lower 46.48 Lbs.



***Dim/Info:***
91.437" long

**A-JD10011** Bearing (LH) 1.20 Lbs.
**A-JD9202** Bearing (RH) 1.52 Lbs.
***For Models:*** CTS, CTS II VARIABLE AND FIXED SPEED, 7720 W/ Reverser drive, 9400 SN<660100, 9410, 9500 VARIABLE AND FIXED SPEED, 9501, (9500SH, 9510 ALL VARIABLE AND FIXED SPEED)

**A-AH97643** Shaft, Feeder House, Lower 47.50 Lbs.



***Dim/Info:***
91.440" long

**A-JD10011** Bearing (LH) 1.20 Lbs.
**A-JD9202** Bearing (RH) 1.52 Lbs.
***For Models:*** (8820, 9600, 9610 ALL w/ variable / fixed speed)

**A-H224011** Shaft, Feeder House; Lower 36.49 Lbs.
***Replaces:*** H234556



***Dim/Info:***
70.81" Long

**A-JD9202** Bearing, RH 1.52 Lbs.
***For Models:*** (9670STS, 9770STS, 9870STS ALL SN <730100)

**A-AH136873** Shaft, Variable Drive Sheave & Mounting, Front 45.00 Lbs.



***Dim/Info:***
83.62" Long

**A-JD10011** Bearing, LH 1.20 Lbs.
**A-JD9202** Bearing, RH 1.52 Lbs.
***For Models:*** 9400 SN 660101 - 31JA00, w/ Contour Master, 9410 SN < 680231, w/ Contour Master, 9500 SN<31JA00 w/ Contour Master, 9510 w/ Contour Master, CTS SN 660401 - 31JA00, w/ Contour Master, CTS II SN < 31JA00, w/ Contour Master


**A-AH152937** Shaft Assy, w/Hub, Variable Drive Sheave & Mountings, Front 42.06 Lbs.
Narrow / Standard



***Dim/Info:***
83.69" Long

**A-JD10011** Bearing, LH 1.20 Lbs.
**A-JD9202** Bearing, RH 1.52 Lbs.
***For Models:*** 9400 w/ Contour Master, 9410 SN 680232 >, w/ Contour Master, (9450, 9500, 9510, 9550 ALL w/ Contour Master), 9650CTS SN < 700400, 9650STS SN < 700500, 9750STS SN < 700600, (CTS, CTS II ALL w/ Contour Master)

**A-AH135606** Shaft Assy, w/Hub, Variable Drive Sheave & Mountings, Front 42.20 Lbs.




***Dim/Info:***
81.62" Long

**A-JD10011** Bearing, LH 1.20 Lbs.
**A-JD9202** Bearing, RH 1.52 Lbs.
***For Models:*** (9500SH, 9510SH ALL VARIABLE AND FIXED SPEED), 9550SH, 9560SH

**A-AH152939** Shaft, Variable Drive Sheave, Front 47.15 Lbs.

Use w/ AH149349 & H210994



***Dim/Info:***
94.50" Long

**A-JD10011** Bearing, LH 1.20 Lbs.
**A-JD9202** Bearing, RH 1.52 Lbs.
***For Models:*** (9600, 9610, 9650 ALL CONTOUR MASTER)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# FEEDER HOUSE PARTS

**A-H202940** Shaft, Feeder House, Lower (Narrow) 36.05 Lbs.




***Dim/Info:***
70.81" long

**A-JD9202** Bearing, RH 1.52 Lbs.

***For Models:*** 9450 SN 700101>, (9550, 9550SH ALL SN 700201>), 9560, 9560SH, 9560STS, 9650CTS SN 700401>, 9650STS SN 700501>, 9660, 9660CTS, 9660STS, 9670STS SN < 730100, 9750STS SN 700601>, 9760STS, (9770STS, 9860STS ALL SN < 730100), 9870STS

**A-AH166651** Shaft, Feeder House; Narrow Airflow 23.00 Lbs.



***Dim/Info:***
63.06" Long

***For Models:*** 9450, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9660CTS

**A-AH219997** Shaft, Feeder House Dust Fan 27.50 Lbs.




***Dim/Info:***
64.31" long

**A-AZ19427** Ball Bearing, LH 1.10 Lbs.

***For Models:*** CTS, CTS II, 9400, 9410, 9500, 9510, 9510SH

**A-AH125454** Shaft, Feeder House 5.40 Lbs.



***For Models:*** 9400, 9410, 9450, 9500, 9501, 9510, 9550, 9560, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9770STS, 9860STS, 9870STS, CTS, CTS II


**A-C10519** Seal 0.01 Lbs.



***Dim/Info:***
For Feed Roll Gear Case On Forage Harvesters/For Bin Loading Gear Case On Combines/ For 65 Tooth Gear On Mower Conditioners.
Single Lip / Garter Spring Type
Inside Diameter - 1.250"
Outside Diameter - 1.629"
minimum order qty 2

***For Models:*** (**FORAGE HARVESTER**: 3940, 3950, 3960, 3970, 5200, 5400, 5440, 5460, 5720, 5730, 5820, 5830)

**A-Z61813** Pin, Pinion Gear; Feeder House 0.40 Lbs.



***Dim/Info:***
.814" Dia.
3.071 Length

***For Models:*** C670, T550, T560, T660, W540, W550, W650, W660, 9450, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9660I WTS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9750STS, 9760STS, 9770STS, 9860STS

**A-Z12714** Gear, Pinion; Feeder House 2.05 Lbs.



***Dim/Info:***
24 Teeth Sprocket
14 Teeth Gear
.814" Pin Dia.
3.071" Length

***For Models:*** C670, T550, T560, T660, W540, W550, W650, W660, 9450, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9660I WTS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9760STS, 9750STS, 9770STS, 9860STS

**A-CE18522** Gear, Pinion; Feeder House 3.15 Lbs.



***Dim/Info:***
29 Teeth Sprocket
14 Teeth Gear

***For Models:*** 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-H207015** Gear, Input; Feeder House 3.85 Lbs.



***Dim/Info:***
21 Tooth
7.06" Long


***For Models:*** C670, T550, T560, T660, W540, W550, W650, W660, 9560, 9560STS, 9570STS, (9640I WTS, 9640WTS ALL SN 074502>), 9660, 9660CTS, 9660STS, (9660I WTS, 9660WTS ALL SN 074502>), 9670STS, (9680I WTS, 9680WTS ALL SN 074502>), 9760STS, 9770STS, 9860STS

**A-AZ49370** Seal 0.05 Lbs.



***For Models:*** C670, S550 STS SN 745100-764999, S650 SN 765000-, S660 SN 745100-, T550, T560, T660, T670, W540, W550, W650, W660, 2254, 2256, 2258, 2264, 2266, 9450 SN 700101-, 9540I WTS SN 080016-, 9550, 9550 SIDEHILL SN 700201-, 9560, 9560 SIDEHILL, 9560I WTS SN 080016-, 9560STS, 9570STS, 9580I WTS SN 080016-, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660I WTS, 9660STS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9750STS, 9760STS, 9770STS, (9780CTS, 9780I CTS ALL SN 072800-), 9860STS

**A-AH125782** Sprocket Assy., Shaft w/ Reverser, Front (Variable) 4.52 Lbs.



***Dim/Info:***
Chain: 60
Teeth: 15 / 22
Bore Dia: 1.502"
Length: 2.559"

***For Models:*** CTS, CTS II, 9400, 9410, 9500, 9501, 9510, 9600, 9610

**A-H177985** Shaft, Reverser Gearbox 10.40 Lbs.



***Dim/Info:***
18.18" long
24/21 spline

***For Models:*** C670, T550, T560, T660, W540, W550, W650, W660, 9450 SN 700101>, (9500SH, 9550, 9550SH ALL SN 700201>), 9560, 9640I WTS, 9640WTS, 9650 SN 700301>, 9650CTS SN 700401>, 9650STS SN 700501>, 9660, 9660CTS, 9660STS, 9660I WTS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9750STS SN 700601>, 9760STS, 9770STS, 9860STS

JOHN DEERE*

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-H213514** Shaft, Reverser Gearbox 11.85 Lbs.



***Dim/Info:***
18.18" long
24/21 spline

***For Models:*** 9660STS, 9670STS SN < 730100, 9760STS, 9770STS SN < 730100, 9860STS, 9870STS

**A-R163994** Plate; Clutch 0.85 Lbs.



***Dim/Info:***
Inside Diameter - 4.743"
Outside Diameter - 7.672"
Thickness - .120"
Tangs - 8

***For Models:*** (9770STS, 9870STS ALL Feederhouse Drive Gearcase)

**A-RE294017** Disc, Clutch 0.40 Lbs.
***Replaces:*** RE67458



***Dim/Info:***
Inside Diameter - 4.627" major / 4.424" minor
Outside Diameter - 7.000"
Teeth - 54

***For Models:*** 9770STS, 9870STS

**A-H166216** Gear, Input w/ Lube Slots, Reverser Gearbox 2.96 Lbs.
***Replaces:*** H105909, H161566




***Dim/Info:***
5.91" long
21 teeth

**A-JD8819** Needle Bearing 0.20 Lbs.

***For Models:*** CTS Use w/ AH134864, AH145314, AH156053 or AH156049, CTS II Use w/ AH156049, 6620 SN610731>, 6622 SN 507051>, 9400 Use w/ AH134864, AH145314, AH156053 or AH156049, 9410 Use w/ AH156053 or AH156049, 9450 SN <690217, (9500, 9500SH ALL Use w/ AH134864, AH145314, AH140341, AH156053, AH156049), (9510, 9510SH ALL Use w/ AH156053, AH156054 or AH156049), 9550 SN <690799, 9550SH SN <690719, 9600 Use w/ AH134863, AH145315, AH156052 or AH156050, 9610 Use w/ AH156050 OR AH156052, 9650 SN <690820, 9650CTS SN <690489, 9650STS SN <691931, 9750STS SN <691383

**A-H201578** Gear, Input w/ Lube Slots, Reverser Gearbox 3.50 Lbs.



***Dim/Info:***
7.06" long
21 teeth

**A-JD8819** Needle Bearing 0.20 Lbs.

***For Models:*** 9450 SN 690218->, 9550 SN 690800->, 9550SH SN 690720->, 9560SH, 9650 SN 690821->, 9650CTS SN 690490->, 9650STS SN 691932->, 9750STS SN 691384->, (9400, 9410, 9500, 9500SH, 9510, CTS, CTS II ALL W/ AH153341 Gear Case), (9600, 9610 ALL W/ AH153339 Gear Case)


**A-H106073** Gear, Output, Reverser Gearbox 2.76 Lbs.



***Dim/Info:***
10/ 38 teeth
3.983" Dia

***For Models:*** CTS, CTS II, 6620, 6620 Side Hill SN 610731>, 6622 SN 507051>, 7720 SN 612194>, 7722 HILLSIDE, 8820 SN 464351>, 9400, 9410, (9450, 9550, 9550SH ALL SN <700100), 9500, 9500SH, 9501, 9510, 9510SH, 9560SH, 9600, 9610, 9650 SN <700300, 9650CTS SN <700400, 9650STS SN <700500, 9750STS SN <700600

**A-AH105040** Ring Gear, Reverser Gearbox 12.00 Lbs.



***Dim/Info:***
Teeth - 73

***For Models:*** 6620 SN 610731>, 6622 SN 507051>, 7720 SN 612194>, 7722 HILLSIDE, 8820 SN 404351>, 9400, 9410, 9450 SN <700100, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560SH, 9600, 9610, 9650 SN <700300 STANDARD, 9650CTS SN <700400 STANDARD, 9650STS SN <700500 STANDARD, 9750STS SN <700600 STANDARD, CTS, CTS II

**A-H132328** Collar, Shifter, Reverser Gearbox 1.32 Lbs.
***Replaces:*** H98905



***Dim/Info:***
10 teeth
3.23" Dia

***For Models:*** CTS, CTS II, 1166, 1166H4, 1170, 1174, 1174H4, 1177, 1177H4, 1188, 1188H4, 4425, 4435, 6620, 6620 Side Hill SN 610301->, 6622 SN 507051->, 7720 SN <-626800, 7722 HILLSIDE, 8820 SN <-626300, 9400, 9410, 9450 SN <-700100, 9500, 9500SH, 9501, 9510, 9510SH, 9550 SN <-700200, 9550SH, 9560SH, 9600, 9610, 9650 SN <-700300, 9650CTS SN <-700400, 9650STS SN <-700500, 9750STS SN <-700600

**A-H168994** Pinion, 1st & 2nd Planet, Reverser Gearbox 1.40 Lbs.
***Replaces:*** H105912, AH106618



***Dim/Info:***
16/24 teeth
3.15" Dia

***For Models:*** CTS, CTS II, 6620, 6620 Side Hill SN 610731>, 6622 SN 507051>, 7720 SN 612194>, 7722 HILLSIDE, 8820 SN 464351>, 9400, 9410, 9450 SN <700100, 9500, 9500SH, 9501, 9510, 9510SH, 9550 SN <700200, 9550SH, 9560SH, 9600, 9610, 9650 SN <700300, 9650CTS SN <700400, 9650STS SN <700500, 9750STS SN <700600

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# FEEDER HOUSE PARTS



**A-AE38359** Bearing, Needle 0.15 Lbs.



***Dim/Info:***
Inside Diameter - 1.125"
Outside Diameter - 1.500"

***For Models:*** (**HEAD, CUTTING PLATFORM**: 200 SERIES, 200E SERIES, 230, 900 SERIES, 300A, 120, 218, 213, 215, 216, 220, 222, 224, 918, 920), (**SWATHER/ WINDROWER**: 2320, 2360, 2420, 3430, 3830, 4890, 4895, 4990, 4995)

**A-H148133** Cup Bearing, Rear Engine Mount 0.10 Lbs.
***Replaces:*** H34487, H78856

***For Models:*** C670, CTS, CTS II, S550 STS SN 745100-764999, S650 SN 765000-, S670 HILLMASTER SN -765000, S670 STS SN 745100-, S680 HILLMASTER SN -765000, S680 SN 745100-, S690 HILLMASTER SN 745101 - 765000, S690 STS SN 745100-, T550, T560, T660, T670, W540, W550, W650, W660, S660, 2254, 2256, 2258, 2264, 2266, 3300, 6622 SN 507051-, 9400, 9410, 9450, 9500, 9500 SIDEHILL, 9510, 9540I WTS SN 80016-, 9550, 9550SH, 9560, 9560I WTS SN 80016-, 9560SH, 9560STS, 9570STS, 9580I WTS SN 80016-, 9600, 9610, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660I WTS, 9660STS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9750STS, 9760STS, 9770STS, (9780CTS, 9780I CTS ALL SN 072800-), 9860STS, 9870STS

**A-H148132** Bushing, Cushion 0.10 Lbs.
***Replaces:*** H80197




***For Models:*** (C670, CTS, CTS II, S550 STS SN 745100-764999, S650 SN 765000-, (S670 HILLMASTER, S680 HILLMASTER ALL SN -765000), (S670 STS, S680 ALL SN 745100-), S690 HILLMASTER SN 745101-, S690 STS SN 745100-, T550, T560, T660, T670, W540, W550, W650, W660, 6622 SN 507051-, 9400, 9410, 9450, 9500, 9500 SIDEHILL, 9501, 9510, 9510 SIDEHILL, 9540I WTS SN 080016-, 9550, 9550SH, 9560, 9560SH, 9560STS, 9560I WTS SN 080016-, 9570STS, 9580I WTS SN 080016-, 9600, 9610, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9660I WTS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9750STS, 9760STS, 9770STS, (9780CTS, 9780I CTS ALL SN 072800-), 9860STS, 9870STS)

**A-AH212002** Pin, Pivot; Feeder House Driver 2.10 Lbs.



***For Models:*** CTS, CTS II, C670, T550, T560, T660, W540, W550, W650, W660, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, (9640I WTS, 9640WTS ALL SN 074502>), 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, (9660I WTS, 9660WTS ALL SN 074502>), 9670STS, (9680I WTS, 9680WTS ALL SN 074502>), 9750STS, 9760STS, 9770STS, 9860STS, 9870STS


**A-H86092** Shaft, Feeder House, Upper 23.50 Lbs.



***Dim/Info:***
46.375" long

***For Models:*** 4400, 4420 SN <-550000

**A-H86088** Shaft, Feeder House, Upper 35.12 Lbs.



***Dim/Info:***
52.375" long
1-3/4" Hex

**A-JD9452** Ball Bearing, LH/RH 0.82 Lbs.
***For Models:*** 6600, 6620 SN <-551900

**A-H113408** Shaft, Feeder House, Upper 35.32 Lbs.



***Dim/Info:***
52.375" long

**A-JD9373** Bearing, LH 1.42 Lbs.
**A-JD9452** Bearing, RH 0.82 Lbs.
***For Models:*** 6620 SN 551901->


**A-H86089** Shaft, Feeder House, Upper 44.00 Lbs.



***Dim/Info:***
63.375" long

**A-JD9452** Ball Bearing, LH/ RH 0.82 Lbs.
***For Models:*** 7700, 7720 SN <-556300


**A-H113407** Shaft, Feeder House, Upper 44.14 Lbs.



***Dim/Info:***
63.875" long

**A-JD9373** Bearing, LH 1.42 Lbs.
**A-JD10020** Bearing, RH 1.70 Lbs.
***For Models:*** 7720 SN 556301->, 7722 HILLSIDE


**A-H98560** Shaft, Feeder House, Upper 52.00 Lbs.



***Dim/Info:***
74.687" long

**A-JD10020** Ball Bearing 1.70 Lbs.
**A-JD9373** Ball Bearing, S/N XXXXXX> 1.42 Lbs.
**A-JD9452** Ball Bearing, S/N <XXXXXX 0.82 Lbs.
***For Models:*** 8820 SN <-564100


**A-H113406** Shaft, Feeder House, Upper 49.75 Lbs.



***Dim/Info:***
74.687" long

**A-JD9373** Bearing, LH 1.42 Lbs.
**A-JD10020** Bearing, RH 1.70 Lbs.
***For Models:*** 8820 SN 564101->

**A-H151566** Shaft, Feeder House, Upper 42.55 Lbs.
***Replaces:*** H143353



***Dim/Info:***
63.00" long

**A-JD10020** Bearing, RH 1.70 Lbs.
**A-JD9373** Bearing, LH 1.42 Lbs.
***For Models:*** CTS, 9400 SN 641501>, 9500 SN 643901>, 9500SH

**A-H156576** Shaft, Feeder House, Upper 59.60 Lbs.



***Dim/Info:***
Long - 62.94"

**A-JD10020** Bearing, RH 1.70 Lbs.
**A-JD9373** Bearing, LH 1.42 Lbs.
***For Models:*** CTS II, 9410, 9450, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9650STS, 9660CTS, 9660STS, 9750STS, 9760STS, 9860STS


**A-H203039** Shaft, Feeder House, Upper 47.90 Lbs.



***Dim/Info:***
Long - 53.38"

**A-JD10020** Ball Bearing, RH 1.70 Lbs.
**A-JD9373** Ball Bearing, LH 1.42 Lbs.
***For Models:*** 9560STS

**A-H151567** Shaft, Feeder House, Upper 50.00 Lbs.



***Dim/Info:***
73.81" Long

**A-JD10020** Bearing, RH 1.70 Lbs.
**A-JD9373** Bearing, LH 1.42 Lbs.
***For Models:*** 9600 SN 645301>

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-H156577** Shaft, Feeder House, Upper 72.00 Lbs.



***Dim/Info:***
73.87" Long

**A-JD10020** Bearing, RH 1.70 Lbs.
**A-JD9373** Bearing, LH 1.42 Lbs.
***For Models:*** 9610, 9650, 9660


**A-H203850** Shaft, Feeder House, Upper (High Capacity) 60.25 Lbs.



***Dim/Info:***
Long - 63.06"

**A-JD10020** Ball Bearing, RH 1.70 Lbs.
**A-JD9373** Ball Bearing, LH 1.42 Lbs.
***For Models:*** 9660STS HIGH CAPACITY, 9670STS, 9760STS HIGH CAPACITY, 9770STS, 9860STS HIGH CAPACITY, 9870STS


**A-H129681** Shaft, Feeder House, Upper (RH Stub) 8.05 Lbs.



***Dim/Info:***
9.97" long

**A-AH109788** Tapered Roller Bearing, RH 1.40 Lbs.
***For Models:*** CTS, CTS II, 9400 SN <641500, 9500 SN <643900, 9501, 9600 SN <642300


**A-H129658** Shaft, Feeder House, Upper (LH Stub) 5.12 Lbs.



***Dim/Info:***
2.93" long

**A-AE46606** Bearing, LH SN <XXXXXX 1.70 Lbs.
**A-JD9373** Bearing, LH SN XXXXXX> 1.42 Lbs.
***For Models:*** 9400 SN: < 641500, 9500 SN: < 643900, 9501, 9600 SN: < 645300

**A-AH125196** Shaft, Feeder House, Upper 48.00 Lbs.



***Dim/Info:***
52.18" long
10 teeth

**A-AH109788** Tapered Roller Bearing 1.40 Lbs.
**A-AE46606** Bearing, S/N <XXXXXX 1.70 Lbs.
**A-JD9373** Bearing, S/N XXXXXX> 1.42 Lbs.
***For Models:*** 9400 SN <641500, 9500 SN <643900, 9501

**A-AH125195** Shaft, Feeder House, Upper 57.00 Lbs.



***Dim/Info:***
63.00" long
10 teeth

**A-AE46606** Bearing, S/N <XXXXXX 1.70 Lbs.
**A-JD9373** Bearing, S/N XXXXXX> 1.42 Lbs.
**A-AH109788** Tapered Roller Bearing 1.40 Lbs.
***For Models:*** 9600 SN <645300

**A-H102194** Shaft, Feeder House Lower 35.27 Lbs.



***Dim/Info:***
72.62" Long

**A-JD9202** Bearing, RH/LH 1.52 Lbs.
***For Models:*** 6600 Sidehill, 6620 Sidehill; SN <610300

**A-H121435** Sprocket, Feeder House, Upper 8.20 Lbs.
***Replaces:*** H121435, H81045, H86095, H94168



***Dim/Info:***
10 Teeth
1.500" Hex Bore

***For Models:*** 3300, 4400, 4420, 6600, 6601, 6602, 7700

**A-H118583** Sprocket, Feeder House, Upper 10.00 Lbs.



***Dim/Info:***
10 Teeth
1.750" Hex Bore

***For Models:*** CTS, 6600, 6602, 6620, 6622, 7700, 7701, 7720, 7721, 7722 HILL-SIDE, 8820, 9400, 9500, 9500SH, 9600

**A-H118583-S** Sprocket, Split Feeder House 7.00 Lbs.



***Dim/Info:***
10 Teeth
1.750" Hex Bore
Split Type Sprocket

***For Models:*** CTS, 6600, 6602, 6620, 6622, 7700, 7701, 7720, 7721, 8820, 9400, 9500, 9500SH, 9600

**A-H159613** Sprocket, Feeder House Shaft, Upper 6.75 Lbs.



***Dim/Info:***
Chain: RC550
Teeth: 10
Bore Dia: 2.254"
Overall Length: 2.421"

***For Models:*** CTS II, C670, T550, T560, T660, W540, W550, W650, W660, 9410, 9450, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9610, 9640I WTS, 9640WTS, 9650, 9650CTS, 9660, 9660CTS, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS

**A-H159614** Sprocket, Feeder House Shaft, Upper 9.00 Lbs.



***Dim/Info:***
10 Teeth
2.250" Round Bore

***For Models:*** CTS II, C670, T550, T560, T660, W540, W550, W650, W660, 9410, 9450, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9610, 9640, 9640I WTS, 9640WTS, 9650, 9650CTS, 9660, 9660CTS, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# FEEDER HOUSE PARTS



**A-H159615** Sprocket, Feeder House, Upper, Outer 8.00 Lbs.



***Dim/Info:***
Bore - 2.250"
Required - 2
Teeth - 13
Bore Type - Round

***For Models:*** 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS <730100, 9770STS < 730100, 9860STS, 9870STS

**A-H159616** Sprocket, Feeder House Center, Upper 11.00 Lbs.



***Dim/Info:***
Bore - 2.250"
Teeth - 13
Bore Type - Round

***For Models:*** S550 STS < 765000, (S690 HILLMASTER, S690 STS ALL < 745100 European), 9560STS, 9570STS, 9650STS, 9660STS, 9750STS, 9860STS, (9670STS, 9760STS, 9770STS, 9870STS ALL < 730100)


**A-H227474** Sprocket, Upper Feeder House 13.50 Lbs.



***Dim/Info:***
Inside Diameter - 2.250"
Teeth - 13
QTY - 3


***For Models:*** S760, S770, S780, S785, S790, 9770STS, 9870STS, S650 SN 765000-, (S660, S670 STS, S690 STS ALL SN 745100-), (S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S690, S690 HILLMASTER ALL European), 9670STS SN 730101>

**A-H148187** Strip, Return Wear, Upper 0.25 Lbs.



***For Models:*** 9400 SN 650101>, 9410, 9450 SN <685178, (9500, 9500SH ALL SN 650201>), 9510, 9510SH, 9550 SN <685741, 9550SH SN 685703>, 9600, 9610, 9650 SN 686075>, 9650CTS SN <685496, 9650STS SN <685804, 9750CTS SN <685840, CTS SN 650401>, CTS II


**A-AH135614** Sprocket Assy., Shaft & Pivot Housing, Feeder House, Upper 7.43 Lbs.



***Dim/Info:***
Chain: 60
Teeth: 34
Bore Dia: 1.129"
Overall Length: 1.594"

***For Models:*** 9500SH, 9510SH, 9550SH, 9560SH

**A-H119709** Sprocket, Feeder House Drive, Upper 5.50 Lbs.



***Dim/Info:***
Chain: 60
Teeth: 34
Bore Dia: 2.63"
Overall Length: 8.54"

***For Models:*** 9650, 9650STS, 9660STS, 9750STS, 9760STS, 9860STS

**A-AH149349** Drive Sprocket Assy, Drive Shaft, Sheave & Mountings, Front 6.25 Lbs.




***Dim/Info:***
Chain: 60
Teeth: 15/22
Bore Dia: 1.312"
Overall Length: 4.256"

***For Models:*** C670, 9450, 9550, 9560, 9560SH, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS, 9750STS, 9880 STS SN: <700800, (9400, 9410, 9500, 9510, 9600, 9610, CTS, CTS II ALL Use w/ AH153341 (Gearbox) & AH233089 (Tone Wheel))

**A-H147593** Housing-Bearing, Shaft Feeder House, Upper 5.08 Lbs.

***Replaces:*** H143351



**A-JD10020** Ball Bearing 1.70 Lbs.
**A-JD9373** Ball Bearing 1.42 Lbs.

***For Models:*** CTS, CTS II, C670, T550, T560, T660, W540, W550, W650, W660, 9400 SN 641501>, 9410, 9450, 9500 SN 643901>, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600 SN 645301>, 9610, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9660I WTS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS


**A-AH167579** Support, Variable Speed Idler 20.60 Lbs.



**A-JD10018** Bearing, Inner/ Outer 2.10 Lbs.
**A-AH165609** Bearing, Outer 3.00 Lbs.

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750, 9760STS, 9770STS, 9860STS

**A-AH93333** Pivot Arm, Idler; Feeder House 1.80 Lbs.



***For Models:*** 6620, 6622, 7720, 7721, 8820

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.




P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-H203610** Boot 0.05 Lbs.
***Replaces:*** H93084, H201042

***For Models:*** (S660, S670 STS ALL SN 745100-), S550 STS SN 745100-764999, S650 SN 765000-, (S680 STS, S690 STS ALL SN 775001-), 9450, 9550, 9550 SIDEHILL, 9560 SIDEHILL, 9560STS, 9570STS, 9650, 9650CTS, 9650STS, 9660 North American, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS

**A-H98655** Bushing 0.05 Lbs.
This Bushing Is Used On Feeder House Pivot Arm, Tailings Auger Tightner Pivot & Straw Chopper Drive Idler Applications On The Below Models - CHECK APPLICATION BEFORE ORDERING



***Dim/Info:***
1.01" Width
0.87" Length

***For Models:*** CTS, CTS II, 3300, 4400, 4420, 6601, 6620, 6622, 7720, 7721, 7722 HILLSIDE, 8820, 9400, 9410, 9450, 9500, 9501, 9510, 9540, 9550, 9560, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS


**A-AH226058** Pulley; Idler 4.35 Lbs.



***Dim/Info:***
Inside Diameter - 0.648"
Outside Diameter - 9.02"

***For Models:*** S670, S680, S685, S690, 9770STS, 9870STS

**A-AH116232** Sprocket Assy., Slip Clutch, Feeder House 6.38 Lbs.



***Dim/Info:***
Chain: 60
Teeth: 34
Bore Dia: 1.752"
Overall Length: .78"

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9501, 9510, 9550, 9560, 9560STS, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS


**A-H77433** Spring, Compression 0.55 Lbs.



***Dim/Info:***
minimum order qty 2


***For Models:*** 6600, 6620 SN 403301-, (**HEAD, CORN**: 50 SERIES)

**A-Z699H** Tooth Ring; Slip Clutch 0.75 Lbs.



***For Models:*** 925, 932, 935, 942, 945, 950, 960, 970, 3300, 4400, 4420, 6600, 6601, 6602, 6620, 6622, 7700, 7701, 7720, 7721, 8820, (**HEAD, CUTTING PLATFORM**: 200, 200 SERIES, 213, 215, 216, 218, 220, 222, 224, 230, 900 SERIES 625301-685400, 918, 920), (**HEAD, CORN**: 50 SERIES)

**A-H105590** Slip Clutch Hub, Feeder House 1.70 Lbs.



***For Models:*** CTS, CTS II, 6620, 7720, 7722 HILLSIDE, 8820, 9400, 9410, 9450, 9500, 9501, 9510, 9550, 9560, 9560STS, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-H101677** Jaw, Slip Clutch 1.80 Lbs.



***For Models:*** CTS, CTS II, 6620, 6622, 7720, 7722 HILLSIDE, 8820, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS, (**HEAD, CORN**: 90 SERIES, 600 SERIES, 606, 608, 612, (592, 693, 694, 893, 894, 1092, 1290, 1291, 1293 ALL SN 665401>))

**A-AH96092** Support, Feeder House Pulley 15.19 Lbs.



**A-JD10018** Bearing, Inner/ Outer 2.10 Lbs.
***For Models:*** 6620, 7720, 8820

**A-R31378** O-Ring: 1.734" ID X 2.012" OD X .139" Thickness, Durometer 75 (5/Pack) 0.01 Lbs.
Standard Number Size: 224



***Dim/Info:***
Standard Number Code: A
Durometer: 75
Inside Diameter - 1.734"
Material - H4C
Outside Diameter - 2.012"
Thickness - .139"

***For Models:*** SEVERAL

**A-H97378** Hub, Variable Drive Inner 7.40 Lbs.



***Dim/Info:***
Inside Diameter - 3.012"
Outside Diameter - 7.190"

***For Models:*** CTS, CTS II, S550 STS SN 745100-764999, S650 SN 765000-, (S660, S670 STS ALL SN 745100-), S680 STS SN 766007-, S690 STS SN 765250-, 6620, 7720, 8820, 9400, 9410, 9450, 9500, 9500 SIDEHILL, 9510, 9510 SIDEHILL, 9550, 9550SH, 9600, 9610, 9650, 9560, 9560 SIDEHILL, 9560STS, 9570STS, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# FEEDER HOUSE PARTS



**A-AE27909** Sprocket, Idler 1.20 Lbs.



***Dim/Info:***
Chain Size - 60
Inside Diameter - .638"
Teeth - 15

***For Models:*** CTS, C670, S540, S550, S650, S660, S670, S680, S685, S690, S760, S770, S780, S785, S790, T550, T560, T660, W540, W550, W650, W660, 6622, 9400, 9410, 9450, 9470 STS, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9660I WTS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9750, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, CP690, CS690

**A-AH96938** Sprocket, Shaft w/ Reverser, Front (Variable) 1.70 Lbs.



***Dim/Info:***
Chain: 60
Teeth: 14
Bore Dia: 1.172"
Overall Length: 2.697"

***For Models:*** 8820, 9600, 9610

**A-AH139936** Pulley, Header Electromagnetic Clutch 34.74 Lbs.
***Replaces:*** AH121657



***Dim/Info:***
Effective Dia: 14.567"
Groove Width: 1.259"
Bore Dia: 2.500"
Crosshole Dia: .512"

***For Models:*** CTS, CTS II, 9400, 9410, (9500, 9500SH ALL SN: 646620 >), 9510, 9510SH, 9600, 9610


**A-H132937** Pulley, Idler/ Pump Driver 13.47 Lbs.
STANDARD CAPACITY



***Dim/Info:***
Effective Dia: 9.803"
Groove Width: 1.259"
Bore Dia: .750"
Overall Length: 5.059"

***For Models:*** CTS, CTS II, 9400, 9410, 9450 SN: < 690243, 9500, 9500SH, 9501, 9510, 9510SH, 9550 SN: < 695200, 9550SH SN: < 695700, 9600, 9610, 9650 SN: < 690876, 9650CTS SN: < 690504, 9650STS SN: < 695500, 9750STS SN: < 695600

**A-H179093** Sheave, Reel Pump Drive; Standard 14.65 Lbs.



***Dim/Info:***
9.925" O.D.

***For Models:*** 9450 SN 690244>, (9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9660, 9660CTS, 9660STS, 9670STS, 9760STS, 9770STS, 9860STS ALL Standard Capacity), 9650 SN 690877> Standard Capacity, 9650CTS SN 690505> Standard Capacity, (9650STS, 9750STS ALL SN 695501> Standard Capacity)


**A-H157101** Sheave, Reel Pump Drive 15.70 Lbs.



***Dim/Info:***
9.210" O.D.

***For Models:*** C670, T550, T560, T660, W540, W550, W650, W660, (9550, 9550SH ALL Hi-Capacity), 9640I WTS, 9640WTS, 9650 SN <690876; Hi Capacity, 9650CTS SN <690504; Hi Capacity, 9650STS SN <695500; Hi-Capacity, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS, 9750STS SN <695500; Hi-Capacity

**A-H179058** Sheave, Reel Pump Drive; Hi-Capacity 16.20 Lbs.



***Dim/Info:***
9.210" O.D.

***For Models:*** (9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9660, 9660CTS, 9660STS, 9670STS, 9760STS, 9770STS, 9860STS ALL Hi Capacity), 9650 SN 690877> Hi Capacity, 9650CTS SN 690505> Hi Capacity, (9650STS, 9750STS ALL SN 695501> Hi Capacity), 9870STS


**A-H126716** Bushing 0.20 Lbs.



***Dim/Info:***
Length - 1.000"
Inside Diameter - 2.505"
Outside Diameter - 2.690"

***For Models:*** CTS, CTS II, 9400, 9410, 9500, 9500SH, 9510, 9510SH, 9600, 9610

**A-H147482** Bracket, Upper Feeder House Shaft 0.93 Lbs.
***Replaces:*** H149883



***For Models:*** C670, CTS, CTS II, S540, S550 STS, S560, S690, T550, T560, T660, T670, W540, W550, W650, W660, 9400 SN 645214>, 9410, 9450, 9470STS, 9500 SN 645657>, 9510, 9540I WTS, 9540WTS, 9550, 9550SH, 9560, 9560I STS, 9560I WTS, 9560SH, 9560STS, 9560WTS, 9570STS, 9580I WTS, 9580WTS, 9600 SN 645408>, 9610, 9640WTS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9660WTS, 9670STS, 9680WTS, 9750STS, 9760STS, 9770STS, 9780CTS, 9780I CTS, 9860STS, 9870STS, 9880I STS, 9880 STS

**A-AHC11572** Kit; Hydraulic Cylinder Rod Seal 0.22 Lbs.



***For Models:*** (S650, S660, S670, S680, S685, S690, S760, S770, S780, S785, S790, 9670STS, 9870STS ALL Header Lift Cylinder)

**A-AE32374** Seal Kit, Platform Lift Cylinder 0.12 Lbs.



***For Models:*** 9400 SN <-650100 W/ 1 7/8" Bore Cyl., Header Lift, 9501 Cyl., Header Lift


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
aiproducts
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Concaves




| Part No. | Description | Qty | Applications | Wt. | |
|---|---|---|---|---|---|
| **A-AH85396** | Concave (13 Bars) | | 4400, 4420 Retainer H116273 Required When Switching From 14 To 13 Bar.<br>Note: Retainer H116273 (Not Available from A&I) is Required When Switching From 14 To 13 Bar for the 4420 Combine<br>Replaces: V18003 | 250.00 | |
| **A-AH113442** | Concave (13 Bars "Titan" Style) | | 6600 SN 11501->, 6601 SN 11501>, 6602, 6622, (6620, 6621 ALL Retainer H116274 Required When Switching From 14 To 13 Bar.)<br>Replaces: V18005 | 180.00 | |
| **A-AH113443** | Concave (13 Cross Bars "Titan" Style) | | (7700, 7701 ALL SN 8001->), (7720, 7721 ALL Retainer H116275 Required When Switching From 14 To 13 Bar.)<br>Note: "Titan" style indicates concave has heavier front cross bars and side bows.<br>Replaces: AH105066, V18007 | 223.00 | |
| **A-AH113444** | Concave (13 Bars "Titan" Style) | | 8820 Retainer H116276 Required When Switching From 14 To 13 Bar.<br>Note: "Titan" style indicates concave has heavier front cross bars and side bows.<br>Replaces: V18024 | 315.00 | |
| **A-AH108866** | Concave (14 Cross Bars "Titan" Style) | | 8820 | 325.00 | |
| **A-AH150497** | Concave (13 Cross Bars) | | (CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9660CTS, 9780CTS ALL 13 BAR)<br>Note: OEM Style w/ Wires In First Half, Short Wire, 27 3/4" Dia. | 261.00 | |
| **A-AH136605** | Concave (14 Cross Bars) | | 9400, 9410, 9500, 9500SH, 9501, 9510, 9510SH, CTS, CTS II<br>Note: OEM Style w/ Wires In First Half, Short Wire, 27 3/4" Dia.<br>Replaces: AH155494 | 277.00 | |
| **A-AH136605SPL** | Concave; Special, Small Grain | | 9400, 9410, 9500, 9500SH, 9501, 9510, 9510SH, CTS, CTS II<br>Note: Concave designed to fit tighter around cylinder for better threshing in small grain. | 330.00 | |
| **A-AH150496** | Concave (13 bar) | | (9600, 9610, 9650, 9660 ALL 13 bar)<br>Note: OEM Style w/ Wires In First Half, Short Wire, 27 3/4" Dia. | 312.00 | |
| **A-AH136604SPL** | Concave, Special, Small Grain | | (9600, 9610 ALL 14 BAR)<br>Note: Concave designed to fit tighter around cylinder for better threshing in small grain. | 300.00 | |
| **A-AH206455** | Concave, Middle/Rear (Round Bar) | | 9470STS, 9560I STS, 9560STS, 9570STS, S550 STS, S560 | 60.00 | |
| **A-AH206123** | Concave, Middle/Rear (Corn & Soybean) | | 9470STS, 9560I STS, 9560STS, 9570STS, S550 STS, S560 | 101.10 | |
| **A-AH209091HB** | Concave, Helical Bar; Middle/Rear, Large Wire, High Wear<br>Includes: High Wire, Corn & Soybean | | 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS | 110.00 | |
| **A-V18054** | Concaves (Small Grain)<br>Includes: Set Of 3 | | 9560I STS, 9560STS, 9570STS<br>Note: Contains: (1) AH205487 & (2) AH205488 | 220.00 | |
| **A-AH213234** | Concave, Front (High Wear, Small Grain) | | 9560STS, 9570STS | 77.00 | |
| **A-AH205487** | Concave, Front (Small Grain) | | 9560STS, 9570STS | 76.00 | |
| **A-AH213235** | Concave, Middle/Rear (High Wear, Small Grain) | | 9560STS, 9570STS | 70.00 | |
| **A-AH205488** | Concave, Middle/Rear (Small Grain) | | 9560STS, 9570STS | 74.00 | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

## Concaves



| Part No. | Description | Qty | Applications | Wt. | |
|---|---|---|---|---|---|
| **A-AH207851HB** | Concave, Helical Bar; Middle/ Rear, Small Wire, High Wear<br>Includes: High Wear, Small Grain | | 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS | 113.00 | |
| **A-AH206174** | Concave, Front (Round Bar) | | 9470STS, 9560I STS, 9560STS, 9570STS, S540, S550 STS, S560 | 66.00 | |
| **A-V18029** | Concaves Set (Large Wire)<br>Includes: STS, Large Wire | | S650, S660, S670, S670 HILLMASTER, S670 STS, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S690 STS, S770, S780, S785, S790, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS<br>Note: ** If installing in 50 Series, AH210894 latch kit is required ** individual front & middle rear concaves also available seperately.<br>Replaces: (1) AH205259 & (2) AH205260 | 340.00 | |
| **A-V18058** | Concaves (High Wear, Corn & Soybean)<br>Includes: Set Of 3 | | S650 SN 765000->, Worldwide Edition, (S660, S670 STS, S680 STS, S690 STS ALL SN 745100->, Worldwide Edition), (S670 HILLMASTER, S680 HILLMASTER ALL SN 765100->, Worldwide Edition), S690 HILLMASTER SN 745100-765000, Worldwide Edition, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS<br>Note: Contains: (1) AH209090 & (2) AH209091 | 367.00 | |
| **A-AH205259** | Concave, Front (Large Wire) | | S650, S660, S670, S670 HILLMASTER, S670 STS, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S690 STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS<br>Note: If installing in 50 Series, AH210894 latch kit is required. | 128.00 | |
| **A-AH205259HB** | Concave, Front (Corn & Soybean, Helical Bars)<br>Includes: 1 | | 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS<br>Note: ** If installing in 50 Series, AH210894 latch kit is required ** helical bar concave features angled cross bars for more aggressive threshing. | 120.00 | |
| **A-AH209090** | Concave, Front (High Wear, Corn & Soybean)<br>Includes: Large Wire, High Wear, Corn & Soybean | | S650 SN 765000->, Worldwide Edition, (S660, S670 STS, S680 STS, S690 STS ALL SN 745100->, Worldwide Edition), (S670 HILLMASTER, S680 HILLMASTER ALL SN 765100->, Worldwide Edition), S690 HILLMASTER SN 745100-765000, Worldwide Edition, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS | 88.00 | |
| **A-AH205260** | Concave, Middle/Rear (Large Wire) | | S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S770, S780, S785, S790, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880 STS, 9880I STS, 9880I STS HILLMASTER<br>Note: If installing in 50 Series, AH210894 latch kit is required.<br>Replaces: AH150588 | 78.00 | |
| **A-AH209091** | Concave, Middle/Rear (High Wear, Corn & Soybean)<br>Includes: Large Wire, High Wear, Corn & Soybean | | S650 SN 765000->, Worldwide Edition, (S660, S670 STS, S680 STS, S690 STS ALL SN 745100->, Worldwide Edition), (S670 HILLMASTER, S680 HILLMASTER ALL SN 765100->, Worldwide Edition), S690 HILLMASTER SN 745100-765000, Worldwide Edition, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS | 118.00 | |


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
aiproducts
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Concaves




| Part No. | Description | Qty | Applications | Wt. | |
|---|---|---|---|---|---|
| **A-V18026** | Concaves (STS, Small Grain)<br>Includes: Set Of 3 | | S660 sn 745100-765171, S670 STS sn 745100-765252, S680 HILLMASTER sn -<765100, S680 STS sn 745100-766006, S690 HILLMASTER sn 745101-765100, S690 STS sn 745100-765249, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS<br>Note: ** If installing in 50 Series, AH210894 latch kit is required ** individual front & middle rear concaves also available seperately.<br>Replaces: (1) AH205254 & (2) AH205255 | 365.00 | |
| **A-V18059** | Concave STS; Small Wire, Ext. Wear<br>Includes: Set Of 3 | | S660, S670 STS, S680 STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS<br>Replaces: (1) AH207850 & (2) AH207851 | 367.00 | |
| **A-AXE28812** | Concave, Front (Small Grain) | | S660 sn 745100-765171, S670 STS sn 745100-765252, S680 HILLMASTER sn -<765100, S680 STS sn 745100-766006, S690 HILLMASTER sn 745101-765100, S690 STS sn 745100-765249, S770, S780, S785, S790, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS<br>Note: If installing in 50 Series, AH210894 latch kit is required. | 140.00 | |
| **A-AH205254HB** | Concave, Front (Small Grain, Helical Bars)<br>Includes: 1 | | 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, (S690 STS, S690 HILLMASTER ALL SN 745101>)<br>Note: ** If installing in 50 Series, AH210894 latch kit is required ** helical bar concave features angled cross bars for more aggressive threshing. | 125.00 | |
| **A-AH207850** | Concave, Front; High Wear<br>Includes: High Wear, Small Grain | | S660, S670 STS, S680 STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS | 90.00 | |
| **A-AXE28958** | Concave, Middle/Rear (Small Grain) | | S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S760, S770, S780, S785, S790, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880 STS, 9880I STS, 9880I STS HILLMASTER<br>Note: If installing into 50 Series, AH210894 latch kit is required. | 84.00 | |
| **A-AH205255HB** | Concave, Middle/Rear<br>Includes: Narrow Space, Helical Bar | | S660, S670 HILLMASTER, S670 STS, S680 HILLMASTER, S680 STS, (S690 HILLMASTER, S690 STS ALL SN 745101>), 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS<br>Note: ** If installing in 50 Series, AH210894 latch kit is required ** helical bar concave features angled cross bars for more aggressive threshing. | 110.00 | |
| **A-AH207851** | Concave, Middle/ Rear; High Wear (Small Grain) | | S660, S670 STS, S680 STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS | 84.00 | |
| **A-V18027** | Concaves (STS, Round Bar Space)<br>Includes: Set Of 3 | | S650, S660, S670, S670 HILLMASTER, S670 STS, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S760, S770, S780, S785, S790, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS<br>Note: ** If installing into 50 Series, AH210894 latch kit is required ** individual front & middle rear concaves also available seperately.<br>Replaces: (1) AH205261 & (2) AH206456 | 245.00 | |
| **A-AXE28955** | Concave, Round Bar; Front, Extended Wear | | S650, S660, S670, S670 HILLMASTER, S670 STS, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S690 STS, S760, S770, S780, S785, S790, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS<br>Note: If installing in 50 Series, AH210894 latch kit is required. | 75.00 | |

Truck icon indicates that the item is shipped via truck freight.

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

## Concaves



| Part No. | Description | Qty | Applications | Wt. | |
|---|---|---|---|---|---|
| **A-AXE28957** | Concave, Round Bar; Middle/Rear, Extended Wear<br>Includes: 2 (Sold Individually) | | S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S760, S770, S780, S785, S790, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880 STS, 9880I STS, 9880I STS HILLMASTER<br>Note: If installing in 50 Series, AH210894 latch kit is required. | 82.00 | |
| **A-AH204423** | Bar Assembly, Concave | | 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS<br>Replaces: AH158835, AH168438 | 18.50 | |
| **A-AH206122** | Concave, Front (Corn & Soybean)<br>Includes: Corn & Soybean | | S550 STS, S560, 9470STS, 9560I STS, 9560STS, 9570STS | 75.00 | |
| **A-AXE28958-HW** | Concave, Front/Middle/Rear (Small Grain): Half-Width<br>Includes: Small Grain | | S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S760, S770, S780, S785, S790, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880 STS, 9880I STS, 9880I STS HILLMASTER<br>Note: Fits front, middle, and rear. If installing in 50 Series, AH210894 latch kit is required. | 42.00 | |
| **A-AH205260-HW** | Concave, Front/Middle/Rear (Corn & Soybean): Half-Width<br>Includes: Corn & Soybean | | S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S770, S780, S785, S790, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880 STS, 9880I STS, 9880I STS HILLMASTER<br>Note: Fits front, middle, and rear. If installing in 50 Series, AH210894 latch kit is required. | 38.00 | |
| **A-AXE28957-HW** | Concave, Front/Middle/Rear (Round Bar); Half-Width<br>Includes: Round Bar | | S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S760, S770, S780, S785, S790, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880 STS, 9880I STS, 9880I STS HILLMASTER<br>Note: Fits front, middle, and rear. If installing in 50 Series, AH210894 latch kit is required. | 38.00 | |
| **A-AH151121** | Grate, Concave | | CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9780CTS<br>Note: Used w/ AH150497 & AH136605 Concaves | 56.00 | |
| **A-AH131331** | Grate, Concave | | CTS, CTS II, C670, T550, T560, W540, W550, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9660CTS, 9780CTS | 28.00 | |
| **A-AH131330** | Grate, Concave | | T660, W650, W660, 9640I WTS, 9640WTS, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS, 9600, 9610, 9650, 9660 | 33.00 | |
| **A-AH151120** | Grate, Beater; Wide Body | | 9600, 9650, 9610, 9660<br>Replaces: AH130357, AH134916, AH135262 | 65.00 | |
| **A-AH223656** | Grate, Finger; Seperator Assy. | | S670 STS, S680 STS, S690 STS, 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880I STS, 9880STS | 84.00 | |


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-BH84294** Insert Bars, Concave; For Round Bar Concaves 35.00 Lbs.
Inserts Provide Additional Threshing For Small Grain Harvesting.




***For Models:*** S550 STS, 9560STS, 9570STS

**A-BH84308** Insert Bars, Concave; For Round Bar Concaves 48.00 Lbs.
Inserts Provide Additional Threshing For Small Grain Harvesting.



***For Models:*** S650, S660, S670, S670 STS, S680, S685, S690, S690 STS, S770, S780, S785, S790, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880 STS


**A-AH151119** Plate, Front Concave 47.00 Lbs.
"Loewen" front concave plates are thicker than OEM and made w/ extra support gussets to prevent bending and excessive wear.



***Dim/Info:***
Type - Heavy Duty 5/16" Thickness w/ Extra Supports.

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9660CTS

**A-H178115** Cam, Concave Adjust (RH) 15.20 Lbs.
***Replaces:*** AH133156



***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-AH133157** Cam, Concave (LH) 6.20 Lbs.



***For Models:*** (CTS, CTS II, C670, T550, T560, T660, W540, W550, W650, W660, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9660WTS, 9640I WTS, 9640WTS, 9650, 9650CTS, 9660, 9660CTS, 9660I WTS, 9680I WTS, 9680WTS ALL LH)


**A-E70736** Bushing 0.02 Lbs.



***Dim/Info:***
Length - .472"
Inside Diameter - .510"
Outside Diameter - .750"

***For Models:*** 9400, 9500, 9501, 9600

**A-H151484** Link, Concave 3.40 Lbs.
***Replaces:*** AH127986, H147484



***For Models:*** CTS, CTS II, C670, T550, T560, T660, W540, W550, W650, W660, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9640I WTS, 9640WTS, 9650, 9650CTS, 9660, 9660CTS, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS


**A-H132057** Tooth, Cylinder Spike; w/ Hardware 0.32 Lbs.



***Dim/Info:***
Includes - Hardware
minimum order qty 20

***For Models:*** CTS, CTS II, T550, T560, T660, W540, W550, W650, W660, 3300, 4400, 6620, 7700, 7720, 8820, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9640WTS, 9640I WTS, 9650CTS, 9660, 9660CTS, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS

**A-AH171838** Bolt, Assy., Concave Level 1.94 Lbs.
***Replaces:*** AH90840, AH127710



***For Models:*** 6600 SN: 206201 >, 6601 SN: 211801 >, 6602 SN: 212801 >, 6620, 6622, 7700 SN: 213301 >, 7701, 7720, 7721, 8820

**A-H116276** Retainer, Concave 20.00 Lbs.
Used when swithching from 14 to 13 bar concave (fastens to last bar of concave)



***For Models:*** 8820 SN <600004 Titan

**A-AH151118** Plate, Front Concave 67.00 Lbs.

"Loewen" front concave plates are thicker than OEM and made w/ extra support gussets to prevent bending and excessive wear.



***Dim/Info:***
Type - Heavy Duty 5/16" Thickness w/ Extra Supports.

***For Models:*** 9600, 9610, 9650, 9660

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# CONCAVE RELATED PARTS

**A-AH206756** Concave Insert - C/W Spring, Pin, Roll Pin & Washer 2.27 Lbs.

Concave inserts improve threshing and prevent cobs w/ unthreshed kernels from passing through the open area at the rear of the concave. For "Loewen" and OEM concaves.

***Replaces:*** AH171207, AH153688, AH137523, AH143744



***For Models:*** CTS, CTS II, C670, T550, T560, T660, W540, W550, W650, W660, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9640I WTS, 9640WTS, 9650, 9650CTS, 9660, 9660CTS, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS

**A-H156272** Concave Wire, Small Grain 0.33 Lbs.

***Dim/Info:***
Package - 10



***For Models:*** S650 SN 765000-, (S660, S670 STS, S680 STS, S690 STS ALL SN 745100-), (S670 HILLMASTER, S680 HILLMASTER ALL SN -765000), S690 HILLMASTER SN 745101 - 765000, 9650STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-AXE50779** Cover; Concave Grate Filler 1.45 Lbs.



***For Models:*** S660, S670, S680, S685, S690, S760, S770, S780, S785, S790

**A-AH170741** Assy, Filler Cover 1.30 Lbs.

***Replaces:*** AH158688



***For Models:*** S650 SN 765000-, (S660, S670 STS, S680 STS, S690 STS ALL SN 745100-), (S670 HILLMASTER, S680 HILLMASTER ALL SN -765000), S690 HILLMASTER SN 745101 - 765000, S770, S780, S785, S790, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-AH210894** Concave Latch Kit 4.00 Lbs.

***Dim/Info:***
Quantity - Set Of 3



***For Models:*** 9650STS, 9660STS, 9750STS, 9760STS, 9860STS

**A-H206715** Handle; Concave Latch Mechanism 0.85 Lbs.



***For Models:*** S430, S440, S540, S550, S560, S650, S660, S670, S680, S685, S690, S760, S770, S780, S785, S790, 9470STS, 9560I STS, 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880I STS, 9880 STS

**A-AH171836** Plate; Concave Interrupter 2.52 Lbs.



***For Models:*** S690, S690 HILLMASTER, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880I STS, 9880 STS


**A-AH215091** Plate, Concave Z-Bar Support 30.00 Lbs.

***Replaces:*** AH201079, AH146662, AH166173

***For Models:*** S660, S670 HILLMASTER, S670 STS, S680 HILLMASTER, S680 STS, S685 HILLMASTER, S685 STS, (S690, S690 STS ALL SN 745101->), S690 HILLMASTER, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880 HILLMASTER SN 715801->, 9880I STS SN 715701->

**A-BH81876** Cover Plate, Concave 12.00 Lbs.

Cover plate improves distribution of material across the entire width of shoe augers. Ideal for small grains.



***Dim/Info:***
Type - For Narrow & Wide Concaves
Quantity - Set Of 3

***For Models:*** 9650STS, 9660STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-CSKSTS** Shock Kit, Concave 6.60 Lbs.



***For Models:*** S660 sn 765162->, S670 STS sn 765253->, S680 STS sn 766007->, S690 STS sn 765250->, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-H218649** Eyebolt; Concave Adjust 1.52 Lbs.



***Dim/Info:***
Length - 16.339"
Eye Size - .492" ID / 1.500" OD / .579" Thick
Thread Length - 9.646"
Thread Size - .630"

***For Models:*** S540, S550, S650, S660, S670, S680, S685, S690, S760, S770, S780, S785, S790, (9470STS, 9570STS ALL Rice), 9650STS SN 060101>, 9660STS SN 715740>, 9670STS, 9750STS SN 060044>, 9760STS SN 715820>, 9770STS, 9860STS, 9870STS, 9880I STS

*JOHN DEERE

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-AH203026** Grate, Module; Rice 73.00 Lbs.


*Replaces:* AH167146, AH138228



***For Models:*** C670, (CTS, CTS II, 9650CTS, 9660CTS, 9780CTS, 9780I CTS ALL Rice)

**A-AH208573** Cover, Threshing Section 155.00 Lbs.

*Replaces:* AH207683



***For Models:*** 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-STSFL** Front Lip, Concave; Bolt On 13.00 Lbs.

Bolt On Front Concave Lip For All Narrow And Wide Spaced Concaves.

***Dim/Info:***
Bolt On Front Lip



***For Models:*** 9650STS, 9660STS, 9750STS, 9760STS, 9860STS


**A-AH146170** Beater, Back 105.00 Lbs.

***Dim/Info:***
Type - 6 Fin for 1-1/2" Shaft

***For Models:*** 7720, 7721


**A-H147788** Blade, Beater 24.00 Lbs.

*Replaces:* H133648




***For Models:*** T660, W650, W660, 9600, 9610, 9640I WTS, 9640WTS, 9650, 9660, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS

**A-H147789** Blade, Beater 20.00 Lbs.



***For Models:*** T550, T560, W540, W550, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9540I WTS, 9540WTS, 9550, 9550SH, 9560, 9560I WTS, 9560SH, 9560WTS, 9580I WTS, 9580WTS

**A-H166181** Support, Beater Wing; Offset Left 15.00 Lbs.



***For Models:*** 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-H165408** Strip, Backup 4.00 Lbs.


***Dim/Info:***
Length - 53.69"
Thickness - .187"
Width - 1.50"



***For Models:*** (S660, S670 STS, S680 STS, S690 STS ALL SN 745100-), S650 SN 765000-, S680 HILLMASTER SN -765000, S690 HILLMASTER SN 745101 - 765000, 9650STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-H166689** Wear Plate, Front Beater 1.90 Lbs.


***Dim/Info:***
Type - Solid, Hardened



***For Models:*** 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-H201914** Wear Plate, Front Beater 1.99 Lbs.

***Dim/Info:***
Type - Hardened, Angle Serrated



***For Models:*** 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-H165407** Wear Plate, Front Beater 1.85 Lbs.

***Dim/Info:***
Hardened
Type - Serrated




***For Models:*** 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, S660, S670, S680, S685, S690

**A-H209762** Wear Plate, Discharge Beater 6.70 Lbs.

*Replaces:* H221355

***Dim/Info:***
Type - Serrated



***For Models:*** 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# CONCAVE RELATED PARTS



**A-H145638** Shaft, Torque; Concave 21.00 Lbs.



***Dim/Info:*** 64.44" Long

***For Models:*** T660, W540, W550, W650, W660, 9600, 9610, 9640I WTS, 9640WTS, 9650, 9660, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS

**A-H145639** Shaft, Torque; Concave 26.10 Lbs.

***Replaces:*** H133632




***Dim/Info:*** 53.50" Long

***For Models:*** CTS, CTS II, C670, T550, T560, W540, W550, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9660CTS

**A-AH235314** Cover, Threshing Section 131.00 Lbs.

***Replaces:*** AH202855, AH207382, AH151607, AH171321



***For Models:*** 9650STS, 9750STS

**A-AH213327** Cover, Threshing Section (Ext. Wear) 125.00 Lbs.



***For Models:*** 9560STS, 9570STS

**A-AH208966** Cover, Vane Transport; Feed Section 44.00 Lbs.

***Replaces:*** AH202853, AH152678, AH168166, AH171320

***For Models:*** 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS


**A-AH171322** Cover, Seperator Area 242.00 Lbs.

***Replaces:*** AH146891

***For Models:*** 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-AH201702** Cover, Wear; Dust Cover 3.00 Lbs.

***Replaces:*** H173329



***For Models:*** 9650STS SN<696895, 9750STS SN<696324

**A-H161342** Lever, Handle 0.25 Lbs.



***For Models:*** C670, S540, S550 STS SN 745100-764999, S560, S650 SN 765000>, S660, S670 STS SN 745100>, (S670 HILLMASTER, S680 HILLMASTER, S690 HILLMASTER ALL SN <765000), S680, S685, S685 HILLMASTER, S690 STS, T550, T560, T660, T670, W540, W550, W650, W660, (1450CWS, 1550CWS ALL SN <060092), (1450WTS, 1550WTS ALL SN 46491>), 1470, 1570, 9450, 9470STS, (9540I WTS, 9560I WTS, 9580I WTS ALL SN 080016>), (9540WTS, 9560WTS, 9580WTS ALL SN <080015), 9550, 9550SH, 9560, 9560I STS, 9560SH, 9560STS, 9570STS, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660I WTS, 9660STS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9750STS, 9760STS, 9770STS, (9780CTS, 9780I CTS ALL SN 072800>), 9860STS, 9870STS, 9880 HILLMASTER SN 715801>, 9880I STS SN 715701>, 9880 STS SN <715700

**A-H177647** Bracket, Latch 0.20 Lbs.

***Replaces:*** H177406



***For Models:*** S650 SN 765000-, (S660, S670 STS, S680 STS, S690 STS ALL SN 745100-), (S670 HILLMASTER, S680 HILLMASTER ALL SN -765000), S690 HILLMASTER SN 745101 - 765000, 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Cylinder Rasp Bars




| Part No. | Description Qty | Type | Applications | Wt. |
|---|---|---|---|---|
| **A-V12043** | Cylinder Bars 4 LH/ 4 RH | Angle Bar w/ 2 rows of holes | 4400, 4420<br>***Replaces:*** AH75125, AH75126<br>***Includes:*** 3/8" X 3/4" NF & 3/8" X 1" NC Grade 8 Fasteners Hardware | 76.00 |
| **A-V12043H** | Cylinder Bars 4 LH/ 4 RH | Hardened Angle Bar w/ 2 rows of holes | 4400, 4420<br>***Includes:*** 3/8" X 3/4" NF & 3/8" X 1" NC Grade 8 Fasteners | 76.00 |
| **A-V12049** | Cylinder Bars 4 LH/ 4 RH | Angle Bars | 4425, 4435<br>***Replaces:*** (4) AZ35323 & (4) AZ35324<br>***Includes:*** 3/8" X 3/4" NF & 1/2" X 1 1/4" NC Grade 8 Fasteners Mounting Hardware | 60.00 |
| **A-V12044** | Cylinder Bars 4 LH/ 4 RH | Angle Bar w/ 2 rows of holes | 6600, 6601, 6602, 6620, 6622<br>***Replaces:*** AH75104, AH75105<br>***Includes:*** 3/8" X 3/4" NF & 3/8" X 1" NC Grade 8 Fasteners Hardware | 85.00 |
| **A-V12044C** | Cylinder Bars 4 LH/ 4 RH | Chrome Angle Bars w/ 2 rows of holes | 6600, 6601, 6602, 6620, 6622<br>***Replaces:*** AH126545, AH126544<br>***Includes:*** 3/8" X 3/4" NF & 3/8" X 1" NC Grade 8 Fasteners | 85.00 |
| **A-V12044H** | Cylinder Bars 4 LH/ 4 RH | Hardened Angle Bar w/ 2 rows of holes | 6600, 6601, 6602, 6620, 6622<br>***Replaces:*** AH161413, AH161415<br>***Includes:*** 3/8" X 3/4" NF & 3/8" X 1" NC Grade 8 Fasteners | 85.00 |
| **A-V12045** | Cylinder Bars 4 LH/ 4 RH | Angle Bar w/ 2 rows of holes | 7700, 7701, 7720, 7721<br>***Replaces:*** AH75106, AH75107<br>***Includes:*** Hardware: 3/8" X 3/4" NF & 3/8" X 1" NC Grade 8 Fasteners | 107.00 |
| **A-V12045C** | Cylinder Bars 4 LH/ 4 RH | Chrome Angle Bars w/ 2 rows of holes | 7700, 7701, 7720, 7721<br>***Replaces:*** AH161401, AH161399<br>***Includes:*** 3/8" X 3/4" NF & 3/8" X 1" NC Grade 8 Fasteners | 107.00 |
| **A-V12045H** | Cylinder Bars 4 LH/ 4 RH | Hardened Angle Bars w/ 2 rows of holes | 7700, 7701, 7720, 7721<br>***Replaces:*** AH161408, AH161406<br>***Includes:*** 3/8" X 3/4" NF & 3/8" X 1" NC Grade 8 Fasteners | 107.00 |
| **A-V12065** | Cylinder Bars 4 LH/ 4 RH | Angle Bar w/ 2 rows of holes | 8820<br>***Replaces:*** (4) AH101167, (4) AH101168<br>***NOTE:*** Cylinder rasp bars are shipped with hardware.<br>***Includes:*** 3/8" X 3/4" NF & 3/8" X 1" NC Grade 8 Fasteners | 130.00 |
| **A-V12065C** | Cylinder Bars 4 LH/ 4 RH | Chrome Angle Bars w/ 2 rows of holes | 8820<br>***Replaces:*** (4) AH132982, (4) AH132983<br>***Includes:*** 3/8" X 3/4" NF & 3/8" X 1" NC Grade 8 Fasteners | 130.00 |
| **A-V12065H** | Cylinder Bars 4 LH/ 4 RH | Hardened Angle Bars w/ 2 rows of holes | 8820<br>***Replaces:*** (4) AH132980, (4) AH132981<br>***Includes:*** Includes 3/8" X 3/4" NF & 3/8" X 1" NC Grade 8 Fasteners | 130.00 |
| **A-V12070** | Cylinder Bars 5 LH/ 5 RH | Angle Bar w/ 2 Rows Of Holes | CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9660CTS<br>***Replaces:*** AH139432, AH139433<br>***NOTE:*** Cylinder rasp bars are shipped with hardware.<br>***Includes:*** 3/8" X 3/4" NF & 3/8" X 1 1/4" NC Grade 8 Fasteners | 132.00 |
| **A-V12070C** | Cylinder Bars 5 LH/ 5 RH | Chrome Angle Bars w/ 2 rows of holes | CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9660CTS<br>***Replaces:*** (5) AH161405, (5) AH161400<br>***Includes:*** 3/8" X 3/4" NF & 3/8" X 1 1/4" NC Grade 8 Fasteners | 132.00 |
| **A-V12070H** | Cylinder Bars 5 LH/ 5 RH | Hardened Angle Bars w/ 2 Rows Of Holes | CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9650CTS, 9660CTS<br>***Replaces:*** (5) AH161407, (5) AH161409<br>***Includes:*** 3/8" X 3/4" NF & 3/8" X 1 1/4" NC Grade 8 Fasteners | 132.00 |

Truck icon indicates that the item is shipped via truck freight.

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

## Cylinder Rasp Bars



| Part No. | Description Qty | Type | Applications | Wt. |
|---|---|---|---|---|
| **A-V12068** | Cylinder Bars 5 LH/ 5 RH | Std. Angle Bars w/ 1 Row Of Holes | CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650CTS<br>***Includes:*** 12 MM X 35 MM Metic Fasteners Mounting Hardware | 125.00 |
| **A-V12068C** | Cylinder Bars 5 LH / 5 RH | Chrome Angle Bars W/ 1 Row Of Holes | CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650CTS<br>***Replaces:*** (5) AH205119 & (5) AH205120<br>***Includes:*** 12MM X 35 MM Mounting Hardware | 125.00 |
| **A-V12068H** | Cylinder Bars 5 LH / 5 RH | Hardened Angle Bars W/ 1 Row Of Holes | CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650CTS<br>***Replaces:*** (5) AH205117 & (5) AH205118<br>***Includes:*** 12MM X 35MM Mounting Hardware | 125.00 |
| **A-V12071** | Cylinder Bars 5 LH/ 5 RH | Angle Bar w/ 2 Rows Of Holes | 9600, 9610, 9650, 9660<br>***Replaces:*** (5) AH139430, (5) AH139431<br>***Includes:*** 3/8" X 3/4" NF & 3/8" X 1 1/4" NC Grade 8 Fasteners | 150.00 |
| **A-V12071C** | Cylinder Bars 5 LH/ 5 RH | Chrome Angle Bars w/ 2 rows of holes | 9600, 9610, 9650, 9660<br>***Replaces:*** (5) AH161389, (5) AH161390<br>***Includes:*** 3/8" X 3/4" NF & 3/8" X 1 1/4" NC Grade 8 Fasteners | 150.00 |
| **A-V12071H** | Cylinder Bars 5 LH/ 5 RH | Hardened Angle Bars w/ 2 rows of holes | 9600, 9610, 9650, 9660<br>***Replaces:*** (5) AH161395, (5) AH161398<br>***Includes:*** 3/8" X 3/4" NF & 3/8" X 1 1/4" NC Grade 8 Fasteners | 150.00 |
| **A-V12072** | Cylinder Bars 5 LH/ 5 RH | Std Angle Bars w/ 1 Row Of Holes | 9600, 9610, 9650, 9660<br>***Includes:*** Includes 12 MM X 35 MM Mounting Hardware | 150.00 |
| **A-V12072C** | Cylinder Bars 5 LH / 5 RH | Chrome Angle Bars W/ 1 Row Of Holes | 9600, 9610, 9650, 9660<br>***Replaces:*** (5) AH205124 & (5) AH205125<br>***Includes:*** 12MM X 35MM Mounting Hardware | 150.00 |
| **A-V12072H** | Cylinder Bars 5 LH / 5 RH | Hardened Angle Bars W/ 1 Row Of Holes | 9600, 9610, 9650, 9660<br>***Replaces:*** (5) AH205122 & (5) AH205123<br>***Includes:*** 12MM X 35MM Mounting Hardware | 170.00 |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-AH216677** Threshing Element, Rear, For Bullet Rotor, Hardened 28.00 Lbs.



***Dim/Info:***
Type - Standard
Quantity - Set Of 3

***For Models:*** 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-AH208554** Tines (Set of 3) 13.84 Lbs.



***Dim/Info:***
Type - Standard Hardened
Quantity - Set Of 3

***For Models:*** S690 STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880I STS, 9880 STS

**A-H204928** Threshing Tine 2.00 Lbs.



***Dim/Info:***
Type - Standard Short
Quantity - 16 Required
minimum order qty 4

***For Models:*** CTS, CTS II, C670, 9650CTS, 9660CTS

**A-H204927** Threshing Tine 2.40 Lbs.



***Dim/Info:***
Type - Standard Long
Quantity - 28 Required
minimum order qty 4

***For Models:*** CTS, CTS II, C670, 9650CTS, 9660CTS

**A-AH209123** Tines; Chrome Kit, (Set of 3) 13.95 Lbs.



***Dim/Info:***
Set Of 3
Chrome

***For Models:*** 9560STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-AH216678** Kit, Threshing Element; Rows 3,4,&5; Corn & Grain, High Wear, Set of 3 (Bullet Rotor) 37.00 Lbs.



***Dim/Info:***
Type - Chrome

***For Models:*** (9650STS, 9750STS ALL Late SN), (9660STS, 9760STS ALL SN 712198>), 9860STS SN 000725>, 9670STS, 9770STS, 9870STS

**A-AH209118** Threshing Element, Chrome; Standard Rotor (Set Of 3) 37.15 Lbs.



***Dim/Info:***
Type - Hardened

***For Models:*** (9660STS, 9760STS ALL SN <712197), 9860STS SN <000724

**A-TEB502** Base, Threshing Element, All Rows Standard Rotors / Row 3, 4 & 5 on Bullet Rotors, (Set of 3) 24.00 Lbs.



***Dim/Info:***
Base only. Two piece element system allows for installation of three different styles of thresher bars: (smooth: for gentle threshing in all crops), (5 tooth: for corn and grain), (9 tooth: for corn and grain)
When replacement is necessary, simply install new thresher bars onto existing element base instead of purchasing a complete OEM style threshing element.
Quantity - Set of 3 & 12 Flange Hex Head Bolts

***For Models:*** 9670STS, 9770STS, 9650STS, 9660STS, 9750STS, 9760STS, 9860STS, 9880STS

**A-TEB503** Base, Threshing Element; For Row 2 on Bullet Rotors, (Set of 3) 34.00 Lbs.



***Dim/Info:***
Base only. Two piece element system allows for installation of three different styles of thresher bars: (smooth: for gentle threshing in all crops), (5 tooth: for corn and grain), (9 tooth: for corn and grain)
When replacement is necessary, simply install new thresher bars onto existing element base instead of purchasing a complete OEM style threshing element.
Quantity - Set of 3

***For Models:*** (9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS ALL w/ Bullet Rotor)

**A-TEBBR2** Base, Threshing Element, Set of 3 (Bullet Rotor) 37.00 Lbs.
Used on Row 1 on John Deere Bullet Rotors



***For Models:*** S660, S670 HILLMASTER, S670 STS, S680 HILLMASTER, S680 STS, (S690 HILLMASTER, S690 STS ALL SN# 745101->), 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# THRESHING AREA PARTS

*JOHN DEERE

**A-AH216675** Kit, Threshing Element; 2nd Row; Corn & Grain, High Wear, Set of 3 (Bullet Rotor) 50.00 Lbs.



***Dim/Info:***
Type - Chrome

***For Models:*** 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880I STS

**A-AH216674** Kit, Threshing Element; 1st Row; Corn & Grain, High Wear, Set of 3 (Bullet Rotor) 76.00 Lbs.
Marked H212563



***Dim/Info:***
Type - Hardened

***For Models:*** S660, S670 HILLMASTER, S670 STS, S680 HILLMASTER, S680 STS, (S690 HILLMASTER, S690 STS ALL SN# 745101->), 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-AH216573** Kit, Threshing Element; Rice, High Wear, Set of 3 37.00 Lbs.
marked H215533



***For Models:*** 9660STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-AH209118-5RB** Bar, Threshing Element Replaceable 9.00 Lbs.
For use w/ A&I two piece threshing element. Easily attaches w/ 2 bolts.



***Dim/Info:***
Includes - Mounting hardware, 6 bolts & 6 nuts
Type - 5 Tooth Chrome Bar
Quantity - Set of 3

***For Models:*** 9650STS, 9660STS, 9750STS, 9760STS, 9860STS

**A-AH167739-H5RB** Bar, Threshing Element Replaceable 12.00 Lbs.
For use w/ A&I two piece threshing element. Easily attaches w/ 2 bolts.



***Dim/Info:***
Includes - Mounting hardware, 6 bolts & 6 nuts.
Type - 5 Tooth Hardened Bar
Quantity - Set of 3

***For Models:*** 9650STS, 9660STS, 9750STS, 9760STS, 9860STS

**A-AH167739-HSRB** Bar, Threshing Element Replaceable 13.40 Lbs.
For use w/ A&I two piece threshing element. Easily attaches w/ 2 bolts.



***Dim/Info:***
Includes - Hardware
Type - Smooth Hardened Bar
Quantity - Set of 3

***For Models:*** 9650STS, 9660STS, 9750STS, 9760STS, 9860STS


**A-AH209118-9RB** Bar, Threshing Element Replaceable 9.00 Lbs.
For use w/ A&I two piece threshing element. Easily attaches w/ 2 bolts.



***Dim/Info:***
Type - 9 Tooth Chrome Bar
Quantity - Set of 3

***For Models:*** 9650STS, 9660STS, 9750STS, 9760STS, 9860STS

**A-AH167739-H9RB** Bar, Threshing Element Replaceable 9.87 Lbs.
For use w/ A&I two piece threshing element. Easily attaches w/ 2 bolts.



***Dim/Info:***
Type - 9 Tooth Hardened Bars
Quantity - Set of 3

***For Models:*** 9650STS, 9660STS, 9750STS, 9760STS, 9860STS

**A-TBR401** Bar, Threshing Element, Set Of 3 11.22 Lbs.
4 Tooth



***For Models:*** S660, S670 HILLMASTER, S670 STS, S680 HILLMASTER, S690 STS SN# 745101->, S680 STS, 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-H221379** Support, Beater Wing; Offset Right 15.00 Lbs.
***Replaces:*** H166383



***For Models:*** S650 SN 765000-, (S660, S670 STS, S680 STS, S690 STS ALL SN 745100-), S680 HILLMASTER SN -765000, S690 HILLMASTER SN 745101 -765000, 9650STS, 9660STS, (9670STS, 9770STS ALL SN <730200), 9750STS, 9760STS, 9860STS, 9870STS

**A-AH204533** Kit, Front Flight Repair; Standard Rotor 45.80 Lbs.
***Replaces:*** AH161699, AH201403



***For Models:*** 9650STS, 9660STS, 9750STS, 9760STS, 9860STS, 9870STS

**A-AH204534** Kit, Rear Flight Repair; Standard Rotor 32.00 Lbs.
***Replaces:*** AH161699, AH201403



***For Models:*** 9650STS, 9660STS, 9750STS, 9760STS, 9860STS, 9870STS

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-AH216568** Kit, Front Flight Repair; Bullet Rotor 48.44 Lbs.



***Dim/Info:***
Marked H217239

***For Models:*** S670 HILLMASTER, S670 STS, S680 HILLMASTER, S680 STS, (S690 HILLMASTER, S690 STS ALL SN# 745101->), 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-AH216569** Kit, Rear Flight Repair; Bullet Rotor 42.97 Lbs.
Marked H217240



***For Models:*** S670 HILLMASTER, S670 STS, S680 HILLMASTER, S680 STS, (S690 HILLMASTER, S690 STS ALL SN# 745101->), 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-KXE10164** Kit, Nose Spider Repair; Bullet Rotor 48.00 Lbs.
***Replaces:*** AH229285, AH161700



***For Models:*** S650, S660, S670 STS, S680 STS, S685 STS, S690, S690 STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880 HILLMASTER, 9880I STS, 9880 STS


**A-E80202** Shield, Nut 0.10 Lbs.



***Dim/Info:***
minimum order qty 2


***For Models:*** 9560STS, 9570STS, 9650STS, 9660STS, 9750STS, 9760STS, 9860STS

**A-H202621** Wear Strip, Discharge Beater 4.00 Lbs.



***For Models:*** 9560STS, 9570STS


**A-H236279** Wear Strip, Discharge Beater 3.00 Lbs.
10 Used Per Machine.



***Dim/Info:***
QTY - 10

***For Models:*** 9660STS, 9760STS, 9860STS, (9670STS, 9770STS ALL SN <730200)

**A-H236284** Wear Strip, Discharge Beater (Set/2) 6.88 Lbs.



***For Models:*** (9670STS, 9770STS ALL SN 730201>)

**A-H208429** Wear Plate, Rice Beater Bar 0.90 Lbs.



***For Models:*** S660, (S670 HILLMASTER, S680 HILLMASTER ALL SN -765000), S670 STS, S680 STS, S690 HILLMASTER SN 745101 - 765000, S690 STS, 9560STS, 9570STS, 9660STS SN 706384- North American, 9670STS, 9760STS SN 705888- North American, 9770STS, 9860STS SN 705798- North American, 9870STS

**A-H137580** Sheave, Half; Cylinder Outer, Extended Range 43.65 Lbs.



***Dim/Info:***
Outside Diameter - 17.710"

***For Models:*** 9400, 9410, 9450, 9550, 9550SH, 9650CTS

**A-AH84886** Variable Speed Drive Sheave for Primary Countershaft 35.00 Lbs.
Includes (2) A-R27899 bushings. (Brg. info: JD9450)
***Replaces:*** H84416 & AH84884



***Dim/Info:***
Diameter - 16.17"

**A-R27899** Bushing 0.06 Lbs.
***For Models:*** 6600, 6601, 6602, 7700, 7701

**A-H168126** Sheave Half, Inner; Feeder House, Std. Capacity 20.96 Lbs.
***Replaces:*** H108673, H93189



***Dim/Info:***
Outside Diameter - 12 1/2"

***For Models:*** CTS, CTS II, 6620, 7720, 8820, 9400, 9410, 9450 SN <690217, 9500, 9500SH, 9510, 9510SH, 9550 SN <690800, 9600, 9610, 9650 SN <690820, 9650CTS SN<690489, 9650STS SN<691931

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# THRESHING AREA PARTS

**A-H118616** Pulley; Slow Speed Cylinder 9.20 Lbs.



***Dim/Info:***
Outside Diameter - 5.75"
Pulley Grooves - 4

***For Models:*** CTS, CTS II, 9400, 9410, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-H115755** Inner Sheave-Half, Primary Countershaft 44.83 Lbs.



***Dim/Info:***
Effective Dia: 16.732"
Width: 1.673"
Bore Dia: 4.952"
Total Width: 4.350"

***For Models:*** CTS, CTS II, C670, T550, T560, T660, W540, W550, W650, W660, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9640I WTS, 9640WTS, 9650, 9650CTS, 9660, 9660CTS, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS

**A-AH141820** Sheave-Half, Primary Countershaft & Slow Speed Cylinder Drive 60.25 Lbs.

***Replaces:*** AH122685



***Dim/Info:***
36 spline
10.87" long

***For Models:*** CTS, CTS II, C670, T550, T560, T660, W540, W550, W650, W660, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9640I WTS, 9640WTS, 9650, 9650CTS, 9660, 9660CTS, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS

**A-H113627** Shaft, Planet Pinion 0.66 Lbs.



***Dim/Info:***
3.45" long

***For Models:*** CTS, CTS II, 6620 SN: 551901 >, 6622 SN: 556001 >, 7720 SN: 556301 >, 7721 SN: 562901 >, 8820 SN: 564101 >, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-AH141973** Sheave-Half, Dual Range Cylinder Drive (Intermediate) 38.18 Lbs.

***Replaces:*** H125530, H144038



***Dim/Info:***
16.74" Wide
6.07" Long

***For Models:*** CTS, CTS II, C670, T550, T560, T660, W540, W550, W650, W660, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9640I WTS, 9640WTS, 9650, 9650CTS, 9660, 9660CTS, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS

**A-H145955** Sheave, Half, Dual Range Cylinder Drive 36.70 Lbs.

***Replaces:*** H115599



***Dim/Info:***
Dia: 16.732"
Bore Dia: 2.000"

***For Models:*** CTS, CTS II, C670, T550, T560, T660, W540, W550, W650, W660, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9640I WTS, 9640WTS, 9650, 9650CTS, 9660, 9660CTS, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS

**A-H127196** Housing, Primary Countershaft, Variable Sleeve 28.02 Lbs.



***Dim/Info:***
14.50" long
36 teeth

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-H203950** Housing- Bearing, Rasp Bar Threshing Cylinder 5.15 Lbs.

***Replaces:*** H99149



**A-JD9431** Bearing, RH/LH 4.30 Lbs.

***For Models:*** CTS, CTS II, 6600, 6601, 6602, 6620, 6622, 7700, 7701, 7720, 7721, 8820, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880 STS

**A-JD10343** Bearing 2.91 Lbs.
Used w/ H203950



***Dim/Info:***
Bore - 2.105"
Outside Diameter - 3.937"

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-H148131** Bushing, Primary Countershaft 1.20 Lbs.

***Replaces:*** H123557



***Dim/Info:***
Length - 1.181"
Inside Diameter - 4.256"
Outside Diameter - 4.815"

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
aiproducts
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-AT314441** O-ring Kit 0.26 Lbs.



***Dim/Info:***
Includes - 2 Orings
Inside Diameter - 9.688"
Outside Diameter - 9.875"

***For Models:*** (S670, S680, S685, S690 ALL Primary Countershaft Drive)

**A-H79642** Shaft, Cylinder Drive 56.46 Lbs.



***Dim/Info:***
3 teeth
65.31" long

**A-JD9431** Bearing, RH/ LH Rasp Bar & Spike Tooth 4.30 Lbs.

**A-H203950** Housing- Bearing, Rasp Bar Threshing Cylinder 5.15 Lbs.
***Replaces:*** H99149

***For Models:*** 7700, 7701, 7720 SN <556300, 7721 SN <562900

**A-H110458** Shaft, Cylinder Drive 58.00 Lbs.




***Dim/Info:***
29 teeth
67.81" long

**A-H203950** Housing- Bearing, Rasp Bar Threshing Cylinder 5.15 Lbs.
***Replaces:*** H99149

***For Models:*** 7720 DUAL RANGE - SN556301>, 7721 DUAL RANGE - SN562901>

**A-H145970** Shaft, Rasp Bar Threshing Cylinder 73.00 Lbs.
***Replaces:*** H127972



***Dim/Info:***
67.00" Long

**A-JD10343** Bearing, RH/ LH Rasp Bar & Spike Tooth 2.91 Lbs.

**A-H203950** Housing- Bearing, Rasp Bar Threshing Cylinder 5.15 Lbs.
***Replaces:*** H99149

***For Models:*** (CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9660CTS ALL Single Range)

**A-H140043** Shaft-Rasp Bar Threshing Cylinder (Dual Range) 75.59 Lbs.



***Dim/Info:***
69.50" Long

**A-JD10343** Bearing, RH/ LH Rasp Bar & Spike Tooth 2.91 Lbs.
Used w/ H203950

**A-H203950** Housing- Bearing, Rasp Bar Threshing Cylinder 5.15 Lbs.
***Replaces:*** H99149

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9660CTS, (9640I WTS, 9640WTS, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS ALL SN <074501)

**A-H140042** Shaft, Threshing Cylinder (Dual Range) 88.00 Lbs.



***Dim/Info:***
80.31" Long

**A-JD10343** Bearing, RH/ LH Rasp Bar & Spike Tooth 2.91 Lbs.

**A-H203950** Housing- Bearing, Rasp Bar Threshing Cylinder 5.15 Lbs.
***Replaces:*** H99149

***For Models:*** 9600, 9610, 9650, 9660


**A-H148241** Shaft, Cylinder Drive Intermediate 10.50 Lbs.
***Replaces:*** H115596



***Dim/Info:***
15.75" long

***For Models:*** CTS, CTS II, C670 SN 073062>, T550, T560, T660, W540, W550, W650, W660, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS, (9640I WTS, 9640WTS, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS ALL SN 073062>)

**A-H202801** Shaft, Primary Jackshaft 64.00 Lbs.



***Dim/Info:***
61.69" Long
29 Teeth

**A-JD9339** Bearing, RH 1.90 Lbs.

***For Models:*** 9560STS, 9570STS

**A-H214618** Shaft, Primary Jackshaft 80.00 Lbs.



***Dim/Info:***
72.31" Long
29 Teeth

***For Models:*** 9650STS, 9660STS, 9670STS, 9760STS, 9750STS, 9770STS, 9860STS, 9870STS

**A-H163279** Shaft, Primary Jackshaft; Narrow 91.30 Lbs.



***Dim/Info:***
80.19" Long
29 Teeth

***For Models:*** C670, T550, T560, W540, W550, 9450, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9660CTS

**A-H126940** Shaft, Beater 36.35 Lbs.



***Dim/Info:***
72.12" Long

**A-JD9434** Bearing, RH/ LH 1.70 Lbs.

***For Models:*** W650, W660, 9600, 9610, 9640I WTS, 9640WTS, 9650, 9660, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS

**A-H161010** Shaft, Rear Beater 50.70 Lbs.



***Dim/Info:***
65.00" Long

***For Models:*** 9650STS, 9660STS, 9670STS, 9760STS, 9770STS, 9750STS, 9860STS, 9870STS

**A-H126941** Shaft-Beater, Drive Belt 32.66 Lbs.



***Dim/Info:***
61.31" Long

**A-JD9434** Bearing, RH/ LH 1.70 Lbs.

***For Models:*** W540, W550, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# POWER TRAIN/PROPULSION

JOHN DEERE


**A-T29394** Differential Bevel Gear 1.84 Lbs.



***Dim/Info:***
Teeth - 18

***For Models:*** 925, 932, 935, 942, 945, 950, 955, 960, 965, 965H, 968H, 970, 975, 975HY4, 985, 985HY4, 1032, 1042, 1052, 1055, 1065, 1068H, 1072, 1075, 1075H4, 1085, 1085H4, 1133, 1144, 1155, 1157, 1158, 1166, 1166H4, 1169H4, 1174, 1174H4, 1177, 1177H4, 1188, 1188H4, 3300, 4425, 4435, 4435 HYDRO

**A-H157014** Shaft, Final Drive Pinion 7.64 Lbs.
***Replaces:*** H133088, H141558



***Dim/Info:***
Spline Count - 18
Length - 8.66"
Teeth - 11

**A-JD10401** Bearing Cone, Outer/ Inner 0.77 Lbs.
**A-JD8222** Bearing Cup, Outer 0.51 Lbs.
**A-T79098** Bearing Cup, Inner 0.40 Lbs.

***For Models:*** CTS II, 9400, 9410, 9500, 9510, 9600, 9610, (**COTTON PICKER**: 9965, 9970, 9976)

**A-H167722** Gear, Final Drive Pinion 7.90 Lbs.




***Dim/Info:***
Spline Count - 18
Length - 8.84"
Teeth - 10

**A-JD8222** Bearing Cup, Outer (9560STS) 0.51 Lbs.
**A-T79098** Bearing Cup, Inner (9450) 0.40 Lbs.

***For Models:*** C670, T550, T560, T660, W540, W550, W650, W660, 9450, 9550, 9560, 9560STS, 9570STS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, (**COTTON PICKER**: 9970, 9976, 9986), (**FORAGE HARVESTER**: 7200, 7250, 7300, 7350, 7400, 7450, 7500, 7550, 7700, 7750, 7800, 7850, 7950)

**A-AZ56818** Shaft, Hydro Drive Motor, 105CC 6.75 Lbs.




***Dim/Info:***
Spline Count - 23 / 26
Length - 12.39"

**A-AH65358** Bearing, LH 0.80 Lbs.

***For Models:*** 9560STS, (C670, T550, T560, T660, W540, W550, W650, W660, 9570STS, 9660, 9660CTS, 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS ALL 105CC), 9650 SN 690301> 105CC, 9650CTS SN <690400 105CC, 9650STS SN 690501> 105CC, 9750STS SN 690601> 105CC, (**FORAGE HARVESTER**: (6650, 6750, 6850, 6950 ALL SN 504992 >), 7200, 7250, 7300, 7350, 7400, 7450, 7500, 7550, 7700, 7750, 7800, 7850)

**A-AH133660** Shaft, Hydrostatic Drive Pump 6.52 Lbs.



***Dim/Info:***
Spline Count - 23 / 23
Length - 11.23"

***For Models:*** CTS, CTS II SN: < 675952, 9400, 9410, 9450 SN: < 690100, 9500, 9500SH, 9510, 9510SH, 9550 SN: < 690200, 9550SH SN: < 690700, 9600, 9610, 9650 SN: < 690300, 75CC, 9650CTS SN: < 690400, 75CC, (**FORAGE HARVESTER**: 6610, 6710, 6810, 6910)

**A-H136028** Shaft, Drive (RH) 12.70 Lbs.



***Dim/Info:***
Length - 22.06"
Teeth - 23

***For Models:*** (9600, 9610 ALL R.H. 12-ROW)

**A-H136029** Shaft, Drive (LH) 14.25 Lbs.



***Dim/Info:***
Length - 24.31"
Teeth - 23

***For Models:*** (9600, 9610 ALL L.H. 12-ROW)

**A-H165667** Shaft, Drive (RH) 12.45 Lbs.



***Dim/Info:***
Length - 21.5"
Teeth - 18

***For Models:*** (CTS II, 9650CTS, 9660CTS ALL R.H.)

**A-H165662** Shaft, Ring & Pinion Final Drive 6.86 Lbs.
***Replaces:*** H133244



***Dim/Info:***
Length - 300 mm
Inside Diameter - 1.575"
Outside Diameter - 1.772"
Teeth - 18

***For Models:*** (CTS, CTS II, 9400, 9410, 9450, 9500, 9510, 9550, 9560, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS ALL 300 MM), (**COTTON PICKER**: 9970, 9976, 9986)

**A-H165663** Shaft, Ring & Pinion Final Drive 9.61 Lbs.
***Replaces:*** H133246



***Dim/Info:***
Length - 400 mm
Inside Diameter - 1.575"
Outside Diameter - 1.772"
Teeth - 18

***For Models:*** (CTS, CTS II, 9400, 9410, 9450, 9500, 9510, 9550, 9560, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS ALL 400 MM), (**COTTON PICKER**: 9970, 9976, 9986)

**A-H165664** Shaft, Ring & Pinion Final Drive 11.34 Lbs.
***Replaces:*** H133248



***Dim/Info:***
Spline Count - 18
Length - 454 mm
Inside Diameter - 1.331"
Outside Diameter - 1.772"

***For Models:*** (9400, 9410, 9450, 9500, 9510, 9550, 9560, 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS ALL 454 MM), 9650, 9750, (**COTTON PICKER**: 9976, 9986)

**A-H165665** Shaft, Final Drive (RH) 10.40 Lbs.



***Dim/Info:***
Length - 17.75"
Teeth - 18 / 18

***For Models:*** 9400 SN 640506> DRIVE, RH, (9410, 9450, 9500, 9510, 9550, 9560, 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS ALL DRIVE, RH)

**A-H165666** Shaft, Final Drive (LH) 18.00 Lbs.



***Dim/Info:***
Length - 28.62"
Teeth - 18 / 18

***For Models:*** 9400 SN 640506> L.H., (9410, 9450, 9500, 9510, 9550, 9560, 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS ALL L.H.)

**A-H91808** Coupling, Splined; Final Drive 1.25 Lbs.
***Replaces:*** P48679



***Dim/Info:***
Length - 4"
Teeth - 21

***For Models:*** 4400 SN 103932>, 4420, 6600 SN <105890, 7700 SN <111900

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
aiproducts
e-mail: sales@aiproducts.com
web: www.aiproducts.com


**A-H163561** Spacer, Final Drive Mounting 0.14 Lbs.
*Replaces:* H144168



***Dim/Info:***
Inside Diameter - 1.016"
Outside Diameter - 1.750"
Width - .71"

***For Models:*** C670, CTS, CTS II, S540, S550 STS, S560, S650, S660, S670, S670 HILLMASTER, S670 STS, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S690 STS, T550, T560, T660, T670, W540, W550, W650, W660, 9400, 9410, 9450, 9470STS, 9500, 9500 SIDEHILL, 9510, 9510 SIDEHILL, 9540I WTS, 9540WTS, 9550, 9550SH, 9560, 9560I STS, 9560I WTS, 9560SH, 9560STS, 9560WTS, 9570STS, 9580I WTS, 9600, 9610, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660I WTS, 9660STS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9750STS, 9770STS, 9780CTS, 9780I CTS, 9860STS, 9870STS, 9880 STS, 9880I STS, (**COTTON PICKER**: CP690, 7660, 7760, 9970, 9986, 9996), (**COTTON STRIPPER**: CS690)

**A-H93674** Shaft, Final Drive, Pinion 4.14 Lbs.



***Dim/Info:***
Spline Count - 27 / 23
Length - 8.02"

**A-JD7222** Bearing Cone 0.66 Lbs.

***Dim/Info:***
QTY - 2

**A-JD7294** Bearing Cup, Outter 0.42 Lbs.


***Dim/Info:***
QTY - 1

**A-JD8285** Bearing Cup, Inner 0.33 Lbs.

***Dim/Info:***
QTY - 1

***For Models:*** 7720, 8820, 9600, 9610


**A-JD8947** Bearing 0.65 Lbs.



***Dim/Info:***
Inside Diameter - 1.375"

***For Models:*** 1170, 6600, 6601, 6602, 6620, 7700, 7720, 7722 HILLSIDE, 9770STS, (**FORAGE HARVESTER**: 5440, 5460, 5720, 5820)

**A-AH112670** Bearing, Drive Shaft 1.22 Lbs.



***Dim/Info:***
Inside Diameter - 1.75"
Outside Diameter - 3.27"
Width - 0.9375"

***For Models:*** 6620, 7720, 8820, (**COTTON PICKER**: 9940, 9950)

**A-JD8524** Ball Bearing 1.30 Lbs.
*Replaces:* 72161731, 158363A



***Dim/Info:***
Inside Diameter - 1-17/32"
Outside Diameter - 3-9/64"

***For Models:*** 4400, 4420, 6600, 7700


**A-DE17503** Seal 0.10 Lbs.



***Dim/Info:***
Type - Dual Lip / Garter Spring
Inside Diameter - 1.496"
Outside Diameter - 2.717"
Width - .374"

***For Models:*** CTS, CTS II


**A-H113947** Pinion, First & Second Planet 3.04 Lbs.



***Dim/Info:***
Teeth - 18 / 26

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-H168899** Pinion, Final Drive 7.67 Lbs.




***Dim/Info:***
Spline Count - 18
Length - 8.66"
Teeth - 10

**A-JD10401** Bearing Cone, Inner/ Outer 0.77 Lbs.
**A-T79098** Bearing Cup, Inner 0.40 Lbs.
**A-JD8222** Bearing Cup, Outer 0.51 Lbs.

***For Models:*** (9550, 9550SH, 9650, 9650CTS ALL Regular Duty 10 Tooth), (9450, 9560SH, 9660, 9660CTS ALL 10 Tooth), (**COTTON PICKER**: (9970, 9976, 9986 ALL 10 Tooth))


**A-R33004** Pinion Gear, Used w/ A-R45779 Shaft 6.62 Lbs.



***Dim/Info:***
Teeth - 21
Width - 1.510"

***For Models:*** (7720, 7722 HILLSIDE, 8820 ALL W/ PLANETARY FINAL DRIVE)

**A-R116821** Pinion Gear, Used w/ A-R62685 Shaft 7.74 Lbs.
*Replaces:* R108996, R59929



***Dim/Info:***
Teeth - 21
Width - 2.010"

***For Models:*** 9610

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

**A-T70309** Plate, Clutch Drive 2.27 Lbs.
Used on: Separator Drive, Wet Clutch, & Pump Drive Shaft




***For Models:*** CTS, CTS II, 9400 SN < 660487, Uses 2; SN 660488 >, Uses 3, 9410, 9450, (9500, 9500SH ALL Grain Combines w/ Low H.P.), 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9600, 9610, (9640WTS, 9660WTS, 9680WTS ALL World Wide Edition), 9650, 9650CTS Regular Duty Uses 3, H.D. Uses 4, 9650STS, 9660, 9660CTS, 9660STS, 9750STS, 9760STS, 9860STS

**A-AH125490** Disc, Clutch; Seperator Drive 1.10 Lbs.
Used on: Separator Drive, Wet Clutch, Pump Drive Shaft



***For Models:*** (CTS, CTS II, 9410, 9450, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9610, 9650, 9660, 9660STS, 9670STS ALL 3 Used), (9560STS, 9660CTS, 9760STS, 9770STS, 9860STS, 9870STS ALL 4 Used), 9400 SN < 660487 Uses 2; SN 660488 > Uses 3, (9500, 9500SH ALL Grain Combine w/ Low H.P. 3 Used), 9600 SN <645300 2 Used: SN >645301 3 Used, (9570STS, 9650CTS, 9650STS, 9750STS ALL Reg Duty Uses 3; H.D. Uses 4)


**A-H148768** Shaft, Main Clutch 6.24 Lbs.
***Replaces:*** H125351



***Dim/Info:***
Length - 8.71"
Teeth - 20 / 41 / 23

***For Models:*** CTS, 9400, 9410, 9500, 9500SH, 9510, 9510SH, 9600, 9610

**A-H85817** Shaft, Pinion, 11 Tooth 5.50 Lbs.
Used in extra HD 11/104 ratio final drive




***Dim/Info:***
Spline Count - 23
Length - 8.320"
Teeth - 11

**A-JD7222** Bearing Cone 0.66 Lbs.
**A-JD8285** Bearing Cup 0.33 Lbs.

***For Models:*** 6600 SN 105891->, 6620 w/ 26"-32" tires SN <-553000, 7700 SN 111901->, 7720 w/26" tires SN <-362900, SN <-556300, 8820 w/crawler tracks SN <-564100)

**A-H93884** Shaft, Pinion, 11 Tooth 4.86 Lbs.
***Replaces:*** H87638




***Dim/Info:***
Spline Count - 23
Length - 6.910"
Teeth - 11xdw3

**A-JD7222** Bearing Cone 0.66 Lbs.
**A-JD8285** Bearing Cup, Outer 0.33 Lbs.

***For Models:*** 965H, 968H, 6600 Sidehill only, 6620 SN <-553000 Sidehill only

**A-H114203** Shaft, Pinion, 10 Tooth 5.68 Lbs.




***Dim/Info:***
Spline Count - 23
Length - 8.320"
Teeth - 10

**A-JD7222** Bearing Cone 0.66 Lbs.
**A-JD8285** Bearing Cup 0.33 Lbs.

***For Models:*** (6600, 7700 ALL w/ 32" tires), 6620 SN 553001->, 7720 SN 556301->w/32" tires, 8820 SN 564101->w/tracks only, (**FORAGE HARVESTER**: 5720, 5730, 5820, 5830)


**A-H81605** Shaft, Hydro Motor, for Sunstrand Unit 6.80 Lbs.
Serial number is approximate, check shaft size.
***Replaces:*** H64814



***Dim/Info:***
Spline Count - 19 / 26
Length - 11.66"

***For Models:*** 6600, 6602 early, 7700, (**FORAGE HARVESTER**: 5200, 5400, 5440, 5460)

**A-H98071** Shaft, Hydro Motor, for late Sunstrand Unit 6.80 Lbs.
Serial No.'s are approximate, check shaft size.




***Dim/Info:***
Spline Count - 26 / 23
Length - 12.00"

**A-AH65358** Bearing, LH 0.80 Lbs.

***For Models:*** 1177 SN <053856, (6602, 6620 ALL late), 6622, 7720, 8820, (**FORAGE HARVESTER**: 5200, 5400, 5460, 5720, 5830)

**A-AH109692** Shaft, Input (Hydro Trans) 7.04 Lbs.
***Replaces:*** H93759




***Dim/Info:***
Length - 13.66"
Teeth - 23

**A-JD8257** Bearing Cup, RH 0.40 Lbs.
**A-JD10182** Bearing Cone, LH (S/N XXXXX>, 7722) 0.47 Lbs.
**A-JD8902** Bearing Cone, LH (S/N <XXXXX, 6622) 0.49 Lbs.
**A-JD8237** Bearing Cup, LH 0.24 Lbs.

***For Models:*** 6602, 6620, 6622, 7700, 7720, 7722 HILLSIDE, 8820, (**FORAGE HARVESTER**: 5200, 5400, 5440, 5460, 5720, 5730, 5820, 5830)


**A-H76111** Shaft, Hydro Motor Stub Drive 0.92 Lbs.



***Dim/Info:***
Teeth - 19

***For Models:*** 6600, 6602 HILLSIDE SN <353600, 7700, (**FORAGE HARVESTER**: 5200, 5400, 5440, 5640)


**A-H99060** Coupler, Hydro Drive 1.14 Lbs.



***Dim/Info:***
Spline Count - 19
Length - 2.500"
Diameter - 1.250"

***For Models:*** 6600, 6602 HILLSIDE SN <353600, 7700, (**FORAGE HARVESTER**: 5200, 5400, 5440, 5640)

**A-H98238** Coupler, Hydro Drive 1.16 Lbs.



***Dim/Info:***
Spline Count - 23
Length - 2.750"
Diameter - 1.519"

***For Models:*** 1177, 4435, 6602 HILLSIDE SN 353601>, 6620, 6622, 7720, 8820, (**FORAGE HARVESTER**: 5440, 5460, 5720, 5820, 5830)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
aiproducts
e-mail: sales@aiproducts.com
web: www.aiproducts.com


**A-H106283** Coupler, Drive 1.66 Lbs.
*Replaces:* 272675



***Dim/Info:***
Spline Count - 23
Length - 4”

***For Models:*** 6600, 6620, 7700, 7720, 7722 HILLSIDE, 8820, (**FORAGE HARVESTER**: 5440, 5460, 5720, 5820)


**A-H165510** Coupler, Drive 2.10 Lbs.



***Dim/Info:***
Spline Count - 18
Length - 4.00”

***For Models:*** CTS, CTS II, C670, S550, S650, S660, S670, S680, S690, S760, S770, S780, S790, 9400, 9410, 9450, 9500, 9510, 9550, 9560, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, (**FORAGE HARVESTER**: 6650, 6750, 6850, 6950, 7200, 7250, 7300, 7350, 7400, 7450, 7500, 7550, 7700, 7750, 7800, 7850, 7950)


**A-H87165** Shaft, Axle Drive 6.12 Lbs.



***Dim/Info:***
Spline Count - 21
Length - 14.688”

***For Models:*** 4400 SN 151501-> w/ HD final drive, 4420


**A-H123629** Shaft, Axle Drive 3.44 Lbs.
*Replaces:* H95196



***Dim/Info:***
Spline Count - 23
Length - 7.750”

***For Models:*** (6600, 6620, 7700, 7720 ALL w/ 8” axle extensions)

**A-H123619** Shaft, Axle Drive 4.04 Lbs.
*Replaces:* H85884, H104549



***Dim/Info:***
Spline Count - 23
Length - 9.000”

***For Models:*** 6600 SN 105891-> for RH Hydro drive, 6620 for RH Hydro drive


**A-H123613** Shaft, Axle Drive 7.28 Lbs.
*Replaces:* H85876, H104543



***Dim/Info:***
Spline Count - 23
Length - 14.938”

***For Models:*** 6600 SN 105891-> RH/LH belt drive, 6620 RH/LH Posi-torq drive, 7700 LH only Posi-torq, 7720


**A-H123630** Shaft, Axle Drive 7.62 Lbs.
*Replaces:* H95197



***Dim/Info:***
Spline Count - 23
Length - 15.750”

***For Models:*** (6600, 6620, 7700, 7720 ALL w/ 16” axle extensions)


**A-H123612** Shaft, Axle Drive 10.36 Lbs.
*Replaces:* H85875, H104542



***Dim/Info:***
Spline Count - 23
Length - 20.813”

***For Models:*** 6600 SN 105891-> for LH Hydro drive, 7700 SN 111901-> for LH Hydro drive, (6620, 7720 ALL for LH Hydro drive)

**A-H123614** Shaft, Axle Drive 9.74 Lbs.
*Replaces:* H85877



***Dim/Info:***
Spline Count - 23
Length - 19.875”

***For Models:*** 7700 SN 111901-> for RH Hydro drive, 7720 for RH Hydro drive


**A-H123624** Shaft, Axle Drive 15.48 Lbs.
*Replaces:* H93679, H104557



***Dim/Info:***
Spline Count - 23
Length - 30.688”

***For Models:*** 8820 for RH

**A-H85871** Shaft, Transmission Brake 7.74 Lbs.




***Dim/Info:***
Length - 12.964”

***For Models:*** 6600 SN 105891->, 6620, 7700 SN 111901->, 7720, 8820, (**FORAGE HARVESTER**: 5200, 5400, 5460, 5490, 5720, 5730, 5820, 5830)

**A-AH128391** Assy, Pinion Seal 0.30 Lbs.
*Replaces:* AH86848

***For Models:*** CTS, CTS II, C670, S550 STS SN 745100-764999, (S670 STS, S680, S690 STS ALL SN 745100-785000), 2254, 2256, 2258, 2264, 2266, 6600 SN 105891-, 6620, 7700 SN 111901-, 7720, 8820, 9400, 9410, 9450, 9500, 9500 SIDEHILL, 9510, 9510 SIDEHILL, 9550, 9550 SIDEHILL, 9560, 9560 SIDEHILL, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9750STS, 9760STS, 9770STS, 9780CTS, 9780I CTS SN 072800-, 9860STS, 9870STS


**A-H131754** Pin, Drive Shaft Coupling, Ring & Pinion Final Drive 0.07 Lbs.



***Dim/Info:***
Length - 2.047”
Diameter - .394”

***For Models:*** CTS, CTS II, C670, 1170, 9400, 9410, 9450, 9500, 9510, 9550, 9560, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, (**FORAGE HARVESTER**: 6610, 6650, 6710, 6750, 6810, 6850, 6910, 6950, 7200, 7250, 7300, 7350, 7400, 7450, 7500, 7550, 7700, 7750, 7800, 7850, 7950)

**A-AH207921** U-Joint 3.50 Lbs.
*Replaces:* AH122018



***For Models:*** CTS, CTS II, S550 STS SN 745100-764999, S660 SN 745100-, S650 SN 765000-, 9400, 9410, 9450, 9470STS, 9500, 9500 SIDEHILL, 9510, 9510 SIDEHILL, 9550, 9550 SIDEHILL, 9560, 9560SH, 9560STS, 9570STS, 9650CTS, 9650STS, 9660CTS, 9660STS, 9670STS, 9760STS

*JOHN DEERE

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# POWER TRAIN/PROPULSION - CAB PARTS


**A-AH208684** Joint, Ball 0.15 Lbs.
***Replaces:*** AH106933



***Dim/Info:***
Thread - M6 x 1.0 RH
Thread Length - .55”


***For Models:*** CTS, CTS II, C670, S550 STS SN 745100-764999, S650 SN 765000-, (S660, S670 STS ALL SN 745100-), S680 SN 745100-766006, S690 STS SN 745100-765249, T550, T560, T660, T670, W540, W550, W650, W660, 9400, 9410, 9450, 9500, 9500 SIDEHILL, 9510, 9510 SIDEHILL, 9540I WTS SN 080016-, 9550, 9550SH, 9560, 9560SH, 9560STS, 9560I WTS SN 080016-, 9570STS North American, 9580I WTS SN 080016-, 9600, 9610, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9660I WTS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9750STS, 9760STS, 9770STS, (9780CTS, 9780I CTS ALL SN 072800-), 9860STS, 9870STS, 9986, 9996, 7460 w/ 748 Header, 7180, 7200, 7250, 7280, 7300, 7350, 7380, 7400, 7450, 7480, 7500, 7550, 7580, 7700, 7750, 7780, 7800, 7850, 7950 Cummins QSK19 Engine, 8100, 8200, 8400, 8500, 8600, W235, W260

**A-H85887** Brake Drum, (Cast Iron) 30.88 Lbs.



***For Models:*** 6600 SN 105891->, 6620, 7700 SN 111901->, 7720, 8820, (**FORAGE HARVESTER**: 5200, 5400, 5440, 5460, 5720, 5730, 5820, 5830)


**A-AH19839** Brake Disc, Bonded 1.78 Lbs.



***Dim/Info:***
Spline Diameter - 2.255” Major / 1.866” Minor
Outside Diameter - 6.518”
Spline - 12

***For Models:*** 4400 301955>, 4420, (**COTTON STRIPPER**: 484, 7440, 7445), (**COTTON PICKER**: 9900, 9910, 9920, 9930)


**A-AH214069** Brake Disc 1.78 Lbs.
***Replaces:*** AH19839



***Dim/Info:***
Spline Diameter - 2.255” Major / 1.866” Minor
Outside Diameter - 6.518”
Spline - 12

***For Models:*** 4400 SN 301955->, 4420

**A-AH132840** Brake Shoe (Set/ 4) 10.75 Lbs.




***For Models:*** (CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS ALL (SET OF 4)), 1170, (**COTTON STRIPPER**: 7450, 7455), (**COTTON PICKER**: 9935, 9960, 9965, 9970, 9976), (**FORAGE HARVESTER**: 6610, 6710, 6810, 6910)

**A-H134114** Spacer 0.78 Lbs.



***For Models:*** CTS, CTS II, S560, S690, S690 HILLMASTER, T550, T560, T660, T670, W540, W550, W650, W660, 9400 MAXIMIZER, 9410 MAXIMIZER, 9450, 9470 STS, 9500, 9500 SIDEHILL, 9510, 9510 SIDEHILL, 9540I WTS, 9540WTS, 9550, 9550 SIDEHILL, 9560, 9560 SIDEHILL, 9560I STS, 9560STS, 9560WTS, 9570STS, 9580I WTS, 9580WTS, 9600, 9610 MAXIMIZER, 9640I WTS, 9640WTS, 9650 CTS, 9650STS, 9660, 9660CTS, 9660I WTS, 9660STS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9750STS, 9770STS, 9780 CTS, 9780I CTS, 9860STS, 9870STS, 9880 STS, 9880I STS, (**FORAGE HARVESTER**: 7180, 7200, 7250, 7280, 7300, 7350, 7380, 7400, 7450, 7480, 7500, 7550, 7580, 7700, 7750, 7780, 7800, 7850, 7950, 7980)

**A-L165436** Weatherstrip 1.21 Lbs.
Adhesive on one side



***Dim/Info:***
Length - 44’ / 1341cm
Thickness - .312”
Width - .625”

***For Models:*** S760, S770, S780, S790, (**FORAGE HARVESTER**: 8100, 8200, 8300, 8400, 8500, 8600, 8700, 8800, 9600, 9700, 9800, 9900)


**A-H81330** Seal 0.10 Lbs.



***Dim/Info:***
Length - 10’ Roll
Thickness - 3/16”
Width - 1/2”

***For Models:*** CTS SN 670101-674000 European, (CTS, CTS II, 9560, 9560 SIDEHILL, 9560STS, 9570STS, 9660, 9660CTS, 9660STS, 9760STS, 9860STS ALL North American), (S540, 9470STS, 9570STS ALL South American), S540 Argentine, S550 STS SN 745100-764999, (S560, S660, S670, S680, S685, S685 HILLMASTER, S690, S690 HILLMASTER, 9560I STS ALL European), S650 SN 765000-, (S660, S670 STS, S680, S690 STS ALL SN 745100-), S680 HILLMASTER SN -765000, S690 HILLMASTER SN -745100 European, S690 HILLMASTER SN 745101 - 765000, T670, 6620, 6622, 7720, 8820, 9400, 9410, 9450, 9500, 9500 SIDEHILL, 9510, 9510 SIDEHILL, 9550, 9550 SIDEHILL, 9600, 9610, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660I WTS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9750STS, 9770STS, 9870STS, 9880 HILLMASTER SN715801- European, 9880 STS SN -715700 European, 9880I STS SN715701- European

**A-AH128598** Gas Strut, Rear (LH), Service Access Shield & Rear Corner Sheet 2.50 Lbs.
***Replaces:*** AH143218



***Dim/Info:***
Extended Length: 26.339”
Closed Length: 19.213”
Cyl. Dia.: .906”
Rod Dia.: .394”
Rod End/Base End: .315”
Force Lbs./Ft: 146.126

***For Models:*** CTS, CTS II, 9400, 9410, 9500, 9500SH, 9510, 9510SH, 9600, 9610

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
aiproducts
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-AH128597** Gas Strut, Front (LH), Service Access Shield & Rear Corner Sheet 1.64 Lbs.

***Replaces:*** AH143033



***Dim/Info:***
Rod End/Base End: .315"
Compressed Length - 19.213"
Cylinder Diameter - .906"
Force - 58.45 lbs/ft
Overall Length - 26.339"
Rod Diameter - .394"

***For Models:*** (CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS ALL 26.339 IN EXTENDED)

**A-AL79013** Pump, Windshield Washer 0.19 Lbs.



***For Models:*** S690, S690 HILLMASTER, 9450, 9550, 9550 SIDEHILL, 9560, 9560 SIDEHILL, 9560I STS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9750STS, 9760STS, 9860STS, 9870STS, 9880 STS, 9880I STS, 7760, CH570, CH670, 3510, 3520

**A-JDFR100** Footrest; John Deere Add-On 11.00 Lbs.

Footrest Helps Relieve Leg Fatigue Associated With Long Hours Of Sitting.



***Dim/Info:***
Installs Easily Using Existing Bolts On Steering Column.

***For Models:*** CTS, CTS II, C670, T550, T560, T660, T670, W330, W540, W550, W650, W660, 9400, 9410, 9450, 9470STS, 9500, 9510, 9510SH, 9550, 9550SH, 9560, 9560I STS, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9780CTS, 9860STS, 9870STS, 9880I STS, 9880 STS, 6650, 6750, 6850, 6950, 7180, 7250, 7280, 7350, 7380, 7450, 7480, 7550, 7580, 7750, 7780, 7850, 7950, 7980, CS690, 7460, CP690, 7660, 7760, CH330, CH530, 3520, 3522

**A-L39119** Bracket, Toolbox 2.35 Lbs.

***Replaces:*** L39119



***For Models:*** CTS, S540, S550, S560, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S760, S770, S780, S785, S790, 9400, 9450, 9470STS, 9500, 9500 SIDEHILL, 9550, 9550 SIDEHILL, 9560, 9560 SIDEHILL, 9560I STS, 9560STS, 9570STS, 9600, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9870STS, 9880 STS, 9880I STS, (**HEAD, CUTTING PLATFORM**: 622X, 625X, 630X, 635X, 640X)

**A-SJ10170** Antenna Mast 0.11 Lbs.

Replacement mast for AL222926 assembly



***For Models:*** S430, S440, S540, S560, S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S760, S770, S770 HILLMASTER, S780, S780 Hillmaster, S785, S785 Hillmaster, S790, S790 Hillmaster, T550, T560, T660, T670, W540, W550, W650, W660, (**FORAGE HARVESTER**: 8100, 8200, 8300, 8400, 8500, 8600, 8700, 8800, 9600, 9700, 9800, 9900), (**SUGAR CANE HARVESTER**: CH570, CH670), (**SWATHER/WINDROWER**: W235, W260)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# SEPARATOR AREA

**A-AH173726** Inner Sheave, Cleaning Fan Driven; 8 3/8" 6.52 Lbs.
Marked H178856
***Replaces:*** AH75844, AH100009



***Dim/Info:***
Dia: 8.375" O.D.
Bore Dia: 1.00"

***For Models:*** 3300, 4400, 4420, 6600, 6601, 6602, 6620, 6622, 7700, 7701, 7720, 7721, 8820

**A-H93399** Spring, Compression 0.10 Lbs.



***For Models:*** C670, CTS, CTS II, S550 STS SN 745100-764999, S650 SN 765000-, (S670 HILLMASTER, S680 HILLMASTER, S690 HILLMASTER ALL SN -765000), (S660, S670 STS, S680, S690 STS ALL SN 745100-), T550, T560, T660, T670, W540, W550, W650, W660, 6620, 6622, 7700, 7701, 7720, 7721, 8820, 9400, 9410, 9450, 9500, 9500 SIDEHILL, 9501, 9510, 9510 SIDEHILL, (9540I WTS, 9560I WTS, 9580I WTS ALL SN 080016-), 9550, 9550 SIDEHILL, 9560, 9560SH, 9570STS, 9570STS, 9600, 9610, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660I WTS, 9660STS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9750STS, 9750STS, 9760STS, 9770STS, (9780CTS, 9780I CTS ALL SN 072800-), 9860STS, 9870STS, 3430, 3830


**A-AH87207** Bearing; Cleaning Fan Sheave 0.51 Lbs.
***Replaces:*** AH87207



***Dim/Info:***
Inside Diameter - 1.500"
Outside Diameter - 2.507"
Overall Width - .679"
Useable Width - .452"

***For Models:*** (3300, 4400, 4420, 6600, 6601, 6602, 6620, 6622, 7700, 7701, 7720, 7721, 8820 ALL Primary & Secondary Countershaft)

**A-AH131508** Arm, Beater Arm Tightener 4.45 Lbs.



***For Models:*** 9400, 9410, 9450, 9500, 9500 SIDEHILL, 9501, 9510, 9510 SIDEHILL, 9550, 9550 SIDEHILL, 9560, 9560 SIDEHILL, 9600, 9610, 9650, 9660

**A-AH229175** Bearing, Thrust; Seperator Fan Drive 0.99 Lbs.
***Replaces:*** AH124050



***Dim/Info:***
Bore - 2.002"
Outside Diameter - 3.678"

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500 SIDEHILL, 9501, 9510, 9510 SIDEHILL, 9550, 9550 SIDEHILL, 9560, 9560 SIDEHILL, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS


**A-H133489** Spacer 0.05 Lbs.



***Dim/Info:***
Length - 3.100"

***For Models:*** CTS, CTS II, 9400, 9410, 9450 SN -690196, 9500, 9500 SIDEHILL, 9501, 9510, 9510SH, 9550 SN -690669, 9550SH SN -690701, 9600, 9610, 9650 SN -690730, 9650CTS SN -690464, 9780CTS SN 071443-072697


**A-H161051** Sheave, Inner; Fan Driver, Std. Speed 20.70 Lbs.



***Dim/Info:***
12.990" O.D.

***For Models:*** 9570STS, 9650STS, 9670STS, 9750STS, 9770STS, 9870STS

**A-H206016** Sheave Half, Inner; Fan Driver, Std. Speed 22.70 Lbs.



***Dim/Info:***
Outside Diameter - 12.032"

***For Models:*** 9560STS, 9660STS, 9760STS, 9860STS


**A-R163994** Plate; Clutch 0.85 Lbs.



***Dim/Info:***
Inside Diameter - 4.743"
Outside Diameter - 7.672"
Thickness - .120"
Tangs - 8

***For Models:*** (S670, S680, S685, S690 ALL Primary Countershaft Drive)

**A-H234546** Cam, Outer; Shoe Drive (RH) 2.35 Lbs.



***For Models:*** (9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS ALL RH)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-H234547** Cam, Outer; Shoe Drive (LH) 2.35 Lbs.



***For Models:*** (9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS ALL LH)

**A-H133602** Cam-Outer, Shoe Drive (RH) 2.36 Lbs.



***Dim/Info:***
1.379" ID
6 mm keyway


**A-H133599** Cam-Outer, LH, Shoe Drive 2.44 Lbs.

***Dim/Info:***
1.261" ID
6 mm keyway

**A-AH125975** Ball Bearing, RH/ LH 2.05 Lbs.

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-H234549** Cam, Shoe Drive Inner (RH) 2.41 Lbs.
***Replaces:*** H133601



***Dim/Info:***
1.38" ID
6 mm keyway

**A-H234550** Cam-Inner, Shoe Drive (LH) 2.49 Lbs.
***Replaces:*** H133600

***Dim/Info:***
1.26" ID
6 mm keyway

**A-AH125975** Ball Bearing, RH/ LH 2.05 Lbs.

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9750STS, 9760STS, 9860STS

**A-P42100** Bushing, Rubber 0.07 Lbs.




***For Models:*** 925, 930, 932, 935, 940, 942, 945, 950, 952, 955, 960, 965, 965H, 968H, 970, 975, 975HY4, 985, 985HY4, 1032, 1042, 1052, 1055, 1065, 1068H, 1072, 1075, 1075H4, 1085, 1085H4, 1188, 1188H4, 4425, 4435, 4435 HYDRO

**A-H102469** Plate, Seperator 28.00 Lbs.
***Replaces:*** H82498




***For Models:*** 6600 SN 2252>, 6601 SN 2001>, 6620

**A-H102470** Plate, Seperator 35.00 Lbs.
***Replaces:*** H94330



***For Models:*** 7700 SN 1658>, 7701, 7720, 7721

**A-H102471** Plate, Seperator 42.00 Lbs.
***Replaces:*** H99026



***For Models:*** 8820

**A-HXE16669** Strap; Moisture Sensor Belted Plunger 0.08 Lbs.



***Dim/Info:***
Material - Rubber
Overall Length - 6.457"
Spacing - 2.500" Hole Center To Center
Thickness - .177"
Width - 1.535"
Hole Size - .433" / .512"

***For Models:*** S560, S690, S690 HILLMASTER, T550, T560, T660, T670, W540, W550, W650, W660, 9450, 9470STS, 9550, 9550SH, 9560, 9560I STS, 9560SH, 9560STS, 9570STS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880 STS, 9880I STS

**A-H177314** Wear Plate, Overshoot Beater 0.15 Lbs.



***For Models:*** CTS, CTS II, C670, 9650CTS, 9660CTS, (9780CTS, 9780I CTS ALL SN 072800>)

**A-AH216018** Tine Wear Plate; Feed Accelerator (Pack/10) 7.01 Lbs.



***Dim/Info:***
Package Of 10 / Priced Per Package

***For Models:*** S660, S670, S680, S685, S690, S760, S770, S780, S785, S790, 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880I STS, 9880 STS

**A-H119613-SET** Block, Walker Wood Bearing (Set of 2) 1.95 Lbs.



***Dim/Info:***
Includes - Hardware
Type - 1 1/4" Shaft

***For Models:*** 6600, 6601, 6620, 7700, 7701

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# SEPARATOR AREA

**A-H119614-SET** Block, Walker Wood Bearing (Set of 2) 1.80 Lbs.



***Dim/Info:***
Type - 1 1/2" Shaft

***For Models:*** 7720, 8820

**A-H140070-SET** Block, Walker Wood Bearing (Set of 2) 2.85 Lbs.
"Series One"



***Dim/Info:***
Bolt Mount Spacing - 3"
Type - Horizontal

***For Models:*** 9400 SN <635180, (9500, 9500SH ALL SN <636925), 9501, 9600 SN <636083

**A-H140677-SET** Block, Walker Wood Bearing (Set of 2) 1.00 Lbs.
"Series Two"



***Dim/Info:***
Type - Vertical

***For Models:*** 9400 SN 635181>, (9500, 9500SH ALL SN 636926>), 9501 SN <FEB90, 9600 SN 636084>

**A-AH168158-SET** Block, Walker Wood Bearing 4.00 Lbs.
"Series Three", replaces aluminum blocks



***Dim/Info:***
Type - Horizontal

***For Models:*** 9400 SN 665101>, 9410, 9450, (9500, 9500SH ALL SN 665201>), 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600 SN 665301>, 9610, 9650, 9660


**A-AH168158US-SET** Block Set, Walker Wood Bearing 5.00 Lbs.
"Series Three"



***Dim/Info:***
Slightly Undersized To Fit Worn Walker Shafts
Complete With Shims
Horizontal

***For Models:*** 9400 SN 665101>, 9410, 9450, (9500, 9500SH ALL SN 665201>), 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600 SN 665301>, 9610, 9650, 9660


**A-AH93701** Straw Walker 92.00 Lbs.



***Dim/Info:***
Type - Lip Type Louvers

***For Models:*** 6600, 6601, 6602, 7700, 7701


**A-AH94469** Straw Walker 197.00 Lbs.



***Dim/Info:***
Type - Lip Type Louvers

***For Models:*** 6620, 6622, 7720, 7721, 8820

**A-AH94468** Straw Walker, Rectangle Louvre 114.00 Lbs.




***Dim/Info:***
Rectangle Louvre

***For Models:*** 6620, 6622, 7720, 7721, 8820

**A-AH210336** Straw Walker 252.00 Lbs.

***Replaces:*** AH135381



***Dim/Info:***
Type - Lip Type Louvers
Quantity - 4 Required

***For Models:*** (9400, 9410, 9450 ALL LIP TYPE)

**A-AH209840** Straw Walker 265.00 Lbs.

***Replaces:*** AH128530, AH135380



***Dim/Info:***
Type - Lip Type Louvers

***For Models:*** 9500, 9500SH, 9501 SN: < 1990, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9660

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.




P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

**A-AH210334** Straw Walker, Long Rectangular Grid 270.00 Lbs.


*Replaces:* AH140434



***Dim/Info:***
Type - Rectangular Louvers
Quantity - 5 Required

***For Models:*** (9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9660 ALL RECTANGULAR GRID)

**A-BH79481** Straw Walker Risers, Center 23.00 Lbs.
Kit Includes Set Of 10 Center Risers And Hardware



***Dim/Info:***
For lip style walker only

***For Models:*** 9400, 9450, 9500, 9510, 9550, 9560, 9600, 9610, 9650, 9660

**A-H226877** Seal, Access Door, LH 0.40 Lbs.



***Dim/Info:***
Length - 23-1/2"

***For Models:*** S550 STS SN 745100-764999, S650 SN 765000-, (S660, S670, S680, S685, S690 ALL SN 100000 -104999), (S660, S670 STS, S690 STS ALL SN 745100-), (S670 HILLMASTER, S680 HILLMASTER ALL SN -765000), S690 HILLMASTER SN 745101 -765000, 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-H158420** Blade, Cleaning Fan 2.20 Lbs.

***For Models:*** 9650STS, 9750STS


**A-H201774** Blade; Cleaning Fan 1.22 Lbs.



***Dim/Info:***
Material - Aluminum

***For Models:*** S540, S550, S560, 9470STS, 9560I STS, 9560STS, 9570STS


**A-H114617** Countershaft, Primary 49.00 Lbs.
Shaft includes: (1) A-H114617 shaft, (1) H114618 spacer, (1) H114628 key.



***Dim/Info:***
63.250" long

***For Models:*** 4400 can update early SN 4400, 4420

**A-H89308** Countershaft, Primary 55.80 Lbs.
Shaft includes: (1) A-H89308 shaft, (1) H89306 spacer, (1)H89271 key.




***Dim/Info:***
70.187" long

**A-H89271** Key, Primary Countershaft 0.32 Lbs.

***For Models:*** 6600, 6602 HILLSIDE

**A-H89309** Countershaft, Primary 65.80 Lbs.
Shaft includes: (1) A-H89309 shaft, (1) H89306 spacer, (1) H89271 key.



***Dim/Info:***
81.000" long

**A-H89271** Key, Primary Countershaft 0.32 Lbs.

***For Models:*** 7700, 7701

**A-H93647** Countershaft, Primary 54.32 Lbs.



***Dim/Info:***
66.625" long

**A-JD9429** Bearing, RH/ LH 4.82 Lbs.

***For Models:*** 6620, 6622

**A-H99253** Countershaft, Primary 78.00 Lbs.




***Dim/Info:***
77.500" long

**A-JD8669** Bearing, LH 0.00 Lbs.
**A-JD9429** Bearing, RH 4.82 Lbs.

***For Models:*** 7720, 7721

**A-H99739** Countershaft, Primary 92.00 Lbs.



***Dim/Info:***
88.375" long

**A-JD8669** Bearing, RH/LH 0.00 Lbs.

***For Models:*** 8820

**A-H133598** Shaft, Shoe Drive 37.41 Lbs.



***Dim/Info:***
65.81" Long

**A-JD39109** Ball Bearing, RH/LH 1.44 Lbs.

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9650STS, 9750STS

**A-H133597** Shaft, Shoe Drive 43.00 Lbs.



***Dim/Info:***
76.69" Long

***For Models:*** 9600, 9610, 9650, 9660

**A-H202372** Shaft, Shoe Drive 30.00 Lbs.



***Dim/Info:***
55.12" Long

**A-JD39109** Bearing, RH/ LH 1.44 Lbs.

***For Models:*** 9560STS, 9570STS

**A-AH125975** Bearing, Cleaning Shoe Shaft 2.05 Lbs.



***Dim/Info:***
3.346" ID
5.118" OD

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-JD39109** Ball Bearing 1.44 Lbs.

*Replaces:* John Deere: JD39109; CNH: 96328C1, 552945



***Dim/Info:***
Bore - 1.5748" , 40MM
Bearing Outside Diameter - 3.1496" / 80MM
Locking - Eccentric Collar
Inner Ring Width - 1.7244" / 43.8MM
Outer Ring Width - .8267" / 21MM

***For Models:*** CTS, CTS II, S660, S670, S680, S685, S690, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9660I WTS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, (**HEAD, CUTTING PLATFORM**: 900 SERIES)

Truck icon indicates that the item is shipped via truck freight.

# SEPARATOR AREA

**A-AH129451** Bearing with collar 0.73 Lbs.



***Dim/Info:***
Bore - 0.984"
Bearing Outside Diameter - 2.441"

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-AH136497** Assy., Dual Lip Seal 0.15 Lbs.
***Replaces:*** AH94854

***For Models:*** C670, CTS, CTS II, S550 STS SN 745100-764999, S650 SN 765000-, S670 HILLMASTER SN -765000, S670 STS SN 745100-, S680 HILLMASTER SN -765000, S680 SN 745100-, S690 HILLMASTER SN 745101 - 765000, S690 STS SN 745100-, T550, T560, T660, T670, W540, W550, W650, W660, 6620, 6622, 7720, 8820, 9400, 9410, 9450, 9500, 9500 SIDEHILL, 9501, 9510, 9510 SIDEHILL, 9540I WTS SN 080016-, 9550, 9550 SIDEHILL, 9560, 9560I WTS SN 080016-, 9560SH, 9560STS, 9570STS, 9580I WTS SN 080016-, 9600, 9610, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660I WTS, 9660STS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9750STS, 9760STS, 9770STS, (9780CTS, 9780I CTS ALL SN 072800-), 9860STS, 9870STS

**A-H97545** Crankshaft, Shoe Pitman 18.16 Lbs.



***Dim/Info:***
50.125" long

**A-JD8593** Bearing (RH/ LH) 1.20 Lbs.
Includes JD8594 Lock Collar
***For Models:*** 6620, 6622

**A-H137215** Drive Gear, Shoe Auger 0.75 Lbs.
Sold In Quantities Of 2 / Priced Per Piece



***Dim/Info:***
Teeth - 13 Beveled
minimum order qty 2

***For Models:*** CTS, CTS II, 3300, 4400, 4420, 6600, 6601, 6602, 6620, 6622, 7700, 7701, 7720, 7721, 8820, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-H147483** Shaft, Primary Jackshaft 120.03 Lbs.


***Replaces:*** H127189



***Dim/Info:***
81.12" Long

**A-JD8669** Bearing, RH (9400, 9500, 9500SH, 9410, 9510, 9510SH, CTS, CTSII) 0.00 Lbs.
***For Models:*** CTS, CTS II, 9400, 9410, 9500, 9500SH, 9510, 9510SH

**A-AH122240** Shaft, Primary Jackshaft 145.18 Lbs.



***Dim/Info:***
92.00" Long

***For Models:*** 9600, 9610

**A-H226032** Shaft, Shoe Drive; Wide 40.00 Lbs.



***Dim/Info:***
67.69" Long


***For Models:*** 9670STS, 9770STS, 9870STS

**A-H76277** Countershaft, Secondary 18.16 Lbs.

***Dim/Info:***
63.187" long

***For Models:*** 6600, 6601, 6602 HILLSIDE


**A-H76278** Countershaft, Secondary 21.54 Lbs.



***Dim/Info:***
74.062" long

***For Models:*** 7700, 7701


**A-H94126** Countershaft, Secondary 22.00 Lbs.



***Dim/Info:***
63.750" long

**A-JD8593** Bearing, RH/ LH 1.20 Lbs.
Includes JD8594 Lock Collar
***For Models:*** 6620, 6622


**A-H94127** Countershaft, Secondary 26.28 Lbs.



***Dim/Info:***
74.625" long

**A-AH10515** Bearing, RH 1.36 Lbs.
**A-JD8593** Bearing, LH 1.20 Lbs.
Includes JD8594 Lock Collar
***For Models:*** 7720, 7721

**A-H93475** Countershaft, Secondary 30.20 Lbs.



***Dim/Info:***
85.437" long

**A-AH10515** Bearing, RH 1.36 Lbs.
**A-JD8593** Bearing, LH 1.20 Lbs.
Includes JD8594 Lock Collar
***For Models:*** 8820


**A-H108571** Shaft, Fan 15.88 Lbs.
on 6600 SN <-310500 shaft can be installed but must also replace fan sheaves A-H97600 & A-AH100009.)
***Replaces:*** H97702, H75598



***Dim/Info:***
54.750" long

**A-JD9246** Bearing, RH/LH 0.90 Lbs.
***For Models:*** 6600, 6601, 6602 HILLSIDE, 6620, 6622


**A-H108572** Shaft, Fan 18.92 Lbs.
on 7700 SN <-316000 shaft can be installed but must also replace fan sheaves A-H97600 & A-AH100009.)
***Replaces:*** H77597, H97701



***Dim/Info:***
65.625" long

**A-JD9246** Bearing, RH/ LH 0.90 Lbs.
***For Models:*** 7700, 7701, 7720, 7721


**A-H108612** Shaft, Fan 32.24 Lbs.



***Dim/Info:***
77.000" long

**A-JD9275** Bearing, RH/ LH 1.20 Lbs.
***For Models:*** 8820


**A-H135396** Shaft, Fan Cleaning 40.49 Lbs.



***Dim/Info:***
65.87" Long

**A-AH225510** Bearing, RH 0.51 Lbs.
**A-AH139297** Bearing, LH 1.60 Lbs.
***For Models:*** CTS, CTS II, 9400, 9410, 9450 SN <690196, 9500, 9500SH, 9501, 9510, 9510SH, 9550 SN <690669, 9550SH SN <690701, 9650CTS SN <690464

**A-AH131092** Tube Assy, Cleaning Fan 59.21 Lbs.
***Replaces:*** H171316



***Dim/Info:***
76.75" Long

**A-AH225510** Bearing, RH 0.51 Lbs.
**A-AH139297** Bearing, LH 1.60 Lbs.
***For Models:*** 9600, 9610, 9650

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-H174045** Shaft, Cleaning Fan; Narrow 40.00 Lbs.



***Dim/Info:***
64.19" Long

**A-AH225510** Bearing, RH 0.51 Lbs.
**A-AH139297** Bearing, LH 1.60 Lbs.

***For Models:*** 9450 SN 690194>, 9550 SN 690670>, 9550SH SN 690702>, 9560, 9560SH, 9650CTS SN 690465>, 9660CTS

**A-H171186** Shaft, Cleaning Shoe Drive 14.50 Lbs.
***Replaces:*** H150804



***Dim/Info:***
64.62" long

***For Models:*** 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-H173376** Shaft, Fan Drive 43.45 Lbs.




***Dim/Info:***
65.69" Long

**A-AH225510** Bearing, RH 0.51 Lbs.
**A-AH139297** Bearing, LH 1.60 Lbs.

***For Models:*** 9650STS SN 691596>, 9660STS, 9670STS, 9750STS SN 691223>, 9760STS, 9770STS, 9860STS, 9870STS

**A-H201777** Shaft, Cleaning Fan 35.06 Lbs.




***Dim/Info:***
55.06" Long

**A-AH225510** Bearing, RH 0.51 Lbs.
**A-AH139297** Bearing, LH 1.60 Lbs.

***For Models:*** 9560STS, 9570STS

**A-AH128384** Shaft, Fan Drive Speed 1.11 Lbs.



***Dim/Info:***
10.31" long

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560 SN 710583>, 9560SH SN 710454>, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, (9660, 9660STS ALL SN 711386>), 9660CTS SN 710408>, 9670STS, 9750STS, 9760STS SN 711271>, 9770STS, 9860STS SN 710916>, 9870STS


**A-H206345** Fan Blade, Cleaning Shoe, 500 MM 1.48 Lbs.



***Dim/Info:***
Length - 52.38"
Material - Aluminum
Thickness - .075"
Width - 3.85"

***For Models:*** S650 SN 765000>, (S660, S670 STS, S680 STS, S690 STS ALL SN 745100>), (S670 HILLMASTER, S680 HILLMASTER ALL SN <765000), S690 HILLMASTER SN 745101 - 765000, 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880 HILLMASTER SN715801>, 9880I STS SN715701>, 9880 STS SN 705801>


**A-AH156738** Shaft, Seperator Drive 116.00 Lbs.



***Dim/Info:***
91" Long

***For Models:*** 9650, 9660

**A-H113625** Flange, Bearing 0.70 Lbs.



***Dim/Info:***
Bore - 3.150" / 80MM
Bolt Circle - 4.689"

***For Models:*** CTS, CTS II, 4420, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-H113626** Flange, Bearing 0.70 Lbs.



***Dim/Info:***
Bore - 3.150" / 80MM
Bolt Circle - 4.689"

***For Models:*** 4420 SN 500001>, 9400, 9501, (CTS, CTS II, 9410, 9450, 9500, 9500 SIDEHILL, 9510, 9510 SIDEHILL, 9550, 9550 SIDEHILL, 9560, 9560 SIDEHILL, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS ALL Cleaning Fan)

**A-H212308** Jackshaft, Separator 34.77 Lbs.
NARROW BODY
***Replaces:*** H132207



***Dim/Info:***
Dia: 1.376"
Overall Length: 75.571"

**A-AH139296** Bearing, RH/ LH 1.38 Lbs.

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9660CTS

**A-AE26118** Pressed Flanged Housing 0.22 Lbs.



***Dim/Info:***
Bore - 2.046"
Bolt Circle - 3"

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560STS, 9560SH, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9750STS CANADIAN COMBINE, 9760STS, 9860STS, (SWATHER/WINDROWER: 800, 830)

**A-AH129420** Flange 0.55 Lbs.
USED ON: Straw Walker, Conveyor Augers, Sieve & Chaffer Drive



***Dim/Info:***
Bore - 2.835"
Bolt Circle - 3.937"


***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# SEPARATOR AREA

**A-H133621** Flange, Bearing 0.67 Lbs.



***Dim/Info:***
Bore - 2.835"
Bolt Circle - 3.937"
Inside Diameter - 3"
Width - 4.75"
Height - 4.75"

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-AL14674** Eccentric Locking Collar; Cleaning Shoe Shaft 0.38 Lbs.
Used W/ A-H173376 & A-H133598 Cleaning Shoe Shafts.



***For Models:*** CTS, CTS II, C670, S540, S550 STS, S650, S660, S670 STS, S680, S685, S690 STS, T550, T560, T660, T670, W540, W550, W650, W660, 9400, 9410, 9450, 9470STS, 9500, 9500SH, 9501, 9510, 9510SH, 9540I WTS, 9540WTS, 9550, 9550SH, 9560, 9560I STS, 9560I WTS, 9560SH, 9560STS, 9560WTS, 9570STS, 9580I WTS, 9580WTS, 9600, 9610, 9640WTS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9660WTS, 9670STS, 9680WTS, 9750STS, 9760STS, 9770STS, 9780CTS, 9780I CTS, 9860STS, 9870STS, 9880I STS, 9880 STS

**A-N15764** Flange, Bearing 0.20 Lbs.



***Dim/Info:***
Bore - 2.44"
Bolt Circle - 3.562"

***For Models:*** CTS, CTS II, 6620, 6622, 7720, 7721, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, (**COTTON PICKER**: 7760, 9976, 9986, 9996), (**COTTON STRIPPER**: 280, 282, 283, 484, 740, 7450, 7455, 7460)

**A-H146326** Shaft, Beater; Overshot 32.80 Lbs.



***Dim/Info:***
Length - 66.250"

***For Models:*** CTS, CTS II, C670, 9650CTS, 9660CTS, 9780CTS

**A-H158386** Shaft, Front Beater 54.70 Lbs.



***Dim/Info:***
63.69" Long

**A-H203950** Housing, Bearing 5.15 Lbs.
***Replaces:*** H99149

**A-JD9431** Ball Bearing, RH/ LH 4.30 Lbs.

***For Models:*** 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-H161010** Shaft, Rear Beater 50.70 Lbs.



***Dim/Info:***
65.00" Long

**A-AH139296** Bearing, RH/ LH 1.38 Lbs.

***For Models:*** 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-H64376** Key, Shaft, 3/8" X 3/8" X 12" 0.50 Lbs.



***Dim/Info:***
Length - 3/8"
Width - 12"
Height - 3/8"

***For Models:*** 9560STS, 9570STS, 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS


**A-AXE23425** Dipstick, Primary Countershaft Gearcase 0.20 Lbs.



***Dim/Info:***
Overall Length - 18.50"

***For Models:*** S650, S660, S670, S670 HILLMASTER, S670 STS, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, 9670STS, 9770STS

**A-H97547** Sprocket, Shoe Driven 4.74 Lbs.




***Dim/Info:***
34 teeth, 50 chain
6.969" OD

**A-AH214862** Bearing (LH) 0.60 Lbs.

***For Models:*** 6620 SN <-610300, 6622


**A-H93477** Sprocket, Shoe Driven 2.90 Lbs.



***Dim/Info:***
28 teeth, 60 chain
7.110" OD
3.685" ID

***For Models:*** 6620 SN 610301->, 6622 SN 610401>, 7720, 7721, 8820


**A-H86128** Sprocket, Straw Walker Driven 9.34 Lbs.



***Dim/Info:***
49 teeth, 50 chain
10.110" OD, 2.253" ID
.670" offset

***For Models:*** 6601 SN 110801>, 6602 HILLSIDE SN 111601>, 6600 SN 105801->, 7700 SN 111901->, 7701


**A-H100778** Sprocket, Straw Walker Driven 6.64 Lbs.



***Dim/Info:***
49 teeth, 50 chain
10.090" OD, 2.877" ID

***For Models:*** 6620, 6622

**A-H93463** Sprocket, Straw Walker Driven 13.52 Lbs.



***Dim/Info:***
49 teeth, 60 chain
12.115" OD, 2.872" ID

***For Models:*** 7720, 7721, 8820


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com


**A-AH84243** Sprocket, Walker & Shoe Drive 1.06 Lbs.
*Replaces:* H80389



***Dim/Info:***
15 teeth, 50 chain
3.265" OD, 1.125" ID

***For Models:*** 6600 SN <-105800, 6601 SN <110800, 6602 HILLSIDE SN <111600, 7700 SN <-111900


**A-AH87249** Sprocket, Walker & Shoe Drive 2.16 Lbs.



***Dim/Info:***
15 & 15 teeth, 50 chain
3.316" OD, 1.127" ID

***For Models:*** 6600 sn 105801->, 6601 SN 110801>, 6602 HILLSIDE SN 111601>, 7700 sn 111901->, 7701

**A-AH93152** Sprocket, Walker & Shoe Drive 3.28 Lbs.



***Dim/Info:***
15 & 18 teeth, 50 chain
3.316" & 2.592" OD
19 ID spline

***For Models:*** 6620 SN <-610300, 6622 SN <610400


**A-AH115267** Sprocket, Walker & Shoe Drive 2.58 Lbs.



***Dim/Info:***
18 teeth, 60 chain, 4.703" OD
15 teeth, 50 chain, 3.316" OD
19 ID spline

***For Models:*** 6620 SN 610301->, 6622 SN 610401>

**A-AH92689** Sprocket, Walker & Shoe Drive 3.28 Lbs.



***Dim/Info:***
15 & 15 teeth, 60 chain
3.979" dia.
19 ID spline

***For Models:*** 7720 SN <-610500, 7721 SN <610600, 8820 SN <-610700


**A-AH115268** Sprocket, Walker & Shoe Drive 3.82 Lbs.



***Dim/Info:***
15 & 18 teeth, 60 chain
4.703" & 3.979" OD
19 ID spline

***For Models:*** 7720 SN 610501->, 7721 SN 610601>, 8820 SN 610701->

**A-AH21440** Sprocket, Idler 0.80 Lbs.



***Dim/Info:***
17 teeth, 50 chain
1/2" bore

***For Models:*** 55 SN 57001->, 95 SN 9001->, 105, 3300, 4400, 4420, 6600, 6601, 6602, 6620, 6622 SN <507050, 7700, 7701, 7720


**A-H97600** Sheave, Outer; Fan Driven 5.84 Lbs.
6600 SN 310501-after can used both sheave halves if A-H108571 fan shaft is used. 7700 SN 316000-after can used both sheave halves if A-H108572 fan shaft is used.



***Dim/Info:***
Dia: 8.375" O.D.
Bore Dia: 1.00"

***For Models:*** 3300, 4400, 4420, 6600, 6620, 6622, 7700, 7701, 7720, 7721, 8820

**A-H93503** Sheave, Inner; Fan Drive 9.34 Lbs.



***Dim/Info:***
Dia: 10.05" O.D.
Bore Dia: 1.125"

***For Models:*** 7721, (7720, 8820 ALL Use on 6620 if also replacing A-H100794 sheave.)


**A-H100794** Sheave, Outer; Fan Drive 9.70 Lbs.
*Replaces:* AN100010, AH87209



***Dim/Info:***
Dia: 10.05" O.D.
Bore Dia: 1.00"

***For Models:*** (4400, 4420, 7720, 8820 ALL Use on 6620 if replacing A-H93503 sheave)

**A-H94124** Cleaning Fan Fixed Sheave 6.20 Lbs.



***Dim/Info:***
Spline Diameter - 1.270" Major / 1.125" Minor
Outside Diameter - 8.375"
Spline - 19

***For Models:*** 6620, 6622

**A-AH127496** Sheave, Separator Fan 23.00 Lbs.
750 - 1350 RPM



***Dim/Info:***
Dia: 15.787" O.D.
Bore Dia: 1.25"

***For Models:*** CTS, 9501, 9400 SN <670100, (9500, 9500SH ALL SN <670200), 9600 SN <670300

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

**A-AH134873** Sheave, Separator Fan 23.46 Lbs.
750 - 1350 RPM
***Replaces:*** H132298



***Dim/Info:***
406 mm
Bore Dia: 1.38”

***For Models:*** CTS SN <670400, 406 MM (750-1350 RPM), 9400 SN <670100, (9400, 9501 ALL 401 MM O.D. (750-1350 RPM)), (9500, 9500 SIDEHILL ALL SN <655249, 401 MM O.D. (750-1350 RPM)), 9600 SN <655332, 401 MM O.D. (750-1350 RPM)


**A-AH167534** Sheave, Outer; Fan Driven 8.70 Lbs.



***Dim/Info:***
10.158” O.D.

***For Models:*** 9450 SN 690197>, 9550 SN 690670>, 9550SH SN 690702>, 9560, 9560SH, 9560STS, 9570STS, 9650 SN 690731>, 9650STS SN 690465>, 9650STS SN 691596>, 9660, 9660CTS, (9660STS, 9760STS ALL SN 715411>), 9670STS, 9750STS SN 691223>, 9770STS, 9860STS SN 700801>, 9870STS


**A-AH167535** Sheave, Inner; Fan Driven 11.20 Lbs.



***Dim/Info:***
10.160” O.D.

***For Models:*** 9450 SN 690197>, 9550 SN 690670>, 9550SH SN 690702>, 9560, 9560SH, 9560STS, 9650 SN 690731>, 9650CTS SN 690465>, 9650STS SN 691596>, 9660, 9660CTS, 9660STS, 9750STS SN 691122>, 9760STS, 9860STS


**A-AH204179** Sheave, Outer; Fan Driven 17.75 Lbs.



***Dim/Info:***
12.990” O.D.

***For Models:*** 9650STS, 9750STS


**A-AH131249** Pulley, Separator Fan Drive 9.06 Lbs.



***Dim/Info:***
Dia: 9.125” O.D.
Bore Dia: 1.25”

***For Models:*** 9400 SN <670100 OUTER DRIVE, (9500, 9500SH ALL SN <670200 OUTER DRIVE), 9501 OUTER DRIVE, 9600 SN <670300 OUTER DRIVE, CTS SN <670400 OUTER DRIVE


**A-AH131248** Pulley, Separator Fan Drive 9.68 Lbs.



***Dim/Info:***
Dia: 9.118” OD
Bore Dia: 1.252”

***For Models:*** CTS SN <670400, 9400 SN <670100, (9500, 9500SH ALL SN <670200), 9501, 9600 SN <670300


**A-AH131979** Pulley, Fan Drive 13.40 Lbs.



***Dim/Info:***
289 mm O.D. (490-980 RPM) OPT.
11.370” O.D.
1.252” I.D.

***For Models:*** CTS SN <670400, 289 MM O.D. (490-980 RPM) OPT., 9400 SN 670101>, 289 MM O.D. (490-980 RPM) OPT., (9500, 9500SH ALL SN <670200, 289 MM O.D. (490-980 RPM) OPT.), 9501 289 MM O.D. (490-980 RPM) OPT., 9600 SN <670300, 289 MM O.D. (490-980 RPM) OPT.


**A-AH146463** Sheave Assy, Outer Drive, Separator Fan 28.01 Lbs.
750-1350 RPM



***Dim/Info:***
Dia: 18.11” O.D.
Bore Dia: 1.25”

***For Models:*** (9410, 9450, 9510, 9510SH, 9550, 9550SH, 9610, 9650, 9650CTS, CTS II ALL 460 MM O.D. (750-1350 RPM)), CTS SN 670401>, 460 MM O.D. (750-1350 RPM), 9400 SN 670101>, 460 MM O.D. (750-1350 RPM), (9500, 9500SH ALL SN 670201>, 460 MM O.D. (750-1350 RPM)), 9560 SN <705251, 460 MM O.D. (750-1350 RPM), 9560SH SN <705700, 460 MM O.D. (750-1350 RPM), 9600 SN 670301>, 460 MM O.D. (750-1350 RPM), 9660 SN <705331, 460 MM O.D. (750-1350 RPM), 9660CTS SN <705402, 460 MM O.D. (750-1350 RPM)


**A-AH149356** Sheave Assy, Inner Drive, Separator Fan 26.12 Lbs.



***Dim/Info:***
750-1350 RPM
Dia: 18.12” O.D.
Bore Dia: 1.40”

***For Models:*** (9410, 9450, 9510, 9510SH, 9550, 9550SH, 9610, 9650, 9650CTS, CTS II ALL 469 MM), 9400 SN 670101>, 469 MM, (9500, 9500SH ALL SN 670201>, 469 MM), 9560 SN <705251, 469 MM, 9560SH SN <705700, 469 MM, 9600 SN 670301>, 469 MM, 9660 SN <705331, 469 MM, 9660CTS SN <705403, 469 MM, CTS SN 670401>, 469 MM

**A-AH149357** Sheave Assy, Inner Drive, Separator Fan 14.55 Lbs.



***Dim/Info:***
490-980 RPM
Dia: 12.99” O.D.
Bore Dia: 1.37”

***For Models:*** (CTS II, 9410, 9450, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9610, 9650, 9650CTS ALL 330 MM O.D. (490-980 RPM)), 9400 SN 670101>, 330 MM O.D. (490-980 RPM), (9500, 9500SH ALL SN 670201>, 330 MM O.D. (490-980 RPM)), 9600 SN 670301>, 330 MM O.D. (490-980 RPM), CTS SN 670401>, 330 MM O.D. (490-980 RPM) OPT., (9660, 9660CTS ALL (490 - 980 RPM) INNER)

**A-AH146462** Sheave Assy, Outer Drive, Separator Fan 10.79 Lbs.



***Dim/Info:***
Dia: 10.16” O.D.
Bore Dia: 1.25”

***For Models:*** CTS II, 9410, 9510, 9510SH, 9610, CTS SN: 670401 >, 9400 SN: 670101 >, 9450 SN: < 690196, (9500, 9500SH ALL SN: 670201 >), 9550 SN: < 690669, 9550SH SN: < 690701, 9600 SN: 670301 >, 9650 SN: < 690730, 9650CTS SN: < 690464, 9650STS SN: < 691595, 9750STS SN: < 691222


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
aiproducts
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-AH157219** Sheave Assy, Inner Drive, Separator Fan 12.99 Lbs.
***Replaces:*** AH146461



***Dim/Info:***
Dia: 10.162" O.D.
Bore Dia: 1.25"

***For Models:*** 9400 SN: 670101 >, 9450 SN: < 690196, 9550 SN: < 690669, 9550SH SN: < 690701, 9650 SN: < 690730, 9650CTS SN: < 690464, 9650STS SN: < 691595, 9750STS SN: < 691222


**A-H145955** Sheave, Half, Dual Range Cylinder Drive 36.70 Lbs.
***Replaces:*** H115599



***Dim/Info:***
Dia: 16.732"
Bore Dia: 2.000"

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS


**A-AH96292** Pulley, Flanged Idler 2.76 Lbs.




***Dim/Info:***
5.500" outer dia. A
.500" hole dia. B
2.187" width C

***For Models:*** CTS, 7722 HILLSIDE, 8820, 9400, 9410, 9450, (9500, 9500SH ALL SN 642859>), 9600, 9610, 9650

**A-AP24354** Pulley, Flanged Idler 2.22 Lbs.




***Dim/Info:***
7.000" outer dia. A
.625" hole dia. B
1.312" width C

***For Models:*** 45, 55 SN 57001->, 95 SN 9001->, 105, 6601, 6602


**A-AH94450** Pulley, Flanged Idler 5.00 Lbs.



***Dim/Info:***
*8.750"* outer dia. A
.625" hole dia. B
1.687" width C

***For Models:*** CTS, CTS II, 6602, 6620, 6622, 7720, 7721, 7722 HILLSIDE, 8820, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS


**A-AH14097** Pulley, Idler 2.15 Lbs.



***Dim/Info:***
Outer Dia: 7.00"
Hole Dim: 0.50"
Width: 0.370"

***For Models:*** (3300, 4400, 4420, 6600, 6601, 6602, 6620, 6622, 7700, 7701, 7720, 7721, 8820, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS ALL 178 MM (7") DIA.)

**A-AH93318** Pulley, Flat Idler 6.12 Lbs.
***Replaces:*** AH87119




***Dim/Info:***
8.000" outer dia. A
.500" hole dia. B
3.250" width C

***For Models:*** CTS, CTS II, 6600, 6602, 6620, 6622, 7700, 7701, 7720, 7721, 8820, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-AP24395** Pulley, Idler (4-1/2") 0.78 Lbs.



***Dim/Info:***
Flat Pulley
1" Width
1/2" Bore
4-1/2" O.D.

***For Models:*** 6602, 6622


**A-AM118447** Pulley, Idler 0.70 Lbs.
Depending on the application, this pulley is used in many different areas such as deck drive, snowblower drive, material collection drive or air brake system



***Dim/Info:***
Bearing ID - 0.664"
Material - Steel
Outside Diameter - 3.71"
Width - 0.82"

***For Models:*** (9780, 9780 HILLMASTER ALL SN 74502-77170)

**A-AH98176** Sprocket, Idler 0.71 Lbs.
***Replaces:*** AH87204



***Dim/Info:***
17 Teeth
.50" bore

***For Models:*** CTS, CTS II, 3300, 4400, 4420, 6600, 6620, 7700, 7720, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-AH173726** Inner Sheave, Cleaning Fan Driven; 8 3/8" 6.52 Lbs.
Marked H178856
***Replaces:*** AH75844, AH100009




***Dim/Info:***
Dia: 8.375" O.D.
Bore Dia: 1.00"

***For Models:*** 3300, 4400, 4420, 6600, 6601, 6602, 6620, 6622, 7700, 7701, 7720, 7721, 8820

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


Truck icon indicates that the item is shipped via truck freight.

**A-H133603** Hub, Sieve & Chaffer Drive 2.60 Lbs.



***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9750STS, 9760STS, 9860STS

**A-H131098** Hub, Slip Clutch 2.02 Lbs.
USED ON: STRAW WALKER, CONVEYOR AUGER, SIEVE & CHAFFER DRIVE




***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9870STS

**A-H97793** Housing, Cleaning Fan, Upper 40.00 Lbs.



***For Models:*** 7720, 7721

**A-H131170** Pulley, Sieve & Chaffer Drive 15.67 Lbs.



***Dim/Info:***
Effective Dia.: 8.882"
Bore Dia.: 1.378"
Hole Dia.: .394"

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS, (9640WTS, 9660WTS, 9680WTS ALL WORLD WIDE EDITION)

**A-AH139936** Pulley, Header Electromagnetic Clutch 34.74 Lbs.
***Replaces:*** AH121657



***Dim/Info:***
Effective Dia: 14.567"
Groove Width: 1.259"
Bore Dia: 2.500"
Crosshole Dia: .512"

***For Models:*** CTS, CTS II, 9400, 9410, (9500, 9500SH ALL SN: 646620 >), 9510, 9510SH, 9600, 9610


**A-H132937** Pulley, Idler/ Pump Driver 13.47 Lbs.
STANDARD CAPACITY



***Dim/Info:***
Effective Dia: 9.803"
Groove Width: 1.259"
Bore Dia: .750"
Overall Length: 5.059"

***For Models:*** CTS, CTS II, 9400, 9410, 9450 SN: < 690243, 9500, 9500SH, 9501, 9510, 9510SH, 9550 SN: < 695200, 9550SH SN: < 695700, 9600, 9610, 9650 SN: < 690876, 9650CTS SN: < 690504, 9650STS SN: < 695500, 9750STS SN: < 695600

**A-H179093** Sheave, Reel Pump Drive; Standard 14.65 Lbs.



***Dim/Info:***
9.925" O.D.

***For Models:*** 9450 SN 690244>, (9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9660, 9660CTS, 9660STS, 9670STS, 9760STS, 9770STS, 9860STS ALL Standard Capacity), 9650 SN 690877> Standard Capacity, 9650CTS SN 690505> Standard Capacity, (9650STS, 9750STS ALL SN 695501> Standard Capacity)


**A-H157101** Sheave, Reel Pump Drive 15.70 Lbs.



***Dim/Info:***
9.210" O.D.

***For Models:*** (9550, 9550SH ALL Hi-Capacity), 9650 SN <690876; Hi Capacity, 9650CTS SN <690504; Hi Capacity, (9650STS, 9750STS ALL SN <695500; Hi-Capacity)

**A-H179058** Sheave, Reel Pump Drive; Hi-Capacity 16.20 Lbs.



***Dim/Info:***
9.210" O.D.

***For Models:*** (9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9660, 9660CTS, 9660STS, 9670STS, 9760STS, 9770STS, 9860STS ALL Hi Capacity), 9650 SN 690877> Hi Capacity, 9650CTS SN 690505> Hi Capacity, (9650STS, 9750STS ALL SN 695501> Hi Capacity), 9870STS

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Chaffers




| Part No. | Description | Type | Spacing | Width | Length | Applications | Wt. | |
|---|---|---|---|---|---|---|---|---|
| **A-AH87876** | Chaffer, Top; Long Finger | | 1 5/8" | 36.07" | 50.63" | 4400, 4420 | 64.00 | |
| **A-AH99748** | Chaffer, Top; Short Finger | | 1 1/8" | 42.01" | 60.76" | 6600, 6601, 6602, 6620, 6621, 6622 SN <610400 | 91.00 | |
| **A-AH99749** | Chaffer, Top; Short Finger | | 1 5/8" | 42.01" | 60.76" | 6600, 6601, 6602, 6620, 6621, 6622 SN <610400 | 87.00 | |
| **A-AH130378** | Chaffer, Top; Short Finger | | 1 1/8" | 42.01" | 66.88" | (6620, 6621 ALL Titan II SN 610401>), 6622 SN 610401> | 97.00 | |
| **A-AH99750** | Chaffer, Top; Long Finger | | 1 5/8" | 42.01" | 60.76" | 6600, 6601, 6602, 6620 SN <610300, 6621, 6622 SN <610400 | 85.00 | |
| **A-AH130380** | Chaffer, Top; Long Finger | | 1 5/8" | 42.01" | 66.88" | 6620 SN 610301> Titan II, 6622 | 92.00 | |
| **A-AH106770** | Chaffer, Top; Short Finger | | 1 1/8" | 52.87" | 60.91" | 7700, 7701, 7720 SN <610500, 7721 SN <610600 | 106.00 | |
| **A-AH130381** | Chaffer, Top; Adjustable Short Finger | | 1 1/8" | 52.87" | 66.88" | (7720, 7721 ALL Titan II SN 610501>) | 115.00 | |
| **A-AH130382** | Chaffer, Top; Short Finger | | 1 5/8" | 52.87" | 66.88" | (7720, 7721 ALL Titan II SN 610501>) | 129.00 | |
| **A-AH106772** | Chaffer, Top; Long Finger | | 1 5/8" | 52.87" | 60.91" | 7700, 7701, 7720 SN < 610500, 7721 SN < 610600 | 110.00 | |
| **A-AH130383** | Chaffer, Top; Long Finger | | 1 5/8" | 52.87" | 66.88" | 7720 SN 610501 >, 7721 SN 620301 > | 115.00 | |
| **A-AH144638** | Chaffer, Air Foil; Rigid | | | 52.87" | 66.88" | (7720, 7721 ALL Titan II SN 610501>) ***Note:*** Galvanized material. Dividers included for even distribution in hillside conditions and extra strength. Preset for maximum performance in normal conditions. | 96.00 | |
| **A-PJD7720T11** | Chaffer, Top; Adjustable Air Foil | | | 52.87" | 66.88" | (7720, 7721 ALL SN 610501>) | 140.00 | |
| **A-AH96770** | Chaffer, Top; Short Finger | | 1 1/8" | 63.73" | 61.65" | 8820 SN <610700 | 133.00 | |
| **A-AH130384** | Chaffer, Top; Short Finger | | 1 1/8" | 63.73" | 67.62" | 8820 Titan II SN 610701> | 147.00 | |
| **A-AH97998** | Chaffer, Top; Long Finger | | 1 5/8" | 63.73" | 61.65" | 8820 SN < 610700 | 133.00 | |
| **A-AH130386** | Chaffer, Top; Long Finger | | 1 5/8" | 63.73" | 67.62 | 8820 SN 610701 > | 125.00 | |
| **A-AH128756** | Chaffer, Air Foil; Rigid | | | 63.73" | 61.65" | 8820 SN <610700 ***Note:*** Galvanized material. Dividers included for even distribution in hillside conditions and extra strength. Preset for maximum performance in normal conditions. | 120.00 | |
| **A-AH144639** | Chaffer, Air Foil; Rigid | | | 63.73" | 66.81" | 8820 Titan II SN 610701> ***Note:*** Galvanized material. Dividers included for even distribution in hillside conditions and extra strength. Preset for maximum performance in normal conditions. | 124.00 | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

## Chaffers




| Part No. | Description | Type | Spacing | Width | Length | Applications | Wt. | |
|---|---|---|---|---|---|---|---|---|
| **A-AH172949** | Chaffer, Top, Short Finger | | 1 1/8" | 25.67" | 35.71" | CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9660CTS<br>Replaces: AH149551 | 31.00 | |
| **A-AH172951** | Chaffer, Top; Long Finger | 2 Per Machine | 1 5/8" | 25.67" | 35.71" | CTS, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9660CTS | 26.00 | |
| **A-AH172945** | Chaffer, Long Finger<br>minimum order qty 2 | Set of 2 for precleaner | 1 5/8" | 25.67" | 35.71" | CTS, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9660CTS | 30.00 | |
| **A-AH130486** | Chaffer, Air Foil; Rigid<br>minimum order qty 2 | Set of 2 | | 25.67" | 35.71" | CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9660CTS<br>***Note:*** strength. Preset for maximum performance in normal conditions. | 26.00 | |
| **A-AH127871** | Chaffer | Non Perforated | | | Step Pan Surface | (9400, 9410, 9500, 9500 SIDEHILL, 9501, 9510, 9510 SIDEHILL, CTS ALL STEP PAN SURFACE, NON-PERFORATED), (9450, 9550, 9550 SIDEHILL, 9560, 9560 SIDE-HILL ALL SOLID STEP) | 30.00 | |
| **A-AH172953** | Extension, Short Finger | 1 Piece | 1 1/8" | 52.05" | 17.92" | CTS, CTS II, 9400, 9410, 9450, 9500, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9660CTS<br>***Replaces:*** AH149555 | 39.00 | |
| **A-AH127435** | Chaffer Extension, Long Finger | 1 Piece | 1 5/8" | 52.05" | 17.92" | CTS, CTS II, 9400, 9410, 9450, 9500, 9501, 9510, 9550, 9560, 9660CTS | 31.00 | |
| **A-AH130996** | Chaffer, Extension, Air Foil; Rigid | 1 Piece | | 52.05" | 17.92" | CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9650CTS | 28.00 | |
| **A-AH212254** | Chaffer, General Purpose; Manual, Narrow | 1 Piece | | 41.06" | 63.25" | 9560STS, 9570STS | 112.00 | |
| **A-AH172948** | Chaffer, Top; Short Finger<br>minimum order qty 2 | Set of 2 for chaffer | 1 1/8" | 31.10" | 35.71" | 9600, 9610, 9650, 9660<br>Replaces: AH149550 | 38.00 | |
| **A-AH172950** | Chaffer, Top; Long Finger<br>minimum order qty 2 | Set of 2 for chaffer | 1 5/8" | 31.10" | 35.71" | 9600, 9610, 9650, 9660 | 32.00 | |
| **A-AH130485** | Chaffer, Air Foil; Rigid<br>minimum order qty 2 | Set of 2 for chaffer | | 31.10" | 35.71" | 9600, 9610, 9650, 9660<br>***Note:*** Galvanized material. Dividers included for even distribution in hillside conditions and extra strength. Preset for maximum performance in normal conditions. | 35.00 | |
| **A-PJD9600** | Chaffer, Adjustable Air Foil<br>minimum order qty 2 | For Chaffer | | 31.10" | 35.71" | 9600, 9610, 9650, 9660 | 37.00 | |
| **A-AH127870** | Chaffer | Non Perforated | | | Step Pan Surface | CTS, (9600, 9610, 9650, 9660 ALL STEP PAN SURFACE, NON-PERFORATED) | 41.00 | |

Truck icon indicates that the item is shipped via truck freight.

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Chaffers




| Part No. | Description | Type | Spacing | Width | Length | Applications | Wt. | |
|---|---|---|---|---|---|---|---|---|
| **A-AH172952** | Extension, Short Finger | 1 Piece | 1 1/8" | 62.91" | 17.92" | 9600, 9610, 9650, 9660 ***Replaces:*** AH149554 | 41.00 | |
| **A-AH127434** | Chaffer Extension, Long Finger | 1 Piece | 1 5/8" | 62.91" | 17.92" | 9600, 9610, 9650, 9660 | 41.00 | |
| **A-AH130995** | Chaffer, Extension, Air Foil; Rigid | 1 Piece | | 62.91" | 17.92" | 9600, 9610, 9650, 9660 | 28.00 | |
| **A-AH208291** | Chaffer, Top; Short Finger | 1 Piece | 1 1/8" | 51.87" | 63.25" | 9650STS SN 000181 - 000416, 9660STS, 9750STS SN 000181 - 000416, 9760STS | 110.00 | |
| **A-AH212239** | Chaffer, Top; Short Finger | Touchset (Electronically Adjusted) | 1 1/8" | 51.87" | 63.25" | 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS | 127.00 | |
| **A-AH212248** | Chaffer, Deep Tooth | Manual Adjust | 1 5/8" | 51.87" | 63.25" | 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS | 100.00 | |
| **A-AH212245** | Chaffer, Top; Long Finger | Touchset (Electronically Adjusted) | 1 5/8" | 51.87" | 63.25" | 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS | 120.00 | |
| **A-AJD9650** | Chaffer, Air Foil; Rigid | | | 51.87" | 63.25" | 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS ***Note:*** Galvanized material. Preset for maximum performance in normal conditions. | 96.00 | |
| **A-PJD9650** | Chaffer, Top; Adjustable Air Foil | | | 51.87" | 63.25" | 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS ***Note:*** Manual Adjust | 117.00 | |
| **A-AXE20451** | Chaffer; General Purpose | | | | | S540, S550 STS, S560, 9560I STS, 9560STS, 9570STS ***Replaces:*** AH212251 | 100.00 | |
| **A-AH85351** | Sieve, Bottom; Blunt Finger | | 1 1/8" | 35.880" | 42.630" | 4400, 4420 SN <610300 | 55.00 | |
| **A-AH85352** | Sieve, Bottom; Adjustable Blunt Finger | | 1 1/8" | 41.87" | 46.05" | 6600, 6601, 6602, 6620 SN < 610300, 6622 SN < 610400 | 65.00 | |
| **A-AH130387** | Sieve, Bottom; Blunt Finger | | 1 1/8" | 41.87" | 52.31" | (6620, 6621 ALL Titan II SN 610401>), 6622 | 80.00 | |
| **A-AH77804** | Sieve, Bottom; Round Hole | | 1/8" (3 MM) | 41.87" | 46.05" | 6600, 6601, 6602, 6620 SN <610300, 6621, 6622 SN <610400 | 38.00 | |
| **A-AH96771** | Sieve, Bottom; Blunt Finger Adjustable | | 1 1/8" | 52.72" | 46.83" | 7700, 7701, 7720 SN < 610500, 7721 SN < 610600 | 93.00 | |
| **A-AH130389** | Sieve, Bottom; Adjustable Blunt Finger | | 1 1/8" | 52.72" | 52.43" | 7720 SN 610501 >, 7721 SN 620301 > | 97.00 | |
| **A-AH77807** | Sieve, Bottom; Round Hole | | 52.72" | 1/8" (3 MM) | 46.83" | 7700, 7701, 7720 SN <610500, 7721 SN <610600 | 62.00 | |
| **A-AH96772** | Sieve, Bottom; Adjustable Blunt Finger | | 1 1/8" | 63.58" | 46.83" | 8820 SN < 610700 | 96.00 | |
| **A-AH130391** | Sieve, Bottom; Blunt Finger | | 1 1/8" | 63.58" | 52.95" | 8820 Titan II SN 610701> | 120.00 | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# CHAFFERS/ SIEVE

## Chaffers




| Part No. | Description | Type | Spacing | Width | Length | Applications | Wt. | |
|---|---|---|---|---|---|---|---|---|
| **A-AH172942** | Precleaner, Short Finger | | 1 1/8" | 25.67" | 35.71" | CTS, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9660CTS<br>Replaces: AH149545<br>Note: This is a single piece. Two required per machine. If replacing both, order quantity 2. | 34.00 | |
| **A-AH130160** | Sieve, Bottom; Blunt Finger | Sold individually | 1 1/8" | 25.69" | 48.63" | C670, CTS, CTS II, T550, T560, W540, W550, 9400, 9410, 9450, 9500, 9501, 9510, 9510 SIDEHILL, 9510SH, 9550, 9550 SIDEHILL, 9550SH, 9560, 9560 SIDEHILL, 9560SH, 9650CTS, 9660CTS | 40.00 | |
| **A-AH131217** | Sieve, Bottom; Round Hole<br>minimum order qty 2 | Set of 2 for sieve | 1/8" (3 MM) | 25.69" | 48.63" | (CTS, CTS II, 9400, 9410, 9450, 9500, 9510, 9550, 9560, 9660CTS ALL FIXED, 3 MM (1/8") ROUND HOLES), 9501, 9510SH, 9550SH | 26.00 | |
| **A-AH131219** | Sieve, Bottom; Round Hole<br>minimum order qty 2 | Set of 2 for sieve | 3/8" (9.5 MM) | 25.69" | 48.63" | (CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9660CTS ALL FIXED, 10 MM (3/8") ROUND HOLES) | 38.00 | |
| **A-AH212259** | Sieve Assy; Deep Tooth | | | 41.06" | 54.75" | 9560STS, 9570STS | 95.00 | |
| **A-AH172941** | Precleaner Assy, Adjustable Short Finger<br>minimum order qty 2 | | 1 1/8" | 31.10" | 35.71" | CTS, 9600, 9610, 9650, 9660<br>Replaces: AH149544 | 40.00 | |
| **A-AH131214** | Pre Cleaner Sieve Assy | Sold Individually | 1/8" (3 MM) | 31.228" | 35.729" | CTS FIXED, 3 MM (1/8") ROUND HOLES / NORTH AMERICAN, (9600, 9610, 9650, 9660 ALL FIXED, 3 MM (1/8") ROUND HOLES) | 24.00 | |
| **A-AH131216** | Sieve, Bottom; Round Hole<br>minimum order qty 2 | | 1/8" (3 MM) | 31.00" | 48.50" | (9600, 9610, 9650, 9660 ALL FIXED, 3 MM (1/8") ROUND HOLES) | 30.00 | |
| **A-AH131218** | Sieve, Bottom; Round Hole<br>minimum order qty 2 | | 3/8" (9.5 MM) | 31.00" | 48.50" | (9600, 9610, 9650, 9660 ALL FIXED, 10 MM (3/8") ROUND HOLES) | 53.00 | |
| **A-AH201930** | Short Flat Finger Adjustable Precleaner | Flat | 1 1/8" | 51.50" | 34.00" | 9650STS, 9660STS, 9750STS, 9760STS, 9860STS | 66.00 | |
| **A-AH212423** | Precleaner, Short, Hump Finger Adjustable | Humped | 1 1/8" | 51.50" | 34.00" | (9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS ALL General Purpose), 9650STS, 9750STS | 74.00 | |
| **A-AH212247** | Sieve Assy; Deep Tooth | Touchset (Electronically adjusted) | | 54.75" | 51.81" | 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS | 114.00 | |
| **A-AH211944** | Sieve, Bottom; Blunt Finger | | 1 1/8" | 51.87" | 54.75" | (9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS ALL General Purpose)<br>***Replaces:*** AH148909, AH208290 | 105.00 | |
| **A-AH212241** | Sieve, Bottom; Blunt Finger | Touchset (Electronically Adjusted) | 1 1/8" | 51.87" | 54.75" | 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS | 100.00 | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Chaffers




| Part No. | Description | Type | Spacing | Width | Length | Applications | Wt. | |
|---|---|---|---|---|---|---|---|---|
| **A-AH208429** | Sieve, Bottom; Round Hole | | 1/8" (3 MM) | 51.87" | 54.75" | 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS | 66.00 | |
| **A-AH213860** | Sieve, Bottom, Round Hole | | 3/8" (9.5 MM) | 51.87" | 54.75" | (9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS ALL 10MM Fixed Hole Sieve) ***Note:*** AH166545, AH208678 | 70.00 | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



Truck icon indicates that the item is shipped via truck freight.

# CHAFFER FRAMES/ SHOES

## Chaffer Frames & Shoes



| Part No. | Description | Qty | Type | Applications | Wt. |
|---|---|---|---|---|---|
| **A-AH97752** | Chaffer Shoe Frame | | | 6600, 6601, 6602, 6620 SN <610300, 6622 SN <610400 | 95.00 |
| **A-AH115198** | Chaffer Shoe Frame | | | 6620 Titan II SN 610301>, 6622 Titan II SN 610401> | 190.00 |
| **A-AH97751** | Chaffer Shoe Frame | | | 7700, 7701, 7720 SN <610500, 7721 SN <610600 | 225.00 |
| **A-AH115199** | Chaffer Shoe Frame | | | 7720 Titan II SN 610501>, 7721 Titan II SN 610601> | 235.00 |
| **A-AH97715** | Chaffer Shoe Frame | | | 8820 SN <610700 | 240.00 |
| **A-AH114417** | Chaffer Shoe Frame | | | 8820 Titan II SN 610701> | 220.00 |
| **A-AH204976** | Chaffer Shoe Frame | | Narrow | 9410, 9450, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9660CTS<br>***Replaces:*** AH151971 | 200.00 |
| **A-AH222862** | Chaffer Shoe Frame (LH) | | | 9570STS, 9650STS, 9670STS, 9750STS, 9770STS, 9870STS<br>***Replaces:*** AH165503, AH164488 | 85.00 |
| **A-AH222863** | Chaffer Shoe Frame (RH) | | | 9570STS, 9650STS, 9670STS, 9750STS, 9770STS, 9870STS<br>***Replaces:*** AH165502, AH164487 | 85.00 |
| **A-AH204975** | Chaffer Frame Assembly | | | 9600, 9610, 9650, 9660<br>***Replaces:*** AH151970, AH128463 | 280.00 |
| **A-AH112543** | Sieve Shoe Frame | | | 6600, 6601 SN 551401>, 6602, 6620 SN <610300, 6622 SN <610400 | 195.00 |
| **A-AH116659** | Sieve Shoe Frame | | | 6620 Titan II SN 610301>, 6622 Titan II SN 610401> | 163.00 |
| **A-AH112544** | Sieve Shoe Frame | | | 7700, 7701, 7720 SN <610500, 7721 SN <610600 | 160.00 |
| **A-AH116660** | Sieve Shoe Frame | | | 7720 Titan II SN 610501>, 7721 Titan II SN 610601> | 215.00 |
| **A-AH112545** | Sieve Shoe Frame | | | 8820 SN <610700 | 175.00 |
| **A-AH116661** | Sieve Shoe Frame | | | 8820 Titan II SN 610701> | 220.00 |
| **A-AH149701** | Sieve Shoe Frame | | | CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9660CTS | 210.00 |
| **A-AH149702** | Sieve Shoe Frame | | | 9600 SN 9SEP96>, 9610, 9650, 9660 | 245.00 |
| **A-AH153808** | Precleaner Shoe Frame | | | CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9660CTS | 135.00 |
| **A-AH153807** | Frame Assy, Precleaner, Chaffer | | Wide | 9600, 9610, 9650, 9660<br>***Replaces:*** AH128457, AH146572, AH149993 | 275.00 |


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.




P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-WLV4** Square Adjustable Chaffer Wire, 64" 0.28 Lbs.




***For Models:*** SEVERAL

**A-AH149543** Sieve, Adjuster Crank Assembly 1.61 Lbs.



***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9750STS, 9760STS, 9860STS


**A-AH138230** Link, Sieve to Grain Pan 2.32 Lbs.



***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500 SIDEHILL, 9501, 9510, 9510 SIDEHILL, 9550, 9550 SIDEHILL, 9560, 9560 SIDEHILL, 9560STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9750STS, 9760STS, 9860STS

**A-AH218675** Sieve Frame Assembly (RH) 34.00 Lbs.
***Replaces:*** AH166671, AH171358, AH202198

**A-AH218676** Sieve Frame Assembly; LH 34.00 Lbs.
***Replaces:*** AH166670, AH171359, AH202199



***For Models:*** 9560STS, 9650STS, 9660STS, 9750STS, 9760STS, 9860STS, 9880I STS, 9880 STS

**A-H214184** Seal; Sieve, Rear 0.23 Lbs.



***For Models:*** S540, S550, S560, S650, S660, S670, S680, S685, S690, 9470STS, 9560I STS, 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880I STS, 9880 STS

**A-AH125969** Arm (LH), Chaffer Frame/Shaker Pan 18.60 Lbs.
**A-AH125970** Arm-RH, Chaffer Frame/Shaker Pan 20.42 Lbs.



***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS


**A-AH154697** Bushing, Isolator (10 Per Pk) 0.17 Lbs.
***Replaces:*** AH80384



***Dim/Info:***
.6325"bore
minimum order qty 10

***For Models:*** (3300, 4400, 4420 ALL Shoe Pitman Shaft & Upper Shoe Chaffer Frame), 6622 Rotary Screen, Rear Axle Trash Shield, Sieve & Chaffer Frame, (6600, 6601, 6602, 6620, 7700, 7701, 7720, 7721, 8820 ALL Shoe Chaffer & Shoe Sieve Frame), (CTS, 9400, 9500, 9500SH, 9501 ALL Dual Range Lockout Arm), 9600 Engine Fan Drive & Dual Range Lockout Arm, 9610 Engine Fan Drive, (**COTTON PICKER**: (9976, 9986 ALL Engine Fan Drive))

**A-AH125200** Bushing, Chaffer / Sieve 0.55 Lbs.



***Dim/Info:***
.532" ID

***For Models:*** (CTS, 9400, 9500, 9500SH, 9600 ALL Rear Axle Trash Shield, Chaffer / Sieve Frame, Shaker Pan), (9410, 9501, 9510, 9510SH ALL Shaker Pan)

**A-AH125201** Bushing, Chaffer Frame 1.15 Lbs.



***Dim/Info:***
.687" ID


***For Models:*** (CTS, CTS II, 9400, 9410, 9500, 9500SH ALL Chaffer Frame), 9501, (9510, 9510SH, 9600, 9610 ALL Chaffer Frame)

**A-H123918** Spacer 0.12 Lbs.



***For Models:*** S430, S440, S540, S550, S560, S650, S660, S670, S670 HILLMASTER, S680, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S760, S770, S780, S785, S790, 9470 STS, 9560 STS, 9560I STS, 9570STS, 9670STS, 9750STS, 9770STS, 9780 CTS, 9780I CTS, 9860STS, 9870STS, 9880 STS, 9880I STS

**A-H134118** Housing, Flange, Precleaner Chaffer Frame 2.65 Lbs.



***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-H205727** Plate, Chaffer Divider 2.03 Lbs.



***For Models:*** 9650STS, 9760STS, 9750STS, 9880 STS, 9660STS, 9860STS, 9880I STS, 9560I STS, 9770STS, 9870STS, 9570STS, S560, S690, S660, S670, S680, S685, S550, S540, S650, S670 HILLMASTER, S680 HILLMASTER, S685 HILLMASTER, S690 HILLMASTER, 9560 STS, 9470 STS, 9880I STS HILLMASTER SN 715801>


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

*JOHN DEERE

Truck icon indicates that the item is shipped via truck freight.

# CHAFFER RELATED PARTS


**A-AH164851** Channel; Chaffer Frame 11.32 Lbs.



***For Models:*** S650, S660, S670, S680, S685, S690, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880I STS, 9880 STS


**A-AH219846** Arm, Swinger (RH), Chaffer Assy 12.00 Lbs.
***Replaces:*** AH146570, AH170778

**A-AH219844** Arm, Swinger LH Chaffer Assy. 12.00 Lbs.
***Replaces:*** AH146569, AH170777



***For Models:*** 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-AH128909** Pan, Grain (Shaker) 225.00 Lbs.



***For Models:*** 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, CTS

**A-AXE10447** Pan, Shaker Return; Narrow 210.00 Lbs.


***Replaces:*** AH207566



***For Models:*** 9560STS, 9570STS

**A-AXE17166** Pan, Shaker Return; Wide 195.00 Lbs.

***Replaces:*** AH216253, AH229379, AH211408, AH149851



***For Models:*** S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S690, S690 HILLMASTER, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880 STS

**A-AH128908** Grain Pan 250.00 Lbs.



***For Models:*** 9600, 9610, 9650, 9660


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.




P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Chain, Clean Grain Elevator



| Part No. | Links-Chain | Paddle Size | Qty-Paddle | Applications |
|---|---|---|---|---|
| **A-AH87745** | 100-CA550 | 4 3/4" x 2 1/2" | 25-H86759 | 3300, 4400, 4420 |
| **A-AH87747** | 108-CA550 | 5 15/16" x 3 1/16" | 27-H135235 | 6600, 6620, 6622, 7700, 7701, 7720, 7721, 8820 sn <-464350 |
| **A-AH134818** | 108-CA550 | 7 7/8" x 3" | 27-H106323 | 8820 sn 464351-> |
| **A-AH162441** | 144-CA550 | 5 3/4" x 4 1/4" | 35-H137276 | CTS, CTS II, 9400, 9410, 9500, 9500SH, 9510, 9510SH |
| **A-AH162442** | 144-CA550 | 7 3/4" x 4 1/4" | 35-H137277 | 9600, 9610 |
| **A-AH162058** | 140-CA550 | 8 7/8" x 4 3/4" | 33-H144667 | 9450, 9550, 9550SH, 9560, 9560SH, 9650, 9650CTS, 9660, 9660CTS |
| **A-AXE28559** | 145-CA557 | 8 7/8" x 4 3/4" | 34-H144667 | S550 STS, S660, 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9860STS |
| **A-AXE28560** | 147-CA557 | 8 3/4" x 4 5/8" | 34 - H237830 | S660, S670 HILLMASTER, S680 HILLMASTER, S690 HILLMASTER SN 745101>, S670, S680, (S685 HILLMASTER, S685, S690 ALL European Edition), 9770STS, 9870STS |
| **A-AXE25091** | 145- | 8.75" x 4.75" | 35- | S550, S650, S660, S760, S770 |
| **A-AXE16681** | -51 | 8.82" x 4.67" | 36-HXE24082 | S690, S790 |
| **A-AH137631** | CA550 | | | SEVERAL |
| **A-C10233** | CA550 | | | SEVERAL |
| **A-H84026** | Pin Hook - CA550 | minimum order qty 10 | | CTS, CTS II, C670, S550 STS SN 745100-764999, S650 SN 765000-, (S660, S670 STS ALL SN 745100-), S670 HILLMASTER SN -765000, T550, T560, T660, T670, W540, W550, W650, W660, 9400, 9410, 9450, 9500, 9500 SIDEHILL, 9510, 9510 SIDEHILL, 9540I WTS SN 080016-, 9550, 9550SH, 9560I WTS SN 080016-, 9560SH, 9560STS, 9570STS, 9580I WTS SN 080016-, 9600, 9610, 9640I WTS, 9640WTS, 9650, 9650CTS, 9660I WTS, 9660WTS, 9660, 9660CTS, 9660STS, 9670STS, 9680I WTS, 9680WTS, 9750STS, 9760STS, 9770STS, (9780CTS, 9780I CTS ALL SN 072800-), 9860STS, 9870STS |

## Chain, Return Elevator



| Part No. | Links-Chain | Paddle Size | Qty-Paddle | Applications |
|---|---|---|---|---|
| **A-AH87749** | 126-CA550 | 4 3/4" x 2 1/2" | 21-H86759 | 3300, 4400, 4420 |
| **A-AH96388** | 144-CA550 | 4 3/4" x 2 1/2" | 24-H86759 | 6600, 6601, 6602, 6620 sn <-610300, 6622, 7700, 7701, 7720 sn <-610500, 7721 sn<-610600 |
| **A-AH98032** | 144-CA550 | 5 15/16" x 3 1/16" | 24-H135235 | 6620 sn 610301->, 7720 sn 610501->, 7721 SN 610601>, 8820 |
| **A-AH131074** | 153-CA550 | 5 15/16" x 3 1/16" | 25-H135235 | 9500SH PADDLES, (CTS, CTS II, 9400, 9410, 9450, 9500, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS ALL 25 PADDLES) |
| **A-AH148021** | 115-CA550 | 5.90" X 3" | 19-H135235 | (9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS ALL 19 PADDLES) |
| **A-AXE10556** | | 8.81" x | 13 | S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER |
| **A-AH137631** | CA550 | | | SEVERAL |
| **A-C10233** | CA550 | | | SEVERAL |
| **A-H84026** | Pin Hook - CA550 | minimum order qty 10 | | C670, CTS, CTS II, S550 STS, S650, S660, S670 HILLMASTER, S670 STS, T550, T560, T660, T670, W540, W550, W650, W660, 9400, 9410, 9450, 9500, 9500 SIDEHILL, 9510, 9510 SIDEHILL, 9540I WTS, 9550, 9550SH, 9560I WTS, 9560SH, 9560STS, 9570STS, 9580I WTS, 9600, 9610, 9640I WTS, 9640WTS, 9650, 9650CTS, 9660, 9660CTS, 9660I WTS, 9660STS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9750STS, 9760STS, 9770STS, 9780CTS, 9780I CTS, 9860STS, 9870STS |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# ELEVATOR CHAIN PADDLES

**Paddle, Elevator Chain**



*JOHN DEERE

| Part No. | Links-Chain | Paddle Size | Qty-Paddle | Applications |
|---|---|---|---|---|
| **A-H86759** | | 4.750" x 2.625" | minimum order qty 5 | 3300, 4400, 4420, 6600, 6601, 6602, 6620, 6622, 7700, 7701, 7720, 7721 |
| **A-H135235** | | 6.000" X 3.000" | minimum order qty 4 | CTS, CTS II, 6600, 6601, 6602, 6620, 6622, 7700, 7701, 7720, 7721, 8820, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS |
| **A-H106323** | | 7.375" X 3.000" | minimum order qty 3 | 8820 |
| **A-H137276** | | 6.000" X 4.187" | minimum order qty 4 | 9400, 9410, 9500, 9500SH, 9501, 9510, 9510SH, CTS, CTS II |
| **A-H135235** | | 6.000" X 3.000" | minimum order qty 4 | CTS, CTS II, 6600, 6601, 6602, 6620, 6622, 7700, 7701, 7720, 7721, 8820, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS |
| **A-H137277** | | 7.750" X 4.250" | minimum order qty 3 | 9600, 9610 |
| **A-H144667** | | 8.430" X 4.830" | minimum order qty 2 | 9450, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9860STS |
| **A-H237830** | | | | (9770STS, 9870STS ALL RUBBER), (S670 HILLMASTER, S670 STS, S680 HILLMASTER, S680 STS ALL (RUBBER)), S690 HILLMASTER SN# 745101->, (RUBBER) |
| **A-H131639** | | minimum order qty 2 | | C670, CTS, CTS II, T550, T560, T660, T670, W540, W550, W650, W660, 9400, 9410, 9450, 9500, 9500 SIDEHILL, 9501, 9510, 9510 SIDEHILL, 9540I WTS SN 080016-, 9550, 9550SH, 9560, 9560I WTS SN 080016-, 9560SH, 9580I WTS SN 080016-, 9600, 9610, 9640I WTS, 9640WTS, 9650, 9650CTS, 9660, 9660CTS, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS, (9780CTS, 9780I CTS ALL SN 072800-) |
| **A-HXE24082** | | 8.82"x4.67" | | S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S770, S780, S785, S790 |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-H131675** Window; Grain Tank 20.17 Lbs.




***Dim/Info:***
Thickness - .187"
Width - 39 3/16"
Height - 14 5/16"

***For Models:*** C670, CTS, CTS II, S560, S690 STS, T550, T560, T660, T670, W540, W550, W650, W660, 9400, 9410, 9450, 9470STS, 9500, 9500SH, 9501, 9510, 9510SH, 9540I WTS, 9540WTS, 9550, 9550SH, 9560, 9560I STS, 9560I WTS, 9560SH, 9560STS, 9560WTS, 9570STS, 9580I WTS, 9580WTS, 9600, 9610, 9640WTS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9660WTS, 9670STS, 9680WTS, 9750STS, 9760STS, 9770STS, 9780CTS, 9780STS, 9860STS, 9870STS, 9880I STS, 9880 STS


**A-AH142185** Elevator, Clean Grain, Upper 190.00 Lbs.

***Replaces:*** AH134706, AH141832



***For Models:*** CTS SN <670400, 9400 SN <670100, (9500, 9500SH ALL SN <670548), 9501


**A-AH153743** Elevator, Clean Grain, Upper 183.00 Lbs.



***For Models:*** CTS SN 670401>, CTS II , 9400 SN 670101>, 9410, (9500, 9500SH ALL SN 670549>), 9510, 9510SH


**A-AH142180** Elevator, Clean Grain, Upper 195.00 Lbs.

***Replaces:*** AH141824, AH134707



***For Models:*** 9600


**A-AH153741** Elevator, Upper Clean Grain 205.00 Lbs.



***For Models:*** 9610

**A-AH235321** Elevator, Clean Grain, Lower 125.00 Lbs.


***Replaces:*** AH135666, AH142197, AH149200, AH156808, AH156594, AH141835



***For Models:*** CTS, CTS II, 9400, 9410, 9500, 9500SH SN 640201>, 9501, 9510, 9510SH


**A-AH156596** Elevator, Clean Grain, Lower 142.00 Lbs.

***Replaces:*** AH156810, AH142190, AH141827, AH135667, AH149202



***For Models:*** (9600, 9610 ALL WITH GREENSTAR)


**A-AH105850** Elevator, Clean Grain (w/o Yoke & Lever) 175.00 Lbs.



***For Models:*** 8820 SN 464351>

**A-AH207172** Elevator, Clean Grain 290.00 Lbs.


***Replaces:*** AH149626



***For Models:*** 9450, 9550, 9550SH, 9560, 9560SH, 9650, 9650CTS, 9660, 9660CTS

**A-AH218602** Elevator, Clean Grain 290.00 Lbs.

***Replaces:*** AH207168



***For Models:*** 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9860STS

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.


# PARTS, CLEAN GRAIN & RETURN ELEVATOR

JOHN DEERE

**A-AH112164** Elevator, Clean Grain (w/o Yoke & Lever) 169.00 Lbs.


Does Not Include Yoke & Lever. If Machine Has Early Model Update You May Have To Order 2 of AH125904 (Not Available From A&I).

***Replaces:*** AH110652, AH96610, AH77057, AH83210, AH88984



***For Models:*** 7700 SN <316300, 6622 SN 610401>, 6600, 6620, 7701 LEVER, 7720, 7721, 8820 SN <464350


**A-AH112077** Housing, Tailings Elevator 195.00 Lbs.



***For Models:*** 6620 SN 610301>, 7720 SN 610501>, 7721 SN 610601>, 8820 SN 610701>

**A-AH149180** Tube Assy, Upper, Tailings Auger Housing & Paddle Assy. 130.00 Lbs.

***Replaces:*** AH131085, AH137291, AH137581, AH141572



***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9660, 9660CTS

**A-AH149179** Tube Assy, Upper, Tailings Auger, Wide 135.00 Lbs.


***Replaces:*** AH131086, AH137303, AH137582, AH141571



***For Models:*** 9600, 9610, 9650, 9660

**A-AH96371** Elevator, Tailings 142.00 Lbs.


***Replaces:*** AH75430, AH81102, AH85467, AH86844, AH96005



***For Models:*** 6600, 6601, 6602, 6620 S/N <610300, 6622, 7700, 7701, 7720 S/N <610500, 7721 S/N <610600


**A-AH169233** Elevator, Tailings 255.00 Lbs.

***Replaces:*** AH131808, AH137288, AH136239, AH141573, AH156177



***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS


**A-AH149536** Elevator, Tailings 170.00 Lbs.



***For Models:*** 9560STS, 9650STS, 9660STS, 9750STS, 9760STS, 9860STS

**A-AXE14891** Elevator, Tailings 158.00 Lbs.


***Replaces:*** AH230782, AH232508



***For Models:*** (9570STS, 9670STS, 9770STS ALL North American & South American), 9870STS North American

**A-AH11794** Door, Clean Grain / Tailing Elevator (Perforated) 3.00 Lbs.


***Dim/Info:***
6 1/4" X 16 11/32"
1/8" X 1" Holes



***For Models:*** (3300, 4400, 4420 ALL Clean Grain & Tailings Elevators), (6600, 6601, 6602, 6622, 7700, 7701 ALL Tailings Elevator), 6620 Tailings Elevator SN <610300, 7720 Tailings Elevator SN <610500, 7721 Tailings Elevator SN <610600

**A-AH98030** Door, Return Elevator (Perforated) 2.45 Lbs.

***Dim/Info:***
1/8" X 1" Holes



***For Models:*** 6620 SN 610301>, 7720 SN 610501>, 7721 SN 610601>, 8820

**A-AH130893** Door, Return Elevator (Perforated) 1.84 Lbs.

***Dim/Info:***
Length - 12"
Type - Perforated Round Hole
Width - 7-7/8"



***For Models:*** (9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9660, 9660CTS ALL PERFORATED)


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
aiproducts
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-AH12678** Door, Clean Grain / Tailing Elevator (Solid) 2.40 Lbs.




***For Models:*** (3300, 4400, 4420 ALL Clean Grain & Tailings Elevators), (6600, 6601, 6602, 6622, 7700, 7701 ALL Tailings Elevator), 6620 Tailings Elevator SN <610300, 7720 Tailings Elevator SN <610500, 7721 Tailings Elevator SN <610600

**A-AH234729** Door; Lower Tailing Elevator, Solid 3.50 Lbs.



***For Models:*** S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S780, S785, S790


**A-AH98029** Door, Return Elevator; (Solid) 2.72 Lbs.



***For Models:*** 6620 SN 610301>, 7720 SN 610501>, 7721 SN 610601>, 8820

**A-AH77062** Door, Clean Grain Elevator; Solid 3.77 Lbs.

***Dim/Info:***
7 3/8" Wide
24 3/8" Long



***For Models:*** 6600, 6620, 6622, 7700, 7701, 7720, 7721, 8820 SN <464350

**A-AH105855** Door, Clean Grain Elevator; Solid 4.54 Lbs.

***Dim/Info:***
9.378" Wide
23.313" Long



***For Models:*** 8820 SN 464351>

**A-AH139388** Door Assembly, Clean Grain; Solid 24.00 Lbs.



***For Models:*** CTS, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650STS, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-AH139391** Door Assembly, Clean Grain; Solid w/ Protective Plate 39.00 Lbs.

***Replaces:*** AH118251



***For Models:*** CTS, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650STS, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-AH139386** Door Assembly, Clean Grain; Solid 29.00 Lbs.



***For Models:*** 9600, 9610, 9650, 9660

**A-AH139390** Door Assembly, Clean Grain; Solid w/ Protective Plate 45.00 Lbs.



***For Models:*** 9600, 9610, 9650, 9660

**A-AH139387** Door; Lower Clean Grain Auger Trough (Perforated)22.00 Lbs.

***Dim/Info:***
Slotted Holes



***For Models:*** 9600, 9610, 9650, 9660

**A-H77058** Cover; Clean Grain Auger, Solid 4.00 Lbs.




***For Models:*** 6600, 6601, 6620, 6622, 7700, 7701, 7720, 7721, 8820

**A-AH129358** Door Assembly, Clean Grain Elevator, Lower, Solid 5.55 Lbs. Stainless steel

***Replaces:*** AH125559

***Dim/Info:***
10" x 25-1/2"



***For Models:*** 9600, 9610


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# PARTS, CLEAN GRAIN & RETURN ELEVATOR

*JOHN DEERE

**A-AH127397** Door Assembly, Clean Grain Elevator, Lower 6.00 Lbs.
Perforated Style w/ .178" Dia Holes



***Dim/Info:***
10 1/8" X 26"
Mounting Holes - .437"

***For Models:*** (9600, 9610 ALL PERFORATED)

**A-AH138426** Door Assembly, Clean Grain Elevator (Solid) 5.15 Lbs.



***Dim/Info:***
10.87" Wide
27.50" Long

***For Models:*** 9450, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-AH139389** Door Assembly, Clean Grain; Perforated 16.30 Lbs.
***Replaces:*** AH117281



***For Models:*** CTS, C670, T550, T560, W540, W550, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650STS, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9780CTS, 9780I CTS SN 072800->, 9860STS, 9870STS


**A-AH154068** Door Assembly, Clean Grain Elevator (Perforated) 4.45 Lbs.



***Dim/Info:***
10.938" Wide
27.53" Long

***For Models:*** 9450, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS


**A-AH162156** Door Assembly, Tailings Elevator (Perforated) 2.80 Lbs.



***Dim/Info:***
6 1/4" Wide
24 3/4" Long

***For Models:*** (9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS ALL PERFORATED)


**A-AH129357** Door Assembly, Clean Grain Elevator, Lower, Solid 4.78 Lbs.
***Replaces:*** AH125558



***Dim/Info:***
25-5/8" x 7-1/8"

***For Models:*** CTS, CTS II, 9400, 9410, 9500, 9500SH, 9501, 9510, 9510SH


**A-AH127396** Door Assembly, Clean Grain Elevator, Lower 2.56 Lbs.
Perforated Version



***Dim/Info:***
7 1/8" Wide
25 5/8" Long

***For Models:*** (9400, 9410, 9500, 9500SH, 9501, 9510, 9510SH ALL PERFORATED)


**A-AH130892** Door, Tailings Elevator 2.12 Lbs.
SOLID TYPE



***Dim/Info:***
11-1/2" x 7-7/8"

***For Models:*** (CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS ALL Solid)

**A-H136054** Housing, Tailings Elevator 2.24 Lbs.
SOLID TYPE




***For Models:*** CTS, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-H136055** Housing, Tailings Elevator 1.87 Lbs.
PERFORATED STYLE




***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9660, 9660CTS

**A-AH83511** Boot, Clean Grain Elevator 13.00 Lbs.
***Replaces:*** AH77061



***For Models:*** 6600, 7701, 7700

**A-AH93242** Boot, Clean Grain Elevator 12.50 Lbs.



***For Models:*** 6620, 6622 SN 610401>, 7720, 7721, 8820 SN <464350

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com


# PARTS, CLEAN GRAIN & RETURN ELEVATOR

**A-AH105854** Boot, Clean Grain Elevator 13.50 Lbs.




***For Models:*** 8820 SN 464351>

**A-AH149182** Boot, Clean Grain Elevator 29.00 Lbs.



***For Models:*** 9400, 9410, 9500, 9500SH, 9510, 9510SH, CTS, CTS II

**A-AH149181** Boot, Clean Grain Elevator 28.00 Lbs.



***For Models:*** 9600, 9610

**A-AH171008** Boot, Clean Grain Elevator 40.00 Lbs.



***For Models:*** 9450, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9750STS, 9760STS, 9860STS

**A-AH222240** Boot Assembly, Clean Grain Elevator 40.00 Lbs.



***For Models:*** S540, S550 STS, S560, S650, S660, S670 STS, S690, S690 HILLMASTER, 9470STS, 9570STS, 9670STS, 9770STS

**A-H161342** Lever, Handle 0.25 Lbs.




***For Models:*** (1450CWS, 1550CWS ALL SN <060092), (1450WTS, 1550WTS ALL SN 46491>), 1470, 1570, 9450, 9470STS, (9540I WTS, 9560I WTS, 9580I WTS ALL SN 080016>), (9540WTS, 9560WTS, 9580WTS ALL SN <080015), 9550, 9550SH, 9560, 9560I STS, 9560SH, 9560STS, 9570STS, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660I WTS, 9660STS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9750STS, 9760STS, 9770STS, (9780CTS, 9780I CTS ALL SN 072800>), 9860STS, 9870STS, 9880 HILLMASTER SN 715801>, 9880I STS SN 715701>, 9880 STS SN <715700, C670, CTS SN 070231-071384, S540, S550 STS SN 745100-764999, S560, S650 SN 765000>, (S660, S670 STS, S690 STS ALL SN 745100>), S670, (S670 HILLMASTER, S680 HILLMASTER, S690 HILLMASTER ALL SN <765000), S680, S685, S685 HILLMASTER, S690 SN <745100, S690 STS, T550, T560, T660, T670, W540, W550, W650, W660

**A-AH88989** Spout, Clean Grain Elevator 26.00 Lbs.




***For Models:*** 6600 SN 156501>, 6620, 6622 SN 610401>, 7700 SN 163901>, 7701

**A-AH97856** Spout, Clean Grain Elevator 29.00 Lbs.



***For Models:*** 7720, 7721, 8820 SN <464350

**A-AH173040** Pulley, Slip Clutch; Tailing Elevator 10.20 Lbs.



***Dim/Info:***
8.892" O.D.
1.381" I.D.

***For Models:*** 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-H174509** Hub, Slip Clutch 1.95 Lbs.



***Dim/Info:***
Bore - .987"
Hub - Length: 2.047" / Offset: .276"
Outside Diameter - 3.543"

***For Models:*** (S560, S690, S690 HILLMASTER, 9470STS, 9560I STS, 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880I STS, 9880 STS ALL Tailing Elevator)

**A-H115425** Spacer, Slip Clutch 0.05 Lbs.
***Replaces:*** N102045, H96803



***Dim/Info:***
Inside Diameter - .440"
Outside Diameter - .688"
minimum order qty 10

***For Models:*** (**HEAD, CORN**: 9880I STS SN 720701- European)

**A-P44439** Flange, Bearing; Half 0.10 Lbs.

***For Models:*** 3300, 4400, 4420, 6600, 6601, 6602 HILLSIDE, 6620, 6622, 7700, 7701, 7720, 7721, 8820

**A-H129207** Pivot, Idler Spring, 12 mm Drawbolt 0.04 Lbs.



***For Models:*** 9500, 9600, 9650, 9450, 9510, 9550, 9610, 9650CTS, 9560, 9400, 9410, 9560STS, 9501, 9540WTS, 9540I WTS, 9640WTS, 9570STS, 9470STS

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

*JOHN DEERE

Truck icon indicates that the item is shipped via truck freight.

# GRAIN HANDLING SHAFTS, SPROCKETS, PULLEY


**A-AH220915** Pulley; Clean Grain Elevator Drive 7.10 Lbs.



***Dim/Info:***
Bore - .806"
Diameter - 9.000"
Width - 2.433" (Groove Width 2.000")


***For Models:*** S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S770, S780, S785, S790, 9770STS, 9870STS

**A-H135475** Bearing, Auger Drive 0.20 Lbs.



***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-AH17997** Block Assembly, Shoe Crank 0.20 Lbs.
***Replaces:*** AH15397



***For Models:*** 4400 SN 4830>, 4420, 6600, 6601, 6602, 6620, 6622, 7700, 7701, 7720, 7721, 8820

**A-H135422** Shaft, Shoe Grain Supply Drive 14.76 Lbs.



***Dim/Info:***
65.440" long

**A-AH129451** Bearing, RH 0.73 Lbs.
**A-AH214862** Bearing, RH (CTS & CTS II) 0.60 Lbs.
**A-JD8665** Bearing, LH 0.40 Lbs.

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9660CTS

**A-H135421** Shaft, Shoe Grain Supply Drive 17.00 Lbs.



***Dim/Info:***
76.250" long

**A-AH129451** Bearing, RH 0.73 Lbs.
**A-JD8665** Bearing, LH 0.40 Lbs.

***For Models:*** 9600, 9610, 9650, 9660

**A-H171186** Shaft, Cleaning Shoe Drive 14.50 Lbs.
***Replaces:*** H150804



***Dim/Info:***
64.62" long

**A-AH129451** Bearing, RH (9670STS & 9770STS, 9870STS) 0.73 Lbs.
**A-AH169077** Bearing, LH (9650STS S/N <701198, 9750 STS S/N <701007) 0.60 Lbs.
**A-JD8665** Bearing, LH 0.40 Lbs.

***For Models:*** 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-H211285** Bevel Gear, Conveyor Auger Drive 0.85 Lbs.
***Replaces:*** H174715



***For Models:*** S550 STS, S660, S670 HILLMASTER, S670 STS, S680 HILLMASTER, S680 STS, (S690 HILLMASTER, S690 STS ALL SN# 745101->), 9560STS, 9570STS, 9650STS SN# 686513->, 9660STS, 9670STS, 9750STS SN# 686512->, 9760STS, 9770STS, 9860STS, 9870STS

**A-H137215** Drive Gear, Shoe Auger 0.75 Lbs.
Sold In Quantities Of 2 / Priced Per Piece



***Dim/Info:***
Teeth - 13 Beveled
minimum order qty 2

***For Models:*** CTS, CTS II, 3300, 4400, 4420, 6600, 6601, 6602, 6620, 6622, 7700, 7701, 7720, 7721, 8820, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9760STS, 9750STS, 9770STS, 9860STS, 9870STS

**A-H202378** Shaft, Shoe Auger Drive 11.40 Lbs.



***Dim/Info:***
54.00" long

**A-AH129451** Bearing, RH (9570STS) 0.73 Lbs.
**A-JD8665** Bearing, LH 0.40 Lbs.

***For Models:*** 9560STS, 9570STS

**A-H83083** Shaft, Shoe Auger Supply 10.54 Lbs.
***Replaces:*** H77259



***Dim/Info:***
45.375" long

***For Models:*** 4400, 4420

**A-H84498** Shaft, Shoe Auger Supply 12.02 Lbs.
***Replaces:*** H83085, H77009



***Dim/Info:***
52.025" long

**A-JD8665** Bearing, RH/LH 0.40 Lbs.

***For Models:*** 6600, 6601, 6602, 6620, 6622

**A-H84499** Shaft, Shoe Auger Supply 14.54 Lbs.
***Replaces:*** H83086, H77226



***Dim/Info:***
62.250" long

**A-JD8665** Bearing, RH/LH 0.40 Lbs.

***For Models:*** 7700, 7701, 7720, 7721

**A-H99635** Shaft, Shoe Auger Supply 16.00 Lbs.




***Dim/Info:***
73.750" long

**A-AH214862** Bearing, RH/LH (S/N <415847) 0.60 Lbs.
**A-JD8665** Bearing, RH/LH (S/N 415848>) 0.40 Lbs.

***For Models:*** 8820

**A-H134528** Shaft, Counter, Rotary Screen Drive 4.27 Lbs.
521MM




***Dim/Info:***
20.50" Long

**A-GRAE25RRB-I** Bearing, RH/ LH 0.45 Lbs.

***For Models:*** CTS, CTS II, 9400, 9410, 9500, 9500SH, 9510, 9510SH, 9610 SN: 681689 >

**A-H123653** Shaft, Counter, Rotary Screen Drive 5.33 Lbs.
600MM




***Dim/Info:***
23.62" Long

**A-GRAE25RRB-I** Bearing, RH/LH 0.45 Lbs.

***For Models:*** 9600, 9610 SN: < 681688

**A-H80704** Shaft, Upper Clean Grain Elevator 2.56 Lbs.



***Dim/Info:***
12.000" long

***For Models:*** 3300, 4400, 4420

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

# GRAIN HANDLING SHAFTS, SPROCKETS, PULLEY

**A-H82948** Shaft, Upper Clean Grain Elevator 2.84 Lbs.
*Replaces:* H77030




***Dim/Info:***
13.130" long

**A-AH214862** Bearing, Front Shoe Grain Supply Auger 0.60 Lbs.
Includes JD8554 Lock Collar
*Replaces:* JD9273, AH169077, AH79775

**A-JD8665** Bearing, Upper Clean Grain Shaft 0.40 Lbs.
Includes JD8554 Lock Collar
***For Models:*** 6600, 6601, 6602, 6620, 6622, 7700, 7701, 7720, 7721, 8820 SN<-464350


**A-H106314** Shaft, Upper Clean Grain Elevator 4.60 Lbs.



***Dim/Info:***
13.440" long

**A-JD8545** Bearing 0.67 Lbs.
Includes JD8544 Lock Collar
***For Models:*** 8820 SN 464351->

**A-H135713** Shaft, Upper Clean Grain Elevator 3.90 Lbs.



***Dim/Info:***
12.750" long


**A-JD39103** Bearing 0.72 Lbs.
Includes AZ10045 Lock Collar
***For Models:*** CTS, CTS II, 9400, 9410, 9500, 9500SH, 9501, 9510, 9510SH

**A-H135714** Shaft, Upper Clean Grain Elevator 4.71 Lbs.



***Dim/Info:***
14.87" Long
***For Models:*** 9600, 9610


**A-H157043** Pin, Upper Clean Grain Elevator 4.68 Lbs.



***Dim/Info:***
15.38" Long

**A-JD10384** Bearing 0.79 Lbs.
Includes AZ10045 Lock Collar
***For Models:*** 9450, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9860STS

**A-H75978** Shaft, Upper Tailings Elevator 2.28 Lbs.




***Dim/Info:***
10.500" long

**A-AH214862** Bearing, Tailings Elevator Upper Shaft 0.60 Lbs.
Includes JD8554 Lock Collar
*Replaces:* JD9273, AH169077, AH79775

**A-AH169077** Bearing, Tailings Elevator Upper Shaft 0.60 Lbs.
***For Models:*** 3300, 4400, 4420, 6600, 6601, 6602, 6620 SN <-610300, 6622, 7700, 7701, 7720 SN <-610500, 7721

**A-H89517** Shaft, Upper & Lower Tailings 2.56 Lbs.



***Dim/Info:***
11.750" long

**A-AH214862** Bearing, Tailings Elevator Lower Shaft 0.60 Lbs.
Includes JD8554 Lock Collar
*Replaces:* JD9273, AH169077, AH79775
***For Models:*** 6620 SN 610301->, 7720 SN 610501->, 7721, 8820

**A-H156938** Shaft, Tailings Elevator Top 4.25 Lbs.




***Dim/Info:***
14.00" Long

**A-JD10384** Bearing, Tailings Elevator Upper Shaft (9650STS, 9750STS) 0.79 Lbs.

**A-JD39103** Bearing, Tailings Elevator Upper Shaft 0.72 Lbs.
***For Models:*** 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS


**A-AH130570** Shaft, Upper & Lower Tailings 3.10 Lbs.



***Dim/Info:***
11.420" long
1" Hex

**A-JD9313** Bearing, Tailings Elevator Upper/ Lower Shaft 0.60 Lbs.
***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-AH130571** Sprocket Assy, Upper Tailings Elevator 3.32 Lbs.
Hex Type Bore



***Dim/Info:***
Chain: 50
Teeth: 30
Bore Dia: 1.00"

***For Models:*** (CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS ALL DRIVE)

**A-AH130572** Sprocket Assy, Lower Tailings Auger 1.43 Lbs.



***Dim/Info:***
Chain: 50
Teeth: 18
Bore Dia: 1.001"

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS


**A-AH121046** Sprocket, Tailings Auger, Upper 1.99 Lbs.



***Dim/Info:***
Chain: 50
Teeth: 22
Bore Dia: .987"
Overall Length: 1.502"

***For Models:*** (CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9540, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS ALL 22 TOOTH). (9780CTS, 9780HM CTS ALL SN: 071443 - 072697)


**A-AH121047** Sprocket Assy, Lower Tailings Auger 1.36 Lbs.



***Dim/Info:***
Chain: 50
Teeth: 18
Bore Dia: 1.184"

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-AH147557** Sprocket, Tailings Elevator Spout, Upper 1.70 Lbs.



***Dim/Info:***
Bore - 0.987"
Chain - 50
Teeth - 19

***For Models:*** 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

*JOHN DEERE

Truck icon indicates that the item is shipped via truck freight.

# GRAIN HANDLING SHAFTS, SPROCKETS, PULLEY


**A-AH126008** Sprocket, Upper Tailings Auger Housing 2.96 Lbs.



***Dim/Info:***
Chain: 50
Teeth: 30
Bore Dia.: 1.183"
Overall Length: 1.502"

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-H137919** Bushing, Clean Grain Loading Auger 0.72 Lbs.



***Dim/Info:***
1.97" Long
0.50" ID
1.50" OD

***For Models:*** CTS II, CTS, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9750STS, 9760STS, 9860STS

**A-AH214862** Bearing, Front Shoe Grain Supply Auger 0.60 Lbs.
Includes JD8554 Lock Collar
***Replaces:*** JD9273, AH169077, AH79775



***Dim/Info:***
Bore - 1.000"
Outside Diameter - 2.0472"

***For Models:*** CTS, CTS II, 3300, 4400, 4420, 6600, 6601, 6602, 6620, 6622, 7700, 7701, 7720, 7721, 8820, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS


**A-AH163056** Bearing Assy 0.80 Lbs.



***Dim/Info:***
Inside Diameter - 1.000"


***For Models:*** S550, S560, S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S690, S690 HILLMASTER, S690 STS, T550, T560, T660, T670, W540, W550, W650, W660, 9560STS, 9570STS, 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-H131356** Retainer, Auger Swing; Horizontal Unloading 1.35 Lbs.



***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9750STS, 9760STS


**A-AH86633** Countershaft, Unloading Auger 15.80 Lbs.



***Dim/Info:***
64.662" long

***For Models:*** 4400 SN 110151->, 4420


**A-AH130467** Countershaft, Unloading 30.00 Lbs.
***Replaces:*** AH96561



***Dim/Info:***
76.000" long

**A-JD9274** Ball Bearing 0.80 Lbs.
Includes JD8544 Lock Collar
***For Models:*** 6620, 6622


**A-AH86635** Countershaft, Unloading Auger 18.30 Lbs.



***Dim/Info:***
85.412" long

***For Models:*** 7700 SN 9236->

**A-AH130468** Countershaft, Unloading 47.50 Lbs.
***Replaces:*** AH96560



***Dim/Info:***
86.880" long

**A-JD9274** Ball Bearing 0.80 Lbs.
Includes JD8544 Lock Collar
***For Models:*** 7720

**A-H133024** Countershaft, Unloading Auger 5.44 Lbs.



***Dim/Info:***
14.38" Long

**A-JD39104** Ball Bearing 1.38 Lbs.
**A-AH139296** Ball Bearing 1.38 Lbs.
***For Models:*** CTS, CTS II, 9400, 9410, 9500, 9500SH, 9501, 9510, 9510SH, 9600, 9610

**A-H129934** Shaft, Engine Gearcase, Unloading & Separator Drive 11.96 Lbs.



***Dim/Info:***
28.812" long

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-H129935** Sheave, Unloader Drive 14.70 Lbs.



***Dim/Info:***
8.534" O.D.
2 Groove

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9600, 9610, 9650, 9660, 9660CTS, 9660STS, 9760STS, 9860STS, 9870STS


**A-AH128074** Sprocket, Countershaft Drive, Unloading Auger (Rice) 2.50 Lbs.



***Dim/Info:***
Chain - 60
Teeth - 17
Bore Dia. - 1.381"
Length - 1.781"

***For Models:*** CTS Rice Only SN 660402->, (CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS ALL Rice Only), 9560STS, 9650STS, 9660STS, 9760STS, 9860STS

**A-AH128075** Sprocket, Countershaft Drive, Unloading Auger 3.00 Lbs.



***Dim/Info:***
Chain - 60
Teeth - 19
Bore Dia. - 1.381"
Length - 1.819"

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9750STS, 9760STS, 9860STS

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

# GRAIN HANDLING SHAFTS, SPROCKETS, PULLEY



**A-AH215152** Sprocket, Countershaft Drive, Unloading Auger 2.15 Lbs.



***Dim/Info:***
Bore - 1.38"
Outside Diameter - 4.92"
Teeth - 19
Width - 1.25"

***For Models:*** 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-AH206131** Idler Sprocket, Unloading Auger Drive w/ Bearing 3.10 Lbs.



***Dim/Info:***
Bore - 1.849"
Chain - 60
Outside Diameter - 6.16"
Teeth - 24

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS


**A-AXE53952** Chain; Unloading Auger Drive 20.75 Lbs.
***Replaces:*** AH202176



***Dim/Info:***
Chain Size - 60H
Links - 264

***For Models:*** S540, S550, S560, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S760, S770, S780, S785, S790, 9470STS, 9560I STS, 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880I STS, 9880 STS


**A-H133025** Hub, Countershaft Drive, Unloading Auger 6.62 Lbs.



***Dim/Info:***
6.298" OD
1.38" bore

***For Models:*** CTS, CTS II, 9400, 9410, 9500, 9500SH, 9501, 9510, 9510SH, 9600, 9610

**A-H133026** Hub, Countershaft Drive, Unloading Auger 2.35 Lbs.



***Dim/Info:***
OD: 3.740"
ID: 1.378"
Length: 1.811"
Thru Holes: 4


***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-AH135439** Support, Grain Tank Upper Auger 4.00 Lbs.




***For Models:*** CTS, CTS II, 9400 SN 640101>, 9410, (9500, 9500SH ALL SN 640201>), 9501 SN 640401>, 9510, 9510SH

**A-AH135558** Support, Grain Tank Upper Auger 4.00 Lbs.



***For Models:*** 9600, 9610

**A-H132607** Shaft, Loading Auger 1.35 Lbs.




***Dim/Info:***
5.63" long

**A-AH88893** Ball Bearing, Outer 0.55 Lbs.

***For Models:*** 4400, 6620, 6622, 7720, 7721, 8820

**A-H94703** Input Shaft, Loading Auger 1.37 Lbs.




***Dim/Info:***
5.11" long

**A-JD7681** Ball Bearing, Outer 0.45 Lbs.
**A-JD7689** Ball Bearing, Inner 0.80 Lbs.

***For Models:*** 4400, 4420, 6600, 6620, 6622, 7700, 7701, 7720, 7721, 8820

**A-CE18445** Shaft, Input, Clean Grain Elevator Gearcase 2.26 Lbs.
***Replaces:*** H136209




***Dim/Info:***
8.96" long

**A-AE42998** Tapered Roller Bearing, Inner 0.93 Lbs.

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-H135452** Shaft, Clean Grain Elevator Gearcase 2.35 Lbs.
Use w/ AH140127 Gear Case



***Dim/Info:***
8.74" long

**A-JD7689** Bearing, Inner 0.80 Lbs.
**A-JD7681** Bearing, Outer 0.45 Lbs.

***For Models:*** CTS, CTS II, 9400, 9410, 9450 SN <685202, 9500, 9500SH, 9501, 9510, 9510SH, 9550 SN <685955, 9550SH SN <685735, 9600, 9610, 9650 SN <686232, 9650CTS SN <685522

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# GRAIN HANDLING SHAFTS, SPROCKETS, PULLEY

JOHN DEERE

**A-H170967** Shaft, Clean Grain Elevator Gearcase 2.54 Lbs.
Use w/ DE19111 Gear Case



***Dim/Info:***
9.67" long

**A-JD7689** Bearing, Inner 0.80 Lbs.

**A-JD7681** Bearing, Outer (w/ DE19111 assembly) 0.45 Lbs.

***For Models:*** 9560, 9560SH, 9560STS, 9570STS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, (CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9600, 9610 ALL Use w/ DE19111), 9450 SN 685203> Use w/ DE19111, 9550 SN 685956> Use w/ DE19111, 9550SH SN 685736> Use w/ DE19111, 9650 SN 686232> Use w/ DE19111, 9650CTS SN 685523> Use w/ DE19111

**A-H215085** Shaft, Auger, Lower, Vertical Gear Case 5.00 Lbs.
***Replaces:*** H96169



***Dim/Info:***
9.26" long
13 teeth spline

**A-AH96585** Bearing, Upper/ Lower 1.06 Lbs.

***Dim/Info:***
Inside Diameter - 1.531"
Outside Diameter - 3.150"
Outer Ring Width - 0.827"

***For Models:*** (CTS II, 6620, 6622, 7720, 7721, 8820, 9410, 9500, 9500SH, 9501, 9510, 9510SH, 9610 ALL Late SN), CTS, 9400, 9410, 9450, 9500, 9510, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS


**A-AH90963** Assy, Shaft Seal 0.15 Lbs.
***Replaces:*** AH90963



***Dim/Info:***
Type - 2000E
Inside Diameter - 1.680"
Outside Diameter - 3.158"
Width - .28"

***For Models:*** C670, CTS, CTS II, S550 STS SN 745100-764999, S650 SN 765000-, (S670 HILLMASTER, S680 HILLMASTER, S690 HILLMASTER ALL SN -765000), (S660, S670 STS ALL SN 745100-), T550, T560, T660, T670, W540, W550, W650, W660, 6620, 6622, 7720, 7721, 8820, 9400, 9410, 9450, 9500, 9500 SIDEHILL, 9501, 9510, 9510 SIDEHILL, (9540I WTS, 9560I WTS, 9580I WTS ALL SN 080016-), 9550, 9550 SIDEHILL, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660I WTS, 9660STS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9750STS, 9760STS, 9770STS, (9780CTS, 9780I CTS ALL SN 072800-), 9860STS, 9870STS

**A-H129653** Shaft, Vertical Auger Gear Case Drive 14.34 Lbs.



***Dim/Info:***
17.56" long

**A-88128R-I** Bearing, RH/LH 1.30 Lbs.

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-JD8524** Ball Bearing 1.30 Lbs.
***Replaces:*** 72161731, 158363A



***Dim/Info:***
Inside Diameter - 1-17/32"
Outside Diameter - 3-9/64"

***For Models:*** CTS, CTS II, 6620, 6622, 7720, 7721, 8820, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS


**A-AE42998** Bearing, Tapered Roller Kit, Clean Grain Gearbox 0.93 Lbs.



***Dim/Info:***
Includes - 1 inner ring, 1 outer ring, 2 tapered cup & 2 tapered cone

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500 SIDEHILL, 9510, 9510 SIDEHILL, 9550, 9550 SIDEHILL, 9560, 9560 SIDEHILL, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS


**A-H96294** Gear, Bevel; Vertical Loading Auger 6.00 Lbs.



***Dim/Info:***
Inside Diameter - 1.1531
Teeth - 23

***For Models:*** CTS, CTS II, 6620, 6622, 7720, 7721, 8820, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-H86912** Gear, Loading Auger 1.80 Lbs.



***Dim/Info:***
Inside Diameter - 1.002"
Teeth - 17
minimum order qty 2

***For Models:*** 4400, 4420, 6600, 6620, 6622, 7700, 7701, 7720, 7721, 8820


**A-AH162230** Gear Kit, Loading Auger 16.28 Lbs.



***Dim/Info:***
46 teeth
53 teeth
Includes - GEAR # H135286 & H135287

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-AH125070** Sprocket, Grain Tank Cross Auger 13.58 Lbs.
REGULAR SPEED



***Dim/Info:***
Chain: 60
Teeth: 49
Bore Dia: 1.381"
Overall Length: 1.575"

***For Models:*** (CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS ALL 49-TOOTH REGULAR)


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-AH140001** Sprocket Assy, Grain Tank Cross Auger 21.16 Lbs.
SLOW SPEED



***Dim/Info:***
Chain: 60
Teeth: 60
Bore Dia: 1.381"
Overall Length: 1.575"

***For Models:*** (CTS, CTS II, 9560STS ALL 60-TOOTH, REAR), (9400, 9410, 9450, 9500, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9750STS ALL 60-TOOTH, REAR, SLOW DOWN), (9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9880 STS ALL 60-TOOTH), (9500, 9500SH, 9501 ALL 60-TOOTH, SLOW DOWN), (9510, 9510SH ALL SN 643458> REAR SPROCKET ONLY)

**A-AXE10322** Bearing, Ball 0.30 Lbs.

***For Models:*** S660 SN 745100-, S670 HILLMASTER SN -765000, S670 STS SN 745100-, S680 HILLMASTER SN -765000, S680 STS SN 745100-, S690 HILLMASTER SN 745101 - 765000, S690 STS SN 745100-

**A-H103265** Flange, Grain Tank Unloading Auger 0.33 Lbs.
72MM
***Replaces:*** H103265



***Dim/Info:***
Bolt Circle - 3.937"
Inside Diameter - 2.83"

***For Models:*** CTS SN: 670636 >, CTS II SN: 675000 >, 9400 SN: 670262 >, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600 SN: 671991 >, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 90 SERIES, 900 SERIES

**A-JD7689** Ball Bearing, Grain Tank Loading Gearbox 0.80 Lbs.



***Dim/Info:***
1.181" ID
2.835" OD
0.748" width

***For Models:*** 4400, 4420, 6600, 6620, 6622, 7700, 7701, 7720, 7721, 8820, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, CTS, CTS II


**A-JD7681** Ball Bearing, Grain Tank Loading Gearbox 0.45 Lbs.
Use with DE19271



***Dim/Info:***
1.181" ID
2.441" OD
0.630" width

***For Models:*** CTS, CTS II, 4400, 4420, 6600, 6620, 6622, 7700, 7701, 7720, 7721, 8820, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-H91334** Sprocket, Clean Grain Auger, Lower 2.38 Lbs.



***Dim/Info:***
8 Teeth
1.250" Bore

***For Models:*** 6600 SN 206201->, 6601 SN 211801->, 6620, 6622, 7700 SN 13301->, 7701, 7720, 7721, 8820 Upper Clean Grain SN 464351> & All SN Lower Clean Grain

**A-H63577** Sprocket, Clean Grain Elevator, Upper 2.10 Lbs.



***Dim/Info:***
7 teeth
1.005" bore

***For Models:*** (3300, 4400, 4420 ALL Upper Clean Grain Elevator)

**A-H63578** Sprocket, Clean Grain/ Return Grain Elevator 1.61 Lbs.



***Dim/Info:***
7 teeth
1.00" bore

***For Models:*** (3300, 4400, 4420 ALL Lower Clean Grain & Upper & Lower Return Grain Elevators), (6601, 6602 ALL Upper & Lower Return Grain Elevators), 7701 Upper & Lower Return Grain Elevator, 6600 SN 3701> Upper & Lower Return Grain Elevators, (6622, 7721 ALL Upper Return Grain Elevator), 6620 SN <610300 Upper Return Grain Elevator, 7700 SN 2801> Upper Return Grain Elevator, 7720 SN <610500 Upper Return Grain Elevator

**A-H133143** Sprocket, Clean Grain Elevator, Lower 2.93 Lbs.



***Dim/Info:***
Bore - 35 mm
Teeth - 8
Bore Type - Round

***For Models:*** S550, S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S760, S770, S780, S785, S790, 9500SH, 9501, 9570STS, 9600, 9670STS, 9770STS, 9870STS, (CTS, CTS II, 9400, 9410, 9450, 9500, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS ALL Lower Clean Grain Elevator), (9560STS, 9650STS, 9660STS, 9750STS, 9760STS, 9860STS ALL Lower Clean Grain & Return Elevator)

**A-H164796** Sprocket, Clean Grain Elevator, Upper 3.55 Lbs.



***Dim/Info:***
Bore - 30 mm
Teeth - 8
Bore Type - Round


***For Models:*** S650, S660, S670, S680, S680 HILLMASTER, S690, S690 HILLMASTER, S760, S770, S780, S785, S790, 9450, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9860STS

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# GRAIN HANDLING SHAFTS, SPROCKETS, PULLEY


**A-H228383** Sprocket, Clean Grain Elevator, Lower 4.80 Lbs.



***Dim/Info:***
10 Tooth
5.840" O.D.
1.779" I.D.

***For Models:*** S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S690 STS, 9770STS, 9870STS

**A-H228385** Sprocket, Clean Grain Elevator, Heavy Duty 6.00 Lbs.



***Dim/Info:***
10 Tooth
5.840" O.D.
1.387" I.D.

***For Models:*** S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, (9770STS, 9870STS ALL HEAVY DUTY)

**A-H108576** Sprocket, Clean Grain/ Return Grain Elevator 2.33 Lbs.



***Dim/Info:***
8 teeth
1.000" Bore

***For Models:*** 7701 , 6600 SN3701> Upper Clean Grain Elevator, (6601, 6602, 6622 ALL Upper & Lower Clean Grain Elevators), 6620 Upper & Lower Return Grain SN 610301> & Upper Clean Grain, 7700 SN2801> Upper Clean Grain Elevator, 7720 Upper & Lower Return Grain SN 610501> & Upper Clean Grain, 7721 Upper Clean Grain Elevator, 8820 SN<464350 Upper Clean Grain & Upper & Lower Return Grain

**A-H177988** Sprocket, Elevator 3.01 Lbs.



***Dim/Info:***
Bore - 30 mm
Teeth - 8
Bore Type - Round

***For Models:*** (CTS, CTS II, 9400, 9410, 9500, 9500SH, 9510, 9510SH, 9600, 9610 ALL Upper Clean Grain Elevator), (9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS ALL Upper Return Elevator)


**A-H99472** Sprocket, Return Elevator, Lower 1.80 Lbs.



***Dim/Info:***
7 teeth
1.250" Bore

***For Models:*** 6620 SN <610300, 6622, 7720 SN <610500, 7721

**A-H134603** Sprocket, Return Grain Elevator 2.18 Lbs.



***Dim/Info:***
8 teeth
1.000" Hex Bore

***For Models:*** (CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS ALL Upper & Lower Return Grain Elevator)

**A-Z10997** Sprocket, Elevator 4.00 Lbs.


***Replaces:*** Z10032Z



***Dim/Info:***
8 Teeth
25 MM Bore

***For Models:*** 925, 932, 935, 942, 945, 950, 955, 960, 965, 965H, 968H, 970, 975, 975HY4, 985, 985HY4, 1032, 1042, 1052, 1055, 1065, 1068H, 1072, 1133, 1144, 1155, 1157, 1158, (1188, 1188H4 ALL SN <050445), 4425 SN <049592 Tailing Auger Drive Idler, (430, 630, 730 ALL Lower Clean Grain Elevator), (1075, 1075H4, 1085, 1085H4 ALL Upper/Lower Clean Grain & Return Elevator)


**A-Z11210** Sprocket, Return Elevator, Lower 3.00 Lbs.



***Dim/Info:***
8 Teeth
30 MM Bore

***For Models:*** 1065, 1068H, 1072, 1075, 1075H4, 1085, 1085H4, 4425, 4435, (965, 965H, 975 ALL SN <017017), (1188, 1188H4 ALL SN <050445)

**A-H97574** Hub, Shaft & Tightener, Lower Tailings Auger 4.35 Lbs.




***Dim/Info:***
Dia: 6.56"
Bore Dia: 1.129"

***For Models:*** CTS, CTS II, 6620, 6622, 7720, 7721, 8820, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-H85015** Hub, Slip Clutch, Lower Tailings Auger 1.44 Lbs.


***Replaces:*** H78890



***Dim/Info:***
1.130" ID

***For Models:*** CTS, CTS II, 3300, 4400, 4420, 6600, 6601, 6620, 6622, 7700, 7720, 7721, 8820, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-H134760** Hub, Sheave; Clean Grain Elevator, Upper 2.40 Lbs.



***Dim/Info:***
1.182" ID

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9600, 9610, 9650, 9650CTS, 9650STS, 9750STS

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com


**A-AH146352** Sprocket, Vertical Auger Lower Gear Case 10.62 Lbs.
Slow Speed (Rice Only)



***Dim/Info:***
Chain: 60
Teeth: 40
Bore Dia: 1.502"
Overall Length: 2.677"

***For Models:*** (CTS II, 9400, 9410, 9450, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS, 9660STS, 9760STS ALL Slow Speed, 40 tooth), CTS SN 660433> Slow Speed, 40 tooth, (9500, 9500SH ALL SN 661186> Slow Speed, 40 tooth), 9650STS SN <692272 Slow Speed, 40 tooth, 9750STS SN <691544 Slow Speed, 40 tooth, (9780CTS, 9780HM CTS ALL SN 071443-072697), (9670STS, 9770STS, 9860STS, 9870STS ALL 40 tooth)


**A-AH125080** Sprocket, Vertical Auger Lower Gear Case 13.39 Lbs.



***Dim/Info:***
Chain: 60
Teeth: 46
Bore Dia: 1.502"
Overall Length: 2.677"

***For Models:*** (CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS ALL Regular Speed)


**A-H171061** Bushing, Clean Grain Elevator 0.03 Lbs.



***Dim/Info:***
Inside Diameter - 1.005"
Outside Diameter - 1.128"
Width - 1.000"

***For Models:*** CTS, CTS II, 6620, 6622, 7720, 7721, 8820, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-AH164349-WP** Wear Plate; Mass Flow Sensor Bracket 0.60 Lbs.
Includes Hardware.



***Dim/Info:***
This is the poly wear plate only. You will need to re-use the existing bracket and install new wear plate to it.

***For Models:*** C670, CTS, S560, S690, S690 HILLMASTER, T550, T560, T660, T670, W540, W550, W650, W660, 9450, 9470STS, 9540I WTS, 9540WTS, 9550, 9550SH, 9560, 9560I STS, 9560I WTS, 9560SH, 9560STS, 9560WTS, 9570STS, 9580I WTS, 9580WTS, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660I WTS, 9660STS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9750STS, 9760STS, 9770STS, 9780CTS, 9780I CTS, 9860STS, 9870STS, 9880I STS, 9880 STS

**A-AH97031** Idler, Flat 3.50 Lbs.



***Dim/Info:***
EFFECTIVE DIA: 7.992"
GROOVE WIDTH: 1.000"
TOTAL WIDTH: 1.437"
BORE DIA: .637"

***For Models:*** S660 SN 745100-, C670 , S550 STS SN 745100-764999, S650 SN 765000-, S670 HILLMASTER , S670 STS SN 745100-, S680 HILLMASTER , S680 STS SN 745100-, S685 HILLMASTER, S690 HILLMASTER, S690 STS, T550, T560, T660, T670, W540, W550, W650, W660

**A-AN15237** Assy, Idler 2.20 Lbs.



***Dim/Info:***
7 15/16" Dia.

***For Models:*** C670, CTS, CTS II, S650, T550, T560, T660, T670, W540, W550, W650, W660, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750, 9750STS, 9760STS, 9770STS, 9860STS


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# AUGER RELATED PARTS




**A-H137916** Shim, Clean Grain Loading Auger 0.01 Lbs.



***Dim/Info:***
Bolt Circle - 3.562"
Thickness - .029"

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-H36155** Shim 0.05 Lbs.



***Dim/Info:***
Inside Diameter - 2.25"
Outside Diameter - 3.73"
Width - .028"

***For Models:*** C670, CTS, CTS II, T550, T560, T660, T670, W540, W550, W650, W660, 3300 SN -100000, 4400 SN -101300, 4420, 6600 SN -105800, 6601, 6602 HILLSIDE SN -111600, 7700 SN -111900, 7701, 9400, 9410, 9450, 9500, 9500 SIDEHILL, 9510, 9510 SIDEHILL, (9540I WTS, 9560I WTS, 9580I WTS ALL SN 080016-), 9550, 9550 SIDEHILL, 9560, 9560SH, 9600, 9610, 9640I WTS, 9640WTS, 9650, 9650CTS, 9660, 9660CTS, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS, (9780CTS, 9780I CTS ALL SN 072800-)


**A-H216268** Coupling, Horizontal Unloading Auger 3.10 Lbs.
Used With AH211828 Unloading Auger.



***Dim/Info:***
Inside Diameter - 1.265" Hex

***For Models:*** 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS


**A-H116292** Splined Coupling, Unloading Auger 2.65 Lbs.



***Dim/Info:***
2.683" OD
19 Spline

***For Models:*** 6620 SN <610300, 6622 SN <610400, 7720 SN <610500, 7721 SN <610600, 8820 SN <610700, CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9600, 9610, 9650, 9650CTS, 9650STS, 9660CTS, 9660STS, 9750STS, 9760STS

**A-AH112452** Auger End 2.48 Lbs.



***Dim/Info:***
2.683" OD
19 Spline

***For Models:*** 6620 SN <-610300, 6622 SN <610400, 7720 SN <-610500, 8820 SN <-610700


**A-AH123930** Auger Tube, "Donut" 4.58 Lbs.
Used at bottom end of vertical auger.



***Dim/Info:***
4.275" OD
13 Spline

***For Models:*** 6620, 6622, 7720, 7721, 8820

**A-H128861** Auger Tube, "Donut" 5.58 Lbs.
Used at top of vertical auger and at drive end of horizontal auger.



***Dim/Info:***
4.275" OD
19 Spline

***For Models:*** CTS, CTS II, 6620, 6622, 7720, 7721, 8820, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS


**A-AH122717** Auger End Gungeon 4.12 Lbs.



***Dim/Info:***
3.295" OD
19 Spline

***For Models:*** 6620, 6622 SN 610401>, 8820 SN 610701>, 9400, 9410, 9450, 9500, 9510, 9510SH, 9550, 9550SH, 9560STS, 9570STS, 9610, 9650, 9650CTS, 9650STS, 9660STS, 9750STS, 9760STS, 7720 SN 610501> 14' ONLY, (9400, 9410, 9500, 9500 SIDEHILL, 9501, 9510, 9510 SIDEHILL ALL (14' ONLY) FOR AUGER REPAIR ONLY), (9550, 9550 SIDEHILL ALL 14'), 9600 SN 671333> (17' & 20'), (CTS, CTS II ALL 17' & 20')


**A-AH131234** Trough, Front Auger, Shoe Grain Supply 158.00 Lbs.



***Dim/Info:***
Heavy Duty 16 Gauge Steel

***For Models:*** 6620, 6622

**A-AH131235** Trough, Front Auger, Shoe Grain Supply 190.00 Lbs.



***Dim/Info:***
Heavy Duty 16 Gauge Steel

***For Models:*** 7720, 7721

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-AH131236** Trough, Front Auger, Shoe Grain Supply 211.00 Lbs.

***Replaces:*** AH96506, AH113234




***Dim/Info:***
Heavy Duty 16 Gauge Steel

***For Models:*** 8820

**A-AH146655** Trough, Front Auger, Shoe Grain Supply 140.00 Lbs.


***Replaces:*** AH130123



***Dim/Info:***
Heavy Duty 16 Gauge Steel

***For Models:*** CTS SN 665401>, CTS II , 9400 SN: 665101>, 9410, 9450, 9500, 9500SH SN: 665201>, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9660CTS


**A-AH146564** Trough, Front Auger, Shoe Grain Supply 154.00 Lbs.



***Dim/Info:***
Heavy Duty 16 Gauge Steel

***For Models:*** 9600 SN 665301>, 9610, 9650, 9660


**A-H84838** Wood Blocks, Auger 0.70 Lbs.



***Dim/Info:***
Includes - Hardware

***For Models:*** 3300 SN 4501>, 4400 SN 9501>, 4420, 6600 SN 11501>, 6601 SN 4501>, 6602 SN 1501>, 6620, 6622, 7700 SN 8001>, 7701, 7720, 7721, 8820


**A-H142188** Wood Blocks, Auger 0.50 Lbs.



***Dim/Info:***
Includes - Hardware


***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-H217909** Retainer, Turret; Lubeless, Unloading Auger 3.70 Lbs.



***For Models:*** 9670STS, 9770STS, 9860STS SN 720689>, 9870STS

**A-N72989** Bushing, Gear Case, Upper, Unloading Auger 0.25 Lbs.




***Dim/Info:***
Inside Diameter - 1.260"
Outside Diameter - 1.625"
Width - 1.130"

***For Models:*** CTS, CTS II, 6620, 6622, 7720, 7721, 8820, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-AH101599** Tube, Unloading Auger, Long, 136" 100.00 Lbs.

Solid, Not Perforated




***For Models:*** 4420

**A-AH99414** Tube, Unloading Auger, 144" 112.00 Lbs.

solid, Not Perforated

***Replaces:*** AH87101, AH96513




***For Models:*** 6600, 6602, 7700

**A-AH145050** Tube, Unloading Auger 275.00 Lbs.

solid, not perforated

***Replaces:*** AH112865




***Dim/Info:***
180" Long

***For Models:*** 8820 SN 600001-> used w/ 20' auger, (CTS, CTS II, 6620, 7720, 7721, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9600, 9610, 9650, 9650CTS, 9650STS, 9750STS ALL 20' (SOLID))

**A-AH145049** Tube, Unloading Auger 216.00 Lbs.

***Replaces:*** AH129066, AH140334




***Dim/Info:***
144" long

***For Models:*** (CTS, CTS II, 6620, 6622, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9600, 9610, 9650, 9650CTS, 9650STS, 9750STS ALL 17' (SOLID)

**A-AH210023** Tube, Unloading Auger 312.00 Lbs.

21.5', RIGID



***Dim/Info:***
180.250" Length


***For Models:*** (9560, 9560SH, 9560STS, 9570STS, 9660, 9660CTS, 9660STS, 9670STS, 9760STS, 9770STS ALL 21.5' (RIGID))

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# AUGER RELATED PARTS

**A-AH203020** Tube; Unloading Auger, 22.5 Ft., Solid 536.00 Lbs.



***Dim/Info:***
Long - 184.00”

***For Models:*** S660 SN 745100-765171, S670 STS SN 745100-765252, S680 STS SN 745100-766006, S690 STS SN 745100-765249, 9660STS, 9760STS, 9860STS, 9670STS, 9770STS, 9870STS

**A-AXE47450** Tube, Outer Unloading Auger 254.00 Lbs.

For 26’ Unloading Auger
***Replaces:*** AXE29044



***Dim/Info:***
Length - 112.235”

***For Models:*** S660, S670, S680, S685, S690

**A-AXE47451** Tube, Outer Unloading Auger 288.00 Lbs.


For 26’ Or 28.5’ Unloading Auger.
***Replaces:*** AXE41983



***Dim/Info:***
Length - 93.386”


***For Models:*** S660, S670, S680, S685, S690

**A-H137227** Ring, Elbow, Unloading Auger 38.00 Lbs.



***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550 SN -695200, 9550SH SN-695700, 9600, 9610, 9650 SN- 695300, 9650CTS SN - 695400


**A-H150926** Eyebolt, Swing, Unloading Auger 0.50 Lbs.



***Dim/Info:***
3/4”-16 UNF RH Thread
3.810” Long

***For Models:*** CTS SN 650401>, CTS II , 9400 SN 650101>, 9410, 9450, (9500, 9500SH ALL SN 650201>), 9510, 9510SH, 9550, 9550SH, 9600 SN 650301>, 9610, 9650, 9650CTS

**A-H179062** Eyebolt, Swing Cylinder, Unloading Auger 0.50 Lbs.
Use W/ AH176383 Cylinder



***Dim/Info:***
M18 X 1.5 RH Thread
3.810” Long

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660STS, 9750STS, 9760STS, 9860STS

**A-AHC16965** Kit; Hydraulic Cylinder Bore Seal 0.05 Lbs.



***Dim/Info:***
Bore - 1.969”

***For Models:*** (S660, S670, S680, S690, S760, S770, S780, S785, S790, 9470STS, 9560STS, 9670STS, 9750STS, 9770STS, 9860STS ALL Unloading Auger Swing Cylinder)

**A-H130137** Housing, Vertical Unloader Gear Case 74.90 Lbs.



***For Models:*** C670, CTS, CTS II, S540, S550 STS, S560, S650, S660, S670, S670 HILLMASTER, S670 STS, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, T550, T560, T660, T670, W540, W550, W650, W660, 9400, 9410, 9450, 9470STS, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560I STS, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9780CTS, 9860STS, 9870STS, 9880 STS, 9880I STS

**A-H135232** Shaft, Auger, Lower, Horizontal Gearcase 10.75 Lbs.




***Dim/Info:***
14” Long

**A-88128R-I** Bearing, RH/LH 1.30 Lbs.

***For Models:*** 6620, 6622, 7720, 7721, 8820

A-CE18278 Shaft-Pinion, Drive Gear Case, Horizontal Unloading Auger 2.82 Lbs.




***Dim/Info:***
17 Teeth
19 Spline
5.73” Long

**A-AH94661** Bearing 0.90 Lbs.

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9540, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9640, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS

**A-CE18776** Shaft-Pinion, Drive Gear Case, Horizontal Unloading Auger 4.92 Lbs.


High Unloading Rate Application



***Dim/Info:***
17 Teeth
25 Spline
6.06” Long

***For Models:*** 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-H149869** Bevel Gear, Unloading Auger 2.62 Lbs.
(2) used in angle gear box at top unloading auger
***Replaces:*** H96148



***Dim/Info:***
18 Teeth
19 spline
5.50” long

**A-AH94661** Bearing (6620, 6622, 7720, 7721, 8820) 0.90 Lbs.

***For Models:*** CTS, CTS II, 6620, 6622, 7720, 7721, 8820, 9400, 9410, 9500, 9500SH, 9510, 9510SH, 9600, 9610

Truck icon indicates that the item is shipped via truck freight.

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

**A-C10519** Seal 0.01 Lbs.



***Dim/Info:***
Single Lip / Garter Spring Type
Inside Diameter - 1.250"
Outside Diameter - 1.629"
minimum order qty 2

***For Models:*** 3300, 4400, 4420, 6600, 6602, 7700, 7701

**A-AH98118** Seal 0.04 Lbs.

***Dim/Info:***
Single Lip
Inside Diameter - 1.750:
Outside Diameter - 2.378"
Width - .250"
minimum order qty 2

***For Models:*** (6620, 6622, 7720, 7721, 8820, 9400, 9410, 9450, 9470STS, 9500, 9500SH, 9501, 9510, 9510SH, 9540I WTS, 9540WTS, 9550, 9550SH, 9560, 9560I STS, 9560I WTS, 9560SH, 9560STS, 9560WTS, 9570STS, 9580I WTS, 9600, 9610, 9640WTS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9660WTS, 9670STS, 9680I WTS, 9750STS, 9760STS, 9770STS, 9780CTS, 9780I CTS, 9880 STS, C670, CTS, CTS II, S540, S550 STS, S560, S650, S660, S670 HILLMASTER, S670 STS, S685, T550, T560, T660, T670, W540, W550, W650, W660 ALL Horizontal Unloading Auger Gear Case)

**A-H77433** Spring, Compression 0.55 Lbs.



***Dim/Info:***
minimum order qty 2

***For Models:*** 4400 SN -6500, 6600 SN -7500, 6602 HILLSIDE SN -1000, 7700, 7722 HILLSIDE, 200, 213, 215, 216, 218, 218D, 220, 222, 224, 230, (312, 314, 316 ALL 12', 14',16'), (319, 323 ALL 19', 23'), 825 , 900 SERIES 1988-1996/SN 625301-685400, 900F, 900R 2000-2002/SN 685401-, 914P, 918D, 920D

**A-H164212** Jackshaft, Unloader Drive 5.40 Lbs.




***Dim/Info:***
14.38" Long

**A-JD39104** Ball Bearing 1.38 Lbs.
Includes AH133191 Lock Collar

***For Models:*** 9450, 9550, 9550SH, 9560, 9560SH, 9650, 9650CTS, 9660, 9660CTS

**A-H219352** Jackshaft, Unloader Drive 9.40 Lbs.




***Dim/Info:***
22.12" Long

**A-JD39104** Ball Bearing 1.38 Lbs.
Includes AH133191 Lock Collar

***For Models:*** 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS


**A-AH106096** Pulley, Countershaft Drive, Unloading Auger 9.89 Lbs.



***Dim/Info:***
Effective Dia: 17.500"
Groove Width: .895"
Bore Dia: 4.504"


***For Models:*** (CTS, CTS II, 9400, 9410, 9500, 9500 SIDEHILL, 9500SH, 9501, 9510, 9510 SIDEHILL, 9510SH, 9600, 9610 ALL GRAIN TANK AND UNLOADING TANK DRIVE)

**A-H215595** Hub, Pulley; Unloader Drive 9.50 Lbs.



***For Models:*** 9560STS, 9650STS, 9660STS, 9750STS, 9760STS, 9860STS

**A-H223290** Hub Pulley, Unloader Drive 8.45 Lbs.



***For Models:*** 9570STS, 9670STS, 9770STS, 9870STS


**A-H135423** Hub-Sheave, Auger Drive 8.04 Lbs.



***Dim/Info:***
Dia: 7.29 O.D.
Bore Dia: 0.985"

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-AH155812** Hub Assembly, Sheave, Unloading Auger Countershaft Drive w/ Bushing 1.10 Lbs.



***Dim/Info:***
6.49" O.D.
1.534" bore

***For Models:*** 9450, 9550, 9550SH, 9560, 9560STS, 9560SH, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9750STS, 9760STS, 9860STS

**A-AH221973** Door, Dribble; Unloading Auger, High Unload Rate 1.96 Lbs.
***Replaces:*** AH210539



***For Models:*** S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S760, S770, S780, S785, S790, 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880 HILLMASTER, 9880I STS, 9880 STS

Truck icon indicates that the item is shipped via truck freight.

# AUGER RELATED PARTS

**A-AH167433** Clean Out Spout 6.00 Lbs.

Provide easy access to the clean out housing at bottom of vertical unloading augers. The large reservoir allows unwanted material and moisture to clear. Slide out door makes removal of trash quick and easy.



***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS


**A-H136186** Driver, Loading Auger 2.35 Lbs.



***Dim/Info:***
Inside Diameter - 1.067"

***For Models:*** CTS II, S550 STS SN 745100-764999, S650 SN 765000-, (S660, S670 STS ALL SN 745100-), (9400, 9500, 9500 SIDEHILL ALL SN 660201-), 9410, 9450, 9510, 9510 SIDEHILL, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9601, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS


**A-AH88982** Tube, Loading Auger 28.22 Lbs.



***Dim/Info:***
59.75" long

***For Models:*** 6620, 6622, 7700 SN 163901->, 7701

**A-AH98300** Tube, Loading Auger 23.40 Lbs.



***Dim/Info:***
62.625" long

***For Models:*** 7720, 7721, 8820

**A-TLJDE9650** Tube, Grain Tank Loading, 12" Extension 19.00 Lbs.



***Dim/Info:***
12" Extension

***For Models:*** 9450, 9550, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9750STS, 9760STS, 9860STS

**A-AH219094** Tube; Loading Auger 125.00 Lbs.

Made of Hot Rolled Steel
***Replaces:*** AH211158, AH149782



***For Models:*** 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9860STS

**A-AH219093** Tube; Loading Auger, Stainless Steel 134.00 Lbs.

***Replaces:*** AH211161, AH163021


***For Models:*** S650 SN 765000-, (S660, S670 STS ALL SN 745100-), 9660STS, 9670STS, 9760STS, 9860STS SN 720714- North American, 9870STS

**A-AH219095** Tube Assy, Loading Auger, Narrow 135.00 Lbs.



***For Models:*** 9560STS, 9570STS, S550 STS SN 745100-764999, S650 SN 765000-


**A-AH205897-EK** Kit, Clean Grain Auger & Tube Extension; 12"102.00 Lbs.




***Dim/Info:***
Auger: 67.000"
Tube: 12.000" Extension Tube

***For Models:*** 9450, 9550, 9550SH, 9560, 9560SH, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9750STS, 9760STS, 9860STS


**A-AH135444** Housing, Loading Auger 17.00 Lbs.



***Dim/Info:***
8.5" Auger
Length - 22.125"

***For Models:*** 9400 SN 640101>, Regular, (9500, 9500SH ALL SN 640201>, Regular & Folding), 9501 SN 640401>, (CTS, CTS II, 9410, 9510, 9510 SIDEHILL, 9510SH ALL Regular)


**A-AH131907** Housing, Loading Auger 28.00 Lbs.



***Dim/Info:***
9.50" Auger
Length - 29.375"

***For Models:*** 9600 SN <640300

**A-AH135563** Housing, Bin Loading Auger 29.00 Lbs.
REGULAR STEEL



***Dim/Info:***
28.125" long
9.250" Auger

***For Models:*** 9600 SN 640301 >, Regular, 9610 Regular

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.




P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-AH207779** Kit, Charge Housing Repair 4.00 Lbs.
Stops grain loss through holes under unloading auger charge housing.




***Dim/Info:***
Stainless Steel

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9750STS

**A-AH235411** Housing, Upper Clean Grain Auger 150.00 Lbs.

REGULAR STEEL VERSION
***Replaces:*** AH135431, AH149183, AH211159




***For Models:*** CTS, CTS II, 9400 SN 640101>, 9410, 9500 SN 640201>, 9500SH SN: 640201 >, 9510, 9510SH

**A-H128265** Slip Clutch 0.73 Lbs.




***For Models:*** CTS, CTS II, S550 STS, S660, S670 HILLMASTER, S670 STS, S680 HILLMASTER, S680 STS, S690 HILLMASTER, S690 STS, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-Z699H** Tooth Ring; Slip Clutch 0.75 Lbs.



***For Models:*** 925, 932, 935, 942, 945, 950, 955, 960, 970, 1032, 1042, 1052, 1055, 1065, 1072, 1075, 1085, 1133, 1144, 1155, 1157, 1158, 3300, 4400, 4420, 6600, 6601, 6602, 6620, 6622, 7700, 7701, 7720, 7721, 7722 HILLSIDE, 8820

**A-H96149** Spacer, Shaft; Vertical Auger Lower Gear Case 1.00 Lbs.




***Dim/Info:***
1.562" ID
2.04" long

***For Models:*** CTS, CTS II, 6620, 6622, 7720, 7721, 8820, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-AH201865** Trough, Tailings Floor 25.00 Lbs.
***Replaces:*** AH149399

***For Models:*** 9650STS, 9750STS


**A-AH168093** Liner, Grain Tank Auger Trough; Stainless Steel 20.00 Lbs.
2 Required



***Dim/Info:***
14 Ga. Stainless Steel
Hardware Not Included
Holes NOT Pre-Drilled.
Overall Length - 69.954"
Overall Width - 13.431"

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-AH202864** Liner, Grain Tank Auger Trough; Stainless Steel 23.00 Lbs.



***For Models:*** 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS

**A-P44439** Flange, Bearing; Half 0.10 Lbs.

***For Models:*** 3300, 4400, 4420, 6600, 6601, 6602 HILLSIDE, 6620, 6622, 7700, 7701, 7720, 7721, 8820

**A-H150269** Keystock; 8MM X 7MM X 12.000" 0.30 Lbs.
Keystock Will Need To Be Cut To Size.




***Dim/Info:***
Length - 12.000"
Width - 8MM (.315")
Height - 7MM (.276")

***For Models:*** S560, S690, S690 HILLMASTER, 9560I STS, 9560STS, 9570STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9880I STS, 9880 STS











*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# AUGER RELATED PARTS





## 100 SERIES COMBINES

| Ref. | Description<br>Part No. | Dimensions | | | | |
|---|---|---|---|---|---|---|
| 1 | **Auger, Tailings, Lower**<br>A-AH76092 | A- 82.937" | B- 1.00" | 4.500" LH Flighting | |  |
| *For Models 7700, 7701* | | | | | | |
| 1 | **Auger, Tailings, Lower**<br>A-AH76130 | A- 66.500" | B- 1.00" | 4.500" LH Flighting | |  |
| *For Models 4400* | | | | | | |
| 2 | **Auger, Tailings, Upper**<br>A-AH76573 | A- 34.125" | B- 0.875" | 4.00" RH Flighting | |  |
| *For Models 3300, 4400* | | | | | | |
| 2 | **Auger, Tailings, Upper**<br>A-AH75435<br>**Bearing, LH**<br>A-JD8562<br>Includes JD8563 Lock Collar | A- 69.00" | B- 0.875" | 4.750" RH Flighting | |  |
| *For Models 6600, 6601, 6602* | | | | | | |
| 2 | **Auger, Tailings, Upper**<br>A-AH75436<br>**Bearing, LH**<br>A-AH214862<br>Includes JD8554 Lock Collar | A- 79.875" | B- 0.875" | 4.750" RH Flighting | |  |
| *For Models 7700, 7701* | | | | | | |
| 4 | **Auger, Loading, Tank**<br>A-AH90624 | A- 66.500" | B- 1.312" | C- 1.000" | 6.750" LH Flighting |  |
| *For Models 6600 SN 156501->* | | | | | | |
| 4 | **Auger, Loading, Tank**<br>A-AH127728<br>**Bearing, Upper**<br>A-AH214862 | A- 71.875" | B- 1.687" | C- 1.000" | 6.750" LH Flighting |  |
| *For Models 7700 SN 163901->* | | | | | | |
| 5 | **Auger, Unloading**<br>A-AH99394 | A- 144" | B- 1.875" | C- .750" | 10.750" LH flighting |  |
| *For Models 6600, 6601, 6602, 7700* | | | | | | |
| 5 | **Auger, Unloading**<br>A-AH114138 | A- 138.125" | B- 2.875" | C- .750" | 8.750" LH flighting |  |
| *For Models 3300, 4400* | | | | | | |
| 6 | **Auger, Clean Grain, Lower**<br>A-AH91468 | A- 72.250" | B- 1.250" | C- 1.00" | 7.00" RH Flighting |  |
| *For Models 6600, 6601* | | | | | | |







*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.




P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com





## 100 SERIES COMBINES

| Ref. | Description<br>Part No. | Dimensions | | | | | |
|---|---|---|---|---|---|---|---|
| 6 | **Auger, Clean Grain, Lower**<br>A-AH91469 | A- 83.125" | B- 1.250" | C- 1.00" | 6.750" RH Flighting | Right Hand |  |
| *For Models 7700, 7701* | | | | | | | |
| 6 | **Auger, Clean Grain, Lower**<br>A-AH76772 | A- 63.00" | B- 1.00" | 6.00" RH Flighting | | |  |
| *For Models 4400* | | | | | | | |
| 7 | **Auger, Unloading, Inner**<br>A-AH85410 | A- 117.620" | B- 5" | C- 1.250" | 10.00" LH flighting | |  |
| *For Models 7700, 7701* | | | | | | | |
| 7 | **Auger, Unloading, Inner**<br>A-AH76241 | A- 91.190" | B- 5" | C- 1.250" | 8.50" LH flighting | |  |
| *For Models 4400* | | | | | | | |
| 8 | **Auger, Shoe Grain Supply (RH)**<br>A-AH95943<br>**Bearing, Front Shoe Grain Supply Auger**<br>A-AH214862<br>Includes JD8554 Lock Collar | A- 152-3/8" | B- 1-3/4" | C- .998" | D- 4-1/2" RH Flighting | E- 4-1/2" LH Flighting |  |
| *For Models 6600, 6601, 6602, 7700, 7701* | | | | | | | |
| 8 | **Auger, Shoe Grain Supply (LH)**<br>A-AH95944<br>**Bearing, Front Shoe Grain Supply Auger**<br>A-AH214862<br>Includes JD8554 Lock Collar | A- 152-3/8" | B- 1-3/4" | C- 0.998" | 4-1/2" LH Flighting | |  |
| *For Models 6600, 6601, 6602, 7700, 7701* | | | | | | | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# AUGER RELATED PARTS





**20 SERIES COMBINES**









*JOHN DEERE

| Ref. | Description<br>Part No. | Dimensions | | | | | |
|---|---|---|---|---|---|---|---|
| 1 | **Auger, Tailings, Lower**<br>A-AH76130 | A- 66.500" | B- 1.00" | 4.500" LH Flighting | | | |
| *For Models 4420* | | | | | | | |
| 1 | **Auger, Tailings, Lower**<br>A-AH93662<br>**Bearing, LH**<br>A-AH214862<br>Includes JD8554 Lock Collar<br>**Bearing, RH**<br>A-JD8593<br>Includes JD8594 Lock Collar | A- 72.750" | B- 1.125" | C- 1.250" | D- 1.000" | 4.250" LH flighting | |
| *For Models 6620 SN <-610300, 6622 SN <-610400* | | | | | | | |
| 1 | **Auger, Tailings, Lower**<br>A-AH122335<br>**Bearing, RH/ LH**<br>A-JD8593<br>Includes JD8594 Lock Collar | A- 75.250" | B- 1.250" | C- 1.125" | 5.125" LH Flighting | | |
| *For Models 6620 SN 610301->* | | | | | | | |
| 1 | **Auger, Tailings, Lower**<br>A-AH93663 | A- 83.375" | B- 1.125" | C- 1.250" | D- 1.000" | 4.250" LH flighting | |
| *For Models 7720 SN <-610500, 7721 SN <-610600* | | | | | | | |
| 1 | **Auger, Tailings, Lower**<br>A-AH122336 | A- 86.125" | B- 1.250" | C- 1.125" | 5.250" LH Flighting | | |
| *For Models 7720 SN 610501->, 7721 SN 610601->* | | | | | | | |
| 1 | **Auger, Tailings, Lower**<br>A-AH122337 | A- 97.000" | B- 1.125" | C- 1.250" | 5.125" LH Flighting | | |
| *For Models 8820 SN 610701->* | | | | | | | |
| 2 | **Auger, Tailings, Upper**<br>A-AH76573 | A- 34.125" | B- 0.875" | 4.00" RH Flighting | | | |
| *For Models 4420* | | | | | | | |
| 2 | **Auger, Tailings, Upper**<br>A-AH127650<br>**Bearing, LH**<br>A-AH214862<br>Includes JD8554 Lock Collar<br>**Bearing, RH**<br>A-JD8665 | A- 69.562" | B- 1.375" | 5.00" RH Flighting | | | |
| *For Models 6620 SN 610301->* | | | | | | | |
| 2 | **Auger, Tailings, Upper**<br>A-AH75435<br>**Bearing, LH (6622)**<br>A-JD8562<br>Includes JD8563 Lock Collar | A- 69.00" | B- 0.875" | 4.750" RH Flighting | | | |
| *For Models 6620 SN <-610300, 6622* | | | | | | | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.





## 20 SERIES COMBINES

| Ref. | Description<br>Part No. | Dimensions | | | | |
|---|---|---|---|---|---|---|
| 2 | **Auger, Tailings, Upper**<br>A-AH127651 | A- 80.69" | B- 1.00" | 4.75" RH Flighting | |  |
| *For Models 7720 SN 610501>, 7721 SN 610601>* | | | | | | |
| 2 | **Auger, Tailings, Upper**<br>A-AH75436<br>**Bearing, LH S/N 610XXX>**<br>A-AH214862<br>Includes JD8554 Lock Collar<br>**Bearing, LH S/N <610XXX**<br>A-JD8562 | A- 79.875" | B- 0.875" | 4.750" RH Flighting | |  |
| *For Models 7720 SN <-610500, 7721 SN <-610600* | | | | | | |
| 2 | **Auger, Tailings, Upper**<br>A-AH127652<br>**Bearing, LH**<br>A-AH214862<br>Includes JD8554 Lock Collar<br>**Bearing, RH**<br>A-JD8665<br>Includes JD8554 Lock Collar | A- 91.250" | B- 1.375" | C- 1.000" | 4.750" RH Flighting |  |
| *For Models 8820* | | | | | | |
| 4 | **Auger, Loading, Tank**<br>A-AH127728<br>**Bearing, Upper**<br>A-AH214862<br>Includes JD8554 Lock Collar | A- 71.875" | B- 1.687" | C- 1.000" | 6.750" LH Flighting |  |
| *For Models 6620, 6622* | | | | | | |
| 4 | **Auger, Loading, Tank**<br>A-AH127729<br>**Bearing, Upper**<br>A-AH214862<br>Includes JD8554 Lock Collar | A- 75.500" | B- 1.687" | C- 1.000" | 8.00" LH Flighting |  |
| *For Models 7720, 7721* | | | | | | |
| 4 | **Auger, Loading, Tank**<br>A-AH127730<br>**Bearing, Upper**<br>A-AH214862<br>Includes JD8554 Lock Collar | A- 76.812" | B- 1.687" | C- 1.000" | 7.750" LH Flighting |  |
| *For Models 8820* | | | | | | |
| 5 | **Auger, Tank Cross, Front**<br>A-AH98211 | A- 102.00" | B- 2.500" | C- 1.500" | 7.500" LH Flighting |  |
| *For Models 6620, 6622* | | | | | | |
| 5 | **Auger, Tank Cross, Front**<br>A-AH98212 | A- 113.00" | B- 2.500" | C- 1.500" | 7.500" LH Flighting |  |
| *For Models 7720, 7721* | | | | | | |










*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# AUGER RELATED PARTS




**20 SERIES COMBINES**


*JOHN DEERE

| Ref. | Description<br>Part No. | Dimensions | | | | |
|---|---|---|---|---|---|---|
| 5 | **Auger, Tank Cross, Front**<br>A-AH107393 | A- 124.00" | B- 2.500" | C- 1.500" | 7.500" LH Flighting |  |
| | *For Models 8820* | | | | | |
| 6 | **Auger, Tank Cross, Rear**<br>A-AH103727 | A- 89.562" | B- 2.500" | C- 1.500" | 7.500" LH Flighting |  |
| | *For Models 6620 SN <-600000, 6622 SN <-610400* | | | | | |
| 6 | **Auger, Tank Cross, Rear**<br>A-AH114715 | A- 89.562" | B- 2.500" | C- 1.500" | 7.500" LH flighting |  |
| | *For Models 6620 SN 600001->, 6622 SN 610401->* | | | | | |
| 6 | **Auger, Tank Cross, Rear**<br>A-AH103728 | A- 100.500" | B- 2.500" | C- 1.500" | 7.500" LH flighting |  |
| | *For Models (7720, 7721 ALL SN <-600000)* | | | | | |
| 6 | **Auger, Tank Cross, Rear**<br>A-AH114716 | A- 100.375" | B- 2.500" | C- 1.500" | 7.500" LH flighting |  |
| | *For Models 7720 SN 600000->, 7721 SN 600001->* | | | | | |
| 6 | **Auger, Tank Cross, Rear**<br>A-AH103729 | A- 111.250" | B- 2.500" | C- 1.500" | 7.500" LH flighting |  |
| | *For Models 8820 SN <-600000* | | | | | |
| 6 | **Auger, Tank Cross, Rear**<br>A-AH114717 | A- 111.500" | B- 2.500" | C- 1.500" | 7.500" LH flighting |  |
| | *For Models 8820 SN 600001->* | | | | | |
| 7 | **Auger, Unloading; Vertical**<br>A-AH123929 | A- 63.750" | B- 4.500" | 13.000" LH flighting | |  |
| | *For Models 6620, 6622, 7720, 7721, 8820* | | | | | |
| 8 | **Auger, Clean Grain, Lower**<br>A-AH76772 | A- 63.00" | B- 1.00" | 6.00" RH Flighting | |  |
| | *For Models 4420* | | | | | |
| 8 | **Auger, Clean Grain, Lower**<br>A-AH91283<br>**Bearing, RH/ LH**<br>A-JD8593 | A- 72.625" | B- 1.250" | 6.750" RH Flighting | |  |
| | *For Models 6620, 6622 SN 610401->* | | | | | |








*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com





## 20 SERIES COMBINES




| Ref. | Description<br>Part No. | Dimensions | | | | | |
|---|---|---|---|---|---|---|---|
| 8 | **Auger, Clean Grain, Lower**<br>A-AH107442<br>**Bearing, RH/ LH**<br>A-JD8593 | A- 83.750" | B- 1.250" | 6.750" RH Flighting | | |  |
| | *For Models 7720, 7721* | | | | | | |
| 8 | **Auger, Clean Grain, Lower**<br>A-AH105856<br>**Bearing, RH/ LH**<br>A-JD8593<br>Includes JD8594 Lock Collar | A- 96.500" | B- 1.250" | 7.000" RH Flighting | | |  |
| | *For Models 8820 SN 464351->* | | | | | | |
| 9 | **Auger, Unloading, Horizontal**<br>A-AH143731<br>**Bearing, End Cap (Inner 1.374")**<br>A-AH214862<br>Includes JD8554 Lock Collar<br>**Bearing, End Cap (Inner 0.846")**<br>A-JD8665<br>**Bearing, Housing Hanger**<br>A-JD9373 | A-<br>165.000" | B- 3.500" | C- 1.000" | 11.750" LH<br>flighting | |  |
| | *For Models (6620, 6622, 7720, 8820 ALL 14')* | | | | | | |
| 10 | **Auger, Unloading**<br>A-AH114138 | A- 138.125" | B- 2.875" | C- .750" | 8.750" LH flighting | |  |
| | *For Models 4420* | | | | | | |
| 10 | **Auger, Unloading, Inner**<br>A-AH76241 | A- 91.190" | B- 5" | C- 1.250" | 8.50" LH flighting | |  |
| | *For Models 4420* | | | | | | |
| 10 | **Auger, Unloading, Horizontal (Short)**<br>A-AH112435<br>For w/ 2 piece auger add AH143731 for 20' or A-AH143727 for 17' auger.<br>**Bearing, Housing Hanger**<br>A-JD9373 | A- 74.000" | B- 2.875" | C- 19 spline | D- 1.250"<br>hex | 12.000" LH<br>flighting |  |
| | *For Models 8820 5-1/2' Long* | | | | | | |
| 10 | **Auger, Unloading**<br>A-AH123437<br>**Bearing (S/N <600000)**<br>A-AH214862<br>Includes JD8554 Lock Collar<br>**Bearing (S/N 600001>)**<br>A-JD8665<br>Includes JD8554 Lock Collar | A- 201" | B- 3.500" | C- 1.000" | 12.000" LH flighting | |  |
| | *For Models 6620, 7720 SN <-610500, 7721, 8820* | | | | | | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# AUGER RELATED PARTS





**20 SERIES COMBINES**

| Ref. | Description<br>Part No. | Dimensions | | | | | |
|---|---|---|---|---|---|---|---|
| 10 | **Auger, Unloading, Horizontal**<br>A-AH143729<br>all w/ 1 piece augers.<br>**Bearing, End Cap**<br>A-JD8665<br>Includes JD8554 Lock Collar | A- 201.125" | B- 2.875" | C- 1.000" | 11.750" LH flighting | |  |
| *For Models (7720, 8820 ALL W/ 1 Piece 17' Augers)* | | | | | | | |
| 11 | **Auger, Shoe Grain Supply (RH)**<br>A-AH95943<br>**Bearing, Front Shoe Grain Supply Auger**<br>A-AH214862<br>Includes JD8554 Lock Collar | A- 152-3/8" | B- 1-3/4" | C- .998" | D- 4-1/2"<br>RH Flighting | E- 4-1/2"<br>LH Flighting |  |
| *For Models 6620, 6622, 7720, 7721, 8820* | | | | | | | |
| 11 | **Auger, Shoe Grain Supply (LH)**<br>A-AH95944<br>**Bearing, Front Shoe Grain Supply Auger**<br>A-AH214862<br>Includes JD8554 Lock Collar | A- 152-3/8" | B- 1-3/4" | C- 0.998" | 4-1/2" LH Flighting | |  |
| *For Models 6620, 6622, 7720, 7721, 8820* | | | | | | | |









*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.




P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com










## 9000 SERIES COMBINES

| Ref. | Description<br>Part No. | Dimensions | | | | | |
|---|---|---|---|---|---|---|---|
| 1 | **Auger, Tailings, Lower**<br>A-AH146322<br>**Bearing, RH**<br>A-JD39103<br>Includes AZ10045 Lock Collar | A- 94.500" | B- 1.180" | C- 1.375" | D- 1.180" | E- 1.125" |  |
| | ***For Models CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9660CTS*** | | | | | | |
| 1 | **Auger, Tailings, Lower**<br>A-AH146313<br>**Bearing, RH**<br>A-JD39103<br>Includes AZ10045 Lock Collar | A- 105.625" | B- 1.125" | C- 1.180" | D- 1.375" | 5.125" LH flighting |  |
| | ***For Models 9600, 9610, 9650, 9660*** | | | | | | |
| 1 | **Auger, Lower Tailings**<br>A-AH147472<br>**Bearing, RH**<br>A-JD10384<br>Includes AZ10045 Lock Collar<br>**Bearing, LH**<br>A-GRAE25RRB-I<br>Includes Lock Collar | A- 71.87" | B- 1.180" | C- 1.37" | D- .934" | 6.50" RH flighting |  |
| | ***For Models 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS*** | | | | | | |
| 2 | **Auger, Tailings, Upper**<br>A-AH125895<br>**Bearing, RH/LH**<br>A-GRAE25RRB-I<br>Includes Lock Collar | A- 63.062" | B- 1.00" | 5.00" RH Flighting | | |  |
| | ***For Models CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9660CTS*** | | | | | | |
| 2 | **Auger, Tailings, Upper**<br>A-AH125894<br>**Bearing, RH/LH**<br>A-GRAE25RRB-I<br>Includes Lock Collar | A- 71.750" | B- 1.00" | 4.750" RH Flighting | | |  |
| | ***For Models 9600, 9610, 9640, 9650, 9660, 9680*** | | | | | | |
| 2 | **Auger, Tailings, Upper**<br>A-AH202519 | A- 25.69" | B- 0.983" | 5.00" LH Flighting | | |  |
| | ***For Models 9560STS, 9570STS*** | | | | | | |
| 2 | **Auger, Upper Tailings**<br>A-AH209421<br>**Bearing, RH/ LH (9860STS)**<br>A-AH129451<br>Includes AH129452 Lock Collar | A- 28.250" | B- 0.983" | 5.75" LH Flighting | | |  |
| | ***For Models 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880 STS*** | | | | | | |
| 3 | **Auger, Loading, Tank**<br>A-AH136091<br>**Bearing, Upper**<br>A-JD9219 | A- 50.000" | B- 2.500" | C- 3.125" | D- .812" | 7.500" RH flighting |  |
| | ***For Models 9400 SN <-640100, 9500 SN <-640200, 9501*** | | | | | | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.





## 9000 SERIES COMBINES

| Ref. | Description<br>Part No. | Dimensions | | | | | |
|---|---|---|---|---|---|---|---|
| 3 | **Auger, Loading, Tank**<br>A-AH136635<br>**Bearing, Upper**<br>A-JD9219 | A- 50.000" | B- 2.500" | C- 3.125" | D- .812 | 8.500" RH flighting |  |
| | *For Models CTS SN<660400, CTS II, 9400 SN 640101>, 9410, (9500, 9500SH ALL SN 640201->), 9510, 9510SH* | | | | | | |
| 3 | **Auger, Loading, Tank, Lower (Fold Down)**<br>A-AH146214<br>Lower Half Of 2 Piece Fold Down Auger | A- 29.16" | B- 1.061" | C- 1.248" | D- .812" | 8.50" RH flighting |  |
| | *For Models CTS, CTS II, 9400, 9410, 9500, 9500SH, 9510, 9510SH* | | | | | | |
| 3 | **Auger, Loading, Tank, Upper (Fold Down)**<br>A-AH146554<br>Upper Half Of 2 Piece Fold Down Auger<br>**Bearing, Upper**<br>A-JD9219 | A- 28.125" | B- 2.500" | C- .750" | 8.50" RH flighting | |  |
| | *For Models CTS SN: 660401 >, CTS II, 9400 SN: 660101 >, 9410, (9500, 9500SH ALL SN: 660201 >), 9510, 9510SH, (9780CTS, 9780HM CTS ALL SN: 071443 - 072697)* | | | | | | |
| 3 | **Auger, Loading, Tank**<br>A-AH136092<br>**Bearing, Upper**<br>A-JD9219 | A- 56.500" | B- 2.500" | C- 3.125" | D- .812" | 8.250" RH flighting |  |
| | *For Models 9600 SN <-640300* | | | | | | |
| 3 | **Auger, Loading, Tank**<br>A-AH136636<br>**Bearing, Upper**<br>A-JD9219 | A- 56.500" | B- 2.500" | C- 3.125" | D- .812" | 9.250" RH flighting |  |
| | *For Models 9600 SN 640301->, 9610* | | | | | | |
| 3 | **Auger, Loading, Tank, Upper (Fold Down)**<br>A-AH146553<br>Upper Half Of 2 Piece Fold Down Auger<br>**Bearing, Upper**<br>A-JD9219 | A- 33.250" | B- 2.500" | C- .750" | 9.25" RH flighting | |  |
| | *For Models (9600, 9610 ALL UPPER)* | | | | | | |
| 3 | **Auger, Loading, Tank, Lower (Fold Down)**<br>A-AH146215<br>Lower Half Of 2 Piece Fold Down Auger | A- 29.750" | B- 1.248" | C- 1.061" | D- .812" | 9.25" RH flighting |  |
| | *For Models 9600, 9610* | | | | | | |
| 3 | **Auger, Tank Loading; Regular Capacity**<br>A-AH218485 | A- 57.125" | B- 2.25" | 10" RH Flighting | | |  |
| | *For Models 9450, 9550, 9550SH, 9560, 9560SH, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9860STS* | | | | | | |








*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com





## 9000 SERIES COMBINES






| Ref. | Description<br>Part No. | Dimensions | | | | | |
|---|---|---|---|---|---|---|---|
| 3 | **Auger, Loading, Tank**<br>A-AH223220<br>**Bearing, Upper**<br>A-JD10384 | A- 51.875” | B- 2.250” | 10” RH Flighting | | |  |
| | *For Models 9560STS, 9570STS* | | | | | | |
| 3 | **Auger, Tank Loading**<br>A-AH230013<br>**Bearing, Upper**<br>A-JD10384 | A- 57.125” | B- 2.250” | 11” RH Flighting | | |  |
| | *For Models 9770STS, 9870STS* | | | | | | |
| 3 | **Auger, Loading, Tank; Extended 12”**<br>A-AH205897-E | A- 65.500” | B- 2.500” | | | |  |
| | *For Models 9450, 9550, 9550SH, 9560, 9560SH, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9750STS, 9760STS, 9860STS* | | | | | | |
| 4 | **Auger, Tank Cross, Front, Regular Unloading Rate**<br>A-AXE18077<br>**Bearing, Front**<br>A-JD39104<br>Includes AH133191 Lock Collar | A- 112.750” | B- 1.375” | C- 1.375” | D- 2.00” | 7.00” LH Flighting |  |
| | *For Models CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9650CTS, 9650STS, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS* | | | | | | |
| 4 | **Auger, Tank Cross, Front**<br>A-AH202875<br>**Bearing, Front**<br>A-JD39104<br>Includes AH133191 Lock Collar | A- 123.125” | B- 2.00” | C- 1.375” | 7.00” LH Flighting | |  |
| | *For Models 9600, 9610, 9650, 9660, 9640I WTS, 9640WTS, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS, T660, W650, W660* | | | | | | |
| 4 | **Auger, Cross, Front, HIgh Unloading Rate**<br>A-AXE18081<br>**Bearing, Front**<br>A-JD39104<br>Includes AH133191 Lock Collar | A- 112.50” | B- 1.375” | C- 1.375” | D- 2.50” | 9.50” RH flighting |  |
| | *For Models 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS* | | | | | | |
| 5 | **Auger, Tank Cross, Rear, Regular Unloading Rate**<br>A-AXE18078<br>**Bearing, Front/ Rear**<br>A-JD39104<br>Includes AH133191 Lock Collar | A- 112.312” | B- 2.000” | C- 1.375” | 7.00” RH flighting | |  |
| | *For Models CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9650CTS, 9650STS, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS* | | | | | | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# AUGER RELATED PARTS





## 9000 SERIES COMBINES

| Ref. | Description<br>Part No. | Dimensions | | | | | |
|---|---|---|---|---|---|---|---|
| 5 | **Auger, Tank Cross, Rear**<br>A-AH202881<br>**Bearing, Front**<br>A-JD39104<br>Includes AH133191 Lock Collar | A- 123.125" | B- 2.000" | C- 1.375" | 7.00" RH Flighting | |  |
| | *For Models 9600, 9610, 9650, 9660, 9640I WTS, 9640WTS, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS, T660, W650, W660* | | | | | | |
| 5 | **Auger, Grain Tank Cross, Rear; High Unloading Rate**<br>A-AXE18082 | A -112.75" | B - 1.375" | C - 1.375" | D - 2.00" | 9.50" RH |  |
| | *For Models 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS* | | | | | | |
| 6 | **Auger, Unloading, Horizontal**<br>A-AH143727<br>For w/ 2 piece augers used w/ A-AH112435 above for 17' auger<br>**End Cap Bearing**<br>A-JD8665<br>Includes JD8554 Lock Collar<br>**Housing Hanger Bearing**<br>A-JD9373 | A- 129.125" | B- 3.500" | C- 1.000" | 11.750" LH flighting | |  |
| | *For Models (9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9600, 9610, 9650, 9650CTS, 9650STS, 9750STS, CTS, CTS II ALL w/ 2 piece augers used w/ A-AH112435 above for 17' auger)* | | | | | | |
| 6 | **Auger, Unloading, Horizontal (Short)**<br>A-AH112435<br>For w/ 2 piece auger add AH143731 for 20' or A-AH143727 for 17' auger.<br>**Bearing, Housing Hanger**<br>A-JD9373 | A- 74.000" | B- 2.875" | C- 19 spline | D- 1.250" hex | 12.000" LH flighting |  |
| | *For Models (9400, 9410, 9450 ALL w/ 2 piece augers used w/ A-AH143727 below for 17' auger), (9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9600, 9610, 9650, 9650CTS, CTS ALL Used w/ 17' & 20' Inner), 9650STS SN <-690500 17' & 20' Inner, 9750STS SN <-690600 17' & 20' Inner, (9560, 9560SH, 9560STS, 9570STS, 9660, 9660CTS ALL Used w/ 18.5' & 21.5' Inner)* | | | | | | |
| 6 | **Auger, Unloading, Horizontal, Outer**<br>A-AH143731<br>**Bearing, End Cap (Inner 1.374")**<br>A-AH214862<br>Includes JD8554 Lock Collar<br>**Bearing, End Cap (Inner 0.846")**<br>A-JD8665<br>**Bearing, Housing Hanger**<br>A-JD9373 | A- 165.000" | B- 3.500" | C- 1.000" | 11.750" LH flighting | |  |
| | *For Models (9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9600, 9610, 9650, 9650CTS, 9650STS, 9750STS, CTS, CTS II ALL w/ 2 piece augers, used w/ A-AH112435 above for 20' auger)* | | | | | | |
| 6 | **Auger, Unloading, Horizontal**<br>A-AH143729<br>all w/ 1 piece augers.<br>**Bearing, End Cap**<br>A-JD8665<br>Includes JD8554 Lock Collar | A-201.125" | B- 2.875" | C- 1.000" | 11.750" LH flighting | |  |
| | *For Models (9400, 9410, 9500, 9500SH, 9501, 9510, 9510SH, 9600, 9610 ALL W/ 1 Piece 17' Augers)* | | | | | | |





*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com





## 9000 SERIES COMBINES








| Ref. | Description<br>Part No. | Dimensions | | | | |
|---|---|---|---|---|---|---|
| 6 | **Auger, Horizontal Unloading; Std. Unloading Rate**<br>A-AH169061<br>**Bearing, Housing Hanger**<br>A-JD9373 | A- 83.125" | B- 2.875" | 19 tooth spline | 12.00" LH flighting |  |
| | ***For Models 9650STS SN 690501->, 9660STS, 9750STS SN 690601->, 9760STS, 9770STS*** | | | | | |
| 6 | **Auger, Unloading, Horizontal (Export), Inner**<br>A-AH169062<br>**Ball Bearing**<br>A-JD9373<br>Includes JD8544 Lock Collar | A- 155.625" | B- 1.250" Hex | 11.50" LH Flighting | |  |
| | ***For Models 9650STS SN 690501-> Export, (9660STS, 9670STS, 9760STS ALL Export), 9750STS Export SN 690601>*** | | | | | |
| 6 | **Auger, Unloading, Horizontal, Outer**<br>A-AH226067<br>**Bearing, Housing Hanger**<br>A-JD9373<br>Includes JD8544 Lock Collar | A- 84.50" | B- 3.50" | 11.75" LH flighting | |  |
| | ***For Models 9560, 9560SH, 9560STS, 9570STS, 9660, 9660CTS, 9660STS, 9670STS, 9760STS*** | | | | | |
| 6 | **Auger, Horizontal Unloading; Outer, 21.5', Std. Unloading Rate**<br>A-AH173595<br>**Bearing, Housing Hanger**<br>A-JD9373<br>Includes JD8544 Lock Collar | A - 156" | B - 3.50" | 1.250" Hex | 11.750" LH flighting |  |
| | ***For Models 9560, 9560SH, 9560STS, 9660, 9660CTS, 9660STS, 9760STS, 9570STS, 9770STS*** | | | | | |
| 6 | **Auger, Unloading, Outer, 18.5'**<br>A-AH173593<br>**Bearing, Housing Hanger**<br>A-JD9373<br>Includes JD8544 Lock Collar | A - 119.75" | B - 3.50" | 1.250" Hex | 11.750" LH flighting |  |
| | ***For Models 9560, 9560CTS, 9560SH, 9570STS, 9660, 9660CTS*** | | | | | |
| 6 | **Auger, Horizontal Unloading; High Unloading Rate**<br>A-AH201797<br>**Ball Bearing**<br>A-JD9373<br>Includes JD8544 Lock Collar | A- 95.06" | B- 2.875" | 15.25" LH flighting | |  |
| | ***For Models 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS*** | | | | | |
| 6 | **Auger, Horizontal Unloading; Outer**<br>A-AH211828<br>**Bearing, Housing Hanger**<br>A-JD9373<br>Includes JD8544 Lock Collar | A- 60.50" | B- 3.50" | C- 1.25" Hex | 15.25" LH flighting |  |
| | ***For Models 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880 STS*** | | | | | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# AUGER RELATED PARTS





## 9000 SERIES COMBINES

| Ref. | Description<br>Part No. | Dimensions | | | | | |
|---|---|---|---|---|---|---|---|
| 6 | **Auger, Horizontal Unloading; High Unloading Rate**<br>A-AH203021<br>**Bearing, Housing Hanger**<br>A-JD9373 | A- 164.625" | B- 3.50" | C- 1.250" Hex | D- 15.75" Dia. | |  |
| | *For Models 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS* | | | | | | |
| 6 | **Auger, Folding Horizontal Unloading; Inner**<br>A-AH226068<br>**Bearing, Housing Hanger**<br>A-JD9373<br>Includes JD8544 Lock Collar | A- 99.00" | B- 1.25" Hex | C- 3.50" | | |  |
| | *For Models 9670STS, 9760STS, 9770STS, 9870STS* | | | | | | |
| 6 | **Auger, Unloading, Horizontal, Outer**<br>A-AH235525 | A- 114.50" | B- 3.50" | C- 1.37" | 15.25" LH Flighting | |  |
| | *For Models 9670STS, 9770STS, 9870STS* | | | | | | |
| 6 | **Auger, Middle Unloading**<br>A-AH234554 | A- 95.125" | B- 1.246" Hex | C- 2.875" | 15.25" LH Flighting | 19 Teeth |  |
| | *For Models 9670STS, 9770STS, 9870STS* | | | | | | |
| 7 | **Auger, Clean Grain, Lower**<br>A-AH141577<br>**Bearing, LH**<br>A-GRAE25RRB-I<br>**Bearing, RH**<br>A-JD39103 | A - 79.375" | B - 1.375" | C - 1.187" | D - .984" | 8.500" |  |
| | *For Models CTS, CTS II, 9400, 9410, 9500, 9500SH, 9510, 9510SH* | | | | | | |
| 7 | **Auger, Clean Grain, Lower**<br>A-AH141576<br>Auger uses JD39102 (LH) & JD39103 (RH) Bearings<br>**Bearing, LH**<br>A-GRAE25RRB-I<br>Includes Lock Collar<br>**Bearing, RH**<br>A-JD39103<br>Includes AZ10045 Lock Collar | A- 92.250" | B- 1.375" | C- 1.187" | D- .984" | 8.750" |  |
| | *For Models 9600, 9610* | | | | | | |
| 7 | **Auger, Lower Clean Grain; Regular Capacity**<br>A-AH162154<br>**Bearing, RH (9650STS, 9750STS, 9560, 9560SH, 9660STS, 9760STS, 9860STS, 9670STS, 9770STS)**<br>A-JD10384<br>**Bearing, LH**<br>A-GRAE25RRB-I | A- 82.125" | B- 1.375" | C- 1.180" | D- 0.983" | 8.625" RH flighting |  |
| | *For Models 9450, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9650STS, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS* | | | | | | |









*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com





## 9000 SERIES COMBINES









| Ref. | Description<br>Part No. | Dimensions | | | | | |
|---|---|---|---|---|---|---|---|
| 7 | **Auger, Clean Grain, Lower**<br>A-AH162153<br>**Bearing, RH (9660)**<br>A-JD10384<br>**Bearing, LH**<br>A-GRAE25RRB-I | A- 93.00" | B- 1.180" | C- 1.375" | D- 1.582" | E- .983" |  |
| *For Models 9650, 9660* | | | | | | | |
| 7 | **Auger, Clean Grain, Lower (High Wear)**<br>A-AH218246 | A- 71.562" | B- .983" | C- 1.562" | D- 1.375" | 8.50" RH flighting |  |
| *For Models 9560STS, 9570STS* | | | | | | | |
| 7 | **Auger, Lower, Clean Grain**<br>A-AH219339<br>**Bearing, LH**<br>A-GRAE25RRB-I<br>Includes Lock Collar | A- 82.87" | B- 1.375"/1.769" | C- 1.00" | D- 2.25" | 9.50" RH Flighting |  |
| *For Models 9670STS, 9770STS, 9870STS* | | | | | | | |
| 8 | **Auger, Unloading, Vertical**<br>A-AH124852 | A- 43.3.75" | B- 4.500" | 13.000" LH flighting | | |  |
| *For Models (9400, 9410, 9500, 9500 SIDEHILL, 9501, 9510, 9510 SIDEHILL, 9510SH, 9600, 9610, CTS, CTS II ALL REGULAR), 9450 SN <695100 REGULAR, 9550 SN <695200 REGULAR, 9550 SIDEHILL SN <695700 REGULAR, 9550SH SN <695700, 9650 SN <695300 REGULAR, 9650CTS SN <695400 REGULAR* | | | | | | | |
| 8 | **Auger, Unloading, Vertical**<br>A-AH154962<br>HIGH WEAR (RICE) | A - 43.31" | B - 4.500" | 13.00" LH flighting | High Wear | |  |
| *For Models (9400, 9410, 9500, 9500SH, 9501, 9510, 9510SH, 9600, 9610, CTS, CTS II ALL HIGH WEAR), 9450 SN <695100 HIGH WEAR, 9550 SN <695200 HIGH WEAR, 9550SH SN <695700 HIGH WEAR, 9650 SN <695300 HIGH WEAR, 9650CTS SN <695400 HIGH WEAR* | | | | | | | |
| 8 | **Auger, Unloading, Vertical**<br>A-AH171550<br>REGULAR | A - 39.75" | B - 4.50" | 13.00" LH flighting | | |  |
| *For Models 9450 SN: 695101 >, 9550 SN: 695201 >, 9550SH SN: 695701 >, 9560, 9560SH, 9650 SN: 695301 >, 9650CTS SN: 695401 >, 9660, 9660CTS* | | | | | | | |
| 8 | **Auger, Unloading, Vertical (High Wear)**<br>A-AH171554<br>HIGH WEAR | A - 39.750" | B - 4.500" | 13.00" LH flighting | | |  |
| *For Models 9450 SN 695101> HIGH WEAR, 9550 SN 695201 > HIGH WEAR, 9550SH SN 695701> HIGH WEAR, (9560, 9560SH ALL HIGH WEAR), 9650 SN 695301> HIGH WEAR, 9650CTS SN 695401> HIGH WEAR, (9660, 9660CTS ALL HIGH WEAR)* | | | | | | | |
| 8 | **Auger, Unloading, Vertical (HIgh Wear)**<br>A-AH164070 | A- 30.25" | B- 4.5" | 13.00" LH flighting | | |  |
| *For Models (9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS ALL HIGH WEAR)* | | | | | | | |
| 8 | **Auger, Vertical Unloading (Std. Wear)**<br>A-AH146840 | A- 30.25" | B- 4.500" | 13.00" LH flighting | Regular Unloading Rate | |  |
| *For Models 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS* | | | | | | | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# AUGER RELATED PARTS





## 9000 SERIES COMBINES

| Ref. | Description<br>Part No. | Dimensions | | | | |
|---|---|---|---|---|---|---|
| 8 | **Auger, Vertical Unloading; High Unloading Rate**<br>A-AXE12921 | A- 31.625" | B- 4.50" | 15.75" LH Flighting | |  |
| | *For Models 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880I STS SN 715701>, 9880 STS SN <715700* | | | | | |
| 9 | **Auger, Shoe Grain Supply (RH)**<br>A-AH130424 | A- 57.500" | B- 1.00" | 5" RH Flighting | |  |
| | *For Models 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS, CTS, CTS II* | | | | | |
| 9 | **Auger, Shoe Grain Supply (LH)**<br>A-AH130425 | A- 57.500" | B- 1.00" | 5" LH Flighting | |  |
| | *For Models 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS, CTS, CTS II* | | | | | |
| 9 | **Auger, Shoe Grain Supply (Stainless Steel, RH)**<br>A-AH169021<br>**Bearing, Front (CTS, CTSII Front/ Rear)**<br>A-AH214862<br>Includes JD8554 Lock Collar | A- 57.50" | B- 1.00" | 5.00" RH Flighting | |  |
| | *For Models 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS, CTS, CTS II* | | | | | |
| 9 | **Auger, Shoe Grain Supply (LH)**<br>A-AH169620<br>**Bearing, Front Shoe Grain Supply Auger**<br>A-AH214862<br>Includes JD8554 Lock Collar | A- 40.75" | B- 1.00" | 5.50" LH Flighting | |  |
| | *For Models (9560STS, 9570STS, 9650STS ALL Edible Bean), 9660STS High Wear, (9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS ALL Edible Bean)* | | | | | |
| 9 | **Auger, Cleaning Shoe, High Wear (LH)**<br>A-AH168284<br>**Bearing, Front Shoe Grain Supply Auger**<br>A-AH214862<br>Includes JD8554 Lock Collar | A- 40.625" | B- 1.000" | 6.00" LH Flighting | Rice |  |
| | *For Models 9470STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880 STS* | | | | | |
| 9 | **Auger, Cleaning Shoe, High Wear (RH)**<br>A-AH168285<br>**Bearing, Front Shoe Grain Supply Auger**<br>A-AH214862<br>Includes JD8554 Lock Collar | A- 40.625" | B- 1.000" | 6.00" RH Flighting | |  |
| | *For Models 9470STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880 STS* | | | | | |
| 9 | **Auger, Shoe Grain Supply (Stainless Steel, LH)**<br>A-AH169020<br>**Bearing, Front Shoe Grain Supply Auger**<br>A-AH214862<br>Includes JD8554 Lock Collar | A- 57.500" | B- 1.00" | 5.00" LH Flighting | |  |
| | *For Models 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS, CTS, CTS II* | | | | | |





*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com





## 9000 SERIES COMBINES








| Ref. | Description<br>Part No. | Dimensions | | | | | |
|---|---|---|---|---|---|---|---|
| 9 | **Auger, Shoe Grain Supply (RH)**<br>A-AH169621<br>**Bearing, Front Shoe Grain Supply Auger**<br>A-AH214862<br>Includes JD8554 Lock Collar | 40.75" | 1.00" | 5.50" | Right Hand | |  |
| *For Models (9560STS, 9570STS, 9650STS ALL Edible Bean), 9660STS High Wear, (9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS ALL Edible Bean)* | | | | | | | |
| 9 | **Auger, Shoe; RH, Std. Wear**<br>A-AH146787<br>**Bearing, Front Shoe Grain Supply Auger**<br>A-AH214862<br>Includes JD8554 Lock Collar | A- 40.75" | B- 1.00" | 6.00" RH Flighting | | |  |
| *For Models 9470STS, 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS* | | | | | | | |
| 9 | **Auger, Shoe; LH, Std. Wear**<br>A-AH146786<br>**Bearing, Front Shoe Grain Supply Auger**<br>A-AH214862<br>Includes JD8554 Lock Collar | A- 40.75" | B- 1.00" | 6.00" LH Flighting | | |  |
| *For Models 9470STS, 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS* | | | | | | | |
| 4 | **Auger, Tank Cross, Front, Regular Unloading Rate**<br>A-AXE18077 | A- 112.750" | B- 1.375" | C- 1.375" | D- 2.000" | 7.00" LH Flighting |  |
| *For Models 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9650CTS, 9650STS, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, CTS, CTS II* | | | | | | | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# AUGER RELATED PARTS





**S Series**

| Ref. | Description<br>Part No. | Dimensions | | | | | |
|---|---|---|---|---|---|---|---|
| 1 | **Auger, Lower Tailings**<br>A-AH147472<br>**Bearing, RH**<br>A-JD10384<br>Includes AZ10045 Lock Collar<br>**Bearing, LH**<br>A-GRAE25RRB-I<br>Includes Lock Collar | A- 71.87" | B- 1.180" | C- 1.37" | D- .934" | 6.50" RH flighting |  |
| *For Models S560, S670 STS, S690, S660, S670, S650, S670 HILLMASTER, S690 HILLMASTER* | | | | | | | |
| 2 | **Auger, Upper Tailings**<br>A-AH209421<br>**Bearing, RH/ LH (9860STS)**<br>A-AH129451 | A- 28.250" | B- 0.983" | 5.75" LH Flighting | | |  |
| *For Models S560, S650, S660, S670, S670 HILLMASTER, S690, S690 HILLMASTER* | | | | | | | |
| 3 | **Auger, Tank Loading; Regular Capacity**<br>A-AH218485 | A- 57.125" | B- 2.25" | 10" RH Flighting | | |  |
| *For Models S650, S660, S670* | | | | | | | |
| 3 | **Auger, Tank Loading**<br>A-AH230013<br>**Bearing, Upper**<br>A-JD10384 | A- 57.125" | B- 2.250" | 11" RH Flighting | | |  |
| *For Models S660, S670, S670 HILLMASTER, S680, S685, S690* | | | | | | | |
| 3 | **Auger, Grain Bin; Power Fold (300 Bushel)**<br>A-AXE13122 | A- 56.25" | B- 2.50" | C- 1.18" | 11" RH Flighting | |  |
| *For Models S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S690, S690 HILLMASTER* | | | | | | | |
| 3 | **Auger, Bin Loading**<br>A-AH233419 | A- 64" | B- 2.5" | C- 1.181" | 11"RH Flighting | |  |
| *For Models S660, S670, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER* | | | | | | | |
| 4 | **Auger, Tank Cross, Front, Regular Unloading Rate**<br>A-AXE18077<br>**Bearing, Front**<br>A-JD39104<br>Includes AH133191 Lock Collar | A- 112.750" | B- 1.375" | C- 1.375" | D- 2.00" | 7.00" LH Flighting |  |
| *For Models S540, S550, S550 STS, S650, S660* | | | | | | | |
| 4 | **Auger, Cross, Front, HIgh Unloading Rate**<br>A-AXE18081<br>**Bearing, Front**<br>A-JD39104<br>Includes AH133191 Lock Collar | A- 112.50" | B- 1.375" | C- 1.375" | D- 2.50" | 9.50" RH flighting |  |
| *For Models S660, S670, S670 HILLMASTER, S670 STS, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S690 STS* | | | | | | | |







*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com





**S Series**









| Ref. | Description<br>Part No. | Dimensions | | | | | |
|---|---|---|---|---|---|---|---|
| 5 | **Auger, Tank Cross, Rear, Regular Unloading Rate**<br>A-AXE18078<br>**Bearing, Front/ Rear**<br>A-JD39104<br>Includes AH133191 Lock Collar | A- 112.312" | B- 2.000" | C- 1.375" | 7.00" RH flighting | |  |
| | ***For Models S540, S550, S550 STS, S650, S660*** | | | | | | |
| 5 | **Auger, Grain Tank Cross, Rear; High Unloading Rate**<br>A-AXE18082 | A-112.75" | B- 1.375" | C- 1.375" | D- 2.00" | 9.50" RH Flighting |  |
| | ***For Models S660, S670, S670 HILLMASTER, S670 STS, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S690 STS*** | | | | | | |
| 6 | **Auger, Horizontal Unloading; Outer, 21.5', Std. Unloading Rate**<br>A-AH173595<br>**Bearing, Housing Hanger**<br>A-JD9373<br>Includes JD8544 Lock Collar | A- 156" | B- 3.50" | C- 1.250" Hex | 11.750" LH flighting | |  |
| | ***For Models S550, S550 STS, S650, S660*** | | | | | | |
| 6 | **Auger, Horizontal Unloading; High Unloading Rate**<br>A-AH201797<br>**Ball Bearing**<br>A-JD9373<br>Includes JD8544 Lock Collar | A- 95.06" | B- 2.875" | C- 2.875" | 15.25" LH flighting | |  |
| | ***For Models S660, S670, S670 HILLMASTER, S670 STS, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S690 STS*** | | | | | | |
| 6 | **Auger, Horizontal Unloading; Outer**<br>A-AH211828<br>**Bearing, Housing Hanger**<br>A-JD9373<br>Includes JD8544 Lock Collar | A- 60.50" | B- 3.50" | C- 1.25" Hex | 15.25" LH flighting | |  |
| | ***For Models S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER*** | | | | | | |
| 6 | **Auger, Horizontal Unloading; High Unloading Rate**<br>A-AH203021<br>**Bearing, Housing Hanger**<br>A-JD9373<br>Includes JD8544 Lock Collar | A- 164.625" | B- 3.50" | C- 1.250" Hex | D- 15.75" Dia. | |  |
| | ***For Models S660, S670, S680, S685, S690*** | | | | | | |
| 6 | **Auger, Folding Horizontal Unloading; Inner**<br>A-AH226068<br>**Bearing, Housing Hanger**<br>A-JD9373<br>Includes JD8544 Lock Collar | 99.00" | 1.25" Hex | 3.50" | | |  |
| | ***For Models S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER*** | | | | | | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# AUGER RELATED PARTS





**S Series**

| Ref. | Description<br>Part No. | Dimensions | | | | | |
|---|---|---|---|---|---|---|---|
| 6 | **Auger, Unloading, Horizontal, Outer**<br>A-AH235525 | A - 114.50" | B - 3.50" | C - 1.37" | LH | 15.25" |  |
| | ***For Models S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER*** | | | | | | |
| 6 | **Auger, Middle Unloading**<br>A-AH234554 | A- 95.125" | B- 1.246"<br>Hex | C- 2.875" | 15.25" LH<br>Flighting | 19 Teeth |  |
| | ***For Models S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER*** | | | | | | |
| 7 | **Auger, Lower Clean Grain; Regular Capacity**<br>A-AH162154<br>**Bearing, RH (9650STS, 9750STS, 9560, 9560SH, 9660STS, 9760STS, 9860STS, 9670STS, 9770STS)**<br>A-JD10384<br>Includes AZ10045 Lock Collar<br>**Bearing, LH**<br>A-GRAE25RRB-I<br>Includes Lock Collar | A- 82.125" | B- 1.375" | C- 1.180" | D- 0.983" | 8.625" RH<br>flighting |  |
| | ***For Models S650, S660, S670, S670 STS*** | | | | | | |
| 7 | **Auger, Lower, Clean Grain**<br>A-AH219339<br>**Bearing, LH**<br>A-GRAE25RRB-I | A- 82.87" | B- 1.375"/1.769" | C- 1.00" | D- 2.25" | 9.50" RH<br>Flighting |  |
| | ***For Models S670, S680, S685 HILLMASTER, S690 HILLMASTER, S670 HILLMASTER, S680 HILLMASTER*** | | | | | | |
| 8 | **Auger, Vertical Unloading (Std. Wear)**<br>A-AH146840 | A- 30.25" | B- 4.500" | C- 13.00" LH flighting | | Regular<br>Unloading<br>Rate |  |
| | ***For Models S560*** | | | | | | |
| 8 | **Auger, Vertical Unloading**<br>A-AXE18070 | A- 32.37" | B- 4.50" | 15.75" LH<br>flighting | | |  |
| | ***For Models (S670 HILLMASTER, S680 HILLMASTER, S685 HILLMASTER ALL High Unloading Rate), S690 HILLMASTER SN 745101> High Unloading Rate, (S670 STS, S680 STS, S685 STS ALL High Unloading Rate), S690 STS SN 745101> High Unloading Rate*** | | | | | | |
| 8 | **Auger, Vertical Unloading; High Unloading Rate**<br>A-AXE12921 | A- 31.625" | B- 4.50" | 15.75" LH Flighting | | |  |
| | ***For Models (S690 HILLMASTER, S690 ALL European SN <745100)*** | | | | | | |
| 8 | **Auger, Vertical Unloading; Regular Unload Rate, Ext. Wear**<br>A-AXE17156 | A- 31.06" | B- 4.50" | 13" LH flighting | | |  |
| | ***For Models S540, S550 STS, S650, S660*** | | | | | | |





*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com




**S Series**

| Ref. | Description<br>Part No. | Dimensions | | | | |
|---|---|---|---|---|---|---|
| 9 | **Auger, Cleaning Shoe, High Wear (LH)**<br>A-AH168284<br>**Bearing, Front Shoe Grain Supply Auger**<br>A-AH214862 | A- 40.625" | B- 1.000" | 6.00" LH Flighting | Rice |  |
| | *For Models S540, S550, S550 STS, S660, S670, S670 STS, S680, S685, S690, S690 STS* | | | | | |
| 9 | **Auger, Cleaning Shoe, High Wear (RH)**<br>A-AH168285<br>**Bearing, Front Shoe Grain Supply Auger**<br>A-AH214862<br>Includes JD8554 Lock Collar | A- 40.625" | B- 1.000" | 6.00" RH Flighting | |  |
| | *For Models S540, S550, S550 STS, S660, S670, S670 STS, S680, S685, S690, S690 STS* | | | | | |
| 9 | **Auger, Shoe; RH, Std. Wear**<br>A-AH146787<br>**Bearing, Front Shoe Grain Supply Auger**<br>A-AH214862<br>Includes JD8554 Lock Collar | A- 40.75" | B- 1.00" | 6.00" RH Flighting | |  |
| | *For Models S540, S550, S560, S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER* | | | | | |
| 9 | **Auger, Shoe; LH, Std. Wear**<br>A-AH146786<br>**Bearing, Front Shoe Grain Supply Auger**<br>A-AH214862<br>Includes JD8554 Lock Collar | A- 40.75" | B- 1.00" | 6.00"LH Flighting | |  |
| | *For Models S540, S550, S560, S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER* | | | | | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# STRAW CHOPPER AND SPREADER PARTS



**A-H129208** Pivot, Idler Spring, 16 mm Drawbolt 0.04 Lbs.



***For Models:*** 9400, 9410, 9500, 9501, 9510, 9600, 9650CTS, 9660STS

**A-H145275** Shaft, Straw Chopper Rotor & Sheave 27.52 Lbs.
USED ON MODELS W/ TRI-ROTOR STRAWCHOPPER
***Replaces:*** H141580




***Dim/Info:***
62.94" Long

**A-AH139260** Bearing w/ Housing, RH/LH 2.11 Lbs.
**A-JD9275** Bearing, RH/LH (8820) 1.20 Lbs.

***For Models:*** CTS, CTS II, 8820, 9400, 9410, 9500, 9500SH, 9501, 9510, 9510SH

**A-H145276** Shaft, Straw Chopper Rotor & Sheave 31.00 Lbs.



***Dim/Info:***
73.87" Long

**A-AH139260** Bearing w/ Housing, RH/LH 2.11 Lbs.

***For Models:*** 9600 SN: 640301 >, W/ TRI-ROTOR SN: 645301 - 655300, 9610


**A-H91796** Gear, Straw Spreader 0.76 Lbs.
***Replaces:*** H82988



***Dim/Info:***
13 teeth
1.00" bore
minimum order qty 2

***For Models:*** 970, 975, 975HY4, 985, 985HY4, 1072, 1075, 1075H4, 1085, 1085H4, 1174, 1174H4, 1177, 1177H4, 6600, 6601, 6602, 6620, 6622, 7700, 7701, 7720, 7721, 8820, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-H149026** Bracket, Support; Straw Chopper (RH) 1.55 Lbs.



***For Models:*** CTS, 9400, 9410, 9450, 9500, 9500SH, 9501 SN 640401>, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-H149027** Bracket, Support; Straw Chopper (LH) 1.55 Lbs.



***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501 SN 640401>, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-AH137792** Support, Straw Chopper Deflecter 38.00 Lbs.



***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500 SIDEHILL, 9510, 9510 SIDEHILL, 9550, 9550 SIDEHILL, 9560, 9560 SIDEHILL, 9650CTS, 9660CTS

**A-AH125998** Support Assy, Straw Chopper Deck 43.67 Lbs.



***For Models:*** 9600, 9610, 9650, 9660

**A-H223995** Sheet, Straw Chopper (LH Side) 23.00 Lbs.




***For Models:*** 9670STS, 9570STS

**A-H146307** Shield, Straw Chopper 13.00 Lbs.




***For Models:*** 9600, 9610, 9650, 9660

**A-H172440** Rod, Retaining; Wide, 62.756" 1.94 Lbs.
***Replaces:*** H141135, H149993



***For Models:*** 9400, 9600, 9610, 9650, 9660

**A-H206215** Pin, Rod Retaining; Narrow, 52.756" 1.63 Lbs.



***For Models:*** CTS, 9450, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9650STS, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880I STS, 9880 STS

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

# STRAW CHOPPER AND SPREADER PARTS

**A-AH171588** Straw Chopper Knife, Set of 6 6.80 Lbs.
Before ordering, compare length of your knives to measurement.
***Replaces:*** AH124635, H88809



***Dim/Info:***
1.750" X 8.500" Knives
Type - Double Beveled

***For Models:*** CTS, CTS II, (55, 105, 3300, 4400, 4420, 6600, 6620 ALL Used on straw choppers), 7720, 7721, 8820, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-AH205909** Kit, Straw Chopper Blade; Paddle Type, 4 LH / 4 RH5.60 Lbs.



***Dim/Info:***
Length - 7.13"
Thickness - .187"
Hole Diameter - .765"

***For Models:*** CTS, CTS II, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560I STS, 9560SH, 9560STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9750STS, 9760STS, 9860STS

**A-AH205910** Blade, Straw Chopper, Fine Cut Set 3.90 Lbs.
8 Straight Blades Per Kit



***Dim/Info:***
Single Bevel Edge
Length - 7.125"
Width - 2.00"
Hole Size - .770"

***For Models:*** CTS, CTS II, (9500, 9500SH ALL SN 670492->), 9510, 9510SH, 9550, 9550SH, 9600 SN 670820->, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9750STS, 9760STS, 9860STS

**A-H215004** Blade, Straw Chopper, Stationary 0.47 Lbs.
Does Not Include Hardware
***Replaces:*** H142141



***Dim/Info:***
Length - 7.480"
Type - Single Bevel Edge
Size - .988" Hole
Width - 2.00"

***For Models:*** CTS, CTS II, 9500SH, 9501, 9560, 9560SH, 9560STS, 9570STS, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, (9400, 9410, 9500, 9510, 9510SH ALL 29 Used), (9450, 9550, 9550SH, 9600, 9610, 9650 ALL 35 Used)

**A-H215004-E** Blade, Straw Chopper, Stationary Extended 0.55 Lbs.
Extended 1" Over Standard H215004 Blade for finer cut; Does Not Include Hardware



***Dim/Info:***
Type - Single Bevel Edge
Size - .988" Hole

***For Models:*** CTS, CTS II, 9500SH, 9501, 9560, 9560SH, 9560STS, 9570STS, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, (9400, 9410, 9500, 9510, 9510SH ALL 29 Used), (9450, 9550, 9550SH, 9600, 9610, 9650 ALL 35 Used)

**A-Z103205** Knife, Serrated Chopper 0.57 Lbs.
***Replaces:*** Z75875, Z100765



***Dim/Info:***
minimum order qty 10

***For Models:*** C670, T550, T560, T660, W660, (9540I WTS, 9560I WTS, 9580I WTS ALL SN 080016-), 9640I WTS, 9640WTS, 9660I WTS, 9660WTS, 9680I WTS, 9680WTS, 9780, 9780CTS 072800-, 9780HM , 9780I CTS 072800-

**A-KXE10256** Kit, Straw Chopper Knife 5.57 Lbs.
***Replaces:*** KXE10152



***Dim/Info:***
Includes - 8 Serrated Knives
Inside Hole Diameter - 0.755"/ 0.765"
Overall Length - 7.48"

***For Models:*** S650, S670 STS, S690 STS, S660, S670, S680, S685, S690, S670 HILLMASTER, S680 HILLMASTER, S685 HILLMASTER, S690 HILLMASTER

**A-AH225940** Blade Kit; Straw Chopper, Scoop Type, Set Of 8 8.90 Lbs.



***Dim/Info:***
Length - 6.19"
Width - 1.97"

***For Models:*** 9570STS, 9670STS, 9770STS, 9870STS

**A-H215212** Bushing, Chopper Scoop Blade 0.08 Lbs.



***For Models:*** S550 STS, 9570STS, 9670STS, 9770STS, 9870STS

**A-AP23601** Bracket Assy, Straw Chopper, w/Knife Sections 0.40 Lbs.



***For Models:*** 6620, 7720, 7721, 8820, 9400 SN -640100, 9500 SN -640200, 9501 SN -640400, 9600 SN -640300

**A-H156100** Bushing, Straw Chopper Blade 0.09 Lbs.
***Replaces:*** H173056



***Dim/Info:***
1.125" O.D.
.410" I.D.
minimum order qty 4

***For Models:*** CTS, CTS II, 9500, 9500SH, 9510, 9510SH, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660STS, 9750STS, 9760STS

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

*JOHN DEERE

Truck icon indicates that the item is shipped via truck freight.

# STRAW CHOPPER AND SPREADER PARTS



**A-H167127** Bushing, Paddled Straw Chopper Blade 0.20 Lbs.
Use W/ AH160425 or AH201696



***Dim/Info:***
1.500" O.D.
.410" I.D.

***For Models:*** CTS, CTS II, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9750STS, 9760STS, 9860STS

**A-H218499** Bushing, Wing Blade; 32 MM Spacing; 0.20 Lbs.



***Dim/Info:***
1.500" O.D.
.410" I.D.

***For Models:*** 9570STS, 9670STS, 9770STS, 9870STS


**A-H139600** Pin, Straw Chopper 8.00 Lbs.



***Dim/Info:***
52.166" x 0.750"

***For Models:*** CTS SN <650400, 9400, 9410, 9450, 9500 SN 650734>, 9500SH SN 650201>, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH

**A-H132122** Pin, Straw Chopper 8.00 Lbs.



***Dim/Info:***
63.00" X 0.750"

***For Models:*** 9600, 9610, 9650, 9660

**A-H137570** Jackshaft, Straw Chopper Drive (Rear) 6.73 Lbs.



***Dim/Info:***
16.25" Long

**A-AH139296** Bearing, Inner/ Outer 1.38 Lbs.

***For Models:*** 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9600, 9610

**A-H169712** Jackshaft, Straw Chopper Drive (Rear) 5.55 Lbs.
Fine Cut
***Replaces:*** H157687



***Dim/Info:***
8.51" Long
M20 X 2.5 Thrd Size

**A-AH139296** Bearing, Inner/ Outer 1.38 Lbs.

***For Models:*** (9500, 9500SH, 9510, 9510SH ALL Fine Cut Chopper), (9600, 9610 ALL For Strawchopper and/or Chaff Spreader w/ Tapped End)

**A-H212310** Jackshaft, Separator, Wide Body 37.69 Lbs.
***Replaces:*** H132207



***Dim/Info:***
Shaft Dia: 1.374"
Thread Dia: .945"
Shaft Length: 86.437"

**A-AH139296** Ball Bearing, RH/LH 1.38 Lbs.

***For Models:*** 9600, 9610, 9650, 9660

**A-H169065** Jackshaft, Straw Chopper Drive 5.30 Lbs.



***Dim/Info:***
14.34" Long

**A-AH139296** Ball Bearing 1.38 Lbs.

***For Models:*** 9450, 9550, 9550 SIDEHILL, 9560 SN <705261, 9560 SIDEHILL SN <705700, 9650, 9660 SN <705331

**A-H222676** Jackshaft, Straw Chopper & Discharge Beater 7.90 Lbs.



***Dim/Info:***
18.50" long

***For Models:*** 9650STS, 9660STS, 9670STS, 9760STS, 9750STS, 9860STS, 9870STS

**A-AH162528** Sheave, Chopper Jackshaft; Standard 18.30 Lbs.



***Dim/Info:***
10.144" O.D.
1.298" I.D.
2 Groove

***For Models:*** 9450, 9550, 9550 SIDEHILL, 9560, 9560 SIDEHILL, 9650, 9660

**A-H157688** Sheave, Driven; Chopper Jackshaft 21.15 Lbs.



***Dim/Info:***
12.440" O.D.
2 Groove

***For Models:*** (9500, 9500SH, 9510, 9510SH, 9600, 9610 ALL Fine Cut Chopper), 9450, 9550, 9550SH, 9560, 9560SH, 9650, 9660

**A-H139986** Sheave, Driver Chopper 19.55 Lbs.



***Dim/Info:***
10.915" O.D.
4.134" I.D.
2 Groove

***For Models:*** 9450 SN< 700100, 9550 SN <700200, 9550SH SN <700700, 9600, 9610, 9650 SN <700300

**A-AH162529** Sheave, Chopper Rotor; Standard 24.80 Lbs.



***Dim/Info:***
12.275" O.D.
1.378" I.D.
2 Groove

***For Models:*** 9450, 9550, 9550SH, 9560, 9560SH, 9650, 9660

**A-H164756** Pin, Jackshaft Arm Pivot 3.20 Lbs.



***Dim/Info:***
15.31" Long

***For Models:*** 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9660

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
aiproducts
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-H201324** Pin, Jackshaft Arm Pivot 1.80 Lbs.
Use W/ AH201228 Support



***Dim/Info:***
10.00" Long
1.00" OD
M 16x20 RH TH

***For Models:*** 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9760STS, 9750STS, 9770STS, 9860STS, 9870STS

**A-AH228007** Sensor; Speed P.U. 0.37 Lbs.



***For Models:*** (S540, S550, S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S760, S770, S780, S790, 9470STS, 9570STS, 9670STS, 9770STS, 9870STS ALL Straw Spreader Pressure)

**A-H91228** Gear, Straw Spreader 0.81 Lbs.
Bevel Gear
***Replaces:*** H64734, H85869



***Dim/Info:***
Inside Diameter - .877"
Outside Diameter - 2.635"
Teeth - 13

***For Models:*** CTS, CTS II, 925, 935, 942, 945, 950, 955, 960, 965, 965H, 968H, 970, 975, 975HY4, 985, 985HY4, 1052, 1055, 1065, 1068H, 1072, 1075, 1075H4, 1085, 1085H4, 1155, 1157, 1158, 1166, 1166H4, 1169H4, 1174, 1174H4, 1177, 1177H4, 3300, 4400, 4420, 4425, 4435, 4435 HYDRO, 6600, 6601, 6602, 6620, 6622, 7700, 7701, 7720, 7721, 8820, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-AH119770** Pulley, Straw Chopper 12.00 Lbs.



***Dim/Info:***
Inside Diameter - 1.38"
Outside Diameter - 10.03"
Pulley Grooves - 1

***For Models:*** 9400, 9410, 9500, 9500 SIDEHILL, 9501, 9510, 9510 SIDEHILL, 9600, 9610, (CTS, CTS II ALL STANDARD), (9450, 9550, 9550SH, 9560, 9560SH ALL DEEP GROOVE)

**A-AH127602** Pulley, Straw Chopper Drive 24.85 Lbs.



***Dim/Info:***
Inside Diameter - 1.375"
Outside Diameter - 11.104"
Pulley Grooves - 2

***For Models:*** 9400 SN 640101>-, 9410, 9450 USE WITH H137570 JACKSHAFT, 9500, 9500 SIDEHILL, 9501, 9510, 9510 SIDEHILL, 9600, 9610

**A-AH97031** Idler, Flat 3.50 Lbs.



***Dim/Info:***
EFFECTIVE DIA: 7.992"
GROOVE WIDTH: 1.000"
TOTAL WIDTH: 1.437"
BORE DIA: .637"

***For Models:*** CTS, CTS II, 4420, 6620, 6622, 7720, 7721, 8820, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-AN15237** Assy, Idler 2.20 Lbs.



***Dim/Info:***
7 15/16" Dia.

***For Models:*** CTS, CTS II, 3300, 4400, 4420, 6600, 6601, 6602, 6620, 6622, 7700, 7701, 7720, 7721, 8820, 9400, 9410, 9500, 9500SH, 9501, 9510, 9510SH, 9600, 9610, 9650

**A-AH226058** Pulley; Idler 4.35 Lbs.



***Dim/Info:***
Inside Diameter - 0.648"
Outside Diameter - 9.02"

***For Models:*** S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER

**A-H88783** Bushing 0.03 Lbs.



***Dim/Info:***
.750" OD
.380" ID

***For Models:*** 3300, 4400, 4420, 6600, 6601, 6602, 6620, 6622, 7700, 7701, 7720, 7721, 8820, 9400, 9500, 9500SH, 9501, 9600

**A-AH232668** Bearing, w/ Housing; Straw Chopper (Import) 5.95 Lbs.
***Replaces:*** AH212944



***For Models:*** S690, S690 HILLMASTER, 9770STS, 9860STS, 9870STS, 9880I STS, 9880 STS

**A-AH163595** Bearing, w/ Housing; Straw Chopper (Import) 3.30 Lbs.



***For Models:*** S430, S440, S540, S550, S560, 9470STS, 9560I STS, 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9860STS, 9880 STS

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# STRAW CHOPPER AND SPREADER PARTS



**A-AH131865** Sheet, Straw Chopper (LH) 23.00 Lbs.



***For Models:*** 9400 SN <640100, 9500 SN <640200, 9501, 9600 SN <640300

**A-AH165937** Sheet, LH Straw Chopper 23.00 Lbs.


***Replaces:*** AH138156



***For Models:*** (CTS, CTS II, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9610, 9650, 9650CTS, 9660, 9660CTS ALL L.H.), 9400 SN 640101 - L.H., 9600 L.H.; SN 640301>

**A-AH165936** Sheet, RH Straw Chopper 23.00 Lbs.


***Replaces:*** AH138157



***For Models:*** (CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS ALL R.H.)

**A-H215050** Sheet, Top Straw Chopper; Twin Disk 58.00 Lbs.

***Replaces:*** H204975



***For Models:*** 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880I STS, 9880 STS

**A-AH143048** Sheet, Bottom Straw Chopper 100.00 Lbs.


When replacing AH138155 the associated items will also be needed.

***Replaces:*** AH138155



***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9660CTS

**A-AH214452** Floor, Straw Chopper 75.00 Lbs.




***For Models:*** 9650STS, 9660STS, 9750STS, 9760STS, 9860STS

**A-AH149878** Floor Assembly; Straw Chopper 84.00 Lbs.



***For Models:*** 9650STS SN <-700499, 9750STS SN <-700599

**A-AH218187** Floor; Straw Chopper 75.00 Lbs.




***For Models:*** 9670STS, 9770STS, 9870STS

**A-AXE14857** Floor; Straw Chopper 49.90 Lbs.



***For Models:*** S650, S660, S670, S670 HILLMASTER, S680, S685, S690, S760, S770, S780, S790

**A-AH139791** Sheet, Straw Chopper 21.00 Lbs.



***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9660CTS

**A-AH143047** Sheet, Bottom, Straw Chopper Assy 125.00 Lbs.



***For Models:*** 9600, 9610, 9650, 9660

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-AH144478** Sheet, Straw Chopper; Wide Spread 16.00 Lbs.



***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9660, 9660CTS


**A-H88800** Channel, Double Blade Bracket, Chopper Blade 0.30 Lbs.



***For Models:*** 6600, 6601, 6602, 6620, 6622, 7700, 7701, 7720, 7721, 8820, 9400 SN <640100, 9500 SN <640200, 9501 SN <640400, 9600 SN <640300

**A-AH140129** Channel Assembly, Knife Support; Regular 16.00 Lbs.


***Dim/Info:***
29 Knives



***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9660CTS

**A-AH158821** Channel Assembly, Knife Support, Fine Cut 20.00 Lbs.


***Dim/Info:***
27 Knives



***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9660CTS

**A-AH158820** Channel, Knife Support; Fine Cut 20.00 Lbs.


***Dim/Info:***
35 Knives
No Loops



***For Models:*** 9600, 9610, 9650, 9660

**A-AH140128** Channel, Knife Support 19.00 Lbs.


***Dim/Info:***
35 Knives
With 3 Loops



***For Models:*** 9600 SN 640301>, 9610, 9650, 9660

**A-H157109** Sheet, Deflector; Regular 19.00 Lbs.

***Dim/Info:***
Length - 54.188"
Width - 6.890"



***For Models:*** CTS, CTS II, 9400, 9410, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9650CTS, 9660CTS

**A-H157108** Sheet, Deflector; Fine Cut 23.00 Lbs.

***Dim/Info:***
Length - 65.00"
Width - 6.890"



***For Models:*** 9600, 9610, 9650, 9660

**A-H150401** Deflector; Straw Chopper, RH, Deep, Wide Spread 7.00 Lbs.


***Dim/Info:***
Width - 9.843"



***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-H150402** Deflector; Straw Chopper, LH, Deep, Wide Spread 7.00 Lbs.

***Dim/Info:***
Width - 9.843"



***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-H150403** Deflector; Straw Chopper, RH, Deep, Wide Spread 4.00 Lbs.

***Dim/Info:***
Width - 9.843"



***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-H150404** Deflector; Straw Chopper, Inner, LH, Wide Spread 4.00 Lbs.

***Dim/Info:***
Width - 9.843"



***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-H130948** Deflector; Straw Chopper, LH, Deep 5.00 Lbs.

***Dim/Info:***
Width - 6.024"



***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# STRAW CHOPPER AND SPREADER PARTS




**A-H130949** Deflector, Straw Chopper RH, Deep 5.00 Lbs.

***Dim/Info:***
Width - 6.024"



***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-AH139790** Sheet, Straw Chopper; Regular 26.00 Lbs.



***For Models:*** 9600, 9610, 9650, 9660

**A-AH144477** Sheet, Straw Chopper; Wide Spread 19.00 Lbs.




***For Models:*** 9600, 9610, 9650, 9660

**A-AH137792** Support, Straw Chopper Deflecter 38.00 Lbs.



***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500 SIDEHILL, 9510, 9510 SIDEHILL, 9550, 9550 SIDEHILL, 9560, 9560 SIDEHILL, 9650CTS, 9660CTS

**A-H126336** Pipe, Support; Deflector (RH), Regular 2.00 Lbs.




***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-H126335** Pipe, Support; Deflector (LH), Regular 2.00 Lbs.




***For Models:*** CTS, CTS II, 6622 SN 556001>, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-H151182** Pipe, Support; Deflector (LH), Wide Spread 2.00 Lbs.




***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-H151181** Pipe, Support; Deflector (RH), Wide Spread 2.00 Lbs.



***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-AH130482** Angle, Straw Chopper Support (LH) 29.00 Lbs.



***For Models:*** 9500 SN <640200, 9501 SN <640400, 9600 SN <640300

**A-AH139680** Angle, Straw Chopper Support (LH) 28.00 Lbs.



***For Models:*** CTS, CTS II, 9500 SN 640201>, 9500SH, 9501 SN 640401>, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600 SN 655301>, 9610, 9650, 9660

**A-AH139679** Angle, Straw Chopper Support (RH) 28.00 Lbs.



***For Models:*** CTS, CTS II, 9500 SN 640201>, 9500SH , 9501 SN 640401>, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600 SN 640301>, 9610, 9650, 9660

**A-AH89918** Bracket Assy, Straw Chopper, w/Knife Sections 0.75 Lbs.



***For Models:*** 6620, 7720, 7721, 8820, 9400 SN -640100, 9500 SN -640200, 9501 SN -640400, 9600 SN -640300

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-H114535** Vane, Straw Chopper (RH) 4.00 Lbs.



***Dim/Info:***
Width - 5.906"

***For Models:*** CTS, CTS II, 4420, 6601, 6620, 6622, 7720, 7721, 8820, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS


**A-H114536** Vane, Straw Chopper (LH) 4.00 Lbs.



***Dim/Info:***
Width - 5.906"

***For Models:*** CTS, CTS II, 4420, 6601, 6620, 6622, 7720, 7721, 8820, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS


**A-H114537** Vane, Straw Chopper, Inner (RH) 3.00 Lbs.



***Dim/Info:***
Width - 5.906"

***For Models:*** CTS, CTS II, 4420, 6601, 6620, 6622, 7720, 7721, 8820, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-H114538** Vane, Straw Chopper, Inner (LH) 3.00 Lbs.



***Dim/Info:***
Width - 5.906"

***For Models:*** CTS, CTS II, 4420, 6601, 6620, 6622, 7720, 7721, 8820, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-H223218** Vane, Straw Chopper, Straight, (RH) 3.00 Lbs.

***Replaces:*** H204218



***Dim/Info:***
Width - 6"

***For Models:*** 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-H223216** Vane, Straw Chopper, Straight (LH) 3.00 Lbs.

***Replaces:*** H204332



***Dim/Info:***
Width - 6"

***For Models:*** 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-H222456** Vane, Straw Chopper, No. 3 & 6 (RH) 4.00 Lbs.


***Replaces:*** H204749



***For Models:*** 9560STS, 9570STS SN <730100, 9650STS, 9660STS, 9670STS SN <730100, 9750STS, 9760STS, 9770STS SN <730100, 9860STS, 9870STS SN <730100


**A-H222455** Vane, Straw Chopper, No. 3 & 6 (LH) 4.00 Lbs.

***Replaces:*** H204728



***For Models:*** 9560STS, 9570STS SN <730100, 9650STS, 9660STS, 9670STS SN <730100, 9750STS, 9760STS, 9770STS SN <730100, 9860STS, 9870STS SN <730100


**A-H167216** Vane, Straw Chopper, Straight (RH) 3.20 Lbs.



***Dim/Info:***
Width - 5.906"

***For Models:*** 9650STS, 9750STS


**A-H167215** Vane, Straw Chopper, Straight (LH) 2.78 Lbs.



***Dim/Info:***
Width - 5.906"

***For Models:*** 9650STS, 9750STS


**A-H167320** Vane, Straw Chopper, Deep (RH) 3.55 Lbs.



***Dim/Info:***
Width - 6.024"

***For Models:*** 9650STS, 9750STS

**A-H167319** Vane, Straw Chopper, Deep (LH) 4.08 Lbs.



***Dim/Info:***
Width - 6.024"

***For Models:*** 9650STS, 9750STS

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# STRAW CHOPPER AND SPREADER PARTS

*JOHN DEERE

**A-H204751** Vane, Straw Chopper, No. 2 (RH) 3.28 Lbs.



***Dim/Info:***
Width - 5.875"

***For Models:*** 9560STS, 9570STS, 9650CTS, 9650STS, 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-H204635** Vane, Straw Chopper, No. 2 (LH) 3.17 Lbs.



***Dim/Info:***
Width - 5.875"

***For Models:*** 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-H204777** Vane, Straw Chopper, Cupped, No. 4 & 5 (RH) 5.95 Lbs.



***Dim/Info:***
Width - 7.049"

***For Models:*** 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9780STS, 9860STS


**A-H204776** Vane, Straw Chopper, Cupped, No. 4 & 5 (LH) 6.50 Lbs.



***Dim/Info:***
Width - 7.049"

***For Models:*** 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

**A-H236606** Vane, Straw Chopper (LH) 4.00 Lbs.
***Replaces:*** H204728



***Dim/Info:***
Width - 5.906"

***For Models:*** 9760STS, 9660STS, (9570STS, 9670STS, 9770STS, 9870STS ALL sn 730101>)


**A-H236607** Vane, Straw Chopper, Tailboard (RH) 4.00 Lbs.
***Replaces:*** H204749



***Dim/Info:***
Width - 5.906"

***For Models:*** 9760STS, 9660STS, (9570STS, 9670STS, 9770STS, 9870STS ALL sn 730101>)

**A-B28970** Spring, Chopper Pin 0.01 Lbs.



***Dim/Info:***
minimum order qty 2

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560I STS, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9780CTS, 9860STS, 9870STS, 9880I STS, 9880 STS

**A-H136179** Pin, Chopper Door 0.40 Lbs.



***For Models:*** 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560I STS, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9780CTS, 9860STS, 9870STS, 9880I STS, 9880STS, CTS, CTS II

**A-H123918** Spacer 0.12 Lbs.



***For Models:*** CTS, CTS II, 9400 MAXIMIZER, 9410 MAXIMIZER, 9450, 9500, 9500 SIDEHILL, 9510, 9510 SIDEHILL, 9550, 9550 SIDEHILL, 9560, 9560 SIDEHILL, 9600 MAXIMIZER, 9610 MAXIMIZER, 9650 CTS, 9650STS, 9660, 9660 CTS, 9660STS, 9750STS, 9760STS

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-R53169** Screen, Transmission / Hydraulic Oil Pump; Nylon 0.20 Lbs.



***For Models:*** CTS, CTS II, 9400, 9410, 9500, 9500SH, 9510, 9510SH, 9600, 9610, (**FORAGE HARVESTER**: 7200, 7250, 7280, 7300, 7350, 7380, 7400, 7450, 7480, 7500, 7550, 7580, 7700, 7750, 7780, 7800, 7850, 7950, 7980, 8100, 8200, 8300, 8400, 8500, 8600, 8700, 8800)

**A-AH215111** Reservoir Assy, Brake Fluid 0.25 Lbs.
***Replaces:*** AH130605, AH208639, AH212578



***For Models:*** C670, (CTS, CTS II, 9560, 9560SH, 9560STS, 9570STS, 9660, 9660CTS, 9660STS, 9760STS, 9860STS, 9870STS ALL North American), CTS SN 670101-674000 European, CTS II SN 675000- European, (S540, S550 STS ALL Argentine), (S540, S550 STS ALL South American), S550 STS SN 745100-764999, (S560, S660, S670, 9560I STS ALL European), (S660, S670 STS ALL SN 745100-), S650 SN 765000-, S670 HILLMASTER SN -765000, (S690, S690 HILLMASTER ALL SN -745100 European), T550, T560, T660, T670, W540, W550, W650, W660, 9400, 9410, 9450, (9470STS, 9570STS ALL South American), 9500, 9500 SIDEHILL, 9510, 9510 SIDEHILL, (9540I WTS, 9560I WTS, 9580I WTS ALL SN 080016-), (9540WTS, 9560WTS, 9580WTS ALL SN -080015 European), 9550, 9550 SIDEHILL, 9600, 9610, 9640I WTS, 9640WTS, 9650, 9650CTS, 9650STS, 9660I WTS, 9660WTS, 9670STS, 9680I WTS, 9680WTS, 9750STS, 9770STS, (9780CTS, 9780I CTS ALL SN 072800-), 9880 HILLMASTER SN 715801- European, 9880I STS SN 715701- European, 9880 STS SN -715700 European, (**COTTON PICKER**: 9935, 9960, 9965, 9970, 9976, 9986), (**COTTON STRIPPER**: 7450, 7455, 7460)

**A-R39304** Washer; Packing (2 PK) 0.04 Lbs.



***Dim/Info:***
Durometer 80
Inside Diameter - 1.986"
Material - Rubber
Outside Diameter - 2.244"
Thickness - .080"
minimum order qty 2

***For Models:*** C670, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S760, S770, S780, S785, S790, T560, T660, T670, W650, W660, 9770STS, 9870STS, (**COTTON PICKER**: CP690, 7660, 7760), (**COTTON STRIPPER**: CS690), (**FORAGE HARVESTER**: 7200, 7250, 7280, 7300, 7350, 7380, 7400, 7450, 7480, 7500, 7550, 7580, 7750, 7780, 7800, 7850, 7950, 7980, 8100, 8200, 8300, 8400, 8500, 8600, 8700, 8800)

**A-RE43637** Actuator, Diff Lock Switch 0.15 Lbs.



***For Models:*** (**COTTON PICKER**: 9935, 9965, 9970, 9976), (**COTTON STRIPPER**: 7450, 7455)

**A-AF3856R** Steering Wheel 4.05 Lbs.



***Dim/Info:***
17.75" dia.
7/8" 36 spline
36 spline hub

***For Models:*** 45, 55, 95, 105


**A-T22875** Steering Wheel 3.00 Lbs.
***Replaces:*** AR78405, AL28457



***Dim/Info:***
16.5" Diameter
7/8" 36 spline hub
2.50" ID For Cap
36 Splined Tapered Hub


***For Models:*** CTS, CTS II, 9400, 9410, 9500, 9510, 9510SH, 9600, 9610, (**FORAGE HARVESTER**: 5200, 5400, 5440, 5460, 5720, 5820), (**COTTON STRIPPER**: 7445, 7450, 7455), (**COTTON PICKER**: 9930, 9935, 9940, 9950, 9960, 9965, 9970, 9976)

**A-AH107802** Spindle (LH) 48.00 Lbs.



***For Models:*** 6600 SN 254051-310500 for sidehill only, 6620 SN <551900 for sidehill only


**A-AH87540** Spindle (RH) 22.00 Lbs.
***Replaces:*** AH75483




***Dim/Info:***
A- 5.687"
B- 2.250"
C- 1.874"
D- 1.499"

***For Models:*** 6600 SN 254051>, 6620, 7700, 7720 SN <458400, (**COTTON STRIPPER**: 484 SN 777>), (**FORAGE HARVESTER**: 5720, 5820)

**A-AH87542** Spindle (LH) 24.85 Lbs.
***Replaces:*** AH75482




***Dim/Info:***
A- 5.687"
B- 2.250"
C- 1.874"
D- 1.499"


***For Models:*** 6600 SN 254051>, 6620, 7700, 7720 SN <507350, (**COTTON STRIPPER**: 484 SN 777>, 7440, 7445), (**FORAGE HARVESTER**: 5720, 5730, 5820, 5830)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# REAR AXLE/STEERING PARTS

**A-AR81954** Spindle (RH/LH) 25.90 Lbs.
***Replaces:*** RE57643




***Dim/Info:***
A - 14.687"
B - 1.750"
C - 1.968"
D - 1.312"

**A-R49835** Bushing, Upper/ Lower 0.29 Lbs.
***Dim/Info:***
QTY - 2


**A-R49838** Washer, Thrust (Spindle) 0.19 Lbs.
Two used per spindle.
***Dim/Info:***
QTY - 2

**A-WBKJD8** Wheel Bearing Kit 2.06 Lbs.

**A-R49841** Hub, 8 Bolt 25.00 Lbs.

***For Models:*** (**COTTON STRIPPER**: 7445), (**COTTON PICKER**: 9910, 9920, 9930)


**A-AH173844** Spindle (LH) 46.00 Lbs.
All W/ Fixed Or Adjustable Rear Axles.
***Replaces:*** AH125654




***Dim/Info:***
A- 10.70"
B- 2.75"
C- 2.249"
D- 1.00- 14 UNS RH Thrd.

***For Models:*** 9400, 9410, 9500, 9500SH, 9510, 9510SH, 9600, 9610, CTS, CTS II


**A-AH173845** Spindle (RH) 47.00 Lbs.
All W/ Fixed Or Adjustable Rear Axles.
***Replaces:*** AH125655




***Dim/Info:***
A- 10.70"
B- 2.75"
C- 2.249"
D- 1.00- 14 UNS RH Thrd.

***For Models:*** CTS, CTS II, 9400, 9410, 9500, 9500SH, 9510, 9510SH, 9600, 9610

**A-H201111** Spindle, Rear Axle 37.25 Lbs.



***Dim/Info:***
9.268" O.D.
8.000" O.D. Bolt Hole Centers
M36 X 2.0 RH Thread

***For Models:*** 9450, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS


**A-JD16** Wheel Bolt (9/16") 0.15 Lbs.



***Dim/Info:***
Size - 9/16" x 1.81"
Thread - 9/16" - 18 UNF
Thread Length - 1.12"
minimum order qty 10

***For Models:*** 3300, 4400, 4420, 6600, 6602, 6620, 7700, 7720

**A-AT20703** Seal, Rear Axle Shaft 0.24 Lbs.



***Dim/Info:***
O.D.: 4.525"
Shaft Dia: 3.000"
Width: .375"

***For Models:*** 925, 932, 935, 942, 945, 1032, 1042, 1052, 1133, 1144, 1177, 6620 w/ 4-Wheel Dr, Cam Lobe Motor, 800 CM3/1600 CM3, 7720 w/ 4-Wheel Dr, Cam Lobe Motor, 800 CM3/1000 CM3/1600 CM3, 8820 w/ 4-Wheel Dr, Cam Lobe Motor, 1000 CM3/1600 CM3


**A-RE31701** Seal, Rear Axle Shaft 0.31 Lbs.
***Replaces:*** AR27446, AR52260



***Dim/Info:***
Type - Multiple Lip
Shaft Diameter - 3.874"
Outside Diameter - 5.390"
Width - .375"


***For Models:*** CTS, CTS II, 9400, 9410, 9500, 9500SH, 9510, 9510SH, 9600, 9610, 9780CTS, 9940, 9950, (**FORAGE HARVESTER**: 6610, 6650, 6710, 6750, 6810, 6850, 6910, 6950)

**A-R28574** Seal Retainer 0.22 Lbs.



***For Models:*** 3300, (**COTTON PICKER**: 9935, 9940, 9950, 9960, 9965, 9970, 9976, 9986), (**COTTON STRIPPER**: 7450, 7455, 7460)

**A-AH173846** Hub Assembly, Rear Axle Spindle Service Kit 48.00 Lbs.
Includes: H94951 Sleeve, JD8258 BRG Cup, AH130871 Hub, JD8237 BRG Cup, AH173846 Screw



***For Models:*** CTS, CTS II, 9400, 9410, 9500, 9500SH, 9510, 9510SH, 9600, 9610

**A-AH156821** Housing, Axle Spindle, Rear 30.70 Lbs.
***Replaces:*** AH126808



***For Models:*** CTS, CTS II, (6620, 7720, 8820 ALL W/ HD Rear Axle), 9400, 9410, 9500, 9500SH, 9510, 9510SH, 9600, 9610

**A-AH162576** Housing Assy, Spindle, Rear Axle 30.97 Lbs.
Regular Duty, Fixed & Adjustable Axle



***For Models:*** 9450, 9550, 9560, 9560STS, 9650, 9650CTS, 9660, 9660CTS

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
aiproducts
e-mail: sales@aiproducts.com
web: www.aiproducts.com


**A-R60239** Thrust Washer; Rear Spindle 0.05 Lbs.



***Dim/Info:***
I.D.: 2.028"
O.D.: 3.996"
Thickness: .120"

***For Models:*** CTS, CTS II, 1177, 6620, 7720, 8820, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, (**COTTON PICKER**: 9996), (**FORAGE HARVESTER**: 5720, 5730, 5820, 5830, 6610, 6650, 6710, 6750, 6810, 6850, 6910, 6950)

**A-H164561** Pin, Spindle, Rear 4.10 Lbs.



***For Models:*** 9450, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, (**COTTON PICKER**: 9996)

**A-H201736** Bushing, Spindle, Rear 0.25 Lbs.



***Dim/Info:***
I.D.: 2.002"
O.D.: 2.191"
Length: 1.624"
Hole Size: .375"
Hole Location: .812" From End

***For Models:*** 9450, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS


**A-H138410** Bushing, Axle Support, Rear 1.00 Lbs.
Use w/ Worn Pivot Only



***Dim/Info:***
Length - 2.01"
ID - 4.997"
OD - 5.187"
Heat Treated

***For Models:*** CTS II, 9400, 9410, 9500, 9500SH, 9510, 9510SH, 9600, 9610

**A-R109808** Bushing, Pivot Pin 0.36 Lbs.



***Dim/Info:***
2.190" O.D.
2.000" I.D.
2.000" Long

***For Models:*** 7700 FRONT / REAR W/ ADJ FRONT AXLES

**A-H146281** Bushing, Axle Pivot, Rear 0.89 Lbs.
***Replaces:*** H114473



***Dim/Info:***
5.20" O.D.
5.00" I.D.
2" wide

***For Models:*** CTS, 9400, 9410, 9450, 9500, 9500SH, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-H158884** Bushing, Spindle 0.30 Lbs.
***Replaces:*** H94946



***Dim/Info:***
2.88" O.D.
2.00" Wide

***For Models:*** CTS, CTS II, (6620, 7720, 8820 ALL Rear Axle Spindle Housings™BR>(Heavy-Duty Rear Axle)), 6622, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9560, 9560SH, 9560STS, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-H86254** Bushing 0.50 Lbs.



***Dim/Info:***
Length - 2.000"
Inside Diameter - 4.016"
Outside Diameter - 4.188"
Width - 2"

***For Models:*** 3300, 4400, 4420, 6600, 6602, 6620, 6622, 7700, 7720, (**FORAGE HARVESTER**: 5200, 5440, 5460)


**A-AH166833** Cylinder, Hydraulic-Steering 10.42 Lbs.
***Replaces:*** AH125658



***Dim/Info:***
Bore Dia.: 1.969"
Rod Dia.: .984"
Stroke: 10.039"
Closed Length: 19.035"

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS, 9640


**A-AH204612** Tie Rod End, Cylinder Rod 2.65 Lbs.
***Replaces:*** AH117566




***Dim/Info:***
A- 2.750"
B- 7/8- 14 UNF RH Thrd.

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS

**A-AH75397** Cylinder End 1.06 Lbs.




***Dim/Info:***
A- 2.00"
B- 11/16 18 RH THRD.


***For Models:*** 925, 932, 935, 942, 945, 950, 955, 960, 965, 965H, 968H, 970, 975, 975HY4, 985, 985HY4, 1032, 1042, 1052, 1055, 1133, 1144, 1155, 1157, 1158, (3300, 4400, 4420 ALL W/ Adjustable Or Narrow Fixed Rear Axle), (6600, 6620, 7700, 7720 ALL W/ Adjustable Rear Axle), (**COTTON STRIPPER**: 484, 7440, 7445 SN <-4000), (**FORAGE HARVESTER**: 5200, 5400, 5440, 5460, 5720, 5730, 5820, 5830)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# REAR AXLE/STEERING PARTS


**A-AH75396** Cylinder End 1.19 Lbs.




***Dim/Info:***
A- 2.250"
B- .6875"
***RH*** THRD.

***For Models:*** 925, 932, 935, 942, 945, 950, 955, 960, 965, 965H, 968H, 970, 975, 975HY4, 985, 985HY4, 1032, 1042, 1052, 1055, 1133, 1144, 1155, 1157, 1158, 3300, 4400, 4420, 6600, 6602, 6620, 7700, 7720, (**COTTON STRIPPER**: 484, 7440, 7445 SN <-4000), (**FORAGE HARVESTER**: 5200, 5400, 5420, 5440, 5460, 5720, 5730, 5820, 5830)


**A-AH94057** Cylinder End 1.62 Lbs.




***Dim/Info:***
A - 3.750"
B - 1.000"
16 RH thread

***For Models:*** 1177, 6602 SN 353601>, 6622, 7722 HILLSIDE, (6620, 7720, 8820 ALL W/ Heavy Duty & 4WD Rear Axles), (**COTTON STRIPPER**: 7445 SN 4001-> W/ Wide Axle), (**COTTON PICKER**: 9930 W/ Wide Axle & Dual Wheels, 9960, 9965, 9970)


**A-AH101187** Tie Rod 2.25 Lbs.




***Dim/Info:***
A- 7.00"
B- 1.00- 16 RH Thrd.

***For Models:*** 1177, (6620, 7720, 8820 ALL W/ Heavy Duty Adjustable & 4WD Rear Axles)


**A-AH101186** Tie Rod End 1.79 Lbs.




***Dim/Info:***
A- 4.875"
B- 1.00- 16 LH Thrd

***For Models:*** 6620 SN <502550 W/ Heavy Duty Rear Axle, 7720 SN <507350 W/ Heavy Duty Rear Axle, 8820 SN <513950 W/ Heavy Duty Rear Axle


**A-AH101185** Tie Rod End 1.86 Lbs.




***Dim/Info:***
A - 4.875"
B - 1.00"
16 RH thread

***For Models:*** 6620 SN <502550 W/ Heavy Duty Rear Axle, 7720 SN <507350 W/ Heavy Duty Rear Axle, 8820 SN <513950 W/ Heavy Duty Rear Axle

**A-RE12325** Tie Rod, Inner 3.78 Lbs.





***Dim/Info:***
A - 5.875"
B - 1.125" RH thread

**A-RE12326** Tie Rod, Outer 3.82 Lbs.
**A-R78026** Jam Nut, LH thread 0.34 Lbs.
**A-R78025** Jam Nut, RH thread 0.44 Lbs.

***For Models:*** CTS, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9600, 9560SH ADJ AXLE, (9540, 9550, 9610, 9650, 9650CTS, 9660, 9660CTS ALL FIXED AND ADJUSTABLE)

**A-AL68253** Tie Rod End 4.52 Lbs.
Used w/ AL68254 & AL68255. Also rod end on tie rod assemblies AL69818 & AL69819




***Dim/Info:***
A - 9"
B - M24 X 1.5 RH Thrd.
C - M28 X 1.5 RH Thrd.

***For Models:*** (S540, S550, S560, S660, S670, S760, S770, S790, 9470STS, 9560I STS, 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880I STS, 9880 STS ALL 2WD & 4WD), (S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S770 HILLMASTER, S780, S780 Hillmaster, S785, S785 Hillmaster, S790, S790 Hillmaster ALL 4WD)


**A-R131288** Tube, Tie Rod 29.50 Lbs.



***Dim/Info:***
A - 46.19"
B - 1 1/8- 12 UNF RH/LH Thrd.

***For Models:*** 7700 W/ MFWD SN 036467>

**A-H130228** Tube, Tie Rod (RH) 24.00 Lbs.




***Dim/Info:***
A- 33.75"
B- 1 1/8-12 RH THRD.

***For Models:*** (9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS, CTS, CTS II ALL W/ ADJ REAR AXLE)

**A-AHC16965** Kit; Hydraulic Cylinder Bore Seal 0.05 Lbs.



***Dim/Info:***
Bore - 1.969"

***For Models:*** CTS, CTS II, 9400, 9410, 9450, 9500, 9510, 9510SH, 9550, 9550SH, 9600, 9610, 9650, 9650CTS

*JOHN DEERE

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

Bearings . . . . . 475-477
Belts. . . . . 464-474
Cooling Systems . . . . . 478
Discharge Area. . . . . 508
Straw Chopper & Spreader Parts . . . . . 508
Engine Parts . . . . . 479-481
Filters. . . . . 482
Grain Handling. . . . . 502-507
Augers . . . . . 505-506
Auger Related Parts . . . . . 507
Clean Grain & Return Elevator Parts . . . . . 503-504
Elevator Chain . . . . . 502
Grain Handling Shafts, Sprockets, Pulleys . . . . . 504
Headers/Platforms/Feeder House . . . . . 489-494
Corn Head Parts. . . . . 491
Grain Head Parts . . . . . 489-490
Feeder House Chain/Slats/Raddle Chain. . . . . 494
Feeder House Parts . . . . . 492-493
Hitch & Drawbar Parts . . . . . 489
Hydraulic Systems Parts . . . . . 485
Ignition & Electrical Parts. . . . . 483-485
Power Train/Propulsion . . . . . 497-498
Rear Axle/Steering Parts . . . . . 508
Separator Area. . . . . 499-501
Chaffers/Sieves. . . . . 501
Sheet Metal & Related. . . . . 498
Sickles Sections, Sickle Parts, & Sickle Assemblies . . . . . 486-488
Threshing Area. . . . . 495-497
Concaves . . . . . 496
Rasp Bars . . . . . 495
Threshing Area Parts. . . . . 497

## There is not a graphic

## for 300 MF belts

| Application | Part # | Ref. | Description |
|---|---|---|---|
| 300 SN 5818-13989 | **A-227984M1** | | Belt, Reel |
| 300 SN 13989-> | **A-228147M91** | | Belt, Table |
| 300 | **A-236370M2** | | Belt, Main Drive |
| 300 gas, SN <-12989 | **A-A63** | | Belt, Radiator Fan |
| 300 | **A-832822M1** | | Belt, Auxiliary Cylinder |
| 300 | **A-832867M1** | | Belt, Straw Walker |
| 300 | **A-832873M1** | | Belt, Variable Speed Cylinder |
| 300 | **A-832876M1** | | Belt, Cleaning Fan, Lower |
| 300 | **A-832877M1** | | Belt, Cleaning Fan, Upper |
| 300 | **A-832878M1** | | Belt, Unloading Auger Countershaft |
| 300 | **A-833768M1** | | Belt, Variable Speed Reel |
| 300 SN <-13989 | **A-832869M1** | | Belt, Knife |
| 300 SN 13989-32098 | **A-834058M1** | | Belt, Knife |


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## MF 410, 510





| Application | Part # | Ref. | Description |
|---|---|---|---|
| 510 diesel | **A-230356M4** | 1 | Belt, Main Drive |
| 410 diesel | **A-233213M2** | 1 | Belt, Main Drive |
| 410, 510 | **A-834110M1** | 2 | Belt, Traction, Upper |
| (410, 510 ALL grain) | **A-834174M1** | 3 | Belt, Traction, Lower |
| 410, 510 | **A-228813M3** | 5 | Belt, Tank Unloader |
| 410, 510 | **A-227984M1** | 6 | Belt, Grain Auger |
| 410, 510 | **A-227986M2** | 7 | Belt, Return Auger & Walker |
| 410, 510 | **A-226981M1** | 15 | Belt, Cylinder |
| 410 SN 4202->, 510 SN 902->, 550 | **A-240447M3** | 16 | Belt, Rear Beater |
| 410, 510 | **A-240575M2** | 17 | Belt, Radiator Fan |
| 510 gas, SN <-9077 | **A-17548** | 19 | Belt, Water Pump & Alternator |
| 410 diesel, SN 6777->, 510 gas, SN <-9077, hydro | **A-SPZ1300** | 19 | Belt, Water Pump & Alternator |
| (410, 510 ALL pickup to table SN <-1486 2394) | **A-C60** | 26 | Belt, Reel Countershaft |
| (410, 510 ALL grain) | **A-227457M1** | 26 | Belt, Reel Countershaft |
| 410 grain, SN <-15063, 510 grain, SN <-9077 | **A-227455M1** | 27 | Belt, Reel |
| 410 SN 6777->, 510 | **A-833768M1** | 28 | Belt, Reel, Var-Speed |
| (410, 510 ALL grain) | **A-227457M1** | 30 | Belt, Cleaning Fan, Countershaft |
| 410, 510 | **A-227976M1** | 31 | Belt, Cleaning Fan |
| 410, 510 SN 9077-> | **A-834332M1** | 32 | Belt, Slinger |
| (410, 510 ALL 112" w/61 PU SN <-1486 2394) | **A-B112** | 33 | Belt, Pick-up |
| 410 chopper SN <-11753, 510 SN <-9156 | **A-1033137M1** | NI | Belt, Straw Chopper Drive |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated


# COMBINE BELTS







**MF 540**





| Application | Part # | Ref. | Description |
|---|---|---|---|
| 540 | **A-236370M2** | 1 | Belt, Main Drive |
| 540 | **A-832878M1** | 4 | Belt, Tank Unloader |
| 540 | **A-832877M1** | 7 | Belt, Cleaning Fan |
| 540 | **A-832867M1** | 8 | Belt, Straw Walker |
| 540 | **A-834332M1** | 10 | Belt, Auxiliary Cylinder (Slinger) |
| 540 | **A-240575M2** | 11 | Belt, Air Intake |
| 540 | **A-832873M1** | 16 | Belt, Cylinder |
| 540 | **A-843747M1** | 17 | Belt, Beater, Rear |
| 540 SN <-1856 | **A-532779M92** | 19 | Belt, Water Pump, Fan, Alternator |
| 540 | **A-843760M1** | 21 | Belt, Chopper Drive, High Speed |
| 540 | **A-833768M1** | 31 | Belt, Reel, Var-Speed |


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated




P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com




**MF 550**





| Application | Part # | Ref. | Description |
|---|---|---|---|
| 550 | **A-230356M4** | 1 | Belt, Main Drive |
| 550 | **A-834110M1** | 2 | Belt, Traction, Upper (3&4 speed) |
| 550 | **A-834175M1** | 2 | Belt, Hydrostatic, Upper |
| 550 | **A-834174M1** | 3 | Belt, Tractor, Lower (3 speed) |
| 550 | **A-834176M1** | 3 | Belt, Hydrostatic, Lower |
| 550 | **A-228813M3** | 5 | Belt, Tank Unloader |
| 550 | **A-227984M1** | 6 | Belt, Grain Auger |
| 550 | **A-227986M2** | 7 | Belt, Return Auger & Walker |
| 550 | **A-226981M1** | 9 | Belt, Cylinder |
| 550 | **A-240447M3** | 10 | Belt, Beater, Rear |
| 550 SN 5307-> | **A-268847M91** | 13 | Belt, Water Pump, Fan, Alternator |
| 550 SN <-5307 | **A-532779M92** | 13 | Belt, Water Pump, Fan, Alternator |
| 550 grain | **A-227457M1** | 15 | Belt, Cleaning Fan, Countershaft |
| 550 | **A-227976M1** | 16 | Belt, Cleaning Fan |
| 550 | **A-834332M1** | 18 | Belt, Slinger Driven |
| 550 | **A-833768M1** | 21 | Belt, Reel, Var-Speed |
| 550 centered chain drive | **A-834058M1** | 22 | Belt, Knife Wobble |
| 550 | **A-1051235M1** | NI | Belt, Chopper Drive |
| 550 low speed corn kit | **A-842935M1** | NI | Belt, Chopper Drive |


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated

# COMBINE BELTS


## MF 750, 760











| Application | Part # | Ref. | Description |
|---|---|---|---|
| 750, 760 | **A-833768M1** | 2 | Belt, Reel, Var-Speed |
| 750 hydro, SN <-16539 | **A-833856M1** | 5,06 | Belt, Traction, Lower & Upper |
| 760 hydro | **A-833866M1** | 5 | Belt, Traction, Upper |
| 750 hydro, SN 16539-> | **A-844077M1** | 5 | Belt, Traction Drive, Upper |
| (750, 760 ALL hydro) | **A-833866M1** | 6 | Belt, Traction Drive, Lower |
| 760 | **A-833865M1** | 7 | Belt, Main Drive |
| 750 | **A-833874M1** | 7 | Belt, Main Drive |
| 750 SN <-13713 | **A-216897M1** | 8 | Belt, Air Intake |
| 760 SN <-9413 | **A-833867M1** | 8 | Belt, Air Intake |
| 760 | **A-833862M3** | 9 | Belt, Grain Tank Unloader |
| 750 | **A-833873M1** | 9 | Belt, Grain Tank Unloader |
| 750 SN 15716->, 760 SN 9413-> | **A-281560M91** | 10 | Belt, Shaker Shoe Countershaft Fan |
| 750, 760 | **A-842110M1** | 11 | Belt, Straw Spreader |
| 750 | **A-833855M1** | 12 | Belt, Straw Walker |
| 760 | **A-833860M1** | 12 | Belt, Straw Walker |
| 750, 760 | **A-273757M91** | 14 | Belt, Shaker Shoe |
| 760 V-8, SN <-13173 | **A-844163M1** | 19 | Belt, Alternator |
| 750 diesel, SN 15716-16539 | **A-532779M92** | 22 | Belt, Alternator |
| 750 diesel, SN 16539->, 760 6 cyl, SN 9413-> | **A-844079M1** | 22 | Belt, Alternator |
| 750 diesel, SN <-13713, 760 SN 7663-> | **A-259047M91** | 23 | Belt, Radiator Fan |
| 750 gas, 760 SN 2474-7663 | **A-274339M91** | 23 | Belt, Radiator Fan |
| 750 SN 15420->, 760 SN 7663-> w/ frigidaire compressor | **A-529964M1** | 24 | Belt, Air Conditioning |
| 750, 760 | **A-833868M2** | 26 | Belt, Cylinder |
| 750 SN <-16539, 760 SN <-9413 | **A-833871M1** | 27 | Belt, Straw Chopper |
| 750 SN 16539->, 760 SN 9413-> | **A-843948M1** | 27 | Belt, Straw Chopper Drive |
| (760, 750 ALL hydro) | **A-833866M1** | 28 | Belt, Straw Chopper |
| 750 SN 16539->, 760 SN 9413-> | **A-843747M1** | 28 | Belt, Straw Chopper Drive |
| 750 SN 16539->, 760 SN 9413-> | **A-832906M1** | 29 | Belt, Straw Chopper Drive |
| 750, 760 | **A-833854M2** | 30 | Belt, Returns Elevator |
| 750, 760 SN <-9413 | **A-842935M1** | NI | Belt, Straw Chopper Corn Kit |


# = Part Currently Not Available  NI = Not illustrated


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com








| Application | Part # | Ref. | Description |
|---|---|---|---|
| 850 | **A-833768M1** | 2 | Belt, Reel, Var-Speed |
| 850 w/ 22' float cutter bar, 860 | **A-227455M1** | 4,05 | Belt, Wobble Box, 22' Floating w/ 6 Mtg Hole Brkt |
| 860 | **A-832832M1** | 5 | Belt, Wobble Box, 22' Floating w/ 6 Mtg Hole Brkt |
| 860 SN <-18278 | **A-833866M1** | 8 | Belt, Traction |
| 850 hydro, SN <-27544 | **A-844077M1** | 9 | Belt, Traction (95.5") |
| 850 hydro SN <27544 | **A-833866M1** | 8 | Belt, Traction (100") |
| 860 | **A-833865M1** | 10 | Belt, Main Drive |
| 850 | **A-833874M1** | 10 | Belt, Main Drive |
| 860 | **A-833862M3** | 12 | Belt, Grain Tank Unloader |
| 850 | **A-833873M1** | 12 | Belt, Grain Tank Unloader |
| 850, 860 | **A-281560M91** | 13 | Belt, Shaker Shoe Countershaft Fan |
| 860 | **A-843302M1** | 15 | Belt, Straw Walker |
| 850 | **A-843310M1** | 15 | Belt, Straw Walker |
| 850, 860 | **A-273757M91** | 16 | Belt, Shaker Shoe |
| 860 | **A-833867M1** | 18 | Belt, Rotary Screen Countershaft to Beater |
| 860 | **A-844306M1** | 19 | Belt, Countershaft to Rotary Screen |
| 860 V-8 | **A-844163M1** | 22 | Belt, Alternator & Water Pump |
| (850, 860 ALL 6 cyl) | **A-844079M1** | 23 | Belt, Alternator |
| 860 SN <-16559 | **A-259047M91** | 24 | Belt, Radiator Fan |
| 860 SN 16559-> | **A-284633M91** | 24 | Belt, Radiator Fan |
| 850 SN 25658-> | **A-1614371M1** | 27 | Belt, Air Conditioning |
| 850 SN <-25658, 860 w/ frigidaire | **A-529964M1** | 27 | Belt, Air Conditioning |
| 860 | **A-3040966M1** | 31 | Belt, Oil Cooler Fan |
| 850 | **A-844461M1** | 31 | Belt, Oil Cooler Fan |
| 850, 860 | **A-833868M2** | 33 | Belt, Cylinder |
| 850, 860 | **A-843948M1** | 34 | Belt, Straw Chopper |
| 850, 860 | **A-843747M1** | 35 | Belt, Straw Chopper |
| 850, 860 | **A-843760M1** | 36 | Belt, Straw Chopper |
| 850, 860 | **A-833854M2** | 37 | Belt, Returns Elevator |
| 850 | **A-842935M1** | NI | Belt, Corn Kit |

# = Part Currently Not Available  NI = Not illustrated


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# COMBINE BELTS



MF 8560, 8570

| Application | Part # | Ref. | Description |
|---|---|---|---|
| 8780 SN W55101>, 8780XP | **A-71386352** | 1 | Belt; Beater Drive, 3HB, 175.3” |
| 8560 | **A-1669570W1** | 3 | Belt, Rotor Drive |
| 8570 220 HP Engine | **A-9811830W2** | 2,03 | Belt, Propulsion Pump Drive |
| (8560, 8570, 8780, 8780XP ALL Grain Elevator Drive) | **A-227455M1** | 5 | Belt, Grain Elevator Drive |
| 8560, 8570, 8780, 8780XP | **A-101102M1** | 6 | Belt; Unloader Drive; 149.3” |
| 8560, 8570 | **A-16802030W1** | 8 | Belt, Spreader Drive |
| 8570, 8780, 8780XP | **A-71388712** | 8 | Belt; Chopper Secondary Drive, 213.8” |
| (8560, 8570, 8780, 8780XP ALL Spreader Jackshaft Drive) | **A-227455M1** | 9 | Belt, Jackshaft Spreader Drive |
| 8780XP | **A-71385837** | 9 | Belt; Chopper Primary Drive, 123.8” |
| 8780XP, 9520, 9530, 9540, 9545, 9565 | **A-71385801** | 10 | Belt; Return Elevator Drive, 109.6” |
| 8780 SN W55101>, 8780XP | **A-71379105** | 12 | Belt; Beater To Header Countershaft Drive, 217.0” |
| 8560 | **A-525906M1** | 13 | Belt, AC Compressor |
| 8570 | **A-531603M1** | 13 | Belt, AC Compressor |
| 8780XP A/C Compressor Drive | **A-71148120** | 13 | Belt, A/C Compressor Drive |
| 8570 Engine SN <45050296 | **A-1076753M1** | 14 | Belt, Engine Fan Drive |



MF 8590, 9720

| Application | Part # | Ref. | Description |
|---|---|---|---|
| 8590, 9720 | **A-2439700W1** | 3 | Belt, Grain Elevator Drive |
| 8590, 9720 | **A-514891M1** | 10 | Belt, Rotary Screen Drive |
| 8590, 9720 | **A-186976M1** | 13 | Belt, Alternator |
| 9720 | **A-2403270W1** | 15 | Belt, Alternator |
| 8590 | **A-312449520** | 16 | Belt; Hydrostatic Pump Drive |
| 8590, 9720 | **A-B59** | 20 | Belt, Straw Spreader, Secondary |


# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## MF 9690, 9695, 9790, 9795, 9895




| Application | Part # | Ref. | Description |
|---|---|---|---|
| 9690 SN HP87101>, 9695, 9790 SN HP36101>, 9795, 9895, 9520, 9530 | **A-71427255** | 1 | Belt; Feeder Pivot Shaft Drive/Header Countershaft, 195.47” |
| 9695, 9790, 9795, 9895, 9520, 9530, 9540, 9545, 9560, 9565 | **A-71390199** | 2 | Belt; Shaker Shoe Pitman Drive, 100.8” |
| (9690, 9790 ALL Grain Elevator Drive; SN <HP87101) | **A-227455M1** | 3 | Belt, Grain Elevator Drive |
| (9690, 9790 ALL SN HP87101>), 9895 SN <HUC8101 | **A-71403685** | 3 | Belt; Grain Elevator Drive, 130” |
| 9695, 9795, 9895 SN HUC8101> | **A-71410765** | 3 | Belt; Grain Elevator Drive, 128.85” |
| 9690 | **A-71386352** | 4 | Belt; Beater Drive, 3HB, 175.3” |
| 9695, 9790, 9795, 9895, 9520, 9530 | **A-71388216** | 4 | Belt; Beater Drive, 4HB, 175.3” |
| 9690, 9790 | **A-101102M1** | 5 | Belt; Unloader Drive; 149.3” |
| 9695, 9795, 9895, 9520, 9530 | **A-71410767** | 5 | Belt; Bin Unloader Drive, 142.04” |
| 9695, 9790, 9795, 9520, 9530 | **A-71390188** | 6 | Belt; Main Countershaft Drive, 143.0” |
| 9895 | **A-71403721** | 6 | Belt; Main Countershaft Drive, 170.08” |
| 9690 SN <HR87101, 9795 Rotor Pump Drive | **A-71418976** | 7 | Belt; Tandem Pump Drive, 90.2” |
| 9690 SN HR87101>, 9695, 9790 Propel Pump Drive; SN HR36101>, 9520, 9530 | **A-71418984** | 7 | Belt; Tandem Pump Drive, 91.1” |
| 9895 | **A-71406285** | 7 | Belt; Rotor Pump Drive, 104.13” |
| 9895 | **A-71406286** | 8 | Belt; Propel Pump Drive, 98.6” |
| 9795 | **A-71418978** | 8 | Belt; Propel Pump Drive, 93.3” |
| 9690 SN HP87101>, 9695, 9790 SN HP36101>, 9795, 9895 | **A-71399519** | 9 | Belt; Jackshaft To Header Countershaft, 160.5” |
| 9690 SN HP87101>, 9695, 9790 SN HP36101>, 9795 | **A-71398384** | 10 | Belt; Beater To Feederhouse Jackshaft Drive, 136.0” |
| 9695, 9790, 9795, 9895, 8780XP, 9520, 9530, 9540, 9545, 9560, 9565 | **A-71385801** | 12 | Belt; Return Elevator Drive, 109.6” |
| (9690, 9790 ALL Spreader Jackshaft Drive) | **A-227455M1** | 13 | Belt, Spreader Jackshaft Drive |
| 9695, 9795, 9895 | **A-71414420** | 13 | Belt; Spreader Drive, Primary, 130” |
| 9695, 9795, 9895, 9520, 9530 | **A-71406338** | 13 | Belt; Chopper Drive, Primary, 136.5” |
| 9690 SN <HR87101, 9790 SN <HR36101 | **A-71385837** | 13 | Belt; Chopper Primary Drive, 123.8” |
| 9690 SN <HR87101, 9790 SN <HR36101 | **A-A3289213** | 14 | Belt; Fan/Alternator Drive, Cummins, 68.5” |
| 9690 SN <HR87101, 9790 SN <HR36101 | **A-A71410501** | 14 | Belt; Fan/Alternator Drive, (Update Kit), Cummins |
| 9690 Engine SN T11858>, 9695, 9790 Engine SN T11858>, 9795 | **A-V685121530** | 14 | Belt; Fan/Alternator Drive, (Sisu) |
| 9895 | **A-288-1607** | 14 | Belt; Fan/Alternator Drive |
| (9690, 9695, 9790 ALL A/C Compressor Drive) | **A-71148120** | 15 | Belt, A/C Compressor Drive |
| 9690 SN <HR87101, 9790 SN <HR36101 | **A-71388712** | 18 | Belt; Chopper Secondary Drive, 213.8” |
| 9690 SN <HP87101, 9790 SN <HP36101 | **A-71379105** | 17 | Belt; Beater To Header Countershaft Drive, 217.0” |

# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# Belt Application Listing



| Part # | Description | Models |
|---|---|---|
| **A-A63** | Belt, Radiator Fan | 300 gas, SN <-12989 |
| **A-A3289213** | Belt; Fan/Alternator Drive, Cummins, 68.5" | 9690 SN <HR87101, 9790 SN <HR36101 |
| **A-A71410501** | Belt; Fan/Alternator Drive, (Update Kit), Cummins | 9690 SN <HR87101, 9790 SN <HR36101 |
| **A-B59** | Belt, Straw Spreader, Secondary | 8590, 9720 |
| **A-B112** | Belt, Pick-up | (410, 510 ALL 112" w/61 PU SN <-1486 2394) |
| **A-C60** | Belt, Countershaft, Reel | (410, 510 ALL pickup to table SN <-1486 2394) |
| **A-SPZ1300** | Belt, Water Pump & Alternator | 410 diesel, SN 6777->, 510 gas, SN <-9077, hydro |
| **A-V685121530** | Belt; Fan/Alternator Drive, (Sisu) | 9690 Engine SN T11858>, 9695, 9790 Engine SN T11858>, 9795 |
| **A-17548** | Belt, Water Pump & Alternator | 510 gas, SN <-9077 |
| **A-101102M1** | Belt; Unloader Drive; 149.3" | 8560, 8570, 8780, 8780XP, 9690, 9790 |
| **A-1033137M1** | Belt, Straw Chopper Drive | 410 chopper SN <-11753, 510 SN <-9156 |
| **A-1051235M1** | Belt, Chopper Drive | 550 |
| **A-1076753M1** | Belt, Engine Fan Drive | 8570 Engine SN <45050296 |
| **A-1614371M1** | Belt, Air Conditioning | 850 SN 25658->, (3505, 3525 ALL w/ frigidaire comp SN <-T258205), 3545 w/ frigidaire comp |
| **A-1669570W1** | Belt, Rotor Drive | 8560 |
| **A-16802030W1** | Belt, Spreader Drive | 8560, 8570 |
| **A-186976M1** | Belt, Fan / Alternator | 8590, 9720 |
| **A-288-1607** | Belt; Fan/Alternator Drive | 9895 |
| **A-226981M1** | Belt, Cylinder | 410, 510, 550 |
| **A-227455M1** | Belt, Reel Drive | 410 grain, SN <-15063, 510 grain, SN <-9077 |
| **A-227455M1** | Belt, Wobble Box | 850 w/ 22' float cutter bar, 860 |
| **A-227455M1** | Belt, Grain Elevator Drive | (8560, 8570, 8780, 8780XP ALL Grain Elevator Drive), (9690, 9790 ALL Grain Elevator Drive; SN <HP87101) |
| **A-227455M1** | Belt, Spreader Jackshaft Drive | (8560, 8570, 8780, 8780XP, 9690, 9790 ALL Spreader Jackshaft Drive) |
| **A-227457M1** | Belt, Cleaning Fan, Countershaft | (410, 510, 550 ALL grain) |
| **A-227976M1** | Belt, Cleaning Fan | 410, 510, 550 |
| **A-227984M1** | Belt, Grain Auger | 410, 510, 550, 300 SN 5818-13989 |
| **A-227986M2** | Belt, Return Auger & Walker | 410, 510, 550 |
| **A-228147M91** | Belt, Table | 300 SN 13989-> |
| **A-228813M3** | Belt, Tank Unloader | 410, 510, 550 |
| **A-230356M4** | Belt, Main Drive | 550, 510 diesel |
| **A-233213M2** | Belt, Main Drive | 410 diesel |
| **A-236370M2** | Belt, Main Drive | 300 |
| **A-238887M2** | Belt, Main Drive | 410 gas |
| **A-2403270W1** | Belt, Alternator, 9270 only | 9720 |
| **A-240447M3** | Belt, Rear Beater | 410 SN 4202->, 510 SN 902-> |
| **A-240575M2** | Belt, Radiator Fan | 410, 510, 540 |
| **A-2439700W1** | Belt, Grain Elevator Drive | 8590, 9720 |
| **A-259047M91** | Belt, Radiator Fan | 750 diesel, SN <-13713, 860 SN <-16559, 760 SN 7663-> |
| **A-268847M91** | Belt, Water Pump, Fan & Alternator | 550 SN 5307-> |
| **A-273757M91** | Belt, Shaker Shoe | 750, 760, 850, 860 |
| **A-274339M91** | Belt, Radiator Fan | 750 gas, 760 SN 2474-7663 |

# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

# Belt Application Listing

| Part # | Description | Models |
|---|---|---|
| **A-281560M91** | Belt, Shaker Shoe Countershaft Fan | 850, 860, 750 SN 15716->, 760 SN 9413-> |
| **A-284633M91** | Belt, Radiator Fan | 860 SN 16559-> |
| **A-312449520** | Belt; Hydrostatic Pump Drive | 8590 |
| **A-525906M1** | Belt, AC Compressor | 8560 |
| **A-529964M1** | Belt, Air Conditioning | 860 w/ frigidaire, 850 SN <-25658, 750 SN 15420->, 760 SN 7663-> w/ frigidaire compressor |
| **A-531603M1** | Belt, AC Compressor | 550, 60, 8570, 8780 |
| **A-532779M92** | Belt, Water Pump, Fan, Alternator | 750 diesel, SN 15716-16539, 540 SN <-1856, 550 SN <-5307 |
| **A-71148120** | Belt, A/C Compressor Drive | (8780XP, 9690, 9695, 9790 ALL A/C Compressor Drive) |
| **A-71322834** | Belt, Flex Cutter Bar Drive | (HEAD, CUTTING PLATFORM: 8000 SN HM84101 >) |
| **A-71379105** | Belt; Beater To Header Countershaft Drive, 217.0" | 8780 SN W55101>, 8780XP, 9690 SN <HP87101, 9790 SN <HP36101 |
| **A-71385801** | Belt; Return Elevator Drive, 109.6" | 8780XP, 9695, 9790, 9795, 9895, 9520, 9530, 9540, 9545, 9560, 9565 |
| **A-71385837** | Belt; Chopper Primary Drive, 123.8" | 8780XP, 9690 SN <HR87101, 9790 SN <HR36101 |
| **A-71386352** | Belt; Beater Drive, 3HB, 175.3" | 8780 SN W55101>, 8780XP, 9690 |
| **A-71388712** | Belt; Chopper Secondary Drive, 213.8" | 8570, 8780, 8780XP, 9690 SN <HR87101, 9790 SN <HR36101 |
| **A-71390188** | Belt; Main Countershaft Drive, 143.0" | 9695, 9790, 9795, 9520, 9530 |
| **A-71390199** | Belt; Shaker Shoe Pitman Drive, 100.8" | 9695, 9790, 9795, 9895, 9520, 9530, 9540, 9545, 9560, 9565 |
| **A-71398384** | Belt; Beater To Feederhouse Jackshaft Drive, 136.0" | 9690 SN HP87101>, 9695, 9790 SN HP36101>, 9795 |
| **A-71399519** | Belt; Jackshaft To Header Countershaft, 160.5" | 9690 SN HP87101>, 9695, 9790 SN HP36101>, 9795, 9895 |
| **A-71403685** | Belt; Grain Elevator Drive, 130" | (9690, 9790 ALL SN HP87101>), 9895 SN <HUC8101 |
| **A-71403721** | Belt; Main Countershaft Drive, 170.08" | 9895 |
| **A-71406285** | Belt; Rotor Pump Drive, 104.13" | 9895 |
| **A-71406286** | Belt; Propel Pump Drive, 98.6" | 9895 |
| **A-71406338** | Belt; Chopper Drive, Primary, 136.5" | 9695, 9795, 9895, 9520, 9530 |
| **A-71410767** | Belt; Bin Unloader Drive, 142.04" | 9695, 9795, 9895, 9520, 9530 |
| **A-71414420** | Belt; Spreader Drive, Primary, 130" | 9695, 9795, 9895 |
| **A-71418976** | Belt; Tandem Pump Drive, 90.2" | 9690 SN <HR87101, 9795 Rotor Pump Drive |
| **A-71418978** | Belt; Propel Pump Drive, 93.3" | 9795 |
| **A-71418984** | Belt; Tandem Pump Drive, 91.1" | 9690 SN HR87101>, 9695, 9790 Propel Pump Drive; SN HR36101>, 9520, 9530 |
| **A-71427255** | Belt; Feeder Pivot Shaft Drive/Header Countershaft, 195.47" | 9690 SN HP87101>, 9695, 9790 SN HP36101>, 9795, 9895, 9520, 9530 |
| **A-832822M1** | Belt, Auxiliary Cylinder | 300 |
| **A-832832M1** | Belt, Wobble Box | 860 |
| **A-832867M1** | Belt, Straw Walker | 300, 540 |
| **A-832873M1** | Belt, Cylinder | 300, 540 |
| **A-832878M1** | Belt, Tank Unloader | 300, 540 |
| **A-832906M1** | Belt, Straw Chopper Drive | 750 SN 16539->, 760 SN 9413-> |
| **A-833655M1** | Belt, Rotary Drive | 205 |
| **A-833768M1** | Belt, Variable Speed Reel | 300, 510, 540, 550, 750, 760, 850, 410 SN 6777-> |
| **A-833854M2** | Belt, Returns Elevator | 750, 760, 850, 860 |
| **A-833855M1** | Belt, Straw Walker | 750 |
| **A-833856M1** | Belt, Traction, Lower & Upper | 750 hydro, SN <-16539 |

# = Part Currently Not Available  NI = Not illustrated

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# Belt Application Listing



| Part # | Description | Models |
|---|---|---|
| **A-833862M3** | Belt, Grain Tank Unloader | 760, 860 |
| **A-833865M1** | Belt, Main Drive | 760, 860 |
| **A-833866M1** | Belt, Traction | 860 SN <-18278, 760 hydro |
| **A-833867M1** | Belt, Air Intake | 860, 760 SN <-9413 |
| **A-833868M2** | Belt, Cylinder | 750, 760, 850, 860 |
| **A-833871M1** | Belt, Straw Chopper | 750 SN <-16539, 760 SN <-9413 |
| **A-833873M1** | Belt, Grain Tank Unloader | 750, 850 |
| **A-833874M1** | Belt, Main Drive | 750, 850 |
| **A-833962M1** | Belt, Knife Wobble Box | 540, 860, 550 floating cutter bar, 850 w/ 15'-20' float cutter bar, 760 SN 9413-> w/ 20' float bar |
| **A-834058M1** | Belt, Knife Wobble | 300 SN 13989-32098, 410 SN 15063->, 510 w/ table SN 1201 9077-1859 37752, 550 centered chain drive, 760 SN <-5829 / SN 9413-> w/ 13' rigid bar |
| **A-834110M1** | Belt, Upper Traction | 410, 510, 550 |
| **A-834174M1** | Belt, Lower Traction (Grain) | 550 |
| **A-834175M1** | Belt, Hydrostatic, Upper | 550 |
| **A-834176M1** | Belt, Hydrostatic, Lower | 550 |
| **A-834332M1** | Belt, Auxiliary Cylinder (Slinger) | 410, 540, 550, 510 SN 9077-> |
| **A-842110M1** | Belt, Straw Spreader | 750, 760, 850, 860 |
| **A-842935M1** | Belt, Straw Chopper Corn Kit | 750, 850, 550 low speed corn kit, 760 SN <-9413 |
| **A-843302M1** | Belt, Straw Walker | 860 |
| **A-843310M1** | Belt, Straw Walker | 850 |
| **A-843747M1** | Belt, Rear Beater or Straw Chopper | 540, 850, 860, 750 SN 16539->, 760 SN 9413-> |
| **A-843760M1** | Belt, Straw Chopper | 540, 850, 860 |
| **A-843948M1** | Belt, Straw Chopper | 850, 860, 750 SN 16539->, 760 SN 9413-> |
| **A-844077M1** | Belt, Traction | 850 hydro, SN <-27544, 750 hydro, SN 16539-> |
| **A-844079M1** | Belt, Alternator | 750 diesel, SN 16539->, 760 6 cyl, SN 9413-> |
| **A-844163M1** | Belt, Alternator & Water Pump | 760 V-8, SN <-13173 |
| **A-844306M1** | Belt, Countershaft to Rotary Screen | 860 |
| **A-844461M1** | Belt, Oil Cooler Fan | 850 |
| **A-9811830W2** | Belt, Propulsion Pump Drive | 8570 220 HP Engine |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

| Part No. | Description | ID Size | OD Size | Seals | Application | Wt. |
|---|---|---|---|---|---|---|
| **A-205FF** | Ball Type | .9843" / 25mm | 2.0472" / 52mm | both sides | 300 | 0.28 |
| **A-22690X** | Ball Type w/ Lock Collar | 1.250" / 32mm | 2.4409" / 62mm | both sides | 205, 300, 405, 540, 550, 750, 760, 850, 860, 8570, 8590 | 0.67 |
| **A-200922M1** | Cone, Rear Wheel Inner | 2.000" | | | 410, 510 | 0.77 |
| **A-204220M1** | Ball Type | 1.1811" / 30mm | 2.4409" / 62mm | both sides | (**HEAD, CORN**: 24-64, 1124-1164, 1133-1183) | 0.45 |
| **A-350356X1** | Cup, Rear Wheel Inner | | 3.5" | | 410, 510 | 0.38 |
| **A-350396X1** | Ball Type | .7874" / 20mm | 1.8504" / 47mm | both sides | 35, 35 SUPER, 60, 72, 80, 82, 92, 300, 410, 510, 540, 550, 750, 760 | 0.22 |
| **A-352976X1** | Ball Type | 1.5748" / 40mm | 3.1496" / 80mm | both sides | 205, 300, 750, 760, 850, 860, 8560, 8570, 8590 rotary | 0.80 |
| **A-353067X1** | Ball Type | .9843" / 25mm | 2.0472" / 52mm | one side | 410, 510, 540, 750, 760, 850, 855, 860, 865 | 0.31 |
| **A-353102X1** | Ball Type | 1.1811"; .6299" wide | 2.4409" | | 300, 540, 750, 751, 760, 850, 851, 852, 855, 860, 865 | 0.45 |
| **A-353114X1** | Bearing, Top Shaft | .750" | 1.8504" | | 510 rice, 860 | 0.30 |
| **A-353134X1** | Bearing, Auger Shaft | 1.0625" | 2.4409" | | 410, 510 | 0.83 |
| **A-353140X1** | Ball Type | 1.3780" / 35mm | 2.8346" / 72mm | both sides | 35, 35 SUPER, 60, 72, 82, 92, 92 SUPER, 405, 410, 510, 540, 750, 751, 760, 850, 851, 855, 9720 | 0.60 |
| **A-353144X1** | Ball Type | .9843" / 25mm; .6693" wide | 2.4409" | both sides | 35, 35 SUPER, 60, 72, 92, 410 S/N 1200014018->, 510 S/N 1201-003-653 - 1201-026-828, 8570, 9720 | 0.55 |
| **A-353152X1** | Ball Type | .7874" / 20mm | 1.8504" / 47mm | both sides | 750, 760, 850, 860 | 0.23 |
| **A-353161X1** | Bearing, Elevator Drive Shaft | 1.1875" | 2.4409" | | 92 SUPER, 300, 405, 410, 510, 550, 750, 751, 760, 850, 851, 852, 855, 860, 865 | 0.60 |
| **A-353246X1** | Ball Type | 1.1811"; .748" wide | 2.8346" | | 35, 80, 410, 510 S/N 1201-003-653, 760, 850, 855, 860, 865, 8450, 8460, 8560, 8590 | 0.82 |
| **A-354919X1** | Ball Type | 1.9685" / 50mm | 3.5433" / 90mm | both sides | 205, 300, 405, 510, 540, 550, 750, 760, 850, 8560, 8570, 8590 | 1.07 |
| **A-354921X1** | Ball Type | 1.5748" / 40mm; .9055" wide | 3.5433" | both sides | 60, 72, 80, 82, 92, 92 SUPER, 410 S/N 1200-006-77->, 510 S/N 1201-003-653->, 540, 760, 860, 865 | 1.46 |
| **A-831077M1** | Cup, Outer Pinion/Rear Wheel | 2.5625" | | | 72, 82, 92 SUPER, 205, 300, 410, 510, 540, 550, 750, 760, 850, 855, 860, 865, 8560 | 0.19 |
| **A-831078M1** | Brg, Outer Pinion/Rear Wheel | 1.375" | | | 72, 82, 92 SUPER, 205, 300, 410, 510, 540, 550, 750, 760, 850, 855, 860 S/N <-1746-019-114, 8560 | 0.36 |
| **A-831087M1** | Ball Type | 1.1811" / 30mm | 2.4409" / 62mm | both sides | 82, 92, 92 SUPER, 205, 300, 405, 410, 510, 540, 550, 750, 751, 760, 850, 851, 852, 855, 860, 865 | 0.44 |
| **A-831112M1** | Ball Type | | 2.10472" / 52mm | both sides | 205, 300, 405, 410, 510, (**HEAD, CORN**: 62-82, 222-621) | 0.30 |
| **A-831134M1** | Ball Type | | | | 205, 300, 405, 410, 510, 540, 550, 750, 751, 760, 850, 851, 852, 855, 860 S/N <-1746-019-114 | 0.92 |
| **A-831224M1** | Needle Type | 1.1250"; 1.000" wide | 1.500" | | 35, 72, 82, 92, 205, 300, 405, 410, 510, 540, 550, 750, 760 | 0.13 |
| **A-831225M1** | Seal, Oil | 1 1/4" X 1 1/2" X 1/8" | | oil seal only | 205, 300, 410, 510, 540, 550, 750, 751, 760, 850, 851, 852, 855, 860, 865 | 0.01 |

*MASSEY FERGUSON

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated

# COMBINE BEARINGS

| Part No. | Description | ID Size | OD Size | Seals | Application | Wt. |
|---|---|---|---|---|---|---|
| **A-831622M1** | Cone, Tapered Roller Bearing, W/ Seal | 1.250” | 2.8346” | .14” | 35, 35 SUPER, 8560, (**HEAD, CORN**: 22) | 0.25 |
| **A-831728M1** | Tapered Roller | 1.625” | | | 72, 82, 92 SUPER, 205, 300, 410, 510, 540, 550, 750, 760, 850, 855, 860, 865 | 0.49 |
| **A-831729M1** | Tapered Cup | 2.8910” | | | 72, 82, 92 SUPER, 205, 300, 410, 510, 540, 550, 750, 760, 850, 855, 860, 865 | 0.24 |
| **A-831822M1** | Ball Type | 1.3780” / 35mm | 2.8346” / 72mm | both sides | 92 SUPER, 205, 750, 751, 760, 850, 851, 852, 855, 860, 865, 8560, 8570, 8590, 8780, 9720, (**HEAD, CORN**: 22, 24, 33, 34, 43, 44, 54, 62, 63, 64, 82, 83, 1143, 1144, 1153, 1163, 1164, 1183, 9000) | 0.66 |
| **A-831861M1** | Ball Type | 1.3780” / 35mm | 3.1496” / 80mm | both sides | 300, 405, 410, 510, 550, 750, 760, 850, 860 | 1.04 |
| **A-831929M1** | Brg, Variable Speed Reel | 1.125” | 2.4409” | | 510, 750, 760, 850, 860 | 0.70 |
| **A-832087M1** | Ball Type | 1.5748” / 40mm | 3.1496” / 80mm | both sides | 62, 82, 405, 410, 510, 540, 550, 750, 751, 760, 850, 851, 852, 855, 860, 865, (**HEAD, CORN**: 34, 44, 54, 62, 64, 82, 1124, 1143, 1153, 1163, 1183) | 0.82 |
| **A-832190M1** | Cup | 1.98”; .42” wide | 1.98”, .42” wide | | 8560 | 0.10 |
| **A-832198M1** | Ball Type | .4724” / 12mm | 1.2598” / 32mm | both sides | 205, 300, 410 S/N 1200-006-777->, 510 S/N 1201-003-653 - 1201-026-882, 540, 550, 750, 751, 760, 850, 851, 852, 855, 860, 865, (**HEAD, CORN**: 24, 33, 34, 43, 44, 54, 63) | 0.10 |
| **A-832339M1** | Roller Type | .750”; .750” wide | 1.000” | | 60, 72, 80, 82, 92 SUPER, 205, 300, 405, 410, 510, 540, 550, 750, 751, 760, 850, 851, 852, 855, 860 S/N <-1746-019-115 | 0.07 |
| **A-832441M1** | Bearing, Unloading Auger | 1.125” | 2.4409” | | 750, 760, 850, 860 | 0.70 |
| **A-832686M1** | Ball Type | .7874”; .5512” wide | 1.8504” | | 410, 510, 540, 760 S/N <-1746-009-413, 8450, 8460 | 0.22 |
| **A-833059M1** | Ball Type | 1.5748” / 40mm | 3.1496” / 80mm | both sides | 205, 300, 405, 410 S/N 1200-006-777->, 510 S/N 1201-003-653->, 540, 550, 750, 760, 850 S/N <-1696-027-544, 860 S/N <-1746-019-115, (**HEAD, CORN**: 34, 43, 44, 62, 63, 82) | 0.80 |
| **A-833083M1** | Needle Type | 1.250”; .750” wide | 1.500” | | 300, 410, 510 | 0.10 |
| **A-833356M1** | Ball Type w/ Lock Collar | 1.250” / 32mm | 2.8346” / 72mm | both sides | (**HEAD, CORN**: 1124-1164, 1133-1163) | 1.23 |
| **A-833735M1** | Ball Type | | | | 205, 300, 405, 410, 510, 540, 550, 750, 751, 760, 850, 851, 852, 855, 860, 865, (**HEAD, CORN**: 24, 33, 34, 43, 44, 54, 62, 63, 64, 82, 83, 1143, 1144, 1153, 1163, 1164, 1183, 9000) | 0.17 |
| **A-833757M1** | Ball Type | .9843” / 25mm | 2.4409” / 62mm | both sides | 300, 410, 510, 540, 550, 750, 760, 850, 860 | 0.52 |
| **A-833613M1** | Ball Type | 2.5591”; .7087” wide | 3.9370” | | 750, 760, 850, 855, 860, 865 | 1.01 |
| **A-833647M1** | Ball Type | 1.5748”; 1.4375” wide | 3.5433” | | 410, 510, 550, 750, 751, 760, 850, 851, 852, 855, 860, 865 | 1.44 |
| **A-833741M1** | Ball Type | 1.9685”; .7874” wide | 3.5433” | | 405, 750, 751, 760, 850, 851, 852, 855, 860, 865 | 1.03 |
| **A-834197M1** | Bearing, Cross Shaft | .875” | 2.0472” | | 510 | 0.50 |
| **A-834199M1** | Bearing, Elevator Shaft | 1.000” | 2.0472” | | 410, 510 | 0.40 |

# = Part Currently Not Available  NI = Not illustrated



*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

| Part No. | Description | ID Size | OD Size | Seals | Application | Wt. |
|---|---|---|---|---|---|---|
| **A-834313M1** | Ball Type | 1.3780"; .6693" wide | 2.8346" | | 410 S/N 1200-006-777->, 510 S/N 1201-003-652->, 750, 751, 760, 850 S/N <-1696-027-543, 851, 852, 860 S/N <-1746-019-115 | 0.67 |
| **A-834580M1** | Tapered Roller | 1.1875" | | | 750, 760, 850, 855, 860, 865, 8570, 8680, 8780 | 0.47 |
| **A-834581M1** | Tapered Cup | | 2.5312" | | 750, 760, 850, 855, 860, 865, 8570, 8680, 8780 | 0.28 |
| **A-834869M1** | Ball Type | 1.7717" / 45mm | 3.9370" / 100mm | both sides | 750, 751, 760, 850, 851, 852, 855, 860, 865, 8680 | 1.85 |
| **A-6215-Z-I** | Ball Type | 2.953" (75.006mm) | 5.118" (129.997mm) | | 750, 751, 760, 850 S/N <-1696-027-543, 851, 852, 860 S/N <-1746-019-114 | 2.66 |
| **A-6018-Z-I** | Ball Type | 3.543" (89.992mm) | 5.512" (140.004mm) | | 750, 751, 760, 850, 851, 852, 855, 860, 865 | 2.66 |
| **A-842079M1** | Ball Type | 1.7717" / 45mm | 3.9370" / 100m | both sides | 550, 760, 860 | 1.81 |
| **A-6209-RS-I** | Ball Type | 1.772" (45.008mm) | 3.346" (84.988mm) | | 750, 751, 760, 850, 851, 852, 855, 860, 865 | 0.95 |
| **A-842504M1** | Ball Type | | | | 205, 750, 751, 760, 850, 851, 852, 855, 860, 865 | 1.00 |
| **A-842660M1** | Bearing, Radiator Fan Drive | .9843" / 25mm | 2.4409" / 62mm | both sides | 750, 760, 850, 860 | 0.51 |
| **A-842736M1** | Ball Type | 1.000" | 2.0472" | | 750, 751, 760, 850, 851, 852, 855, 860, 865 | 0.44 |
| **A-842874M1** | Ball Type | | | | 760, 860, 865 | 1.56 |



*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated

**A-3637372M91** Pump, Water w/ Single Pulley 11.05 Lbs.
Consist of repl. #'s 3641250M91 pump & A-731805M1 pulley.
***Replaces:*** 41312167, 740611M91, 731807M92,



***For Models:*** 300

**A-3641861M91** Pump, Water 12.50 Lbs.
Casting number 37711320
***Replaces:*** 734455M92, 742992M91, 740747M91, 748737M91, 3641310M91



***For Models:*** 510 W/ DIESEL ENGINE SN <354UA30799

**A-3641363M91** Pump, Water 9.08 Lbs.
Casting# 37711030
***Replaces:*** 747650M91, U5MW0009, 741928M91, 738745M91, 742639M91



***For Models:*** 540

**A-3637466M91** Pump, Water, w/o Pulley 14.75 Lbs.
***Replaces:*** 745278M91, 41313047



***For Models:*** (550, 750, 850 ALL W/ A6.372.4 Engine)

**A-731805M1** Pulley, Water Pump 3.34 Lbs.
***Replaces:*** 31146582



***For Models:*** 300 Diesel


**A-1447384M1** Thermostat (180°) 0.16 Lbs.



***Dim/Info:***
180° Farenheit
82° Celcius

***For Models:*** (27, 535, 530, 805 ALL W/ A6.354.4 ENGINE), (620, 625, 750 ALL W/ A6.372.1 ENGINE), (29, 29XP, 31XP, 560 UK, 660 UK, 665, 750, 820, 825, 830, 835, 840, 845 ALL W/ AT6.354.4 ENGINE)


**A-1446222M1** Thermostat (180°) 0.13 Lbs.
***Replaces:*** 2485668, 2485655, 248585, 2485639, 890991M91, 1446073M91, 1853245M1, 883471M91



***Dim/Info:***
180° Farenheit
82° Celcius
for MF65 & MF165

***For Models:*** 410 Diesel

**A-1650482M1** Gasket, Thermostat Body 0.01 Lbs.
***Replaces:*** 490184



***For Models:*** 300


**A-365333X1** Drain Tap, Radiator 0.07 Lbs.
***Replaces:*** 1851095M2



***Dim/Info:***
Thread Size - 1/4" Pipe Thread

***For Models:*** 300, 410, 510, 550, 760, 860, 865, 8590

**A-744671M1** Hose; Water Pump To Inlet 0.20 Lbs.
***Replaces:*** 735604M1, Perkins# 34825122




***Dim/Info:***
A - 2 3/8"
B - 2"
C - 4 5/8"
D - 2"

***For Models:*** 750 W/ A6-372 Or AT6-354 Engine; Combine SN <169615716, 760 W/ AT6-354 Engine; Combine SN <1746009413

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.




P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-745462M1** Gasket, Head Cover 0.10 Lbs.




***For Models:*** 550, 750, 760 SN 1746009413> W/ Perkins 6 Cyl. Engine, 850, 855 SN 1696027544>, 860 W/ Perkins 6 Cyl. Engine, 865 SN 1746019115>

**A-3637408M91** Crankshaft, Keyed Nose, Lip Seal 102.00 Lbs.




***For Models:*** 27, 29, 29XP, 530, 535, 550 6.354.4 DSL, 560, 565, 660, 665, 750 T6.354.1/ TC6.354.1 DSL, 760 E-SN UA48970L>, 760 T6.354.1/ TC6.354.1 DSL, 800, 805, 820, 825, 830, 835, 840, 845, TX550 6.354.4 DSL

**A-3637458M91** Crankshaft, Keyed Nose, Lip Seal 66.90 Lbs.



***For Models:*** 300 E-SN 29C1085>, 300 W/ D4.203

**A-733757M1** Gear, Crankshaft 1.21 Lbs.
Used On Models W/ A6.354, AT6.354 Or A6.372 Perkins Engines



***Dim/Info:***
28 Teeth

***For Models:*** (510, 520, 525, 530, 535, 560, 620, 750, 800, 805, 820, 830, 835, 840, 845 ALL W/ A6.354 AT6.354 OR A6.372 PERKINS ENGINES)

**A-736254M1** Gear, Camshaft (used w/ Perkins Diesel Engine) 3.78 Lbs.
***Replaces:*** 31171353



***Dim/Info:***
56 Teeth

***For Models:*** 850, 860, (550, 855, 865 ALL SP)

**A-738588M1** Ring Gear; Flywheel 4.50 Lbs.
***Replaces:*** 730407, 31162121



***Dim/Info:***
Inside Diameter - 14.815"
Outside Diameter - 15.913"
Teeth - 126
Thickness - .690"


***For Models:*** 8450, (**SWATHER/WINDROWER**; 885)

**A-747454M1** Cover, Timing 3.40 Lbs.
***Replaces:*** 737211M91, 740226M1



***For Models:*** 550 W/ A3.152 OR AD3.152 PERKINS DIESEL ENGINES

**A-735848M1** Gasket, Timing Cover 0.06 Lbs.
***Replaces:*** 36813144



***Dim/Info:***
minimum order qty 5

***For Models:*** 300

**A-731356M1** Freeze Plug, Cylinder Block, 10 pack 0.02 Lbs.
***Replaces:*** 72080009, 159312A



***Dim/Info:***
Outside Diameter - 17.8 MM


***For Models:*** 92SP, 300, 410, 510, 540, 550, 750, 760, 850, 860

**A-4132F015** Pump, Oil 7.35 Lbs.



***For Models:*** 550, 560 UK, 660 UK, 750, 850, TX550


**A-736012M1** Pump, Oil 10.00 Lbs.
***Replaces:*** 41314067



***Dim/Info:***
Check w/ build list
Pump is 11.5" Long, w/ 8" Shaft Length

***For Models:*** (740, 750, 760 ALL W/ A6.354 PERKINS DIESEL ENGINE), 750, 760 E-SN UA48970L>

**A-747293M91** Pump, Oil 8.94 Lbs.



***For Models:*** 750, 760 S/N 1746009413->, (850, 855 ALL S/N 1696027544->), 860, 865

**A-376501X1** Drain Plug, Oil Pan 0.16 Lbs.



***For Models:*** 530, 535, 550, 560, 560 UK, 565, 620, 625, 660, 665, 750

**A-520948M91** Cap, Fuel 0.16 Lbs.
This Cap Locks On The Inside Of Fuel Tank Neck.



***For Models:*** 300, 410, 510, 540, 550, 750, 760, 850, 855, 860, 865

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# ENGINE PARTS

**A-1446951M91** Pump, Fuel Lift Transfer 2.54 Lbs.
***Replaces:*** 3641400M91, 312765497



***Dim/Info:***
Pump has 4 Hole Mount and Primer Lever

***For Models:*** 27, 29, 29XP, 31, 31XP, 530, 535, 550, 560, 565, 660, 665, 750, 760, 800, 820, 830, 835, 840, 845, 850, 855, 860, 865

**A-3637338M91** Pump, Fuel Lift w/ Sediment Bowl 2.40 Lbs.
***Replaces:*** 2641A065, 2641345, 4222452M91, 890955M91, 892630M91



***Dim/Info:***
Pump has 2 Hole Mount
Includes - Fuel sediment bowl.
Use on build no. JD22028

***For Models:*** 300 E-SN 2939036>

**A-3637286M91** Pump, Fuel Lift w/o Sediment Bowl 1.86 Lbs.
***Replaces:*** 2641328, 2641333, 1446155M91, 1447693M91, 3639013M1, 3637286M1, 4222107M91, 886100M91



***Dim/Info:***
Pump has 2 Hole Mount
Use on build no. JD22458/ JD22533

***For Models:*** 540 W/A4-410

**A-4222110M91** Repair Kit, Fuel Pump 0.25 Lbs.
***Replaces:*** 1882944M92



***For Models:*** 560 UK W/ AD4.203 ENGINE, (510, 515, 520, 525 ALL W/ A6.354 ENGINE), (620, 625 ALL W/ A6.372.1 ENGINE)

**A-3637309M91** Pump, Fuel Lift 2.28 Lbs.
***Replaces:*** 2641A064, 2641372, 892632M91



***Dim/Info:***
Pump Has 2 Hole Mount and primer lever

***For Models:*** 750, 760 E-SN UA48970L>


**A-3637289M1** Pump, Fuel Lift Transfer 1.92 Lbs.



***Dim/Info:***
Pump Has 2 Mounting Holes

***For Models:*** 760 SN 1746009413> W/ AV8.150 OR AV8.540, 850 SN <1746019115 W/ AV8.150 OR AV8.540

**A-1883344M92** Repair Kit, Fuel Pump 0.50 Lbs.




***For Models:*** 760

**A-1024386M1** Bowl, Filter 1.00 Lbs.



***For Models:*** 300, 410, 510, 540, 750, 760


**A-898540M91** Valve, Fuel Tap 0.26 Lbs.



***Dim/Info:***
Female Thread - 1/2" UNF
Male Thread - 3/8" NPTF

***For Models:*** 550 ALL W/ AD3.152 ENG

**A-738913M91** Injection Line, #1 Cylinder 0.30 Lbs.
***Replaces:*** 35355413



**A-738912M91** Injection Line, #2 Cylinder 0.30 Lbs.
**A-738910M91** Injection Line, #4 Cylinder 0.30 Lbs.
***For Models:*** 540

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-FPL2200** Injection Line Set, #4 Cylinder 1.32 Lbs.




***Dim/Info:***
Includes - (1) A-734194M91 (1) A-732899M91 (1) A-732898M91 & (1) A-735308M91

**A-734194M91** Injection Line, #1 Cylinder 0.30 Lbs.
**A-732899M91** Injection Line, #2 Cylinder 0.30 Lbs.
**A-732898M91** Injection Line, #3 Cylinder 0.40 Lbs.
**A-735308M91** Injection Line, #4 Cylinder 0.30 Lbs.

***For Models:*** 300

---

**A-734701M1** Gasket, Exhaust (Steel) 0.02 Lbs.
***Replaces:*** 36822111




***Dim/Info:***
minimum order qty 5

***For Models:*** 750, 850, 855

---

**A-0826232** Bolt, Stud 0.05 Lbs.
Used in multiple locations check dimensions before ordering.



***Dim/Info:***
Thread - 3/8" UNF

***For Models:*** 8590

---

**A-893501M1** Heater Plug, Thermostat Burner w/ Thread Connector 0.15 Lbs.
***Replaces:*** 13H2468, 2666103



***For Models:*** 530, 535, 560, 565, 660, 800, 805, 820, 825, 830, 835, 840, 845

---

**A-3583543M1** Heater Plug, Thermostat Burner 0.18 Lbs.
***Replaces:*** 1446935M1



***For Models:*** 530, 535, 550, 560, 560 UK, 565, 660, 665, 800, 805, 820, 825, 830, 835, 840, 845

---

**A-1877731M1** Switch, Water Temp Sender 0.10 Lbs.
***Replaces:*** 1877731M92



***For Models:*** 550, 560

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# FILTERS

**A-1014219M91** Filter, Oil (Cartridge) 0.60 Lbs.



***For Models:*** 92

**A-47P97** Filter, Engine Oil 1.00 Lbs.

Spin on type

***Replaces:*** 83963907, 87800083, 83947505, 89832924, E4NN6714BA

***Dim/Info:***
3.694" O.D.



***For Models:*** (550, 750, 760 ALL W/ A4.318, A6.305, A6.354 & AT6.354 DIESEL ENGINES)

**A-1447031M1** Filter, Engine Oil 1.54 Lbs.



***For Models:*** 8590

**A-1049939M91** Filter, Fuel 0.37 Lbs.

***Dim/Info:***
minimum order qty 10



***For Models:*** 92 SUPER, 300, 410, 510 SN <1201-003-653, 510 1201-003-653 thru 026-828, 540, 550 SP, 750, 760 < 1746-009-413, (850, 855 ALL SP), 860, 865, 8450

**A-836218M91** Filter, Fuel 0.37 Lbs.

***Dim/Info:***
minimum order qty 10



***For Models:*** 92 SUPER, 300, 410, 510 SN <1201-003-653, 865, 8450, (**SWATHER/ WINDROWER**: 885)

**A-193229M91** Filter Assembly, Primary 1.78 Lbs.

***Replaces:*** Perkins# 2656612



***For Models:*** 300 SN <29E7574, 410 SN <6909990, 510 SN 8823113 Thru 8838123

**A-72501530** Filter, Fuel 0.83 Lbs.



***For Models:*** (8560, 8570 ALL Primary), 8680, 8780 W/ Cummins 6CTC Engine: Primary

**A-1093683M92** Filter, Air 1.35 Lbs.



***For Models:*** 550, 750, 850 S/N <1696-027-544


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com


**A-1695447M1** Key, Ignition 0.02 Lbs.
For use w/ A-1874120M93 switch.
***Replaces:*** 883930M1, 3813361M1, 829741M1, 960128M1



***Dim/Info:***
Sold in Multiples of 4
Key is Molded onto Bakelite

***For Models:*** 550 W/ AD3.152, (800, 805 ALL W/ A6.354.4), (560, 565, 660 UK, 665, 820, 825, 830, 835, 840, 845 ALL W/ AT6.354.4), (550, 750, 760, 850, 855, 860, 865 ALL W/ PERKINS DIESEL ENGINE)

**A-194747M1** Switch, Starter - 3 Prong 0.43 Lbs.



***Dim/Info:***
Includes 2 Keys

***For Models:*** 410 W/ PERKINS GAS ENGINES

**A-1874535M3** Switch w/ Keys 0.38 Lbs.
***Replaces:*** 1446116M91, 1874120M93, 1874535M1, 1690093M91, 1097239M91



***For Models:*** (800, 805 ALL W/ A6.354.4), (560, 565, 820, 825, 830, 835, 840, 845 ALL W/ AT6.354.4)

**A-1874120M93** Switch, Ignition 0.38 Lbs.



***For Models:*** (850, 855 ALL 1696027544 >), (860, 865 ALL 1746-019-115 >)

**A-1671544M1** Switch, Hazard 0.20 Lbs.
***Replaces:*** 1604409M1



***For Models:*** 750, 760, 850, 855, 860, 865

**A-1679223M2** Switch, Neutral Safety 0.15 Lbs.



***For Models:*** 750, 760

**A-881670M1** Switch, Turn Signal/Flasher 0.20 Lbs.



***For Models:*** 750, 760, 850, 855, 860, 865

**A-1425878M91** Switch 0.05 Lbs.
***Replaces:*** 969603M1



***For Models:*** 510 FRENCH, SN: < 1201-003-653 & 1201-003-654 - 026-828

**A-71362888** Switch, Flasher Control 0.35 Lbs.
***Replaces:*** 30-3127192, 30-3179753, 72160406, 31-1763540, 533246M91



***For Models:*** 8560, 8570, 8590, 8680, 8780, 9720

**A-1047083M91** Solenoid, Starter (Delco) 2.20 Lbs.



***For Models:*** (300, 410, 510, 750 ALL w/ Gas Engine)

**A-1028587M91** Solenoid, Starter 2.52 Lbs.
Used w/ Delco starters 1113126, 1113139, 1113676.



***For Models:*** 410, 510, 550, 750, 760 W/ AT6.354 PERKINS ENGINE

**A-1055740M91** Solenoid 5.54 Lbs.
For Delco starters 1114883, 1114175
***Replaces:*** 1022662M91



***For Models:*** 760, 860, 865, 9720


*MASSEY FERGUSON

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.


# IGNITION & ELECTRICAL PARTS

**A-839016M1** Tune Up Kit 0.08 Lbs.
Kit contains points & condenser for models w/ Autolite distributors.



***For Models:*** 21 W/ Autolite Distributor, (26, 27, 27L, 35, 60, 70, 72, 80, 82, 90, 92, 205, 300, NO.2, NO.20 ALL W/ Autolite)

**A-21A16R** Tune Up Kit 0.20 Lbs.
Kit contains points, condenser & rotor to service models w/ Autolite distributors.




***For Models:*** 21, 26, 27, 27L, 35, 60, 70, 72, 80, 82, 90, 92, 92 Super, 300, (NO.2, NO.20 ALL Forage Clippers)

**A-21A1R** Tune Up Kit 0.10 Lbs.
Kit Includes Point, Condenser & Rotor To Service Models With Delco Ignition <1963



***For Models:*** 92, 92SP, (**SWATHER/WINDROWER**: 34, 44)

**A-21A740** Tune Up Kit 0.74 Lbs.




***For Models:*** 410 W/ DELCO DISTRIBUTOR AND SCREW HELD CAP

**A-1033100M1** Cap, Distributor (6 Cylinder) 0.41 Lbs.
***Replaces:*** 1960810




***For Models:*** 410

**A-1500293M1** Rotor 0.04 Lbs.
For models w/ Autolite distributors (also used in A-21A16R tune up kit).



***For Models:*** 26, 27, 27L, 35, 60, 70, 72, 80, 82, 90, 92, 92 SUPER, 205, 300, NO.2, NO.20

**A-1508810M1** Point Set 0.10 Lbs.
Models w/ Autolite Distributors (also contained in A-839016M1 & A-21A16R tune up kits)



***For Models:*** 26, 27, 27L, 35, 60, 70, 72, 80, 82, 90, 92, 92 SUPER, 205, 300, NO.2, NO.20

**A-1024923M1** Point Set 0.04 Lbs.
Services Delco distributor w/ screw held cap.



***For Models:*** 410 W/ DELCO DISTRIBUTOR AND SCREW HELD CAP

**A-1024924M91** Condenser 0.38 Lbs.



***For Models:*** 35, 72, 92 Super, 510

**A-1034377M1** Condenser 0.04 Lbs.
Also contained in A-839016M1 & A-21A16R tune up kits.



***For Models:*** 26, 27, 27L, 35, 60, 70, 72, 80, 82, 90, 92, 92 SUPER, 205, 300, NO.2, NO.20

**A-21A217** Condenser 0.38 Lbs.
***Replaces:*** 702325R91, 1024924M91



***For Models:*** 410 W/ DELCO DISTRIBUTOR AND SCREW HELD CAP

**A-1024481M1** Ignition Coil - 6 Volt or 12 Volt w/ Resistor 1.50 Lbs.
***Replaces:*** 1024481M91



***For Models:*** 72, 82, 92

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-189673M92** Coil, Ignition (12 Volt) 1.40 Lbs.



***For Models:*** 410

**A-1055357M1** Coil (12 Volt) 1.50 Lbs.



***For Models:*** 410, 510, 750

**A-1031060M1** Voltage Regulator (External) 0.35 Lbs.




***For Models:*** 205, 300, 410, 510

**A-182548M1** Voltage Regulator (External) 1.06 Lbs.
12 Volt Systems With Generator



***For Models:*** 300, 410, 510

**A-733799M1** Strainer, Oil Pump 0.42 Lbs.
***Replaces:*** 37725435



***For Models:*** 510, 750, 760

**A-1868435M2** Valve Chamber 2.50 Lbs.
Valve chamber is complete w/ valves.



***Dim/Info:***
.988" Bore
4 holes
3/8" mounting bolt holes w/ .524 oil hole


***For Models:*** 550


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

*MASSEY FERGUSON

Truck icon indicates that the item is shipped via truck freight.

## Sickle Sections




| Part No. | Description | Dim (A) | Dim (B) | Dim (C) | Pkg Qty | Fastener | Repl. No. |
|---|---|---|---|---|---|---|---|
| **A-112-001** | Plated 11ga Top Serrated | 2.5” | 2” | .875” | 10 | 7/32 x 5/8 | 179736C3, 71176531, 1053209M1 |
| **A-132-001** | Plated 11ga Big Tooth | 2.5” | 2” | .875” | 10 | 7/32 x 5/8 | 179736C3, 71176531, 1053209M1 |
| **A-412-003** | Plated 14ga Top Serrated | 3.250” | 2” | 1.250” | 10 | 7/32 x 5/8 | 261431M1,160254M1, 160255M2 |
| **A-412-032** | Plated 12ga Top Serrated | 3.250” | 2” | 1.250” | 10 | 7/32 x 5/8 | 146503M2, 261431M1 |
| **A-432-032** | Chrome 12ga Big Tooth | 3.250” | 2” | 1.250” | 10 | 7/32 x 5/8 | 146503M2 |
| **A-612-062** | RH Plated Half Section | | | | 10 | 7/32 x 5/8 | 264994M2 |
| **A-622-011** | Plated 11ga Top Serrated | 3.250” | 2” twin pt | 3” | 10 | 7/32 x 5/8 | 1904914M2 |
| **A-632-011** | Sickle Section, Twin Point, Big Tooth | | | | 10 | | |
| **A-621-022** | Black 12ga Top Serrated | 3.312” | 4.50” | 3 point | 10 | 1/4 x 5/8 | 31-1714750 |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Sickle Parts





*Pictures may not represent parts as listed.*

| Part No. | Description | Replaces | Application |
|---|---|---|---|
| **A-529-016** | Wear Plate, 5.5” | 71116532, 71176537 | SEVERAL |
| **A-529-056** | Wear Plate, 6” | 71116532, 206196M1, 231303M1, 1039627M1 | SEVERAL alternative to 529-016 |
| **A-529-156** | Wear Plate, 3/16 | 7116532, 206196M1, 231303M1, 1039627M1 | SEVERAL alternative to 529-016 |
| **A-515-116** | Knife Clip, Bolted or Riveted | 71189684, 71346158, 206195M1, 143241M1 | SEVERAL except Hart-Carter floating headers |
| **A-920-386** | Shim, .010 | | SEVERAL |
| **A-920-387** | Shim, .024 | | SEVERAL |
| **A-612-140** | (10) RH End Sections, Chrm Top Ser | 148200C1, E63245 | SEVERAL |
| **A-611-130** | (10) RH End Sections, Blk Top Ser | 9622715, 86617760 | SEVERAL |
| **A-612-150** | (10) LH End Sections, Chrm Top Ser | 700705463, E75474 | SEVERAL |
| **A-611-140** | (10) LH End Sections, Blk Top Ser | 86617759 | SEVERAL |
| **A-712-730** | RH End Sections, Chrm Top Ser; Card of 2 w/Rivets | | SEVERAL |
| **A-712-730** | RH End Sections, Chrm Top Ser; Card of 2 w/Rivets | | SEVERAL |
| **A-712-750** | LH End Sections, Chrm Top Ser; Card of 2 w/ Rivets | | SEVERAL |
| **A-712-780** | (2) RH End Sections, Blk Top Ser | | SEVERAL |
| **A-712-810** | RH/LH End Sections, Chrm Top Ser | | SEVERAL |
| **A-712-820** | RH/LH End Sections, Blk Top Ser | | SEVERAL |
| **A-904-003** | (1lb) 7/32 x 5/8” CTSK Rivet | 700000583 | SEVERAL including heavy CTSK sections |
| **A-904-020** | (1lb) 7/32 x 1/2” OH Rivet | | SEVERAL |
| **A-904-021** | (1lb) 7/32 x 9/16” OH Rivet | | SEVERAL regular & heavy sections |
| **A-904-022** | (1lb) 7/32 x 5/8” OH Rivet | 1980897C1, 700000883 | SEVERAL extra heavy sections |
| **A-904-024** | (1lb) 7/32 X 3/4” OH Rivet | | SEVERAL extra heavy sections |
| **A-904-025** | (1lb) 7/32 x 7/8” OH Rivet | | SEVERAL |
| **A-904-027** | (1lb) 7/32 x 1” OH Rivet | | SEVERAL |
| **A-904-029** | (1lb) 7/32 x 1-1/8” OH Rivet | | SEVERAL |
| **A-904-040** | (1lb) 1/4 x 5/8” OH Rivet | | SEVERAL |
| **A-904-041** | (1lb) 1/4 x 7/8” OH Rivet | | SEVERAL |
| **A-904-042** | (1lb) 1/4 x 1” OH Rivet | | SEVERAL |
| **A-904-004** | (1lb) 7/32 x 7/8” CTSK Rivet | | SEVERAL |
| **A-904-005** | (1lb) 7/32 x 15/16” CTSK Rivet | | SEVERAL |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# SICKLE & RELATED PARTS


## Sickle Parts




*Pictures may not represent parts as listed.*

| Part No. | Description | Replaces | Application |
|---|---|---|---|
| **A-904-006** | (1lb) 7/32 x 1" CTSK Rivet | | SEVERAL |
| **A-904-008** | (1lb) 7/32 x 1-1/8" CTSK Rivet | | SEVERAL |
| **A-904-500** | (50) 7/32 x 5/8" Bolt & Nut | 700705296, AE57009, 86507777 | SEVERAL standard straight hole sections |
| **A-904-524** | (25) 7/32 x 7/8" Bolt & Nut | H125889, AE57010 | SEVERAL |
| **A-904-501** | (25) 7/32 x 1" Bolt & Nut | | SEVERAL |
| **A-904-525** | (50) 7/32 x 5/8" 60° CTSK Bolt & Nut | 700002978 | SEVERAL J.E.Love & Hart Carter |
| **A-904-528** | (25) 7/32 x 1" 60° CTSK Bolt & Nut | | SEVERAL |
| **A-711-056** | 6" Wear Plate, Pack of 2 | | 72, 80, 82, 92, 205, 300, 405, 410, 510, 540, 550, 750, 760, 850, 860 |

## Sickle Assemblies




| Part No. | Description | # Sect | Head No. | OEM No. | Section No. |
|---|---|---|---|---|---|
| **A-800-583** | 13', Chrome 12ga Top Serrated, Riveted | 51 | 239481M92 | 147523M92 | 146503M2 |
| ***For Models:*** (850, 860 ALL w/ rigid headers), 2381, 9000 SERIES | | | | | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com


**A-195457M1** Bearing, Leveling Box 0.17 Lbs.



***Dim/Info:***
Inside Diameter - .083”
Outside Diameter - 1.646”
Thickness - .503”

***For Models:*** 751, 851, 852

**A-193092M1** Ring, Retaining Clip 0.07 Lbs.



***For Models:*** 550

**A-245945M1** Shaft, Table Drive 21.50 Lbs.



***Dim/Info:***
51.125” long

***For Models:*** 550 SN 1859056180 w/ 13' elec var speed reel drive, 540 SN 1859056180 w/ 13' floating table

**A-245948M1** Shaft, Drive 27.71 Lbs.



***Dim/Info:***
63.125” long

***For Models:*** (**HEAD, CUTTING PLATFORM**: 1859 15' Head w/ elec variable speed reel drive, SN 56180->)

**A-264495M3** Shaft, Drive 27.10 Lbs.



***Dim/Info:***
49.875” long

***For Models:*** (**HEAD, CUTTING PLATFORM**: 1859 13' Rigid Head SN <-33003)

**A-245946M1** Shaft, Drive 9.32 Lbs.



***Dim/Info:***
27.312” long

***For Models:*** (**HEAD, CUTTING PLATFORM**: 1859 18', 20', 24' Floating Head)


**A-264497M1** Shaft, Drive 8.92 Lbs.



***Dim/Info:***
26.125” long

***For Models:*** (**HEAD, CUTTING PLATFORM**: 1859 (18', 20', 24' SN 33004->) (18', 20' Head, knife drive))

**A-261456M91** Shaft, Auger Drive 20.08 Lbs.
Bearing A-831134M1 is used on both LH & RH end of above shaft.



***Dim/Info:***
25.375” long
1.625” diameter

***For Models:*** (**HEAD, CUTTING PLATFORM**: 1859 for 10' to 24')

**A-71453629** Finger; Header Auger 1.30 Lbs.



***Dim/Info:***
Outside Diameter - .750”
Overall Length - 10.94”
Thread - 3/4-10 UNC RH Thrd
Thread Length - 1.62”

***For Models:*** (**HEAD, CUTTING PLATFORM**: 7200, 8200)

**A-228392M2** Forged Guard, 2 Prong 1.65 Lbs.
***Replaces:*** 228392M1 & BU240A



***Dim/Info:***
minimum order qty 25

***For Models:*** 35, 60, 70, 72, 80, 82, 92, 205, 300, 405, 410, 510, 540, 550, 750, 760, 850, 860

**A-66603** Guard, Double 2.13 Lbs.
***Replaces:*** 113400M1



***Dim/Info:***
minimum order qty 25

***For Models:*** (**HEAD, CUTTING PLATFORM**: 220, 5000)

**A-1053174M1** Forged Guard, 2 Prong 1.45 Lbs.
***Replaces:*** BU231



***Dim/Info:***
minimum order qty 25

***For Models:*** (540, 550, 750, 760, 850, 860 ALL W/ Floating Cutter Bar)


Truck icon indicates that the item is shipped via truck freight.

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

*MASSEY FERGUSON

# GRAIN HEAD PARTS

**A-BU225** Forged Guard 1.08 Lbs.
***Replaces:*** FQ225, Buchanan# BU225; AGCO# 71386962




***Dim/Info:***
Type - Non-Plate
Used For - All models W/ NON FLOATING cutter bars.
minimum order qty 25

***For Models:*** (**HEAD, CUTTING PLATFORM**: 5100, 7000, 7200, 8000, 8200)

**A-LB218** Forged Guard, 3 Long Prong 2.30 Lbs.



***Dim/Info:***
Type - 3-Bolt

***For Models:*** (540, 750, 760 ALL W/ FLOATING BAR PLATFORM), 850 SN: < 1696-027-544, W/ FLOATING BAR PLATFORM, 860 SN: < 1746-019-115, W/ FLOATING BAR PLATFORM


**A-71345318** Tine, Combine Reel Flex 0.10 Lbs.
***Replaces:*** 2763156M1



***Dim/Info:***
minimum order qty 50

***For Models:*** (**HEAD, CUTTING PLATFORM**: 9700, 9750, SEVERAL w/ tear drop style bats)

**A-91C246** Tine, Combine Reel Flex 0.14 Lbs.



***Dim/Info:***
minimum order qty 50

***For Models:*** SEVERAL with tear-drop style bats

**A-700714195** Tine; Flexible Reel, Tear Drop Style 0.06 Lbs.
***Replaces:*** 2763064M1



***Dim/Info:***
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: 220, 5000, 5100, 5200, 7000, 8000, 9200, 9800, 9850)

**A-783597** Tine, Plastic; Full Bat, For Level II Reel, w/ Screws 0.20 Lbs.
For Level II Reels: 1.375" tube w/ .500" hex holes spaced @ 6.000" apart. Tines have a hex nub that fits into a hex hole in the tube. Standard since 1999/2000.



***Dim/Info:***
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: 8000, 8200, 9800, 9850)

**A-1077755M1** Poly Reel Finger (End) 0.14 Lbs.



***Dim/Info:***
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: (9700, 9750 ALL SERIES HEAD))

**A-1077756M1** Poly Reel Finger (Wing Right) 0.14 Lbs.



***Dim/Info:***
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: (9700, 9750 ALL SERIES HEAD))

**A-1077757M1** Poly Reel Finger (Wing Left) 0.14 Lbs.



***Dim/Info:***
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: (9700, 9750 ALL SERIES HEAD))

**A-71367261** Poly Reel Finger (Double Wing) 0.18 Lbs.



***Dim/Info:***
minimum order qty 25

***For Models:*** (**HEAD, CUTTING PLATFORM**: (9700, 9750 ALL SERIES HEAD))

**A-836998M91** Guide; Finger 0.05 Lbs.
For 9/16" Diameter Fingers



***Dim/Info:***
minimum order qty 10

***For Models:*** 35, 300, 410, 510, 540, 550, 750, 751, 760, 850, 851, 860, (**HEAD, CUTTING PLATFORM**: 9016, 9122)

**A-CR7229** Guard, Knife 1.92 Lbs.
***Replaces:*** Crary # CR7229, Shoup # 417229, MCM # MCM7229



***Dim/Info:***
minimum order qty 5

***For Models:*** (**HEAD, CUTTING PLATFORM**: 9100)

**A-BG424** Guard, Knife; Bottom, Tiger Jaws 1.45 Lbs.



***Dim/Info:***
minimum order qty 5

***For Models:*** (**HEAD, CUTTING PLATFORM**: 1859, 9100)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.




P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-843038M1** Seal 0.15 Lbs.



***For Models:*** (**HEAD, CORN**: 9000)


**A-241090M91** Chain, Gathering 9.77 Lbs.
***Replaces:*** 263177M91



***Dim/Info:***
CA2060H chain
64 links

***For Models:*** (**HEAD, CORN**: 22, 24, 33, 34, 43, 44, 54C, 62, 63, 63C, 64, 82, 83, 222, 321, 421, 322, 422, 621, 1124, 1133, 1134, 1143, 1144, 1153, 1154, 1163, 1164, 1183)


**A-147654M1** Shaft, Snapping Roll 12.10 Lbs.
Has threads on upper end of shaft.



***Dim/Info:***
27.312" long

***For Models:*** (**HEAD, CORN**: (24, 33, 34, 43, 44, 54, 54C, 62, 63, 63C, 64, 82, 83, 1124, 1133, 1143, 1144, 1153, 1154, 1163, 1183 ALL 24 thru 83 series / 1100 series corn heads))


**A-264687M2** Flute, Snapping Roll 2.76 Lbs.
(2) used per shaft



***Dim/Info:***
Heat Treated


***For Models:*** (**HEAD, CORN**: (24, 33, 34, 43, 44, 54, 54C, 62, 63, 63C, 64, 82, 83, 1124, 1133, 1143, 1144, 1153, 1154, 1163, 1183 ALL 24 thru 83 series / 1100 series corn heads))

**A-263453M92** Plate, Stripper (RH) 8.86 Lbs.




***For Models:*** (**HEAD, CORN**: 1124, 1133, 1143, 1144, 1153, 1154, 1163, 1183)

**A-267392M92** Plate, Stripper (LH) 10.76 Lbs.



***For Models:*** (**HEAD, CORN**: 1124, 1133, 1143, 1144, 1153, 1154, 1163, 1183)

**A-263282M1** Sprocket, Idler 1.35 Lbs.



***Dim/Info:***
8 tooth
.500", inside dia.
2060H chain

***For Models:*** (**HEAD, CORN**: 24, 33, 34, 43, 44, 62 w/ elevator, 63, 64)

**A-844076M2** Sprocket, Idler 1.40 Lbs.



***Dim/Info:***
8 tooth
.625" inside dia.
2060H chain

***For Models:*** (**HEAD, CORN**: 34, 44, 54, 63, 64, 83, 1124, 1143, 1144, 1153, 1154, 1163, 1183)


**A-71369591** Sprocket, Upper Gathering Drive 2.55 Lbs.
For Hugger & Universal Hugger Heads.
***Replaces:*** 71504586, 71391292, 71432138



***Dim/Info:***
8 tooth
1" bore

***For Models:*** (**HEAD, CORN**: 3000, 3000 HUGGER, UNIVERSAL HUGGER)

**A-263169M92** Bevel Gears 6.76 Lbs.
(1) drive & (1) driven. Bearing A-353236X1 is available, used on the drive gear below.
***Replaces:*** 263175M92



***For Models:*** (**HEAD, CORN**: (24, 33, 34, 43, 44, 54, 54C, 62, 63, 63C, 64, 82, 83, 1124, 1133, 1143, 1144, 1153, 1154, 1163, 1183 ALL 24 thru 83 series / 1100 series corn heads))


**A-262175M92** Gear, Spur Driven 1.84 Lbs.



***Dim/Info:***
20 tooth

***For Models:*** (**HEAD, CORN**: (24, 33, 34, 43, 44, 54, 54C, 62, 63, 63C, 64, 82, 83, 1124, 1133, 1143, 1144, 1153, 1154, 1163, 1183 ALL 24 thru 83 series / 1100 series corn heads))


**A-267413M2** Shaft, Drive (LH side) 13.62 Lbs.



***Dim/Info:***
29.125" long

***For Models:*** (**HEAD, CORN**: 1143 4 - 40" row corn head)

**A-267717M3** Shaft, Drive (LH side) 20.00 Lbs.
Bearing A-831822M1 is available, it's used with these shafts



***Dim/Info:***
41.625" long

***For Models:*** (**HEAD, CORN**: 1144 4 - 40" row corn head)

**A-267718M3** Shaft, Drive (LH side) 30.48 Lbs.



***Dim/Info:***
62.062" long
1" 20 NFT
7/8" 20 NFT

***For Models:*** (**HEAD, CORN**: 1163 6 - 30" row corn head)

**A-249677M1** Nut 18, 1.000" 0.09 Lbs.



***For Models:*** 205 Late, SN 1486008169->, SN 1398001572->, 300 SN 1486008169->, SN 1167016755->, (410, 510 ALL SN 1486008169->, Used on shafts using 1.000" - 18 nuts), 855 SN 169027544->, Used on shafts using 1.000" - 18 nuts, 865 SN 1746019115->, Used on shafts using 1.000" - 18 nuts, (540, 550, 750, 760, 850, 860, 9200 ALL Used on shafts using 1.000" - 18 nuts)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


*MASSEY FERGUSON

Truck icon indicates that the item is shipped via truck freight.

# FEEDER HOUSE PARTS




**A-470040M1** Coupler, Female Drive 3.80 Lbs.




***For Models:*** 540, 550, 750, 760, 850, 860, (410, 510 ALL SN 1486008169->), 205 SN 1486008169->, SN 1398001527->, 300 SN 1486008169->, SN 1167016755->, 855 SN 169027544->, 865 SN 1746019115->

**A-249674M1** Coupler, Male Drive 2.06 Lbs.



***For Models:*** 540, 550, 750, 760, 850, 860, (410, 510 ALL SN 1486008169->), 205 SN 1486008169->, SN 1398001527->, 300 SN 1486008169->, SN 1167016755->, 855 SN 169027544->, 865 SN 1746019115->

**A-258143M1** Sprocket, RH Drive 7.28 Lbs.



***Dim/Info:***
dbl 20 tooth, 60 chain
5.186" OD, 1.612" ID

***For Models:*** 750, 850

**A-273458M91** Sprocket, Double Chain 5.80 Lbs.



***Dim/Info:***
20 tooth,60 chain
5.190"OD, tapered ID bore

***For Models:*** 760, 860

**A-284922M1** Hub w/ Pressure Plate for Throat Slip Clutch 11.00 Lbs.



***Dim/Info:***
8.20" OD
1.376" bore w/ keyway

***For Models:*** 750, 850

**A-278745M1** Disc, Friction, Main Drive Upper 0.20 Lbs.
***Replaces:*** 262244M1



***For Models:*** (**HEAD, CORN**: 33 SN 1438020460->, 43, 63, 63C, 1134, 1143, 1144, 1153, 1163, 1164, 1183)


**A-258159M3** Shaft, Elevator to Table Drive 40.25 Lbs.
Bearing A-832087M1 is available, used on LH side. Bearing A-3529 76X1 is available, used on RH side.



***Dim/Info:***
70.125" long

***For Models:*** (750, 850 ALL with paddle type feeder house)

**A-259049M1** Sprocket, Top Throat Shaft 26.50 Lbs.



***Dim/Info:***
dble 74 tooth, 50 chain
15.250" OD

***For Models:*** 750 SN 19596->, 850

**A-258129M2** Paddle Shaft, Feeder House 28.22 Lbs.
3 used per feeder house. Bearing A-831822M1 is available, used on both RH & LH side of above shaft.



***Dim/Info:***
57.312" long

***For Models:*** 750, 850

**A-293179M1** Paddle, Elevator Top Shaft 2.50 Lbs.



***Dim/Info:***
47.50" long

***For Models:*** 750, 751, 850, 851, 852

**A-273972M3** Angle, Small; Elevator 4.90 Lbs.



***Dim/Info:***
57.000" long

***For Models:*** 760, 860

**A-273973M2** Angle, Large; Elevator 12.76 Lbs.



***Dim/Info:***
57.000" long

***For Models:*** 760, 860

**A-293054M2** Heavy Rubber Paddle 2.32 Lbs.
***Replaces:*** 258133M2



***Dim/Info:***
47.250" long, 8 holes

***For Models:*** 750, 751, 850, 851, 852


**A-293033M2** Heavy Rubber Paddle 2.96 Lbs.
***Replaces:*** 273003M2



***Dim/Info:***
56.500" long, 9 holes

***For Models:*** 760, 860


**A-268317M2** Shaft, Drive 6.50 Lbs.
Bearing A-831087M1 is available, (1) used on RH side, bearing A-831822M1 is available, (1) used on LH side.



***Dim/Info:***
12.080" long

***For Models:*** 510, 550

**A-268604M1** Shaft, Drive (LH) 6.56 Lbs.



***Dim/Info:***
12.250" long

***For Models:*** 550 SN 236304895->

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-258902M2** Jackshaft, Throat (LH) 5.00 Lbs.
w/ chain throat



***Dim/Info:***
9.680" long

***For Models:*** 750, 850


**A-259030M1** Sprocket, Idler 1.98 Lbs.
Used on RH drive w/ slat elev.



***Dim/Info:***
dbl 19 tooth, 50 chain
4.121" OD

***For Models:*** 750, 760, 850, 860

**A-71394665** Sprocket, Feeder Chain 8.40 Lbs.



***Dim/Info:***
2.000" Hex Bore
Teeth - 13

***For Models:*** 8680 SN HL26101>


**A-1577800W1** Spherical Bearing, Hex Bore, Prelubed 1.42 Lbs.
***Replaces:*** 31-1577800



***Dim/Info:***
Inside Diameter - 1.250"
Outside Diameter - 3.1496"

***For Models:*** (8560, 8570 ALL Elevator to Table Drive)


**A-278673M92** Sprocket, Double Idler, Slat Elevator (LH) 18.10 Lbs.



***Dim/Info:***
50 chain
31 & 33 tooth

***For Models:*** 750, 760, 850, 855, 860, 865

**A-278690M91** Sprocket, Jackshaft, Slat Elevator (LH) 4.62 Lbs.



***Dim/Info:***
50 chain
23 tooth
1.865" ID w/ keyway


***For Models:*** 750 SN 169619596->, 850, 855

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# FEEDER HOUSE CHAIN

## Feeder Chain/ Slats/ Raddle Chain



| Part No. | Description | Qty-Chain | Links | C-to-C of Sprockets | Applications | Wt. | |
|---|---|---|---|---|---|---|---|
| **A-71149964** | Chain Assembly, Feeder House | 3-CA557 | 112 | 19 1/4" | 8560, 8570, 8780 SN <W55101, 8780 SN W55101>, 8780XP , 9690 SN HP87101>, 9695<br>Includes (38) A-2570050W2 Non-Serrated Slats.<br>Replaces: 2623913W91, 71449018 | 198.00 | |
| **A-71449017** | Chain Assembly, Feeder House, 3 Strand | 3-CA557 | 112 | 24 7/8" | 9790 SN HM36101 Thru HS36101<br>Includes (28) A-71387896 Non-Serrated Slats. | 268.00 | |
| **A-278705M91** | Slat, Feeder House | | | | 760, 860, 865 | 3.00 | |
| **A-278706M91** | Slat, Feeder House | | | | 750, 751, 850 | 2.00 | |
| **A-2570050W1** | Slat, Feeder House, smooth | | | | 8560, 8570, 8780, 8780XP, 9670<br>Note: Used On A-71149964 Feeder House Chain. | 3.00 | |
| **A-71381694** | Slat, Feeder House | | | | 8680 | 4.00 | |


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Cylinder Rasp Bars




| Part No. | Description Qty | Type | Applications | Wt. |
|---|---|---|---|---|
| **A-V12067H** | Angle Bar, Hardened 4 RH/ 4 LH | Angle Bar, Hardened | 550 Hi Inertia. *Includes:* 1/2" X 2" NC Grade 8 Fasteners | 105.00 |
| **A-V12055** | Angle Bar 4 RH/ 4 LH | Angle Bar | (750, 751, 850, 851, 852, 855 ALL Hi Inertia) *Replaces:* 259070M1, 294141M91, 294143M91, 259072M1 *Includes:* 1/2" X 2" NC Grade 8 Fasteners | 107.00 |
| **A-V12055H** | Angle Bar, Hardened 4 RH/ 4 LH | Angle Bar, Hardened | (750, 751, 850, 851, 852, 855 ALL Hi Inertia) *Includes:* 1/2" X 2" NC Grade 8 Fasteners | 46.00 |
| **A-V12056** | Angle Bar 4 RH/ 4 LH | Angle Bar | (760, 860 ALL Hi Inertia), 865 *Replaces:* 274227M1, 274229M1, 294140M91, 294142M91 *Includes:* 1/2" X 2" NC Grade 8 Fasteners | 112.00 |
| **A-71371520** | Cylinder Bar (Set Of 2) | Forward Chrome w/ Wide Spaced Teeth - 3/4" | 8780XP SN HK87101>, 9690, 9695, 9790, 9795, 9895 *Replaces:* 71362671 *Includes:* 1/2" X 1" / 1 1/4" NC Grade 8 Fasteners | 12.00 |
| **A-71371520H** | Cylinder Rasp Bar - | Forward Hardened w/ Wide Spaced Teeth (3/4") | 9690, 9790 *Includes:* Mounting Hardware | 12.00 |
| **A-71371526** | Cylinder Bars (Set Of 2) | Reverse, Chrome Bars w/ Wide Spaced Teeth - 3/4" | 8780XP SN HK87101>, 9690, 9695, 9790, 9795, 9895 *Replaces:* 71362672 *Includes:* 1/2" X 1" / 1 1/4" NC Grade 8 Fasteners | 12.00 |
| **A-71371526H** | Cylinder Rasp Bar - | Reverse Hardware w/ Wide Spaced Teeth (3/4") | 9690, 9790 *Includes:* Mounting Hardware | 12.00 |
| **A-252242M1** | Rethresher Bar (LH) 4 | Hardened | 300, 410, 510, 540, 550, 750, 760, 850, 855, 860, 865 | 0.70 |
| **A-252318M1** | Rethresher Channel Set of 6 | Hardened | 300, 405, 410, 510, 540, 550, 750, 751, 760, 850, 851, 852, 855, 860, 865 *Replaces:* 235981M1 | 2.40 |



*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

## Concaves



| Part No. | Description | Qty | Applications | Wt. |
|---|---|---|---|---|
| **A-V18048** | Concaves (High Wire, Small Grain)<br>Includes: Set Of 7 | | 8560, 8570, 8780, 8780XP, 9690, 9790<br>Replaces: (7) 2470701W91 | 480.00 |
| **A-71390005** | Concave; High Wire, Small Grain<br>Includes: 1 Piece | | 8560, 8570, 8780, 8780XP, 9690, 9695, 9790, 9795<br>Note: Wires .250" Down From Top Of Cross Bar<br>Replaces: (1) 2470701W91 | 59.00 |
| **A-104904W91** | Concave; Low Wire, Small Grain<br>Includes: 1 Piece | | 8570, 8780, 8780XP, 9690, 9695, 9790, 9795<br>Note: Wires .500" Down From Top Of Cross Bar | 66.00 |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com


**A-266651M1** Shaft, Beater 44.88 Lbs.
*Replaces:* 251936M91



***Dim/Info:***
57.875" long

***For Models:*** 540

**A-259677M1** Shaft, Cylinder Drive 15.48 Lbs.
for 2 speed cyl drive; (1) each of bearings: 833647M1 & A-834869M1 is used on the above shaft. Only A-834869M1 is available from A&I Products.



***Dim/Info:***
22.094" long

***For Models:*** 850, 860, 750 SN 016540->, 760 SN 00914->


**A-281768M91** Double Sprocket, Beater Shaft 5.50 Lbs.



***Dim/Info:***
33 tooth, 60 chain
8.304" OD

***For Models:*** 760, 860


**A-284580M1** Shaft, Power 27.68 Lbs.



***Dim/Info:***
Length - 36.500"

***For Models:*** 850 SN 25659->


**A-284578M1** Shaft, Power 31.70 Lbs.



***Dim/Info:***
Length - 41.000"

***For Models:*** 860 SN 16560-> w/ AT6-354 engine


**A-284579M1** Shaft, Power 32.20 Lbs.



***Dim/Info:***
Spline Diameter - 1.750"
Spline Count - 10
Length - 41.625"

***For Models:*** 860 SN 16560-> w/ V8-540 engine


**A-280481M2** Shaft, Power 24.62 Lbs.



***Dim/Info:***
Length - 36.750"

***For Models:*** 750 SN 19597->, 850 SN <-25658


**A-280512M1** Shaft, Traction Drive 16.36 Lbs.



***Dim/Info:***
Length - 29.312"

***For Models:*** 750, 850


**A-280509M1** Shaft, Traction Drive 19.34 Lbs.



***Dim/Info:***
Length - 34.250"

***For Models:*** (760, 860 ALL Hydro)


**A-259310M91E** Shaft, Special Repair Stub 4.26 Lbs.



***Dim/Info:***
Length - 6.76"
Teeth - 18

***For Models:*** 750, 760, 850, 860

**A-258993M1** Coupler, Main Traction Drive Shaft 1.38 Lbs.



***Dim/Info:***
Spline Count - 18
Length - 3.687"

***For Models:*** 750, 760, 850, 860

**A-294060M91** Coupler, Hydro 1.72 Lbs.
*Replaces:* 252031M2



***Dim/Info:***
Length - 3.500"
Spline - 21

***For Models:*** 410 S/N 120000377->, 510, 550, 750, 760, 850, 855, 860, 865

**A-254341M3KIT** Pulley Hub Kit 15.90 Lbs.
NOTE: Inner and outer hubs not sold separately - in kit only.



***Dim/Info:***
Includes - (1) A-254347M1 outer hub (1) A-254341M3 inner hub

***For Models:*** 750, 760, 850, 860

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

**A-230205M1** Sliding Gear, Low & Reverse 1.26 Lbs.



***Dim/Info:***
Spline Count - 18
Teeth - 17


***For Models:*** (205, 300, 410, 510, 540, 550 ALL 3rd / 4th speed, and hydro transmissions.)

**A-843038M1** Seal 0.15 Lbs.



***For Models:*** 750, 760, 850, 860


**A-894769M1** Gear, Planetary (Epicyclic) Pinion 1.62 Lbs.



***Dim/Info:***
Teeth - 12

***For Models:*** 5650

**A-403657M1** Bonnet Catch (Long)(Set/2) 0.32 Lbs.
Used on various applications to secure hoods & safety shields on models listed below.



***For Models:*** 550, 750, 751, 760, 850, 851, 852, 860, 865

**A-828224M1** Spring, Grille 0.02 Lbs.



***For Models:*** 550, 850, 855, 860, 865


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-253352M91** Shaft, Shaker 49.20 Lbs.
Bearing A-832087M1 used on LH side, Bearing A-831087M1 on RH side, Bearing A-831112M1 used in arms are all available.



***Dim/Info:***
57.250" long

***For Models:*** 750 SN <-22480, 850 SN <-27544

**A-240442M1** Countershaft, Main 82.45 Lbs.



***Dim/Info:***
68.000" long

***For Models:*** 510, 550


**A-71130258** Bearing, Flange 0.55 Lbs.



***Dim/Info:***
Bore - 85 mm
Bolt Circle - 4.750"

***For Models:*** 8680


**A-281774M91** Sprocket, Beater Shaft 15.14 Lbs.



***Dim/Info:***
dbl 39 tooth, 50 chain
8.117" OD

***For Models:*** 750, 850, 855

**A-312446490** Pulley, Idler (V-belt) 2.24 Lbs.





***Dim/Info:***
A - 7.312" outer dia.
B - .625" hole dia.
C - 1.187" width

***For Models:*** 8560, 8570, 8590, 9700, 9729

**A-283147M95** Straw Walker, 143" 72.00 Lbs.

Universal Model, Notch Out To Fit RH Or LH Sides.




***Dim/Info:***
Type - 3 Louver, Lip Type

***For Models:*** 850

**A-283146M95** Straw Walker 77.00 Lbs.


Universal Model, Notch Out To Fit RH Or LH Sides.



***Dim/Info:***
Type - 4 Louver, Lip Type

***For Models:*** 860, 865

**A-800618M94** Walker Wood Blocks; Set of 2 Pieces 2.00 Lbs.
***Replaces:*** 213235M11



***For Models:*** 60, 72, 80, 92, 205, 300, 540


**A-800922M91** Blocks, Walker Return Pan Wood Bearing 1.00 Lbs.
***Replaces:*** 800845M91



***Dim/Info:***
Includes Hardware
Quantity - Two Pieces Per Set

***For Models:*** (510, 540, 550 ALL Front)


**A-836784M92** Straw Walker Wood Blocks 1.30 Lbs.



***Dim/Info:***
Includes - Hardware
Quantity - Set Of 2

***For Models:*** 510, 550, 750, 751, 850, 851, 852


**A-836751M92** Walker Wood Blocks 2.00 Lbs.



***Dim/Info:***
Includes - Hardware
Quantity - Set Of 2

***For Models:*** 760, 860

**A-836785M92** Walker Return Pan Blocks, Wood 1.00 Lbs.



***Dim/Info:***
Includes - Hardware
Quantity - Set Of 2

***For Models:*** (510, 550 ALL Rear), (750, 850 ALL Front & Rear)


**A-836752M92** Walker Return Pan Block, Wood 1.00 Lbs.



***Dim/Info:***
Includes - Hardware
Quantity - Set Of 2

***For Models:*** (760, 860 ALL Middle)

**A-836874M92** Walker Return Pan Blocks, Wood 1.50 Lbs.



***Dim/Info:***
Includes - Hardware
Quantity - Set Of 2

***For Models:*** (760, 860 ALL Ends)


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# SEPARATOR AREA

**A-GPMF7501** Grain Pan, 1 Piece 200.00 Lbs.

***Replaces:*** (1) 283006M93 - Grain Pan, (1) 283011M91 - Bottom LH & (1) 283010M91 - Bottom RH




***Dim/Info:***
1 Piece

***For Models:*** 750, 751, 850, 851, 852, 855

**A-GPMF7601** Grain Pan, 1 Piece 225.00 Lbs.

***Replaces:*** (1) 283004M93 Pan Assembly, (1) 283007M91- Bottom LH & (1) 283009M91- Bottom RH




***Dim/Info:***
1 Piece

***For Models:*** 760, 860, 865

**A-GPMF76013** Grain Pan, 3 Piece 231.00 Lbs.


(1) 283004M93 Pan Assembly, (1) 283007M91- Bottom LH & (1) 283009M91- Bottom RH



***Dim/Info:***
3 Piece

***For Models:*** 760, 860, 865


**A-204824M2** Bushing, Grain Pan / Shaker Shoe Hanger 0.30 Lbs.



***Dim/Info:***
Type - Rubber
Quantity - Set of 4
minimum order qty 4

***For Models:*** 60 SP, 72PT, 72SP, 80 SP, 82, 92, 205, 300, 405 PT, 410 S/N 1200006777>, 510 S/N 1201003653-026828, 510 S/N 1201026829>, 540, 750, 751 PT, 760, 850 S/N <1696027544, (851, 852 ALL PT), 860 S/N <1746019115

**A-WLV4** Square Adjustable Chaffer Wire, 64" 0.28 Lbs.



***For Models:*** SEVERAL

*MASSEY FERGUSON

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.




P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Chaffers




| Part No. | Description | Type | Spacing | Width | Length | Applications | Wt. | |
|---|---|---|---|---|---|---|---|---|
| **A-252259M92** | Chaffer, Top; Short Finger | Cascade | 1 1/8" | 43.38" | 34.00" | 510, 550 | 56.00 | |
| **A-2527183W91** | Chaffer, Top; Long Finger | | 1 5/8" | 49.86" | 78.75" | 8560, 8570, 8780, 8780XP | 121.00 | |
| **A-71397998** | Chaffer, Upper; Corn; Long Finger | | 1 5/8" | 61.06" | 78.75" | (9790, 9795 ALL Manual Adjustment Only) | 160.00 | |
| **A-108208W1** | Chaffer, Rigid Air Foil | | | 49.86" | 78.75" | 8560, 8570, 8780, 8780XP Note: Galvanized Material. Preset for maximum performance in normal conditions. | 121.00 | |
| **A-71395866** | Chaffer; Air Foil | | | | | 9790, 9795, 9895 | 114.00 | |
| **A-2476463W91** | Sieve, Bottom; Blunt Finger | | 1 1/8" | 50.380" | 58.000" | 8560, 8570, 8780 | 93.00 | |
| **A-228135M91** | Sieve, Middle; Short Finger | | 1 1/8" | 43.38" | 39.50" | 510, 550 | 61.00 | |





Replacement parts are for A&I replacement chaffers and sieves only.

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

*MASSEY FERGUSON


Truck icon indicates that the item is shipped via truck freight.

## Chain, Clean Grain Elevator



| Part No. | Links-Chain | Paddle Size | Qty-Paddle | Applications |
|---|---|---|---|---|
| **A-253167M91** | 140-CA550 | 5 11/16" x 3 1/2" | 35-253169M1 | 750, 850 |
| **A-270725M91** | 172-CA550 | 5 11/16" x 3 1/2" | 43-253169M1 | 760, 860 |
| **A-102817M91** | 148-CA550 | 9 1/2" x 3 1/8" | 37-EPGMF97001R | 8560, 8570, 8590, 8780, 8780XP |
| **A-71393534** | 152-CA550 | 8 1/2" x 4" Rubber Paddles | 38-1364946 | 9690, 9790 |

## Chain, Return Elevator



| Part No. | Links-Chain | Paddle Size | Qty-Paddle | Applications |
|---|---|---|---|---|
| **A-253665M91** | 57-CA550 | 3 5/8" x 3 5/8" | 14-242724M1 | 750, 760, 850, 855, 860 |
| **A-312605863** | 154-CA550 | 5 3/4" x 3" | 38-EPRMF9700R | 8590, 9720 |
| **A-2615233W92** | 128-CA550 | 5 5/8" x 3 1/8" | 32-EPRMF8560R | 8560, 8570, 9690 SN <-HP87100, 8780, 8780XP, 9790 SN <-HP36100 |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated




P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-2554691W91** Door, Clean Grain Elevator; Solid 6.55 Lbs.



***For Models:*** 8560, 8570, 8590, 8780, 9720

**A-2554721W91** Door, Clean Grain Elevator; Perforated 3.25 Lbs.




***For Models:*** 8560, 8570, 8590, 8780, 9720

**A-2555231W91** Door, Tailings Elevator; Perforated 2.15 Lbs.




***For Models:*** 8560, 8570, 8590, 8780, 9720

**A-71196601** Door, Clean Grain Elevator; Solid 10.00 Lbs.



***For Models:*** 8680

**A-71367407** Door, Tailings Elevator; Solid 5.30 Lbs.




***For Models:*** 8680

**A-71327266** Door, Clean Grain Elevator; Perforated 3.75 Lbs.



***For Models:*** 8680


**A-255833M2** Shaft, Grain Elevator Head 2.42 Lbs.
8 tooth sprocket 255806M1 used on this shaft.



***Dim/Info:***
9.75" long

***For Models:*** 550 SN 236302121->, 750, 850, 860


**A-256295M1** Shaft, Return Elevator Head 1.36 Lbs.
8 tooth sprocket 255806M1 used on this shaft.



***Dim/Info:***
6.19" long

***For Models:*** 750, 850, 860


**A-270277M1** Sprocket, Elevator 3.00 Lbs.



***Dim/Info:***
8 Tooth
1.0625" Bore

***For Models:*** 540 Lower Clean Grain Elevator, (750, 751, 760, 850, 851, 852, 855, 860, 865 ALL Lower Return Elevator)


**A-240973M1** Sprocket, Grain Elevator 1.87 Lbs.



***Dim/Info:***
8 tooth
1.000" Bore

***For Models:*** (850, 855 ALL Upper & Lower Cascade Seperator SN 1696027544>), (860, 865 ALL Upper & Lower Cascade Seperator SN 1746019115>), (410, 510, 540 ALL Upper Clean Grain & Return Grain Elevator), (751, 851, 852 ALL Upper Clean Grain Elevator), 550 Upper Clean Grain SN <236302121 & Upper Return Grain Elev., 405 Upper Clean Grain SN 133001092> & Upper Return Grain Elev., 405 Upper Return Grain Elevator, 300 Upper Return Grain Elevator SN 1167008665>


**A-255806M1** Sprocket, Grain Elevator 2.62 Lbs.



***Dim/Info:***
8 tooth
1.125" Bore

***For Models:*** 550 Clean Grain Elevator SN 236302121>, (750, 751, 760, 850, 851, 852, 855, 860, 865 ALL Clean Grain & Return Grain Elevator)


**A-2412960W1** Sprocket, Clean Grain Elevator, Upper 5.95 Lbs.



***Dim/Info:***
11 tooth
1.250" bore

***For Models:*** (8560, 8570, 8590, 8780, 9720 ALL Upper Clean Grain Elevator)

**A-2571510W1** Sprocket, Grain Elevator 4.74 Lbs.



***Dim/Info:***
11 tooth
1.50" Bore


***For Models:*** (8560, 8570, 8780 ALL Lower Clean Grain Elevator)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

*MASSEY FERGUSON

Truck icon indicates that the item is shipped via truck freight.


**A-9863030** Sprocket, Clean/ Return Grain Elevator 2.85 Lbs.



***Dim/Info:***
8 tooth
1.125" bore

***For Models:*** (8560, 8570, 8590, 9690, 9790 ALL Lower Return Elevator)

**A-9863040** Sprocket, Clean/ Return Grain Elevator 2.97 Lbs.



***Dim/Info:***
8 tooth
1.125" bore

***For Models:*** (8560, 8570, 8590, 8780, 9690, 9790 ALL Upper Return Elevator)

**A-71368861** Sprocket, Feed Conveyor 7.86 Lbs.



***Dim/Info:***
13 teeth
1.750" Hex Bore

***For Models:*** 8680

**A-280384MSPL** Auger Shaft, Return Grain, Less Flighting 33.66 Lbs.



***Dim/Info:***
73.625" long

***For Models:*** 750, 850

**A-280383MSPL** Auger Shaft, Return Grain, Less Flighting, 1 1/2" Shaft 38.82 Lbs.


This Shaft Is For Machines With 1 1/2" OD Shaft. Shaft With 1 1/4" OD NA From A & I.



***Dim/Info:***
83.625" long

***For Models:*** 760 Late Model With 1 1/2" OD Shaft, 860


**A-253844M2** Shaft, Grain Tank Auger 0.82 Lbs.



***Dim/Info:***
4.64" long
0.875" Hex

***For Models:*** 750, 760, 850, 855 S/N 1696027544>, 860, 865 S/N 1746019115>

**A-266475M91E** Stud End Only, Cross Auger 4.82 Lbs.



***Dim/Info:***
8.72" long

***For Models:*** 550

**A-250822M1** Shaft, Auger Lower End 1.90 Lbs.



***Dim/Info:***
4.19" long

***For Models:*** 410 SN 1200015063->, 510 SN 12010090077->, 550

**A-219235M1** Pulley, Idler (Flat) 0.78 Lbs.



***Dim/Info:***
Type - Flat Pulley
Bore - 1/2"
Outside Diameter - 4-1/2"
Width - 1"

***For Models:*** 35, 35 SUPER, 410, 510


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.








Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com


## Massey Ferguson




| Ref. | Description<br>Part No. | Dimensions | | | | |
|---|---|---|---|---|---|---|
| 1 | **Auger, Returns Elevator**<br>A-280383M91 | A- 83.50" | B- .873" | C- 1.50" | D- .936" |  |
| *For Models 760 Late Production, 860, 865* | | | | | | |
| 1 | **Auger; Return Elevator, Lower**<br>A-71389851 | A- 66.188" | B- 1.125" | | |  |
| *For Models 8560, 8570, 8780, 8780XP, 9690 SN <HP87101* | | | | | | |
| 3 | **Auger, Grain Bin Loading (Extended Wear)**<br>A-71388940<br>Flighting Made Of AR400 Abrasion Resistant Steel. | A- 67.750" | B- 1.250" | Angle Unloading - w/o Bin Extension | |  |
| *For Models 9690, 9790* | | | | | | |
| 3 | **Auger; Clean Grain, Upper (Bin Fill), Extended Wear**<br>A-71391334<br>Flighting Made Of AR400 Abrasion Resistant Steel. | A- 48.625" | B- 1.250" | 6 Spline Count | |  |
| *For Models 8570, 8780, 8780XP* | | | | | | |
| 3 | **Auger; Clean Grain, Upper (Bin Fill)**<br>A-71390932R | A- 48.625" | B- 1.500" | | |  |
| *For Models 8780 W/O Fieldstar; SN W55101>, 8780XP W/O Fieldstar* | | | | | | |
| 3 | **Auger; Clean Grain, Upper (Bin Fill) Fieldstar, Extended Wear**<br>A-71391580<br>Flighting Made Of AR400 Abrasion Resistant Steel. | A- 48.625" | B- 1.250" | 6 Spline Count | |  |
| *For Models 8780 W/ Field Star; SN W55101>, 8780XP W/ Field Star* | | | | | | |
| 3 | **Auger; Clean Grain, Upper (Bin Fill), Extended Wear**<br>A-71407582<br>Flighting Made Of AR400 Abrasion Resistant Steel. | A- 75.375" | B- 1.250" | | |  |
| *For Models 9895 SN <HUC8101* | | | | | | |
| 3 | **Auger; Clean Grain, Upper (Bin Fill), Extended Wear**<br>A-71413017<br>Flighting Made Of AR400 Abrasion Resistant Steel. | A- 74.625" | B- 1.249" | C- 1.249" | D- 2.375" |  |
| *For Models 9695, 9795, 9895 SN HUC8101>* | | | | | | |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

## Massey Ferguson




| Ref. | Description<br>Part No. | Dimensions | | | | |
|---|---|---|---|---|---|---|
| 5 | **Auger; Return Elevator, Upper**<br>A-71385680 | A- 30.375" | B- 1.50" | C- 1.25" | | |
| *For Models 8780XP, 9690, 8780 SN MJ87101>* | | | | | | |
| 5 | **Auger; Return Elevator, Upper**<br>A-71390517 | A- 34.50" | B- 1.50" | C- 1.25" | | |
| *For Models 9790, 9795* | | | | | | |
| 6 | **Auger; Horizontal Unloading (199.65")**<br>A-71390929 | A- 201.0625" | B- 2.875" | | | |
| *For Models 8570, 8780, 8780XP, 9690 SN <HN87101, 9790 SN <HN36101* | | | | | | |
| 6 | **Auger; Horizontal Unloading, Outer**<br>A-71396547 | A- 245.75" | B- 5" | C- 1.749"/2.250" | | |
| *For Models 9695, 9795, 9895* | | | | | | |
| 7 | **Auger, Vertical Unloading**<br>A-265121M92 | A- 111.00" | B- 0.875" Hex | C- 2.50" | D- 3/4- 1 UNC RHD Thrd. | |
| *For Models 760 SN 174600511>, 860* | | | | | | |
| 7 | **Auger; Upper Unloading, Inner**<br>A-71420214 | A- 96.312" | B- 5.000" | C- 1.9780" | D- 1.7580" | 20 |
| *For Models 9695, 9795, 9895* | | | | | | |
| 7 | **Auger; Vertical Unloading (Extended Wear)**<br>A-71391336<br>Flighting Made Of AR400 Abrasion Resistant Steel. | A- 44.875" | B- 6.000" | 21Teeth | | |
| *For Models 8780 SN W55101>, 8780XP, 9690 SN <HN87101, 9790 SN <HN36101* | | | | | | |
| 7 | **Auger; Vertical Unloading (Extended Wear)**<br>A-71399861<br>Flighting made of AR400 abrasion resistant steel. | A- 44.875" | B- 6.000" | 21 | | |
| *For Models 9690 SN HN87101>, 9790 SN HN36101>* | | | | | | |
| 8 | **Auger; Lower Unloading (Extended Wear)**<br>A-71419892<br>Flighting Made Of AR400 Abrasion Resistant Steel. | A- 88.5625" | B- 3.500" | | | |
| *For Models 9695, 9795, 9895* | | | | | | |


*MASSEY FERGUSON

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.




P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-1748368M91** Cylinder, Unloading Auger 12.22 Lbs.



***For Models:*** 750, 760, 850, 860

**A-235818M2** Gear, Unloading Auger, Upper 1.98 Lbs.



***Dim/Info:***
2 required, 14 tooth
.751" ID, 3.820" OD

***For Models:*** 300, 410 SN 14018->, 510 SN 6018->, 540, 550

**A-238979M2** Gear, Unloading Auger, Lower 1.82 Lbs.
Bearing A-204220M1 is available for use with the above gear.



***Dim/Info:***
14 tooth
1.1240" ID, 3.795" OD

***For Models:*** 410, 510, 550

**A-250663M2** Gear, Unloading Auger, Lower 1.94 Lbs.
Bearing A-831112M1 is available for use with the above gear.



***Dim/Info:***
14 tooth
.9370" ID, 3.795" OD

***For Models:*** 300, 410, 510, 540, 550

**A-258834M1** Gear, Unloading Auger, Lower 2.40 Lbs.
Used in pairs, sold individually. Bearing A-353236X1 is available for use with above gear.



***Dim/Info:***
14 tooth
1.130" Hex ID, 3.745" OD

***For Models:*** 750, 850


**A-271608M1** Gear, Unloading Auger, Lower 4.08 Lbs.
See bearings listed by A-271609M1 gear shown below.



***Dim/Info:***
20 tooth
1.375" ID, 4.675" OD

***For Models:*** 750, 760, 850, 860

**A-271609M1** Gear, Unloading Auger, Lower 7.82 Lbs.
Bearing A-831861M1 is used with A-271608M1 & A-271609M1 gears listed above. Bearing 834533M1 is used with A-271608M1 & A-271609M1 gears listed above but is not available from A&I Products.



***Dim/Info:***
27 tooth
1.312" ID, 5.937" OD

***For Models:*** 750, 760, 850, 860


**A-265465M1** Gear, Unloading Auger, Upper 2.22 Lbs.



***Dim/Info:***
14 tooth
.880" Hex ID, 3.625" OD
(2) used per machine

***For Models:*** 750 SN 1696 13714->, 760 SN 1746 07664->, 850, 860

**A-273614M1** Hub, Auger Drive 3.84 Lbs.



***Dim/Info:***
5.372" OD
3.635" width
12 spline


***For Models:*** 750, 760, 850, 860

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# STRAW CHOPPER & SPREADER - REAR AXLE/STEERING

**A-837030M93** Knife Kit, Straw Chopper 2.50 Lbs.
Kit contains: (3) knives, (3) hardened bushings, and necessary hardware.
***Replaces:*** SCK100



***Dim/Info:***
4.625" X 6.437"

***For Models:*** 300 SN 116711450>, 510 SN 120131690>, 540, 550, 750 SN 169611018>, 751, 760 SN 174606028>, 850, 851, 852, 860

**A-103345W1** Knife, Straw Chopper (1 Pc) 0.56 Lbs.
New double knive edge style, 48 used per straw chopper



***Dim/Info:***
Type - Heat Treated

***For Models:*** 8560, 8570, 8750, 8780

**A-71382758** Blade, LH Straw Chopper; Paddle Type 0.65 Lbs.



***Dim/Info:***
Length - 6.77"
Thickness - .187"
Hole Diameter - .765"

***For Models:*** 8680, 8780, 8780XP, 9690, 9695, 9790, 9795, 9895

**A-71382759** Blade, RH Straw Chopper; Paddle Type 0.65 Lbs.



***Dim/Info:***
Length - 6.77"
Thickness - .187"
Hole Diameter - .765"

***For Models:*** 8680, 8780, 8780XP, 9690, 9695, 9790, 9795, 9895

**A-71382257** Bushing, Straw Chopper Blade (4/Pack) 0.13 Lbs.



***Dim/Info:***
Inside Diameter - .412"
Outside Diameter - 1.250"
minimum order qty 4

***For Models:*** 8680, 8780, 8780XP, 9690, 9695, 9790, 9795, 9895

**A-SCT100** Tooth Kit, Chopper Concave 0.60 Lbs.
Contains (1) knives & hardware
***Replaces:*** SCT-100



***Dim/Info:***
Includes - (1) Double Teeth & Mounting Hardware
Type - Heat Treated

***For Models:*** 8570 Used with 103345W1 knife


**A-219235M1** Pulley, Idler (Flat) 0.78 Lbs.



***Dim/Info:***
Type - Flat Pulley
Bore - 1/2"
Outside Diameter - 4-1/2"
Width - 1"

***For Models:*** 35, 35 SUPER, 410, 510, (**MOWER CONDITIONER**: 725, 925), (**SWATHER/WINDROWER**: 30)

**A-881384M1** Tab Washer, Rear Axle 0.09 Lbs.



***Dim/Info:***
Inside Diameter - 1.252"
Outside Diameter - 2.004"

***For Models:*** 5650

**A-3038101M1** Bushing 0.34 Lbs.



***For Models:*** 760 S/N 1746009413>, 850, 855 S/N 1696027544>, 860, 865 S/N 1746019115>


**A-881162M2** Nut, Rear Wheel 0.15 Lbs.
Used w/ A-893017M2 Bolt



***Dim/Info:***
5/8" NF special
Thread Size - 5/18"-18
minimum order qty 10

***For Models:*** 5650


**A-1034059M92** Tie Rod End 1.49 Lbs.




***Dim/Info:***
A - 3.750"
B - .813"
RH Thread

***For Models:*** 750 S/N <169619596, 760 S/N <1746009413, 850 S/N <1696027544, (860, 865 ALL S/N <1746019115)

**A-182534M91** Drag Link End 1.34 Lbs.




***Dim/Info:***
A - 3.750"
B - .812"
16 RH thread

***For Models:*** 82, 92, 92 SUPER, 410, 510, 540, 550, 750, 760

**A-196099M1** Boot; Tie Rod Dust 0.03 Lbs.



***For Models:*** 35, 35 SUPER, 72, 82, 92, 92 SUPER, 205, 300, 410, 510, 540, 550, 750, 760, 850, 855, 860, 865, 8560, 8570, 8780

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

Caterpillar . . . . . 510
Claas . . . . . 510
Drago . . . . . 510
Hart Carter . . . . . 511
Honey Bee. . . . . 511
Love. . . . . 511
MacDon. . . . . .511-512
New Idea. . . . . 512

# MISCELLANEOUS BRANDS

## CATERPILLAR


**A-783597** Tine, Plastic; Full Wing 0.00 Lbs.
For Level II Reels: 1.375" tube w/ .500" hex holes spaced @ 6.000" apart. Tines have a hex nub that fits into a hex hole in the tube. Standard since 1999/2000.



***Dim/Info:***
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: CHALLENGER FLEX, F SERIES, LEXION F SERIES)

**A-676235** Guard, Knife; Double Point 2.00 Lbs.
***Replaces:*** 676235N



***Dim/Info:***
Length - 5.76" Hole To End
C to C - 3.000" Hole Spacing

***For Models:*** 410 LEXION, 460 LEXION

**A-6262790** Guard, Knife 2.00 Lbs.
***Replaces:*** MCM# MCM626



***Dim/Info:***
minimum order qty 5

***For Models:*** 460 LEXION, 465 LEXION, 480 LEXION, 485 LEXION


## CLAAS

**A-FS19532** Separator, Fuel/Water (QTY 6) 2.00 Lbs.

***Dim/Info:***
minimum order qty 6

***For Models:*** (DOMINATOR 128 VX, MEDION 310, MEDION 320, MEDION 330, MEDION 340, MEGA 350, MEGA 360, MEGA 370, MEGA II 203, MEGA II 204, MEGA II 208, MEGA II 218, MEGA II 350, MEGA II 360, TUCANO 320, TUCANO 330, TUCANO 340, TUCANO 430, TUCANO 440 ALL ENG MERCEDES OM906LA), (DOMINATOR 130, DOMINATOR 140, DOMINATOR 150 ALL ENG CAT 3056E), (DOMINATOR 130, DOMINATOR 140, DOMINATOR 150 ALL ENG CAT C6.6), DOMINATOR 130 ENG PERKINS 1006-6T, (LEXION 580, LEXION 580 MTS, LEXION 600 ALL ENG MERCEDES OM502LA), (MEGA 202, MEGA 203, MEGA II 202, MEGA II 203 ALL ENG MERCEDES OM366A), (MEGA 204, MEGA II 204 ALL ENG MERCEDES OM366LA), (MEGA 218, MEGA II 218 ALL ENG MERCEDES OM441A), TUCANO 450 ENG MERCEDES OM926LA

**A-676235** Guard, Knife; Double Point 2.00 Lbs.
***Replaces:*** 676235N



***Dim/Info:***
Length - 5.76" Hole To End
C to C - 3.000" Hole Spacing

***For Models:*** DOMINATOR 88, DOMINATOR 106, DOMINATOR 218

## DRAGO

**A-DR10010** Sprocket; Lower Gathering Chain 3.00 Lbs.
***Replaces:*** DR-10010



***For Models:*** (**HEAD, CORN**: 430, 620, 630, 634, 636, 638, 640, 820, 822, 830, 836, 838, 840, 1020, 1022, 1030, 1036, 1038, 1220, 1222, 1230, 1236, 1238, 1430, 1620, 1622, 1630, 1820, 1822, 1830)

**A-DR8250** Sprocket; Upper Gathering Chain Drive 2.00 Lbs.
***Replaces:*** DR-8250



***For Models:*** (**HEAD, CORN**: 430, 620, 630, 634, 636, 638, 640, 820, 822, 830, 836, 838, 840, 1020, 1022, 1030, 1036, 1038, 1220, 1222, 1230, 1236, 1238, 1430, 1620, 1622, 1630, 1820, 1822, 1830)

**A-DR10120** Chain; Gathering 13.00 Lbs.
Chrome Pin
***Replaces:*** DG500, DR-10120



***Dim/Info:***
Type - Chrome Pin
Links - 56
Lugs - 7

***For Models:*** (**HEAD, CORN**: 630, 830, 1230 Except 20")

**A-DR10030** Bearing; Gathering Chain Idler (Import) 0.00 Lbs.
***Replaces:*** DR-10030



***For Models:*** (**HEAD, CORN**: 430, 620, 630, 634, 636, 638, 640, 820, 822, 830, 836, 838, 840, 1020, 1022, 1030, 1036, 1038, 1220, 1222, 1230, 1236, 1238, 1430, 1620, 1622, 1630)

**A-DR12300** Knife; Corn Head Chopping 2.00 Lbs.
***Replaces:*** DR-12300



***For Models:*** (**HEAD, CORN**: L6, N6, N6TR, N8, N8TR, N12, N12TR, N16, NR8, S12TR, 12R22S, 630, 638, 640, 822, 830, 836, 838, 840, 1022, 1030, 1038, 1222, 1230, 1230F, 1238, 1820, 1830)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## HART CARTER

**A-711-056** 6" Wear Plate, Pack of 2 0.00 Lbs.



***For Models:*** (**HEAD, CUTTING PLATFORM**: ALL HEADERS)

**A-801-326** 15', Chrome 11ga Top Serrated, Bolt-On 0.00 Lbs.
***Replaces:*** 179762C92



***Dim/Info:***
Length - 15 ft.
Heading - 179765C1
OEM Number - CIH-179762C91; CIH-179762C92
Section Number - 179736C93
Number Of Sections - 60

***For Models:*** (**HEAD, CUTTING PLATFORM**: GEN I old style)

**A-801-094** 13', Plated 11ga Top Serrated, Bolt-On 20.00 Lbs.
all fasteners are 7/32x58" CTSK



***Dim/Info:***
Length - 13 ft.
Heading - CIH-180497C1; GLN-71189917
OEM Number - CIH-180467C91; GLN-71189901
Section Number - CIH-179736C3; GLN-71176531
Number Of Sections - 52

***For Models:*** (**HEAD, CUTTING PLATFORM**: GEN II bolted head)

**A-920-366** Flex Reel Tine/ Tear Drop 0.00 Lbs.



***Dim/Info:***
minimum order qty 50

***For Models:*** VARIOUS MODELS Headers & Reels w/ tear drop style bats

**A-232155** Forged Guard, 2 Prong 1.00 Lbs.
***Replaces:*** 234006 & BU231



***Dim/Info:***
minimum order qty 25

***For Models:*** ALL COMBINES W/ Floating Cutter Bar

**A-BG424** Guard, Knife; Bottom, Tiger Jaws 1.00 Lbs.



***Dim/Info:***
minimum order qty 5

***For Models:*** (**HEAD, CUTTING PLATFORM**: GEN I, GEN II, GEN III)

## HONEY BEE

**A-25831** Tine; Flexible Reel, Tear Drop Style 0.00 Lbs.



***Dim/Info:***
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: SEVERAL)

## LOVE

**A-BG424** Guard, Knife; Bottom, Tiger Jaws 1.00 Lbs.



***Dim/Info:***
minimum order qty 5

***For Models:*** (**HEAD, CUTTING PLATFORM**: SEVERAL)

## MACDON

**A-118496** Section, Sickle; Coarse, Bottom Countersunk, 9 TPI 0.00 Lbs.
Package Of 10.



***Dim/Info:***
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: A30D, A30S, A40D, D50, D60, D65, FD70, FD75)

**A-170390** Section, Sickle; Coarse, Top Countersunk, 9 TPI 0.00 Lbs.
Package Of 10.



***Dim/Info:***
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: D50, D60, D65, FD70, FD75)

**A-118344** Guard, Double Prong 2.00 Lbs.



***Dim/Info:***
minimum order qty 25

***For Models:*** (**HEAD, CUTTING PLATFORM**: D40, D50, D60, FD70, 912, 922, 960, 962, 963, 972, 973, 974, 2162)

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

*MISCELLANEOUS BRANDS

Truck icon indicates that the item is shipped via truck freight.

# MISCELLANEOUS BRANDS

**A-87561020** Finger; Plastic, Heavy Duty 0.00 Lbs.
For 42 MM Pipe
***Replaces:*** MacDon: 137987



***Dim/Info:***
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: D50, D60, D65)

**A-84130300** Finger; Plastic 0.00 Lbs.
For 42MM Pipe
***Replaces:*** MacDon: 164434




***Dim/Info:***
minimum order qty 10

***For Models:*** (**HEAD, CUTTING PLATFORM**: D65)

## NEW IDEA

**A-745072** Chain, Gathering 11.00 Lbs.
For Corn Headers



***Dim/Info:***
CA550-CHAIN TYPE
C12E-ATTACH LINK
CA5500-OFFSET LINK
52-TOTAL LINKS
8-LUGS PER CHAIN

***For Models:*** (**HEAD, CORN**: 843, 844, 846)

**A-290385** Forged Guard, 2 Prong 2.00 Lbs.
***Replaces:*** BU280



***Dim/Info:***
minimum order qty 25

***For Models:*** (**HEAD, CUTTING PLATFORM**: 713S, 715S, 716S)

**A-65327** Forged Guard, 2 Prong 2.00 Lbs.
***Replaces:*** BU245



***Dim/Info:***
minimum order qty 25

***For Models:*** 815, 816, 817, 818, 819, 820


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

Belts. . . . . .514-519
Cooling Systems . . . . . 520
Discharge Area. . . . . 532
Straw Chopper & Spreader Parts . . . . . 532
Engine Parts . . . . . .520-521
Filters. . . . . 521
Grain Handling. . . . . .529-531
Auger Related Parts . . . . . 531
Clean Grain & Return Elevator Parts . . . . . 530
Elevator Chain . . . . . 529
Grain Handling Sprockets. . . . . .530-531
Headers/Platforms/Feeder House . . . . . 524
Corn Head Parts. . . . . 524
Grain Head Parts . . . . . 524
Feeder House Parts . . . . . 524
Ignition & Electrical Parts. . . . . 521
Power Train/Propulsion . . . . . 527
Separator Area. . . . . 528
Sickles Sections, Sickle Parts, & Sickle Assemblies . . . . . .522-523
Threshing Area. . . . . .525-527
Channels. . . . . 526
Rasp Bars . . . . . 525
Threshing Area Parts. . . . . 527





| Application | Part # | Ref. | Description |
|---|---|---|---|
| 7300 | **A-311585750** | 2 | Belt, Top Feedershaft Drive (Declutch) |
| 7300 | **A-W9811000** | 4 | Belt, Reel Primary Drive |
| 7300 | **A-311730870** | 7 | Belt, Long Traction Drive |
| 7300 | **A-A52** | 19 | Belt, Fan to Alternator |
| 7300 | **A-C107** | 22 | Belt, Grain Elevator / Loader Drive (S/D) |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com





| Application | Part # | Ref. | Description |
|---|---|---|---|
| 7600, 7800 SN <-30100 | **A-311602420** | 1 | Belt, Grain Elevator Drive |
| 7600, 7800 | **A-A61** | 4 | Belt, Air Compressor Drive |
| 5555, 7600, 7800 | **A-W9811450** | 7 | Belt, Shoe Pitman Drive |
| 5555, 7600, 7800 | **A-W9811710** | 9 | Belt, Straw Walker Drive |
| 7600 | **A-C206** | 10 | Belt, Straw Spreader Drive |
| 5555, 7600, 7800 | **A-W9811830** | 14 | Belt, Propulsion Drive |
| 7600, 7800 | **A-311567430** | 19 | Belt, Hydro Pump Drive |
| (5555, 7800 ALL 383 CI) | **A-311564110** | 20 | Belt, Hydrostatic Drive |
| 5555, 7600, 7800 | **A-W9811000** | 24 | Belt, Reel Primary Drive |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated

# COMBINE BELTS





| Application | Part # | Ref. | Description |
|---|---|---|---|
| 8600, 8700, 8800 | **A-W9811000** | 5 | Belt, Reel Primary Drive |
| 8600, 8700, 8800 | **A-311567430** | 11 | Belt, Hydro Pump Drive |
| 8600, 8700, 8800 | **A-311669570** | 14 | Belt, Beater Drive |
| 8600, 8800 | **A-311669790** | 18 | Belt, Thresher Declutch Drive (4 Band) |
| 8700 | **A-311779320** | 18 | Belt, Thresher Declutch Drive (3 Band) |
| 8600, 8700, 8800 | **A-311669580** | 20 | Belt, Variable Speed Cyl Drive |
| 8800 | **A-311680730** | 22 | Belt, Level Auger Drive |
| 8600, 8800 | **A-311602420** | 23 | Belt, Grain Elevator Drive |
| 8700 | **A-311781280** | 23 | Belt, Elevator Drive |
| 8600, 8700 | **A-C206** | 24 | Belt, Straw Spreader Drive |
| 8600, 8700, 8800 | **A-W9811710** | 25 | Belt, Straw Walker Drive |
| 8600, 8700, 8800 | **A-W9811450** | 26 | Belt, Shoe Pitman Drive |
| 8700 SN 35101-> | **A-311710550** | 27 | Belt, Hyd Pump Drive |
| 8600 SN 35101->, 8800 SN 40701-> | **A-311677220** | 28 | Belt, Countershaft / Hyd Pump / AC Compressor |
| 8700 | **A-311803500** | 28 | Belt, Countershaft / Hyd Pump / AC Compressor |
| 8600 6.354.2 diesel, SN 35101-> | **A-311774180** | 29 | Belt, Water Pump / Alternator |
| 8800 T6.354.3 diesel, SN 40701-> | **A-311774180** | 29 | Belt, Water Pump / Alternator |
| 8700 | **A-311774180** | 29 | Belt, Water Pump / Alternator |
| 8600 SN 35101->, 8700, 8800 SN 40701-> | **A-311677150** | 30 | Belt, Radiator Fan |
| 8600 SN 35101->, 8700, 8800 SN 40701-> | **A-311764410** | 31 | Belt, Rotary Screen |
| 8600 SN 35101->, 8700, 8800 SN 40701-> | **A-311679590** | 32 | Belt, AC Compressor |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com





| Application | Part # | Ref. | Description |
|---|---|---|---|
| 8900, 8920 | **A-311669580** | 1 | Belt, Variable Speed Cyl Drive |
| 8900, 8920 | **A-311781280** | 2 | Belt, Elevator Drive |
| 8900, 8920 | **A-W9811710** | 4 | Belt, Straw Walker |
| 8900, 8920 | **A-W9811450** | 5 | Belt, Shoe Pitman Drive |
| 8900 SN <-21100 | **A-311677220** | 6 | Belt, Hyd Pump / AC Compressor |
| 8900 SN 21100-> | **A-311803500** | 6 | Belt, Hyd Pump / AC Compressor |
| 8900, 8920 | **A-311774180** | 7 | Belt, Water Pump / Alternator |
| 8900, 8920 | **A-311677150** | 8 | Belt, Radiator Fan |
| 8900, 8920 | **A-311764410** | 9 | Belt, Rotary Screen |
| 8900, 8920 | **A-311679590** | 10 | Belt, AC Compressor |
| 8900, 8920 | **A-311710550** | 11 | Belt, Hyd Pump Drive |
| 8900 | **A-317535030** | 19a | Belt, Chopper, Rear |
| 8900 | **A-W9811000** | 19 | Belt, Reel Primary Drive |
| 8920 | **A-317535030** | 19a | Belt, Reel Primary Drive |
| 8900, 8920 | **A-311669570** | 21 | Belt, Beater Drive |
| 8900, 8920 | **A-311669790** | 24 | Belt, Thresher Declutch Drive (4 Band) |
| 8900, 8920 | **A-311567430** | 25 | Belt, Hydro Pump Drive |
| 8900, 8920 | **A-311669610** | 26 | Belt, Hydro Propulsion Drive |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated

# COMBINE BELTS




| Application | Part # | Ref. | Description |
|---|---|---|---|
| 9700 | **A-W9811000** | 11 | Belt, Reel Mech Drive (opt) |
| 9700 | **A-B54** | 14 | Belt, Hydro Pump (1 Band) |
| 9700, 9720 | **A-312449520** | 15 | Belt, Hydro Pump (4 Band) |
| 9700, 9720 | **A-312414670** | 19 | Belt, Water Pump |
| 9720 | **A-B59** | 22 | Belt, Spreader (62”) |
| 9720 | **A-B69** | 23 | Belt, Spreader (72”) |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

# Belt Application Listing

| Part # | Description | Models |
|---|---|---|
| **A-B59** | Belt, Spreader | 9720 |
| **A-311564110** | Belt, Hydrostatic Drive | 5555, 7800 |
| **A-311567430** | Belt, Hydro Pump Drive | 7600, 7800, 8600, 8700, 8800, 8900, 8920 |
| **A-C206** | Belt, Straw Spreader Drive | 7600, 8600, 8700 |
| **A-311585750** | Belt, Top Feeder Shaft Drive (Declutch) | 7300 |
| **A-311602420** | Belt, Grain Elevator Drive | 7600, 7800, 8600, 8800 |
| **A-A61** | Belt, Air Compressor Drive | 7600, 7800 |
| **A-311669570** | Belt, Beater Drive | 8600, 8700, 8800, 8900, 8920 |
| **A-311669580** | Belt, Variable Speed Cyl Drive | 8600, 8700, 8800, 8900, 8920 |
| **A-311669610** | Belt, Hydro Propulsion Drive | 8900, 8920 |
| **A-311669790** | Belt, Thresher Declutch Drive (4 Band) | 8600, 8800, 8900, 8920 |
| **A-311677150** | Belt, Radiator Fan | 8600, 8700, 8800, 8900, 8920 |
| **A-311677220** | Belt, Countershaft / Hyd Pump / AC Compressor | 8600, 8800, 8900 SN <-21100 |
| **A-311679590** | Belt, AC Compressor | 8600, 8700, 8800, 8900, 8920 |
| **A-311680730** | Belt, Level Auger Drive | 8800 |
| **A-311710550** | Belt, Hyd Pump Drive | 8700, 8900, 8920 |
| **A-311730870** | Belt, Long Traction Drive | 7300 |
| **A-311764410** | Belt, Rotary Screen | 8600, 8700, 8800, 8900, 8920 |
| **A-311774180** | Belt, Water Pump / Alternator | 8600, 8700, 8800, 8900, 8920 |
| **A-311779320** | Belt, Thresher Declutch Drive | 8700 |
| **A-311781280** | Belt, Elevator Drive | 8700, 8900, 8920 |
| **A-311803500** | Belt, Countershaft / Hyd Pump / AC Compressor | 8700 , 8900 SN 21100-> |
| **A-312414670** | Belt, Water Pump | 9700, 9720 |
| **A-312449520** | Belt, Hydro Pump | 9700, 9720 |
| **A-B69** | Belt, Spreader (72") | 9720 |
| **A-B54** | Belt, Hydro Pump (1 Band) | 9700 |
| **A-317535030** | Belt, Chopper, Rear | 8700, 8900, 8920 |
| **A-71364912** | Belt, Hydro Drive | 2500 |
| **A-W9810090** | Belt, Thresher Drive (declutch) | 545, 4296, 7300 |
| **A-W9811000** | Belt, Reel Primary Drive | 7300, 5555, 7600, 7800, 8600, 8700, 8800, 8900, 9700 |
| **A-C107** | Belt, Grain Elevator / Loader Drive (S/D); 111" | 7300 |
| **A-W9811450** | Belt, Shoe Pitman Drive | 5555, 7600, 7800, 8600, 8700, 8800, 8900, 8920 |
| **A-A52** | Belt, Fan to Alternator | 7300 |
| **A-W9811710** | Belt, Straw Walker Drive | 5555, 7600, 7800, 8600, 8700, 8800, 8900, 8920 |
| **A-W9811830** | Belt, Propulsion Drive | 5555, 7600, 7800 |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

*WHITE/OLIVER/MNPL MOLINE

# = Part Currently Not Available  NI = Not illustrated

**A-303436748** Pump, Water 8.00 Lbs.
***Replaces:*** 72525482, 3913430, 3806180, 72515525



***Dim/Info:***
Includes - O-ring


***For Models:*** 2500

**A-3637466M91** Pump, Water, w/o Pulley 15.00 Lbs.
***Replaces:*** 745278M91, 41313047



***For Models:*** 8700 W/ A6.372.4 Engine

**A-3637408M91** Crankshaft, Keyed Nose, Lip Seal 102.00 Lbs.




***For Models:*** 8600 6.354.4 DSL

**A-3923478** Camshaft 29.00 Lbs.
***Replaces:*** 303484807, 72511903



***For Models:*** (2500, 2600 ALL W/ 6T-830 or 6TA-830 Eng.)

**A-738588M1** Ring Gear; Flywheel 5.00 Lbs.
***Replaces:*** 730407, 31162121



***Dim/Info:***
Inside Diameter - 14.815”
Outside Diameter - 15.913”
Teeth - 126
Thickness - .690”

***For Models:*** 7300, 8700, 8900, 8920

**A-303436926** Gasket, Head Cover 0.00 Lbs.
***Replaces:*** 3905449




***For Models:*** (2500, 2600 ALL W/ 6T-830 or 6TA-830 Eng.)

**A-72511904** Pump, Engine Oil 5.00 Lbs.
***Replaces:*** 30-3436721, 72500258, 72500254, 72516471, 3930338



***For Models:*** (2500, 2600 ALL W/ 6T-830 or 6TA-830 Eng.)

**A-736012M1** Pump, Oil 10.00 Lbs.
***Replaces:*** 41314067



***Dim/Info:***
Check w/ build list
Pump is 11.5” Long, w/ 8” Shaft Length

***For Models:*** 7600

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-4132F015** Pump, Oil 7.00 Lbs.



***For Models:*** 8600, 8800

**A-72511908** Pump, Fuel Lift 2.00 Lbs.


***Replaces:*** 30-3437485, 72501526, 3936318, 72515601



***For Models:*** (2500, 2600 ALL W/ 6T-830 or 6TA-830 Eng.)

**A-71367887** Line, Fuel Supply, Lift Pump to Injection Pump 1.00 Lbs.


***Replaces:*** 3918873



***For Models:*** (2500, 2600 ALL W/ 6T-830 or 6TA-830 Eng.)

**A-71367878** Pulley, Damper 17.00 Lbs.

***Replaces:*** 30-3467708



***Dim/Info:***
Used For - Ribbed Belt

***For Models:*** (2500, 2600 ALL W/ 6T-830 or 6TA-830 Eng.)

**A-71367996** Hose, Turbo Supply 0.00 Lbs.

***Replaces:*** 3918562



***Dim/Info:***
Length - 21 3/16”

***For Models:*** (2500, 2600 ALL W/ 6T-590 or 6TA-590 Eng.)

**A-72501530** Filter, Fuel 1.00 Lbs.



***For Models:*** 2500, 2600

**A-W159045A** Filter, Oil (Spin-on) 1.00 Lbs.



***For Models:*** 5297, 5542, 5555, 8600, 8800

**A-312752257** Filter, Oil 2.00 Lbs.



***For Models:*** 8600, 8700, 8800, 9700, 9720

**A-71362888** Switch, Flasher Control 0.00 Lbs.

***Replaces:*** 30-3127192, 30-3179753, 72160406, 31-1763540, 533246M91




***For Models:*** 8600, 8700, 8800, 8900, 8920, 9700, 9720


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# SICKLE SECTIONS


## Sickle Sections



| Part No. | Description | Dim (A) | Dim (B) | Dim (C) | Pkg Qty | Fastener | Repl. No. |
|---|---|---|---|---|---|---|---|
| **A-621-022** | Black 12ga Top Serrated | 3.312” | 4.50” | 1/4 x 5/8 | | 20 | 31-1714750 |
| **A-411-122** | Black 12ga Top Serrated | 3.250” | 3” | 7/32 x 5/8 | | 10 | |

## Sickle Parts




*Pictures may not represent parts as listed.*


| Part No. | Description | Replaces | Application |
|---|---|---|---|
| **A-529-016** | Wear Plate, 5.5” | 71116532, 71176537 | SEVERAL |
| **A-529-056** | Wear Plate, 6” | 71116532, 206196M1, 231303M1, 1039627M1 | SEVERAL alternative to 529-016 |
| **A-529-156** | Wear Plate, 3/16 | 7116532, 206196M1, 231303M1, 1039627M1 | SEVERAL alternative to 529-016 |
| **A-515-116** | Knife Clip, Bolted or Riveted | 71189684, 71346158, 206195M1, 143241M1 | SEVERAL except Hart-Carter floating headers |
| **A-920-386** | Shim, .010 | | SEVERAL |
| **A-920-387** | Shim, .024 | | SEVERAL |
| **A-612-140** | (10) RH End Sections, Chrm Top Ser | 148200C1, E63245 | SEVERAL |
| **A-611-130** | (10) RH End Sections, Blk Top Ser | 9622715, 86617760 | SEVERAL |
| **A-612-150** | (10) LH End Sections, Chrm Top Ser | | SEVERAL |
| **A-611-140** | (10) LH End Sections, Blk Top Ser | 86617759 | SEVERAL |
| **A-712-730** | RH End Sections, Chrm Top Ser; Card of 2 w/Rivets | | SEVERAL |
| **A-712-750** | LH End Sections, Chrm Top Ser; Card of 2 w/ Rivets | | SEVERAL |
| **A-712-780** | (2) RH End Sections, Blk Top Ser | | SEVERAL |
| **A-712-810** | RH/LH End Sections, Chrm Top Ser | | SEVERAL |
| **A-712-820** | RH/LH End Sections, Blk Top Ser | | SEVERAL |
| **A-904-003** | (1lb) 7/32 x 5/8” CTSK Rivet | 700000583 | SEVERAL including heavy CTSK sections |
| **A-904-020** | (1lb) 7/32 x 1/2” OH Rivet | | SEVERAL |
| **A-904-021** | (1lb) 7/32 x 9/16” OH Rivet | | SEVERAL regular & heavy sections |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Sickle Parts





*Pictures may not represent parts as listed.*

| Part No. | Description | Replaces | Application |
|---|---|---|---|
| **A-904-022** | (1lb) 7/32 x 5/8" OH Rivet | 1980897C1, 700000883 | SEVERAL extra heavy sections |
| **A-904-024** | (1lb) 7/32 X 3/4" OH Rivet | | SEVERAL extra heavy sections |
| **A-904-025** | (1lb) 7/32 x 7/8" OH Rivet | | SEVERAL |
| **A-904-027** | (1lb) 7/32 x 1" OH Rivet | | SEVERAL |
| **A-904-029** | (1lb) 7/32 x 1-1/8" OH Rivet | | SEVERAL |
| **A-904-040** | (1lb) 1/4 x 5/8" OH Rivet | | SEVERAL |
| **A-904-041** | (1lb) 1/4 x 7/8" OH Rivet | | SEVERAL |
| **A-904-042** | (1lb) 1/4 x 1" OH Rivet | | SEVERAL |
| **A-904-004** | (1lb) 7/32 x 7/8" CTSK Rivet | | SEVERAL |
| **A-904-005** | (1lb) 7/32 x 15/16" CTSK Rivet | | SEVERAL |
| **A-904-006** | (1lb) 7/32 x 1" CTSK Rivet | | SEVERAL |
| **A-904-008** | (1lb) 7/32 x 1-1/8" CTSK Rivet | | SEVERAL |
| **A-904-500** | (50) 7/32 x 5/8" Bolt & Nut | 700705296, AE57009, 86507777 | SEVERAL standard straight hole sections |
| **A-904-524** | (25) 7/32 x 7/8" Bolt & Nut | H125889, AE57010 | SEVERAL |
| **A-904-501** | (25) 7/32 x 1" Bolt & Nut | | SEVERAL |
| **A-904-525** | (50) 7/32 x 5/8" 60° CTSK Bolt & Nut | 700002978 | SEVERAL J.E.Love & Hart Carter |
| **A-904-528** | (25) 7/32 x 1" 60° CTSK Bolt & Nut | | SEVERAL |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


**A-W9863420** Pulley, Idler 2.00 Lbs.



***Dim/Info:***
Outer Dia.: 7.00"
Hole Dia.: 0.50"
Width: 1.37"
Belt Width: 0.995"


***For Models:*** 545, 4296, 7300

**A-71129508** Steel Reel Finder (RH) 0.00 Lbs.
For Humes Reel





***Dim/Info:***
A - 11.50"
B - 1.50"
C - 3.00"

**A-481088** Steel Reel Finder (LH) 0.00 Lbs.
For Humes Reel
***Replaces:*** (JD: H33333), (IH: 167652C1)




***For Models:*** 545, 4296, 5542, 7300, 7800, 8700HB, 8900HB, 9700

**A-W2722937** Finger (RH) 0.00 Lbs.




***Dim/Info:***
3.00"
1.50"
11.50"

***For Models:*** 5542


**A-71345318** Tine, Combine Reel Flex 0.00 Lbs.
***Replaces:*** 2763156M1



***Dim/Info:***
minimum order qty 50

***For Models:*** SEVERAL 900 Series Headers

**A-91C246** Tine, Combine Reel Flex 0.00 Lbs.



***Dim/Info:***
minimum order qty 50

***For Models:*** SEVERAL with tear-drop style bats

**A-312749417** Forged Guard 1.00 Lbs.
***Replaces:*** BU231



***Dim/Info:***
Two Prong
minimum order qty 25

***For Models:*** (7600, 8600, 8800 ALL W/ Floating Cutter Bar)

**A-311713400** Forged Guard 2.00 Lbs.
***Replaces:*** BC310



***Dim/Info:***
Four Prong

***For Models:*** (7300, 8600, 8700, 8800, 8900, 9700 ALL W/ Kwik Cutter Bar)

**A-311794160** Forged Guard 1.00 Lbs.
Used w/ 311713400
***Replaces:*** BC311



***Dim/Info:***
Two Prong

***For Models:*** (7300, 8600, 8700, 8800, 8900, 9700 ALL W/ Kwik Cutter Bar)


**A-71127204** Reel Tooth 0.00 Lbs.



***Dim/Info:***
Length - 11.250"
Diameter - .187"

***For Models:*** 545, 4296, 7300, 7800, 8700, 8900, 9700


**A-311689933** Chain, Gathering 10.00 Lbs.



***Dim/Info:***
CA550 chain
49 links
79 7/8" long

***For Models:*** 700 SERIES Kwik-Switch SN 47001->


**A-1689940W1** Sprocket, Idler 2.00 Lbs.
***Replaces:*** 31-1689940



***Dim/Info:***
10 tooth
.625" inside dia.
550 chain

***For Models:*** 700 SERIES SN 47001->, 9400 SERIES

**A-1574370W1** Snapping Roll Flutes 3.00 Lbs.
(3) used per roll
***Replaces:*** 311574370



***Dim/Info:***
Heat Treated

***For Models:*** 700 SERIES

**A-71360193** Shaft, Constant Speed 35.00 Lbs.



***Dim/Info:***
69.750" Long
21 & 21 Spline

***For Models:*** 2500, 2600


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Cylinder Rasp Bars



| Part No. | Description Qty | Type | Applications | Wt. |
|---|---|---|---|---|
| **A-V12061** | Cylinder Bars 4 RH/ 4 LH | Angle Bars | 555, 5297, 5555, 7800, 8800, 8900, 8920<br>***Replaces:*** 31-1833333, 31-1833323<br>***Includes:*** Hardware | 107.00 |



*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

## Channels



| Part No. | Description | Qty | Applications | Wt. |
|---|---|---|---|---|
| **A-71363610** | Channel, Helical; 1st - 5th Thresher, P3 Processor | | 2500, 2600 | 3.00 |
| **A-71363611** | Channel, Helical; 6th & 7th Seperator, P3 Processor<br>Includes: Black | | 2500, 2600 | 4.00 |
| **A-71363612** | Channel, Helical; Seperator Cage (Black) | | 2500, 2600 | 3.00 |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-71357953** Blade, Impeller (processor-1 side serrated), Combine 3.00 Lbs.



***For Models:*** 2500, 2600

**A-71360412** Countershaft, Variable Speed 38.00 Lbs.



***Dim/Info:***
62.25" long

***For Models:*** 2500

**A-311669150** Shaft, Engine Drive, Rear 24.00 Lbs.



***Dim/Info:***
Length - 30.50"

***For Models:*** 8600, 8700

**A-311669160** Shaft, Rear Engine Drive 31.00 Lbs.



***Dim/Info:***
Length - 37.625"

***For Models:*** 8800, 8900, 8920

**A-311669193** Plate, Engine Drive, Rear 11.00 Lbs.



***Dim/Info:***
Spline Count - 19

***For Models:*** 8600, 8700, 8800, 8900


**A-311776050** Shaft, Axle Drive (RH) 13.00 Lbs.



***Dim/Info:***
Length - 21.780"

***For Models:*** (8900, 8920 ALL hydro)

**A-W1500030** Pinion, Final Drive 9.00 Lbs.



***Dim/Info:***
Spline Count - 37
Teeth - 15

***For Models:*** 5555, 7600, 7800, 8600, 8700, 8800, 8900, 8920

**A-311700180** Coupler, Drive 3.00 Lbs.

***Replaces:*** 1500180



***Dim/Info:***
Spline Count - 37
Length - 3.37"

***For Models:*** 7600, 7800, 8600, 8700, 8800, 8900



*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.

# SEPARATOR AREA


**A-71353355** Shaft, Main Clutch 88.00 Lbs.



***Dim/Info:***
68.560" long
30 spline

***For Models:*** 2500, 2500 S/N <58000


**A-71197852** Tie Rod, Shoe Shaker 7.00 Lbs.



***Dim/Info:***
75.87" long

***For Models:*** 2600, 2600 S/N <7301


**A-71194972** Bushing, Shoe 0.00 Lbs.



***Dim/Info:***
2.218" OD
1.25" long

***For Models:*** 2500, 2600


**A-71118097** Bushing, Shoe Hanger 0.00 Lbs.



***Dim/Info:***
1.168" OD
1.45" long
.340" I.D
minimum order qty 4

***For Models:*** 2500, 2600

**A-312446490** Pulley, Idler (V-belt) 2.00 Lbs.




***Dim/Info:***
A - 7.312" outer dia.
B - .625" hole dia.
C - 1.187" width

***For Models:*** 9700, 9729

**A-311797330** Front, Walker Return Pan Wood Bearing Blocks 1.00 Lbs.
***Replaces:*** 31-1833710



***Dim/Info:***
Includes - Includes Hardware
Quantity - Two Pieces Per Set

***For Models:*** (7600, 7800, 8600 ALL Front), 8650 Front & Rear, (8700, 8800, 8900, 8920 ALL Front)


**A-W1521100** Blocks, Walker Wood Bearing (Set/2) 1.00 Lbs.



***Dim/Info:***
Includes - Includes Hardware
Type - For Straw Walkers on models listed
Quantity - Set Of 2 Pieces

***For Models:*** 7800, 8800, 8900

**A-WLV4** Square Adjustable Chaffer Wire, 64" 0.00 Lbs.



***For Models:*** SEVERAL


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.




P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

## Chain, Clean Grain Elevator



| Part No. | Links-Chain | Paddle Size | Qty-Paddle | Applications |
|---|---|---|---|---|
| **A-311666663** | 141-CA550 | 7 5/8" x 3 1/8" | 35-EPGW7600R | 7600, 7800, 8600, 8700, 8800, 8900, 8920 |
| **A-102817M91** | 148-CA550 | 9 1/2" x 3 1/8" | 37-EPGMF97001R | 9700, 9720 |

## Chain, Return Elevator



| Part No. | Links-Chain | Paddle Size | Qty-Paddle | Applications |
|---|---|---|---|---|
| **A-312605863** | 154-CA550 | 5 3/4" x 3" | 38-EPRMF9700R | 9700, 9720 |
| **A-311666673** | 138-CA550 | 5 5/8" x 3 1/8" | 23-EPRMF8560R | 7600, 7800, 8600, 8700, 8800, 8900, 8920 |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# = Part Currently Not Available  NI = Not illustrated


# PARTS, CLEAN GRAIN & RETURN ELEVATOR - GRAIN HANDLING SPROCKETS

**A-71302867** Door, Clean Grain Elevator; Solid 6.00 Lbs.



***For Models:*** 2500

**A-71307662** Door, Clean Grain Elevator; Perforated 2.00 Lbs.



***For Models:*** 2500

**A-71196601** Door, Clean Grain Elevator; Solid 10.00 Lbs.



***For Models:*** 2600

**A-71327266** Door, Clean Grain Elevator; Perforated 4.00 Lbs.



***For Models:*** 2600

**A-71367407** Door, Tailings Elevator; Solid 5.00 Lbs.



***For Models:*** 2600

**A-71352963** Door, Tailings Elevator; Perforated 2.00 Lbs.



***For Models:*** 2600

**A-71357768** Sprocket, Feed Conveyor 9.00 Lbs.



***Dim/Info:***
13 teeth
1.500" Hex Bore

***For Models:*** 2500, 2600


**A-71373688** Sprocket, Clean/ Return Grain Elevator 2.00 Lbs.
Hardened



***Dim/Info:***
W/O Hub
Bolt Circle - 2.250"
Teeth - 8
Hole Size - (3) .281" Non-Threaded / (3) 1/4"-20 UNC RH Thread

***For Models:*** 2500, 2600


**A-1146300** Sprocket, Clean/ Return Grain Elevator 2.00 Lbs.



***Dim/Info:***
7 tooth
.875" bore

***For Models:*** (542, 5542, 7600, 7800, 8600, 8650 ALL UPPER CLEAN GRAIN & UPPER RETURN GRAIN ELEVATOR)

**A-9863040** Sprocket, Clean/ Return Grain Elevator 3.00 Lbs.



***Dim/Info:***
8 tooth
1.125" bore

***For Models:*** (7600, 7800, 8600, 8650, 8700, 8800, 8900, 8920 ALL Upper Clean Grain Elevator), (8560, 8570, 9700, 9720 ALL Upper Return Elevator)


**A-9863030** Sprocket, Clean/ Return Grain Elevator 3.00 Lbs.



***Dim/Info:***
8 tooth
1.125" bore

***For Models:*** (7600, 7800, 8600, 8650, 8700, 8800, 8900, 8920 ALL Lower Clean Grain Elevator), (8560, 8570, 9700, 9720 ALL Lower Return Elevator)

**A-2412960W1** Sprocket, Clean Grain Elevator, Upper 6.00 Lbs.



***Dim/Info:***
11 tooth
1.250" bore

***For Models:*** (8560, 8570, 9700, 9720 ALL Upper Clean Grain Elevator)

**A-312413050** Sprocket, Clean Grain Elevator, Lower 5.00 Lbs.



***Dim/Info:***
11 tooth
1.250" bore

***For Models:*** 9700, 9720


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com


**A-312571510** Sprocket, Clean Grain Elevator, Lower 5.00 Lbs.



***Dim/Info:***
11 tooth
1.500" bore

***For Models:*** 8560, 8570

**A-9863070** Sprocket, Return Grain Elevator, Upper 3.00 Lbs.



***Dim/Info:***
8 tooth
1.00" bore

***For Models:*** 7600, 7800, 8650, 8700, 8800, 8900, 8920


**A-9863700** Sprocket, Return Grain Elevator, Lower 3.00 Lbs.



***Dim/Info:***
8 tooth
1.00" bore

***For Models:*** 7600, 7800, 8650, 8700, 8800, 8900, 8920


**A-71388935** Auger, Bin Loading 23.00 Lbs.




***Dim/Info:***
Shaft Diameter - 1.250"
Overall Length - 55.870"

***For Models:*** 2500


**A-71365776** Auger, Front Cylinder Distribution 33.00 Lbs.




***Dim/Info:***
Shaft Diameter - 1.250"
Overall Length - 96.375"

***For Models:*** 2600

**A-71363476** Auger, Grain Conveyor 58.00 Lbs.




***Dim/Info:***
Overall Length - 91.125"
Tube Size - 1.25"

***For Models:*** 2600


*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



Truck icon indicates that the item is shipped via truck freight.

# STRAW CHOPPER & SPREADER PARTS

**A-317536360** Knife Kit, Straw Chopper 3.00 Lbs.
Kit contains: (3) knives, (3) hardened bushings, and hardware.
***Replaces:*** 7534400, 7534410



***Dim/Info:***
3.500" X 7.125"

***For Models:*** SEVERAL


**A-W7534020** Tooth Kit, Straw Chopper 1.00 Lbs.
***Replaces:*** SCT100



***Dim/Info:***
Includes - (1) Double Tooth & Mounting Hardware
Type - Heat Treated

***For Models:*** SEVERAL, 8800, 8900, 9700

**A-317536350** Knife Kit, Straw Chopper 3.00 Lbs.




***For Models:*** 5542, 7600, 8600

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Truck icon indicates that the item is shipped via truck freight.



P. 800-657-4343
F. 800-511-0516
e-mail: sales@aiproducts.com
web: www.aiproducts.com



Kits w/o shoes include mounting fixtures and hardware shoes must be ordered separately.
Kits w/ shoes include all components for operation.


| Corn Head | Rows | Description | Part No. |
|---|---|---|---|
| **Case-IH 2206** | 2 | Frame Kit | A-STR2220 |
| | 2 | Frame Kit w/ Shoes | A-STR2220C |
| | 6 | Frame Kit | A-STR2206 |
| | 6 | Frame Kit w/ Shoes | A-STR2206C |
| **Case-IH 2208** | 2 | Frame Kit | A-STR2220 |
| | 2 | Frame Kit w/ Shoes | A-STR2220C |
| | 4 | Frame Kit | A-STR2240 |
| | 4 | Frame Kit w/ Shoes | A-STR2240C |
| | 8 | Frame Kit | A-STR2208 |
| | 8 | Frame Kit w/ Shoes | A-STR2208C |
| **Case-IH 2212** | 2 | Frame Kit | A-STR2220 |
| | 2 | Frame Kit w/ Shoes | A-STR2220C |
| | 4 | Frame Kit | A-STR2240 |
| | 4 | Frame Kit w/ Shoes | A-STR2240C |
| | 6 | Frame Kit | A-STR2260 |
| | 6 | Frame Kit w/ Shoes | A-STR2260C |
| | 12 | Frame Kit | A-STR2212 |
| | 12 | Frame Kit w/ Shoes | A-STR2212C |
| **Case-IH 2606XR** | 2 | Frame Kit | A-STR4420 |
| | 2 | Frame Kit w/ Shoes | A-STR4420C |
| | 6 | Frame Kit | A-STR4406 |
| | 6 | Frame Kit w/ Shoes | A-STR4406C |
| **Case-IH 2608XR** | 2 | Frame Kit | A-STR4420 |
| | 2 | Frame Kit w/ Shoes | A-STR4420C |
| | 4 | Frame Kit | A-STR4440 |
| | 4 | Frame Kit w/ Shoes | A-STR4440C |
| | 6 | Frame Kit | A-STR4408 |
| | 6 | Frame Kit w/ Shoes | A-STR4408C |
| **Case-IH 2612XR** | 2 | Frame Kit | A-STR4420 |
| | 2 | Frame Kit w/ Shoes | A-STR4420C |
| | 4 | Frame Kit | A-STR4440 |
| | 4 | Frame Kit w/ Shoes | A-STR4440C |
| | 6 | Frame Kit | A-STR4460 |
| | 6 | Frame Kit w/ Shoes | A-STR4460C |
| | 12 | Frame Kit | A-STR4412 |
| | 12 | Frame Kit w/ Shoes | A-STR4412C |
| **Case-IH 240630** | 2 | Frame Kit | A-STR2220 |
| | 2 | Frame Kit w/ Shoes | A-STR2220C |
| | 6 | Frame Kit | A-STR2206 |
| | 6 | Frame Kit w/ Shoes | A-STR2206C |
| **Case-IH 240830** | 2 | Frame Kit | A-STR2220 |
| | 2 | Frame Kit w/ Shoes | A-STR2220C |
| | 4 | Frame Kit | A-STR2240 |
| | 4 | Frame Kit w/ Shoes | A-STR2240C |
| | 8 | Frame Kit | A-STR2208 |
| | 8 | Frame Kit w/ Shoes | A-STR2208C |



*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# STALK STRYKER






Kits w/o shoes include mounting fixtures and hardware shoes must be ordered separately.
Kits w/ shoes include all components for operation.

| Corn Head | Rows | Description | Part No. |
|---|---|---|---|
| **Case-IH 241230** | 2 | Frame Kit | A-STR2220 |
| | 2 | Frame Kit w/ Shoes | A-STR2220C |
| | 4 | Frame Kit | A-STR2240 |
| | 4 | Frame Kit w/ Shoes | A-STR2240C |
| | 6 | Frame Kit | A-STR2260 |
| | 6 | Frame Kit w/ Shoes | A-STR2260C |
| | 12 | Frame Kit | A-STR2212 |
| | 12 | Frame Kit w/ Shoes | A-STR2212C |
| **Case-IH 320630** | 2 | Frame Kit | A-STR3420 |
| | 2 | Frame Kit w/ Shoes | A-STR3420C |
| | 6 | Frame Kit | A-STR3406 |
| | 6 | Frame Kit w/ Shoes | A-STR3406C |
| **Case-IH 320830** | 2 | Frame Kit | A-STR3420 |
| | 2 | Frame Kit w/ Shoes | A-STR3420C |
| | 4 | Frame Kit | A-STR3440 |
| | 4 | Frame Kit w/ Shoes | A-STR3440C |
| | 8 | Frame Kit | A-STR3408 |
| | 8 | Frame Kit w/ Shoes | A-STR3408C |
| **Case-IH 321230** | 2 | Frame Kit | A-STR3420 |
| | 2 | Frame Kit w/ Shoes | A-STR3420C |
| | 4 | Frame Kit | A-STR3440 |
| | 4 | Frame Kit w/ Shoes | A-STR3440C |
| | 6 | Frame Kit | A-STR3460 |
| | 6 | Frame Kit w/ Shoes | A-STR3460C |
| | 12 | Frame Kit | A-STR3412 |
| | 12 | Frame Kit w/ Shoes | A-STR3412C |
| **Case-IH 340630** | 2 | Frame Kit | A-STR3420 |
| | 2 | Frame Kit w/ Shoes | A-STR3420C |
| | 6 | Frame Kit | A-STR3406 |
| | 6 | Frame Kit w/ Shoes | A-STR3406C |
| **Case-IH 340830** | 2 | Frame Kit | A-STR3420 |
| | 2 | Frame Kit w/ Shoes | A-STR3420C |
| | 4 | Frame Kit | A-STR3440 |
| | 4 | Frame Kit w/ Shoes | A-STR3440C |
| | 8 | Frame Kit | A-STR3408 |
| | 8 | Frame Kit w/ Shoes | A-STR3408C |
| **Case-IH 341230** | 2 | Frame Kit | A-STR3420 |
| | 2 | Frame Kit w/ Shoes | A-STR3420C |
| | 4 | Frame Kit | A-STR3440 |
| | 4 | Frame Kit w/ Shoes | A-STR3440C |
| | 6 | Frame Kit | A-STR3460 |
| | 6 | Frame Kit w/ Shoes | A-STR3460C |
| | 12 | Frame Kit | A-STR3412 |
| | 12 | Frame Kit w/ Shoes | A-STR3412C |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com



Kits w/o shoes include mounting fixtures and hardware shoes must be ordered separately.
Kits w/ shoes include all components for operation.


| Corn Head | Rows | Description | Part No. |
|---|---|---|---|
| **Case-IH 420630** | 2 | Frame Kit | A-STR4420 |
| | 2 | Frame Kit w/ Shoes | A-STR4420C |
| | 6 | Frame Kit | A-STR4406 |
| | 6 | Frame Kit w/ Shoes | A-STR4406C |
| **Case-IH 420830** | 2 | Frame Kit | A-STR4420 |
| | 2 | Frame Kit w/ Shoes | A-STR4420C |
| | 4 | Frame Kit | A-STR4440 |
| | 4 | Frame Kit w/ Shoes | A-STR4440C |
| | 6 | Frame Kit | A-STR4408 |
| | 6 | Frame Kit w/ Shoes | A-STR4408C |
| **Case-IH 440630** | 2 | Frame Kit | A-STR4420 |
| | 2 | Frame Kit w/ Shoes | A-STR4420C |
| | 6 | Frame Kit | A-STR4460 |
| | 6 | Frame Kit w/ Shoes | A-STR4460C |
| **Case-IH 440830** | 2 | Frame Kit | A-STR4420 |
| | 2 | Frame Kit w/ Shoes | A-STR4420C |
| | 6 | Frame Kit | A-STR4408 |
| | 6 | Frame Kit w/ Shoes | A-STR4408C |
| **Case-IH 441230** | 2 | Frame Kit | A-STR4420 |
| | 2 | Frame Kit w/ Shoes | A-STR4420C |
| | 4 | Frame Kit | A-STR4440 |
| | 4 | Frame Kit w/ Shoes | A-STR4440C |
| | 6 | Frame Kit | A-STR4406 |
| | 6 | Frame Kit w/ Shoes | A-STR4406C |
| | 12 | Frame Kit | A-STR4412 |
| | 12 | Frame Kit w/ Shoes | A-STR4412C |
| **Drago 6R30** | 2 | Frame Kit | A-STR02D |
| | 2 | Frame Kit w/ Shoes | A-STR02DC |
| | 4 | Frame Kit | A-STR04D |
| | 4 | Frame Kit w/ Shoes | A-STR04DC |
| | 6 | Frame Kit | A-STR06D |
| | 6 | Frame Kit w/ Shoes | A-STR06DC |
| **Drago 8R30** | 2 | Frame Kit | A-STR02D |
| | 2 | Frame Kit w/ Shoes | A-STR02DC |
| | 4 | Frame Kit | A-STR04D |
| | 4 | Frame Kit w/ Shoes | A-STR04DC |
| | 8 | Frame Kit | A-STR08D |
| | 8 | Frame Kit w/ Shoes | A-STR08DC |



*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# STALK STRYKER






Kits w/o shoes include mounting fixtures and hardware shoes must be ordered separately.
Kits w/ shoes include all components for operation.

| Corn Head | Rows | Description | Part No. |
|---|---|---|---|
| **Drago 12R20/22** | 2 | Frame Kit | A-STR02D |
| | 2 | Frame Kit w/ Shoes | A-STR02DC |
| | 4 | Frame Kit | A-STR04D |
| | 4 | Frame Kit w/ Shoes | A-STR04DC |
| **Drago 12R30** | 2 | Frame Kit | A-STR02D |
| | 2 | Frame Kit w/ Shoes | A-STR02DC |
| | 4 | Frame Kit | A-STR04D |
| | 4 | Frame Kit w/ Shoes | A-STR04DC |
| | 12 | Frame Kit | A-STR12D |
| | 12 | Frame Kit w/ Shoes | A-STR12DC |
| **Geringhoff Rota Disc 6R30** | 2 | Frame Kit | A-STR02GR |
| | 2 | Frame Kit w/ Shoes | A-STR02GRC |
| | 4 | Frame Kit | A-STR04GR |
| | 4 | Frame Kit w/ Shoes | A-STR04GRC |
| | 6 | Frame Kit | A-STR06GR |
| | 6 | Frame Kit w/ Shoes | A-STR06GRC |
| **Geringhoff Rota Disc 8R30** | 2 | Frame Kit | A-STR02GR |
| | 2 | Frame Kit w/ Shoes | A-STR02GRC |
| | 4 | Frame Kit | A-STR04GR |
| | 4 | Frame Kit w/ Shoes | A-STR04GRC |
| | 6 | Frame Kit | A-STR06GR |
| | 6 | Frame Kit w/ Shoes | A-STR06GRC |
| | 8 | Frame Kit | A-STR08GR |
| | 8 | Frame Kit w/ Shoes | A-STR08GRC |
| **Ford/New Holland 996N6** | 2 | Frame Kit | A-STR3420 |
| | 2 | Frame Kit w/ Shoes | A-STR3420C |
| | 6 | Frame Kit | A-STR3406 |
| | 6 | Frame Kit w/ Shoes | A-STR3406C |
| **Ford/New Holland 996N8** | 2 | Frame Kit | A-STR3420 |
| | 2 | Frame Kit w/ Shoes | A-STR3420C |
| | 4 | Frame Kit | A-STR3440 |
| | 4 | Frame Kit w/ Shoes | A-STR3440C |
| | 8 | Frame Kit | A-STR3408 |
| | 8 | Frame Kit w/ Shoes | A-STR3408C |
| **Ford/New Holland 996N12** | 2 | Frame Kit | A-STR3420 |
| | 2 | Frame Kit w/ Shoes | A-STR3420C |
| | 4 | Frame Kit | A-STR3440 |
| | 4 | Frame Kit w/ Shoes | A-STR3440C |
| | 6 | Frame Kit | A-STR3460 |
| | 6 | Frame Kit w/ Shoes | A-STR3460C |
| | 12 | Frame Kit | A-STR3412 |
| | 12 | Frame Kit w/ Shoes | A-STR3412C |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com



Kits w/o shoes include mounting fixtures and hardware shoes must be ordered separately.
Kits w/ shoes include all components for operation.


| Corn Head | Rows | Description | Part No. |
|---|---|---|---|
| **John Deere 606** | 2 | Frame Kit | A-STR2600 |
| | 2 | Frame Kit w/ Shoes | A-STR2600C |
| | 6 | Frame Kit | A-STR0606 |
| | 6 | Frame Kit w/ Shoes | A-STR0606C |
| **John Deere 608** | 2 | Frame Kit | A-STR2600 |
| | 2 | Frame Kit w/ Shoes | A-STR2600C |
| | 4 | Frame Kit | A-STR4600 |
| | 4 | Frame Kit w/ Shoes | A-STR4600C |
| | 8 | Frame Kit | A-STR0808 |
| | 8 | Frame Kit w/ Shoes | A-STR0808C |
| **John Deere 612 w/ 30" rows** | 2 | Frame Kit | A-STR2600 |
| | 2 | Frame Kit w/ Shoes | A-STR2600C |
| | 4 | Frame Kit | A-STR4600 |
| | 4 | Frame Kit w/ Shoes | A-STR4600C |
| | 6 | Frame Kit | A-STR6600 |
| | 6 | Frame Kit w/ Shoes | A-STR6600C |
| | 12 | Frame Kit | A-STR1212 |
| | 12 | Frame Kit w/ Shoes | A-STR1212C |
| **John Deere 612 w/ 22" rows** | 12 | Frame Kit | A-STR1212N |
| | 12 | Frame Kit w/ Shoes | A-STR1212NC |
| **John Deere 612FC** | 2 | Frame Kit | A-STR2600 |
| | 2 | Frame Kit w/ Shoes | A-STR2600C |
| | 4 | Frame Kit | A-STR4600 |
| | 4 | Frame Kit w/ Shoes | A-STR4600C |
| **John Deere 616** | 2 | Frame Kit | A-STR2600 |
| | 2 | Frame Kit w/ Shoes | A-STR2600C |
| | 4 | Frame Kit | A-STR4600 |
| | 4 | Frame Kit w/ Shoes | A-STR4600C |
| | 6 | Frame Kit | A-STR6600 |
| | 6 | Frame Kit w/ Shoes | A-STR6600C |
| | 16 | Frame Kit | A-STR1616 |
| | 16 | Frame Kit w/ Shoes | A-STR1616C |
| **John Deere 618** | 2 | Frame Kit | A-STR2600 |
| | 2 | Frame Kit w/ Shoes | A-STR2600C |
| | 4 | Frame Kit | A-STR4600 |
| | 4 | Frame Kit w/ Shoes | A-STR4600 |
| | 6 | Frame Kit | A-STR6600 |
| | 6 | Frame Kit w/ Shoes | A-STR6600C |
| | 18 | Frame Kit | A-STR1818 |
| | 18 | Frame Kit w/ Shoes | A-STR1818C |
| **John Deere 843** | 2 | Frame Kit | A-STR4292 |
| | 2 | Frame Kit w/ Shoes | A-STR4292C |
| | 4 | Frame Kit | A-STR4497 |
| | 4 | Frame Kit w/ Shoes | A-STR4497C |
| | 8 | Frame Kit | A-STR4098 |
| | 8 | Frame Kit w/ Shoes | A-STR4098C |



*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# STALK STRYKER

## JOHN DEERE



Kits w/o shoes include mounting fixtures and hardware shoes must be ordered separately.
Kits w/ shoes include all components for operation.

| Corn Head | Rows | Description | Part No. |
|---|---|---|---|
| **John Deere 893** | 2 | Frame Kit | A-STR4292 |
| | 2 | Frame Kit w/ Shoes | A-STR4292C |
| | 4 | Frame Kit | A-STR4497 |
| | 4 | Frame Kit w/ Shoes | A-STR4497C |
| | 8 | Frame Kit | A-STR4098 |
| | 8 | Frame Kit w/ Shoes | A-STR4098C |
| **John Deere 1243** | 2 | Frame Kit | A-STR4292 |
| | 2 | Frame Kit w/ Shoes | A-STR4292C |
| | 4 | Frame Kit | A-STR4495 |
| | 4 | Frame Kit w/ Shoes | A-STR4495C |
| | 6 | Frame Kit | A-STR6495 |
| | 6 | Frame Kit w/ Shoes | A-STR6495C |
| | 12 | Frame Kit | A-STR4012 |
| | 12 | Frame Kit w/ Shoes | A-STR4012C |
| **John Deere 1243** | 2 | Frame Kit | A-STR4292 |
| | 2 | Frame Kit w/ Shoes | A-STR4292C |
| | 4 | Frame Kit | A-STR4495 |
| | 4 | Frame Kit w/ Shoes | A-STR4495C |
| | 6 | Frame Kit | A-STR6495 |
| | 6 | Frame Kit w/ Shoes | A-STR6495C |
| | 12 | Frame Kit | A-STR4012 |
| | 12 | Frame Kit w/ Shoes | A-STR4012C |
| **John Deere 1290** | 2 | Frame Kit | A-STR4292 |
| | 2 | Frame Kit w/ Shoes | A-STR4292C |
| | 4 | Frame Kit | A-STR4497 |
| | 4 | Frame Kit w/ Shoes | A-STR4497C |
| | 6 | Frame Kit | A-STR6497 |
| | 6 | Frame Kit w/ Shoes | A-STR6497C |
| | 12 | Frame Kit | A-STR9012N |
| | 12 | Frame Kit w/ Shoes | A-STR9012NC |
| **John Deere 1291** | 2 | Frame Kit | A-STR4292 |
| | 2 | Frame Kit w/ Shoes | A-STR4292C |
| | 4 | Frame Kit | A-STR4497 |
| | 4 | Frame Kit w/ Shoes | A-STR4497C |
| | 6 | Frame Kit | A-STR6497 |
| | 6 | Frame Kit w/ Shoes | A-STR6497C |
| | 12 | Frame Kit | A-STR9012N |
| | 12 | Frame Kit w/ Shoes | A-STR9012NC |
| **John Deere 1293** | 2 | Frame Kit | A-STR4292 |
| | 2 | Frame Kit w/ Shoes | A-STR4292C |
| | 4 | Frame Kit | A-STR4495 |
| | 4 | Frame Kit w/ Shoes | A-STR4495C |
| | 6 | Frame Kit | A-STR6495 |
| | 6 | Frame Kit w/ Shoes | A-STR6495C |
| | 12 | Frame Kit | A-STR9012 |
| | 12 | Frame Kit w/ Shoes | A-STR9012C |

*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.



P. 800-657-4343
F. 800-511-0516
ai products
e-mail: sales@aiproducts.com
web: www.aiproducts.com

**A-STR101** Stalk Stryker™ Shoe Assembly 41 Lbs.



***For Models:*** SEVERAL

**A-STR290** Stalk Stryker™ Storage Bracket 9 Lbs.
Includes mounting hardware.



***For Models:*** SEVERAL

**A-PS101** 10" Poly Skidst 3 Lbs.
Includes mounting hardware.



***For Models:*** SEVERAL



*Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# StalkStryker™




**STALK STRYKER™**
Superior Tire & Track Protection

Stalk Stryker™ levels corn stalks ahead of your combine. This innovative equipment forces the corn stubble to the ground before it has a chance to puncture or cause wear to your tires or tracks.

Made from abrasion resistant steel, this 10" wide shoe assembly is designed to protect your tire/tracks from stalks and other field debris. The Stalk Stryker™ has 8 points of angle/height adjustment to meet your field demands. The shoe assembly has a single pin mounting system for quick and easy removal and can be fitted with a poly skid for better performance in muddy conditions. Stalk Stryker™ can be mounted to Case-IH, Drago, Geringhoff, John Deere and New Holland corn heads.

CASE-IH

DRAGO

GERINGHOFF

JOHN DEERE

NEW HOLLAND

Take

# STALK STRYKER™ FEATURES

## TORSION SPRING & LIMITER BAR

Shoe assembly features a torsion spring for more consistent down pressure. The solid limiter bar reduces residue entanglement and trash buildup.



## 8 POINT ADJUSTMENT BRACKET

The adjustment bracket allows for eight points of angle/height positioning. With the adjustment bracket you can fine tune your setup for exact down pressure and header height needs.





# 'em down!

NEW!

# HALF WIDTH CONCAVES FOR JOHN DEERE APPLICATIONS

## LIGHTER AND EASIER TO SWAP OUT FOR CROP CHANGES AND MAINTENANCE

**A-AH205260-HW** **Half-Width Concave, Front/Middle/Rear, for Corn & Soybeans**

- For front use, must order front lip kit, part A-STSFL
- If installing in 50 Series, A-AH210894 latch kit is required
- Each half-width concave requires its own latch assembly
- Required: 6

Fits John Deere COMBINE: S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S770, S780, S785, S790, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880 STS, 9880I STS, 9880I STS HILLMASTER



**LIST: $399.56**

**A-AXE28957-HW** **Half-Width Concave, Front/Middle/Rear, Round Bar**

- For front use, must order front lip kit, part A-STSFL
- If installing in 50 Series, A-AH210894 latch kit is required
- Each half-width concave requires its own latch assembly
- Required: 6

Fits John Deere COMBINE: S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S770, S780, S785, S790, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880 STS, 9880I STS, 9880I STS HILLMASTER



**LIST: $418.22**

**A-AXE28958-HW** **Half-Width Concave, Front/Middle/Rear, for Small Grains**

- For front use, must order front lip kit, part A-STSFL
- If installing in 50 Series, A-AH210894 latch kit is required
- Each half-width concave requires its own latch assembly
- Required: 6

Fits John Deere COMBINE: S650, S660, S670, S670 HILLMASTER, S680, S680 HILLMASTER, S685, S685 HILLMASTER, S690, S690 HILLMASTER, S770, S780, S785, S790, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880 STS, 9880I STS, 9880I STS HILLMASTER



**LIST: $414.36**

LoeWen COMBINE PARTS


a&i products




Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand

WWW.AIPRODUCTS.COM • PHONE: 1-800-657-4343 • FAX: 1-800-511-0516


# CONCAVE/SIEVE & CHAFFER GUIDE



**NARROW WIRE**



**WIDE WIRE**



**HELICAL BAR**



**ROUND BAR**


**NARROW WIRE** concaves are the standard choice for small grains such as canola, wheat, barley, oats as well as other cereal crops and fine seeds. Running perpendicular to the heavy-duty cross bars, the wires are spaced just wide enough to allow the small grain to fall through the concave while allowing the chaff to continue toward the rear of the combine. Narrow wire concaves are not recommended for use in corn.

**WIDE WIRE** concaves are intended for corn (not reccomended above 25% moisture), soybeans and other large grain crops like rice, sorghum, and sunflowers. Similar to the narrow wire concave in overall design, the wide wire concave is equipped with wires perpendicular to the strong cross bars, but at a wider gap to allow more space for larger material to be threshed and for the larger grain to make its way down through the concave without plugging.

**HELICAL BAR** concaves are often the solution when more aggressive threshing is needed. Since the cross bars and wires run diagonally in a helical bar concave, material entering the rotor strikes a helical bar concave at a right angle. This prevents whiteheads and unthreshed grain. This innovative concave can be installed in the front concave position when encountering tough threshing grain. If even more aggressive results are desired the middle concave can be replaced with a helical bar concave as well.

**ROUND BAR** concaves feature round cross bars and is void of wires. This differs from the square edged bars of the wide, narrow, and helical concaves. The round bar concave is a great fit to harvest field corn (even at levels above 25% moisture), soybeans, popcorn, and food corn. The round bar concave is also a suitable option for small grains, sorghum, sunflowers, and canola when used in conjunction with a helical bar concave in the front position.


**SLOTTED & GRATE FINGER ALSO AVAILABLE**



**ADJUSTABLE BLUNT FINGER**



**ADJUSTABLE SHORT FINGER**



**ADJUSTABLE LONG FINGER**



**ADJUSTABLE AIR FOIL**



**RIGID AIR FOIL**

**ADJUSTABLE BLUNT FINGER** sieves feature nylon adjustable mechanisms and cushions in each wire hole to improve adjustments, reduce friction, wear, and breakage. Individual replacement louvers make for easier repairs. The spring loaded indexed handle allows you to set your sieve for optimum opening and air flow to match specific crop and harvest conditions. The special indexed handle makes it easy to return to the same setting. Wire spacing is 1-1/8".
Compatible with most grain crops.

**ADJUSTABLE SHORT FINGER** sieves feature nylon adjustable mechanisms and cushions in each wire hole to improve adjustments, reduce friction, wear, and breakage. Individual replacement louvers make for easier repairs. The spring loaded indexed handle allows you to set your sieve for optimum opening and air flow to match specific crop and harvest conditions. The special indexed handle makes it easy to return to the same setting. Wire spacing is 1-1/8 & 1-5/8". Recommended for small grains.

**ADJUSTABLE LONG FINGER** sieves feature nylon adjustable mechanisms and cushions in each wire hole to improve adjustments, reduce friction, wear, and breakage. Individual replacement louvers make for easier repairs. The spring loaded indexed handle allows you to set your sieve for optimum opening and air flow to match specific crop and harvest conditions. The special indexed handle makes it easy to return to the same setting. Wire spacing is closed, 1-1/8 & 1-5/8". Recommended for large grain crops.

**ADJUSTABLE AIR FOIL** design directs air virtually straight up, creating a cushion that floats material toward the back of the combine. high air volume proves a clean sample and helps to remove straw and stems. The adjustable air foil performs well in all crops, including grasses and small seeds.

**RIGID AIR FOIL** top chaffer is pre-set for maximum performance under normal conditions. Best results in cereals and large see crops. Loewen Rigid Air Foil chaffers also feature welded in dividers which add rigidity and strength and retain even distribution on hillside conditions. NOTE: as chaffer is non-adjustable, control is limited to fan speed only.

**ROUND HOLE SIEVE** (not pictured) is available in a variety of hole sizes. Bottom sieve for use in crops from alfalfa and clover to beans and corn.

Parts are not original equipment and not sponsored, affiliated, or otherwise connected with any brand. Pricing is in USD and in effect at time of publication. May be subject to change without notice.

# POLICIES & PROCEDURES

**A&I Products*** | **Sunbelt Outdoor Products, a Division of ATI Products Inc.**, is hereafter referred to as "A&I" or "Sunbelt." A&I and Sunbelt are collectively referred to as "we" or "us". Only authorized A&I or Sunbelt resellers ("Resellers") may place orders. To become a Reseller, A&I/Sunbelt require a completed and approved application, including a credit check and written business plan. To continue as a Reseller, Resellers must comply with these Terms and Conditions (including any future changes thereto) and have net order volume of at least $2,000 USD each fiscal year (Nov 01-Oct 31). Other terms apply. For more information on becoming a Reseller, please call our Customer Service Department at 1-800-657-4343.

***References to a manufacturer's name and/or part numbers are for identification purposes only. Unless otherwise noted, merchandise is not original equipment.***

**PRICE POLICY**

ALL PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE. Current reseller & suggested list pricing is available on our B2B site. No trade or cash discounts are to be deducted from "your cost" prices.

**PAYMENT TERMS**

Terms of Payment are cash unless credit has been extended by the A&I / Sunbelt Credit Department. If credit has been extended, payment is due monthly on the 15th of the month following the month of shipment. Invoices from the 1st - 15th of the month are due and payment must be postmarked by the 15th of the month following shipment. Invoices from the 16th - end of month are due and payment must be postmarked by the 15th of the second month following shipment. Late charges will be assessed at the rate of 1.5% per month. C.O.D. orders are not accepted.

**ORDERING**

We encourage you to order A&I parts ONLINE at www.aiproducts.com and Sunbelt parts ONLINE at www.sunbeltparts.com. Orders may be submitted via phone with Customer Service or by fax at: 1-800-511-0516. We are not responsible for errors or delays in processing phone or fax orders. Once submitted, orders for in-stock products cannot be modified or cancelled.

**BACK ORDERS**

If a Reseller's account allows backorders, backordered products will be shipped as soon as merchandise is available. Our invoice will clearly indicate any items which have been backordered. Orders for backordered product may be cancelled online or by calling Customer Service.

**WILL CALL ORDERS**

Will-call orders will be accepted and approved only for machine down orders. Will-call orders must be prepaid or charged to a valid credit account; payment will not be accepted at the time of pickup. Allow 3 hours to process orders for pickup. Order cutoff for same-day pickup is 2:00 pm local time at all locations. Be prepared to present order numbers to warehouse personnel upon arrival.

Additionally:

- Will-call parts will be available for pickup only during business hours.
- We have no obligation to help load any merchandise.
- We reserve the right to refuse to load merchandise in any manner we deem to be unsafe.
- We will not load parts that require a forklift into any vehicle other than a truck.
- We will only deliver the parts on the order.
- If the customer questions or refuses any part we will instruct them to contact Customer Service to reorder or obtain a Return Authorization.
- If the party receiving the part(s) is an end use consumer, we will instruct them to contact their selling retailer.
- Warehouse personnel are not equipped to provide technical support or issue changes to an order.

will not load parts that require a forklift into any vehicle other than a truck.

**MERCHANDISE RETURNS**

We truly hope you are fully satisfied with the products that you purchase from our company. If it is not the case, we ask that you please contact our Sales Support team at 800-657-4343 to obtain a Returns Good Authorization (RGA) number. Returns sent by USPS or Canada Post are not accepted. All US returns should be sent freight prepaid, with the RGA number clearly marked on the outside of the package to our Rock Valley, IA warehouse. In Western Canada (MB, SK, AB, BC, YT, NT, NV) returns to A&I should be sent to the Regina, SK warehouse. In Eastern Canada (ON, NB, NS, PE, NL, QC) returns to A&I should be sent to the Grimsby, ON warehouse. Please see the return policy and requirements below and please keep all packing materials and packing slips when you receive your product. A copy of the original packing list or invoice must be included with your return in order to be considered for reimbursement. Inspect and review your shipment immediately upon receipt so that if there are any problems or discrepancies, we can help correct them promptly.

**RETURNS POLICY**

Returns are accepted up to 25 months from original date of purchase. Unless otherwise noted, a 15% restocking fee will be charged for all returns up to 15 months from original date of purchase. A 25% restocking fee will be charged for returns greater than 15 months and up to 25 months from original date of purchase. Accounts with a minimum $25,000 in annual purchases the prior year (Nov-Oct) are eligible for 90 day returns at 0% restocking fee. Restocking fees will be waived only when: (1) the product is defective; or (2) the incorrect product was ordered and, within 30 days, the wrong product is returned and an order is placed for the correct product. A credit will be applied to the customer's account only after the merchandise has been received, inspected, and determined to meet all the requirements listed below.

**REQUIREMENTS FOR RETURNS**

- The customer is responsible for all shipping charges including any desired insurance.
- Product returns aggregating to more than 10% of a Reseller's annual sales volume in a 12-month period require prior approval.
- All returned product cost calculations (including restocking fees and yearly returns) will be based on the original purchased price.
- All returned products must include a copy of the A&I or Sunbelt packing slip or invoice.
- All returned products must be active selling products. We will not accept returns of inactive, substituted, or discontinued products, or products past their shelf life.
- All returned products must be in new, sellable condition. We cannot accept returns on products that are damaged (e.g., rusty or dented) or previously used or installed.
- All returned products must be in the original packaging (where applicable).
- All returns must be returned as ordered. Products that are incomplete or missing parts will not be accepted for return. Products that are in kits or packages must be returned in their entirety.
- Any return that does not meet the return requirements listed above will be scrapped at the customer's expense.

**WARRANTY**

Products not separately warranted by the manufacturer are warranted by A&I and Sunbelt to be free from defects in material and workmanship as described below. A&I and Sunbelt reserve the right to inspect any item prior to granting warranty coverage.

| *PRODUCT GROUP* | *WARRANTY TERM* |
|---|---|
| ■ *Remanufactured International Harvester, Massey, and White hydraulic pumps*<br>■ *Rebuilt injectors* | *90 Days* |
| ■ *Remanufactured John Deere hydraulic pumps*<br>■ *New injectors* | *6 Months* |
| *A&I air conditioning (A/C) compressors, but only when installed by licensed or certified A&I/ Sunbelt reseller in accordance with applicable regulations and when the steps within Tech Bulletin TM0004 have been taken. The TM0004 A/C Compressor Warranty Sheet is available on the A&I Products website.* | *1 Year* |
| *Briggs & Stratton* | *Separately warranted by manufacturer. See http://www.briggsandstratton.com* |
| *Fleetguard* | *Separately warranted by manufacturer. See https://www.cumminsfiltration.com/html/en/about_us/vision_mission/real_world_warranty.html* |
| *Mi-T-M* | *Separately warranted by manufacturer. See http://www.mitm.com* |
| *Hydraulic Torque Amplifiers ("TAs"), Regular Duty TAs, and Mechanical TAs* | *Separately warranted; see TA warranty policy on the A&I Products website.* |
| *OEM turf parts branded by the manufacturer* | *Manufacturer's warranty term and conditions apply.* |
| *All other parts* | *1 Year* |

**WHAT IS NOT WARRANTED – THIS WARRANTY DOES NOT COVER:**

- A&I A/C compressors not installed by a licensed or certified A/C repair shop;
- Any equipment that has been altered or modified from factory specifications;
- Depreciation or damage caused by normal wear, lack of reasonable and proper maintenance, failure to follow operating instructions/recommendations, misuse, lack of proper protection during storage, vandalism, collision, or accident;
- Pistons, rings, or liners that are not ordered as parts of an overhaul kit;
- Components that have been disassembled or dismantled;
- Installation costs, any service calls, or other labor charges for products not installed by an authorized A&I/Sunbelt reseller.
- Transportation and/or freight costs associated with returning the product to the A&I or Sunbelt retailer's place of business;
- Any premium charged for overtime labor requested by the purchaser;
- Incidental or consequential damages or injuries, including, but not limited to, loss of crops, loss of profits, rental of substitute equipment, or other commercial loss;
- Statutory or implied warranties or conditions of merchantability or fitness.

To the extent allowed by law, implied or statutory warranties including warranties of merchantability or fitness for a particular purpose shall be limited in duration to the applicable warranty period. Some jurisdictions do not allow duration limitations on an implied warranty or on the exclusion or limitation of incidental or consequential damages. The warranty gives the purchaser other specific legal rights which may vary by jurisdiction.

***Resellers have no authority to make any representation or promise on behalf of A&I or Sunbelt or to modify the terms or limitations of this warranty in any way.***

**TO OBTAIN WARRANTY SERVICE,** the end customer must submit the warranty claim to the original A&I or Sunbelt reseller where the product was purchased within the warranty term. At the same time, the end customer must present the product and the original sales receipt showing date of purchase.

**SHIPPING DISCREPANCIES OR DAMAGED GOODS**

Overages, shortages, or incorrect parts must be reported within 30 days of shipment. Damages must be reported immediately. All external damages should be reported to the carrier and noted on the shipping document when signing the delivery receipt. If you receive a damaged package, please sign for product as damaged and accept the package. Please do not refuse a package and do not destroy packing until inspection has been made by the carrier or carrier's agent.

**LIMITATIONS OF SELLER'S LIABILITY**

A&I and Sunbelt shall not be liable hereunder for damages in excess of the purchase price of the item with respect to which damages are claimed, and in no event shall A&I or Sunbelt be liable for loss of profit or good will or for any other special, consequential or incidental damages.

**ERRORS & OMISSIONS**

The information contained in our catalogs or websites are correct to the best of our knowledge; however, we cannot be held responsible for typographical errors.

# WARRANTY LABOR SUPPLEMENT

Parts that are warrantable per the A&I Products warranty policy are eligible for labor compensation, with select exclusions noted below. This is a predetermined flat rate labor hours to perform the repair established by A&I Products independent of make, model, or brand. The hourly labor rate applied will be your published retail hourly shop rate. This shop rate must be supplied to A&I/Sunbelt to be eligible for warranty labor supplement. Additional compensation for service calls, trucking, mileage, shop fees, etc. will not be issued per warranty policy. This labor warranty supplement is extended only to direct customers of A&I Products. Over the counter sales, parts installed by third parties, or end-use customers do not qualify. To be eligible to receive the labor supplement, a copy of the original detailed work order showing installation of the failed part by an authorized A&I reseller must accompany the initial warranty submission.

**ITEMS NOT COVERED BY LABOR SUPPLEMENT**

1. Briggs & Stratton
2. Fleetguard
3. Mi-T-M
4. Industrial Belts
5. Hardware
6. Filters
7. Hydraulic Hose

**SERVICES NOT COVERED BY LABOR SUPPLEMENT**

1. Technician time and service vehicle travel cost between resellers business and worksite.
2. Transporting equipment to and from worksite.
3. Overtime labor premiums requested by the customer.

**Warranty Labor Supplment mirrors the warranty period for the eligible parts listed in the chart on the previous page.**

# FREIGHT POLICIES

## PRICES, TERMS, AND DISCOUNTS ARE ALWAYS SUBJECT TO CHANGE WITHOUT NOTICE.

**FREIGHT**

We reserve the right to use the carrier of our choice. Orders have a 3:30 pm local cutoff at all locations to ship same day if parcel, next day ship if LTL. Items shipped regionally from the Rock Valley, Iowa location via SpeeDee parcel are subject to a 2:30 pm cutoff for same day shipping. Orders received after cutoff will ship the next day.

**AG & INDUSTRIAL FREIGHT DISCOUNT POLICY (Any order that includes Ag & Industrial Product)**

A&I Products offers a freight policy that offers free freight on qualifying orders. As all policies do, this policy has guidelines that must be followed in order for a customer to take advantage of its benefits. The guidelines of our freight policy are as follows:

1) For standard, non-truck freight orders, the original product order must be $350.00 USA funds or greater. For orders including truck freight items, the order must be $1250 USA funds or greater. (THIS IS NOT INCLUDING FREIGHT COST OR CORE CHARGES. PARTS MUST BE SHIPPED TO A SINGLE LOCATION.)
2) Customer's account must be current in order to qualify for free freight program.
3) Freight discount will only be granted on standard, A&I prepaid ground and truck freight. No freight allowance is offered on shipments of premium rate, including Next Day Air and Second Day Air. Accounts set up with collect or third party billing do not qualify for free freight. On truck freight orders, any additional charges incurred due to residential, PO Box addresses, or special requirements are the responsibility of the customer. Only the normal truck freight charges qualify for the freight discount.
   3.1) Only shipments within the contiguous United States or contiguous Canadian Provinces are eligible. Shipments to Hawaii, Alaska, any other remote US or Canadian territory, and International shipments are not eligible for the freight discount policy.
4) No freight allowance is offered on special order products or orders drop shipped directly from vendor.
   4.1) Shipping method of drop shipped items may be subject to the discretion of the vendor.
5) Back orders on an original qualifying order will be allowed to take advantage of the freight policy.
6) A handling fee of $4.50 is charged on all packages drop shipped from an A&I Products/Sunbelt warehouse.
7) Briggs & Stratton Engines are subject to handling fees in addition to any regular freight policies, if applicable. Handling fees are calculated based on the total invoiced dollars of engines per single order. Handling fees for Briggs & Stratton Engines are as follows:

| DOLLAR VALUE OF B&S ENGINES ON SINGLE ORDER | HANDLING FEE |
|---|---|
| Up to $150.00 | $0.00 |
| $150.01 - $499.99 | $15.00 |
| $500.00 - $1499.99 | $30.00 |
| $1500.00 - $2499.99 | $45.00 |
| $2500.00+ | $0.00 |

**TURF FREIGHT DISCOUNT POLICY (Any order that includes ONLY Turf Product & products categorized as turf-eligible product)**

| ORDER SIZE | FREIGHT |
|---|---|
| Less than $199.99 | Standard Freight Charges Apply |
| $200+ | Free Freight |

*Special Note: Engines, Decks, and Sprayer Tanks will be charged freight and handling fees. Briggs & Stratton Engines are subject to handling fees in addition to any regular freight policies, if applicable. Handling fees are calculated based on the total invoiced dollars of engines per single order. Handling fees for Briggs & Stratton Engines are listed under point (7) above.*

*The customer is responsible for any and all freight charges on factory direct shipments. Customer is also responsible for any freight charges for Air Freight shipments or special requests.*

***Damaged Shipments & Shortages on Carrier (Truck Freight) & Courier (UPS and other parcel companies)***
*Please refer to Terms & Conditions.*

*Any customers that do not follow these guidelines put themselves in danger of losing their privileges to this discount. Please take advantage of this discount but do not abuse the guidelines. If you have any questions, call 1-800-657-4343.*

# PRIVACY POLICY

We value the trust you place in A&I Products. We want to ensure you understand what information we gather, how we use it, and the safeguards we have in place to protect it.

In limited circumstances, we collect information necessary to process and complete your order. These include your name, address, phone number, e-mail address, and credit card information. This information may be stored and processed by A&I or by its parent company. A&I Products does not rent or sell customer information to third parties.

Visit and login to our website www.aiproducts.com or www.sunbeltparts.com to see our complete privacy and data collection policies.

***Prices noted are in US dollars. Policies and Terms are subject to change, please refer to our website for the most up to date information.***

**WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov
**AVERTISSEMENT:** Cancer et Troubles de l'appareil reproducteur - www.P65Warnings.ca.gov
**ADVERTENCIA:** Cáncer y Daño Reproductivo - www.P65Warnings.ca.gov



# COMBINE PARTS

- AUGERS
- AXLE & STEERING
- BELTS
- CHAFFERS & SIEVES
- CONCAVES
- COOLING PARTS
- ELEVATOR CHAIN
- FEEDER HOUSE PARTS
- HEADER PARTS
- HYDRAULIC PARTS
- POWERTRAIN PARTS
- PULLEYS & SHEAVES
- RASP BARS
- ROTOR CONES
- SHAFTS
- SPROCKETS
- STRAW CHOPPER
- AND MUCH MORE...

**CT902**
**AUGUST 2022**